


802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49178G	57.14	74.00	-16.86	41.61	3	Horizontal	64	2.96	-	38.40	8.87	31.74
AV	11.49326G	44.21	54.00	-9.79	28.68	3	Horizontal	64	2.96	-	38.40	8.87	31.74
PK	17.24072G	64.93	68.20	-3.27	42.45	3	Horizontal	227	1.89	-	41.80	10.87	30.19

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	60.71	68.20	-7.49	52.93	3	Vertical	244	2.20	-	33.88	6.56	32.66
PK	5.793G	112.94	Inf	-Inf	104.70	3	Vertical	244	2.20	-	34.40	6.60	32.76
AV	5.793G	103.76	Inf	-Inf	95.52	3	Vertical	244	2.20	-	34.40	6.60	32.76
PK	5.936G	62.35	68.20	-5.85	53.52	3	Vertical	244	2.20	-	35.04	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	61.31	68.20	-6.89	53.43	3	Horizontal	354	2.24	-	33.97	6.60	32.69
PK	5.777G	127.58	Inf	-Inf	119.33	3	Horizontal	354	2.24	-	34.40	6.60	32.75
AV	5.778G	118.15	Inf	-Inf	109.90	3	Horizontal	354	2.24	-	34.40	6.60	32.75
PK	6.018G	61.87	68.20	-6.33	52.82	3	Horizontal	354	2.24	-	35.26	6.63	32.84

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5725G	57.15	74.00	-16.85	41.42	3	Vertical	289	2.34	-	38.55	8.89	31.71
AV	11.56784G	44.33	54.00	-9.67	28.61	3	Vertical	289	2.34	-	38.54	8.89	31.71
PK	17.35688G	62.12	68.20	-6.08	39.42	3	Vertical	85	1.80	-	42.16	10.91	30.37

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5749G	58.27	74.00	-15.73	42.54	3	Horizontal	18	1.50	-	38.55	8.89	31.71
AV	11.566G	44.43	54.00	-9.57	28.72	3	Horizontal	18	1.50	-	38.53	8.89	31.71
PK	17.35544G	64.80	68.20	-3.40	42.09	3	Horizontal	229	1.55	-	42.16	10.91	30.36

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.577G	61.00	68.20	-7.20	53.24	3	Vertical	231	3.00	-	33.85	6.58	32.67	
PK	5.822G	116.82	Inf	-Inf	108.41	3	Vertical	231	3.00	-	34.58	6.60	32.77	
AV	5.822G	106.90	Inf	-Inf	98.49	3	Vertical	231	3.00	-	34.58	6.60	32.77	
PK	6.074G	61.78	68.20	-6.42	52.66	3	Vertical	231	3.00	-	35.25	6.71	32.84	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	61.06	68.20	-7.14	53.13	3	Horizontal	356	1.80	-	34.03	6.60	32.70
PK	5.818G	126.23	Inf	-Inf	117.86	3	Horizontal	356	1.80	-	34.54	6.60	32.77
AV	5.818G	116.96	Inf	-Inf	108.59	3	Horizontal	356	1.80	-	34.54	6.60	32.77
PK	5.987G	62.78	68.20	-5.42	53.76	3	Horizontal	356	1.80	-	35.25	6.60	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65018G	58.10	74.00	-15.90	42.27	3	Vertical	173	2.90	-	38.60	8.91	31.68
AV	11.64994G	45.39	54.00	-8.61	29.56	3	Vertical	173	2.90	-	38.60	8.91	31.68
PK	17.45804G	63.53	68.20	-4.67	40.85	3	Vertical	104	1.80	-	42.26	10.94	30.52

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6483G	58.26	74.00	-15.74	42.43	3	Horizontal	149	1.73	-	38.60	8.91	31.68
AV	11.65002G	45.19	54.00	-8.81	29.36	3	Horizontal	149	1.73	-	38.60	8.91	31.68
PK	17.48332G	64.84	68.20	-3.36	42.18	3	Horizontal	230	1.77	-	42.28	10.94	30.56

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1474G	61.50	74.00	-12.50	55.21	3	Vertical	111	1.72	-	32.71	6.37	32.79	
AV	5.1462G	46.68	54.00	-7.32	40.39	3	Vertical	111	1.72	-	32.71	6.37	32.79	
PK	5.1854G	114.42	Inf	-Inf	108.10	3	Vertical	111	1.72	-	32.70	6.39	32.77	
AV	5.1852G	101.69	Inf	-Inf	95.37	3	Vertical	111	1.72	-	32.70	6.39	32.77	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	69.08	74.00	-4.92	62.80	3	Horizontal	164	2.28	-	32.70	6.37	32.79
AV	5.1484G	53.48	54.00	-0.52	47.20	3	Horizontal	164	2.28	-	32.70	6.37	32.79
PK	5.1866G	123.40	Inf	-Inf	117.08	3	Horizontal	164	2.28	-	32.70	6.39	32.77
AV	5.1884G	111.35	Inf	-Inf	105.03	3	Horizontal	164	2.28	-	32.70	6.39	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35764G	56.58	68.20	-11.62	41.38	3	Vertical	78	2.90	-	38.40	8.59	31.79
PK	15.54368G	62.14	74.00	-11.86	44.47	3	Vertical	134	2.89	-	38.03	10.36	30.72
AV	15.54426G	48.59	54.00	-5.41	30.93	3	Vertical	134	2.89	-	38.02	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36398G	56.57	68.20	-11.63	41.37	3	Horizontal	284	1.03	-	38.40	8.59	31.79
PK	15.54224G	62.04	74.00	-11.96	44.37	3	Horizontal	132	1.06	-	38.03	10.36	30.72
AV	15.5418G	48.62	54.00	-5.38	30.95	3	Horizontal	132	1.06	-	38.03	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.25	74.00	-13.75	53.96	3	Vertical	112	1.59	-	32.71	6.37	32.79
AV	5.146G	47.13	54.00	-6.87	40.84	3	Vertical	112	1.59	-	32.71	6.37	32.79
PK	5.206G	118.34	Inf	-Inf	111.99	3	Vertical	112	1.59	-	32.71	6.40	32.76
AV	5.2052G	105.84	Inf	-Inf	99.49	3	Vertical	112	1.59	-	32.71	6.40	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.08	74.00	-5.92	61.79	3	Horizontal	167	2.56	-	32.71	6.37	32.79
AV	5.1476G	53.15	54.00	-0.85	46.87	3	Horizontal	167	2.56	-	32.70	6.37	32.79
PK	5.2084G	126.69	Inf	-Inf	120.33	3	Horizontal	167	2.56	-	32.72	6.40	32.76
AV	5.2068G	115.19	Inf	-Inf	108.84	3	Horizontal	167	2.56	-	32.71	6.40	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3957G	56.77	68.20	-11.43	41.52	3	Vertical	359	1.18	-	38.40	8.60	31.75
PK	15.6044G	62.30	74.00	-11.70	44.82	3	Vertical	327	1.84	-	37.80	10.38	30.70
AV	15.60514G	49.16	54.00	-4.84	31.69	3	Vertical	327	1.84	-	37.79	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40204G	57.00	68.20	-11.20	41.75	3	Horizontal	189	2.97	-	38.40	8.60	31.75
PK	15.60396G	63.75	74.00	-10.25	46.27	3	Horizontal	180	1.76	-	37.80	10.38	30.70
AV	15.60396G	49.09	54.00	-4.91	31.61	3	Horizontal	180	1.76	-	37.80	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	59.31	74.00	-14.69	52.97	3	Vertical	114	1.48	-	32.80	6.35	32.81
AV	5.144G	45.92	54.00	-8.08	39.63	3	Vertical	114	1.48	-	32.71	6.37	32.79
PK	5.2454G	120.05	Inf	-Inf	113.61	3	Vertical	114	1.48	-	32.79	6.40	32.75
AV	5.2454G	107.61	Inf	-Inf	101.17	3	Vertical	114	1.48	-	32.79	6.40	32.75
PK	5.3822G	60.34	74.00	-13.66	53.50	3	Vertical	114	1.48	-	33.13	6.40	32.69
AV	5.3726G	46.73	54.00	-7.27	39.93	3	Vertical	114	1.48	-	33.09	6.40	32.69

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.83	74.00	-12.17	55.54	3	Horizontal	170	2.53	-	32.71	6.37	32.79
AV	5.1476G	48.71	54.00	-5.29	42.43	3	Horizontal	170	2.53	-	32.70	6.37	32.79
PK	5.246G	128.82	Inf	-Inf	122.38	3	Horizontal	170	2.53	-	32.79	6.40	32.75
AV	5.2472G	117.48	Inf	-Inf	111.04	3	Horizontal	170	2.53	-	32.79	6.40	32.75
PK	5.3888G	61.83	74.00	-12.17	54.96	3	Horizontal	170	2.53	-	33.16	6.40	32.69
AV	5.384G	48.55	54.00	-5.45	41.70	3	Horizontal	170	2.53	-	33.14	6.40	32.69

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48008G	56.98	68.20	-11.22	41.54	3	Vertical	82	1.48	-	38.48	8.62	31.66
PK	15.72024G	63.22	74.00	-10.78	45.64	3	Vertical	200	1.80	-	37.82	10.42	30.66
AV	15.71768G	49.06	54.00	-4.94	31.49	3	Vertical	200	1.80	-	37.81	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47992G	56.76	68.20	-11.44	41.32	3	Horizontal	153	2.54	-	38.48	8.62	31.66
PK	15.72912G	65.09	74.00	-8.91	47.46	3	Horizontal	166	1.80	-	37.87	10.42	30.66
AV	15.72904G	50.91	54.00	-3.09	33.28	3	Horizontal	166	1.80	-	37.87	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	60.42	68.20	-7.78	52.67	3	Vertical	234	2.92	-	33.84	6.58	32.67
PK	5.741G	116.86	Inf	-Inf	108.67	3	Vertical	234	2.92	-	34.33	6.60	32.74
AV	5.741G	105.14	Inf	-Inf	96.95	3	Vertical	234	2.92	-	34.33	6.60	32.74
PK	5.93G	62.44	68.20	-5.76	53.63	3	Vertical	234	2.92	-	35.02	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	61.87	68.20	-6.33	54.11	3	Horizontal	356	1.80	-	33.86	6.57	32.67
PK	5.749G	128.25	Inf	-Inf	120.00	3	Horizontal	356	1.80	-	34.39	6.60	32.74
AV	5.749G	117.19	Inf	-Inf	108.94	3	Horizontal	356	1.80	-	34.39	6.60	32.74
PK	5.994G	61.91	68.20	-6.29	52.87	3	Horizontal	356	1.80	-	35.28	6.60	32.84

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49122G	58.41	74.00	-15.59	42.89	3	Vertical	336	2.99	-	38.40	8.87	31.75
AV	11.48978G	45.79	54.00	-8.21	30.27	3	Vertical	336	2.99	-	38.40	8.87	31.75
PK	17.24964G	67.92	68.20	-0.28	45.40	3	Vertical	33	1.80	-	41.85	10.87	30.20

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49006G	58.45	74.00	-15.55	42.93	3	Horizontal	334	1.42	-	38.40	8.87	31.75
AV	11.48982G	45.64	54.00	-8.36	30.12	3	Horizontal	334	1.42	-	38.40	8.87	31.75
PK	17.23652G	68.07	68.20	-0.13	45.60	3	Horizontal	217	1.80	-	41.78	10.87	30.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	60.36	68.20	-7.84	52.64	3	Vertical	238	3.00	-	33.81	6.59	32.68
PK	5.782G	115.81	Inf	-Inf	107.56	3	Vertical	238	3.00	-	34.40	6.60	32.75
AV	5.781G	105.14	Inf	-Inf	96.89	3	Vertical	238	3.00	-	34.40	6.60	32.75
PK	5.951G	62.24	68.20	-5.96	53.36	3	Vertical	238	3.00	-	35.10	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	61.27	68.20	-6.93	53.52	3	Horizontal	356	1.78	-	33.84	6.58	32.67
PK	5.789G	130.09	Inf	-Inf	121.85	3	Horizontal	356	1.78	-	34.40	6.60	32.76
AV	5.788G	116.68	Inf	-Inf	108.44	3	Horizontal	356	1.78	-	34.40	6.60	32.76
PK	5.984G	62.82	68.20	-5.38	53.81	3	Horizontal	356	1.78	-	35.24	6.60	32.83

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5725G	57.74	74.00	-16.26	42.01	3	Vertical	287	2.57	-	38.55	8.89	31.71
AV	11.57446G	44.25	54.00	-9.75	28.52	3	Vertical	287	2.57	-	38.55	8.89	31.71
PK	17.35204G	61.83	68.20	-6.37	39.13	3	Vertical	228	1.80	-	42.15	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57452G	57.58	74.00	-16.42	41.85	3	Horizontal	13	1.85	-	38.55	8.89	31.71
AV	11.56598G	44.42	54.00	-9.58	28.71	3	Horizontal	13	1.85	-	38.53	8.89	31.71
PK	17.35468G	64.44	68.20	-3.76	41.74	3	Horizontal	230	1.59	-	42.15	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	59.93	68.20	-8.27	52.20	3	Vertical	241	3.00	-	33.82	6.59	32.68
PK	5.822G	117.36	Inf	-Inf	108.95	3	Vertical	241	3.00	-	34.58	6.60	32.77
AV	5.821G	106.18	Inf	-Inf	97.78	3	Vertical	241	3.00	-	34.57	6.60	32.77
PK	6.062G	63.25	68.20	-4.95	54.18	3	Vertical	241	3.00	-	35.22	6.69	32.84

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.43	68.20	-7.77	52.46	3	Horizontal	356	1.80	-	34.07	6.60	32.70
PK	5.83G	129.19	Inf	-Inf	120.72	3	Horizontal	356	1.80	-	34.64	6.60	32.77
AV	5.83G	116.87	Inf	-Inf	108.40	3	Horizontal	356	1.80	-	34.64	6.60	32.77
PK	5.936G	62.66	68.20	-5.54	53.83	3	Horizontal	356	1.80	-	35.04	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65094G	57.23	74.00	-16.77	41.40	3	Vertical	330	1.68	-	38.60	8.91	31.68
AV	11.64994G	43.61	54.00	-10.39	27.78	3	Vertical	330	1.68	-	38.60	8.91	31.68
PK	17.4698G	67.27	68.20	-0.93	44.60	3	Vertical	243	1.80	-	42.27	10.94	30.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64816G	57.50	74.00	-16.50	41.67	3	Horizontal	202	2.82	-	38.60	8.91	31.68
AV	11.65404G	43.60	54.00	-10.40	27.77	3	Horizontal	202	2.82	-	38.60	8.91	31.68
PK	17.47884G	67.83	68.20	-0.37	45.17	3	Horizontal	218	1.77	-	42.28	10.94	30.56

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	59.37	74.00	-14.63	53.06	3	Vertical	112	1.57	-	32.73	6.37	32.79
AV	5.1356G	46.41	54.00	-7.59	40.10	3	Vertical	112	1.57	-	32.73	6.37	32.79
PK	5.196G	111.68	Inf	-Inf	105.35	3	Vertical	112	1.57	-	32.70	6.40	32.77
AV	5.1956G	98.91	Inf	-Inf	92.58	3	Vertical	112	1.57	-	32.70	6.40	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.21	74.00	-4.79	62.93	3	Horizontal	4	2.30	-	32.70	6.37	32.79
AV	5.15G	53.53	54.00	-0.47	47.25	3	Horizontal	4	2.30	-	32.70	6.37	32.79
PK	5.1884G	120.23	Inf	-Inf	113.91	3	Horizontal	4	2.30	-	32.70	6.39	32.77
AV	5.1888G	107.16	Inf	-Inf	100.84	3	Horizontal	4	2.30	-	32.70	6.39	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38254G	56.43	68.20	-11.77	41.20	3	Vertical	289	1.15	-	38.40	8.60	31.77
PK	15.57258G	62.54	74.00	-11.46	44.97	3	Vertical	311	2.82	-	37.91	10.37	30.71
AV	15.56834G	48.90	54.00	-5.10	31.31	3	Vertical	311	2.82	-	37.93	10.37	30.71

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3807G	56.45	68.20	-11.75	41.22	3	Horizontal	176	1.36	-	38.40	8.60	31.77
PK	15.5666G	62.71	74.00	-11.29	45.12	3	Horizontal	139	2.65	-	37.93	10.37	30.71
AV	15.57094G	48.72	54.00	-5.28	31.14	3	Horizontal	139	2.65	-	37.92	10.37	30.71

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	58.85	74.00	-15.15	52.54	3	Vertical	115	1.64	-	32.73	6.37	32.79
AV	5.1358G	46.42	54.00	-7.58	40.11	3	Vertical	115	1.64	-	32.73	6.37	32.79
PK	5.2348G	114.09	Inf	-Inf	107.67	3	Vertical	115	1.64	-	32.77	6.40	32.75
AV	5.2354G	102.74	Inf	-Inf	96.32	3	Vertical	115	1.64	-	32.77	6.40	32.75
PK	5.3698G	60.32	74.00	-13.68	53.53	3	Vertical	115	1.64	-	33.08	6.40	32.69
AV	5.38G	47.07	54.00	-6.93	40.24	3	Vertical	115	1.64	-	33.12	6.40	32.69

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.37	74.00	-6.63	61.09	3	Horizontal	5	2.32	-	32.70	6.37	32.79
AV	5.1484G	53.54	54.00	-0.46	47.26	3	Horizontal	5	2.32	-	32.70	6.37	32.79
PK	5.2276G	123.10	Inf	-Inf	116.69	3	Horizontal	5	2.32	-	32.76	6.40	32.75
AV	5.2282G	112.17	Inf	-Inf	105.76	3	Horizontal	5	2.32	-	32.76	6.40	32.75
PK	5.374G	62.60	74.00	-11.40	55.79	3	Horizontal	5	2.32	-	33.10	6.40	32.69
AV	5.3698G	49.34	54.00	-4.66	42.55	3	Horizontal	5	2.32	-	33.08	6.40	32.69

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_X_4TX
Setting 21
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4555G	56.85	68.20	-11.35	41.47	3	Vertical	142	1.36	-	38.46	8.61	31.69
PK	15.68716G	62.10	74.00	-11.90	44.65	3	Vertical	225	1.36	-	37.71	10.41	30.67
AV	15.69082G	48.69	54.00	-5.31	31.24	3	Vertical	225	1.36	-	37.71	10.41	30.67

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_X_4TX
Setting 21
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46462G	57.16	68.20	-11.04	41.76	3	Horizontal	337	1.21	-	38.46	8.62	31.68
PK	15.68546G	62.35	74.00	-11.65	44.90	3	Horizontal	180	1.36	-	37.71	10.41	30.67
AV	15.68842G	48.67	54.00	-5.33	31.22	3	Horizontal	180	1.36	-	37.71	10.41	30.67

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 23
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	61.28	68.20	-6.92	53.38	3	Vertical	300	3.00	-	33.99	6.60	32.69
PK	5.746G	114.32	Inf	-Inf	106.09	3	Vertical	300	3.00	-	34.37	6.60	32.74
AV	5.744G	103.55	Inf	-Inf	95.34	3	Vertical	300	3.00	-	34.35	6.60	32.74
PK	5.993G	61.43	68.20	-6.77	52.40	3	Vertical	300	3.00	-	35.27	6.60	32.84

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 23
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	73.84	74.12	-0.28	65.86	3	Horizontal	356	1.89	-	34.08	6.60	32.70
PK	5.758G	127.32	Inf	-Inf	119.06	3	Horizontal	356	1.89	-	34.40	6.60	32.74
AV	5.759G	114.50	Inf	-Inf	106.24	3	Horizontal	356	1.89	-	34.40	6.60	32.74
PK	5.927G	61.89	68.20	-6.31	53.09	3	Horizontal	356	1.89	-	35.01	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 23
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50712G	58.04	74.00	-15.96	42.49	3	Vertical	169	1.87	-	38.41	8.88	31.74
AV	11.5146G	43.58	54.00	-10.42	28.00	3	Vertical	169	1.87	-	38.43	8.88	31.73
PK	17.26108G	66.14	68.20	-2.06	43.57	3	Vertical	97	1.84	-	41.91	10.88	30.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 23
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50882G	57.21	74.00	-16.79	41.65	3	Horizontal	52	1.65	-	38.42	8.88	31.74
AV	11.51116G	43.56	54.00	-10.44	28.00	3	Horizontal	52	1.65	-	38.42	8.88	31.74
PK	17.2651G	66.71	68.20	-1.49	44.12	3	Horizontal	268	1.68	-	41.93	10.88	30.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	60.55	68.20	-7.65	52.79	3	Vertical	237	3.00	-	33.84	6.60	32.68
PK	5.81G	115.09	Inf	-Inf	106.77	3	Vertical	237	3.00	-	34.48	6.60	32.76
AV	5.791G	103.31	Inf	-Inf	95.07	3	Vertical	237	3.00	-	34.40	6.60	32.76
PK	5.933G	62.51	68.20	-5.69	53.69	3	Vertical	237	3.00	-	35.03	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	62.76	68.20	-5.44	54.94	3	Horizontal	354	1.80	-	33.91	6.60	32.69
PK	5.799G	126.15	Inf	-Inf	117.91	3	Horizontal	354	1.80	-	34.40	6.60	32.76
AV	5.799G	115.20	Inf	-Inf	106.96	3	Horizontal	354	1.80	-	34.40	6.60	32.76
PK	5.918G	72.49	73.38	-0.89	63.73	3	Horizontal	354	1.80	-	34.97	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59112G	58.23	74.00	-15.77	42.45	3	Vertical	91	1.38	-	38.58	8.90	31.70
AV	11.58872G	43.80	54.00	-10.20	28.02	3	Vertical	91	1.38	-	38.58	8.90	31.70
PK	17.3881G	66.46	68.20	-1.74	43.77	3	Vertical	66	1.64	-	42.19	10.92	30.42

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58952G	57.56	74.00	-16.44	41.78	3	Horizontal	249	1.73	-	38.58	8.90	31.70
AV	11.58968G	43.83	54.00	-10.17	28.05	3	Horizontal	249	1.73	-	38.58	8.90	31.70
PK	17.38832G	67.29	68.20	-0.91	44.60	3	Horizontal	26	2.71	-	42.19	10.92	30.42

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 15.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	59.06	74.00	-14.94	52.75	3	Vertical	115	1.59	-	32.73	6.37	32.79
AV	5.1348G	47.52	54.00	-6.48	41.21	3	Vertical	115	1.59	-	32.73	6.37	32.79
PK	5.1964G	105.22	Inf	-Inf	98.89	3	Vertical	115	1.59	-	32.70	6.40	32.77
AV	5.2148G	93.57	Inf	-Inf	87.20	3	Vertical	115	1.59	-	32.73	6.40	32.76
PK	5.382G	59.46	74.00	-14.54	52.62	3	Vertical	115	1.59	-	33.13	6.40	32.69
AV	5.4092G	46.96	54.00	-7.04	39.94	3	Vertical	115	1.59	-	33.29	6.41	32.68

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 15.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	67.80	74.00	-6.20	61.49	3	Horizontal	168	2.70	-	32.73	6.37	32.79
AV	5.138G	53.95	54.00	-0.05	47.65	3	Horizontal	168	2.70	-	32.72	6.37	32.79
PK	5.2164G	117.14	Inf	-Inf	110.77	3	Horizontal	168	2.70	-	32.73	6.40	32.76
AV	5.2164G	103.80	Inf	-Inf	97.43	3	Horizontal	168	2.70	-	32.73	6.40	32.76
PK	5.382G	61.43	74.00	-12.57	54.59	3	Horizontal	168	2.70	-	33.13	6.40	32.69
AV	5.4084G	47.93	54.00	-6.07	40.92	3	Horizontal	168	2.70	-	33.28	6.41	32.68

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 15.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.41608G	56.84	68.20	-11.36	41.55	3	Vertical	75	2.51	-	38.42	8.60	31.73	
PK	15.62586G	62.40	74.00	-11.60	44.93	3	Vertical	299	1.42	-	37.77	10.39	30.69	
AV	15.62724G	48.92	54.00	-5.08	31.45	3	Vertical	299	1.42	-	37.77	10.39	30.69	

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 15.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41676G	56.61	68.20	-11.59	41.32	3	Horizontal	184	2.31	-	38.42	8.60	31.73
PK	15.6289G	63.02	74.00	-10.98	45.55	3	Horizontal	45	2.02	-	37.77	10.39	30.69
AV	15.63028G	48.94	54.00	-5.06	31.47	3	Horizontal	45	2.02	-	37.77	10.39	30.69

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	61.09	68.20	-7.11	53.36	3	Vertical	238	2.91	-	33.82	6.59	32.68
PK	5.771G	108.80	Inf	-Inf	100.55	3	Vertical	238	2.91	-	34.40	6.60	32.75
AV	5.772G	96.07	Inf	-Inf	87.82	3	Vertical	238	2.91	-	34.40	6.60	32.75
PK	6.019G	62.47	68.20	-5.73	53.42	3	Vertical	238	2.91	-	35.26	6.63	32.84

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	67.73	68.20	-0.47	59.79	3	Horizontal	356	1.80	-	34.04	6.60	32.70
PK	5.779G	120.26	Inf	-Inf	112.01	3	Horizontal	356	1.80	-	34.40	6.60	32.75
AV	5.779G	107.98	Inf	-Inf	99.73	3	Horizontal	356	1.80	-	34.40	6.60	32.75
PK	5.921G	68.00	71.16	-3.16	59.23	3	Horizontal	356	1.80	-	34.98	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5485G	57.66	74.00	-16.34	41.99	3	Vertical	215	2.22	-	38.50	8.89	31.72
AV	11.54622G	43.59	54.00	-10.41	27.93	3	Vertical	215	2.22	-	38.49	8.89	31.72
PK	17.32112G	66.91	68.20	-1.29	44.20	3	Vertical	147	1.41	-	42.12	10.90	30.31

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT_X_4TX
Setting 19.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55222G	58.02	74.00	-15.98	42.35	3	Horizontal	23	2.95	-	38.50	8.89	31.72
AV	11.54678G	43.60	54.00	-10.40	27.94	3	Horizontal	23	2.95	-	38.49	8.89	31.72
PK	17.32776G	66.47	68.20	-1.73	43.76	3	Horizontal	205	2.26	-	42.13	10.90	30.32



**RSE TX above 1GHz_R3 + Antenna set 1 for UNII 1 +
Antenna set 2 for UNII 3_Beamforming mode**


Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.47852G	67.20	68.20	-1.00	3	Horizontal	303	2.37	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1486G	59.60	74.00	-14.40	53.32	3	Vertical	112	2.94	-	32.70	6.37	32.79	
AV	5.1484G	46.39	54.00	-7.61	40.11	3	Vertical	112	2.94	-	32.70	6.37	32.79	
PK	5.1734G	111.33	Inf	-Inf	105.02	3	Vertical	112	2.94	-	32.70	6.39	32.78	
AV	5.1712G	92.95	Inf	-Inf	86.64	3	Vertical	112	2.94	-	32.70	6.39	32.78	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.149G	66.78	74.00	-7.22	60.50	3	Horizontal	167	1.94	-	32.70	6.37	32.79	
AV	5.15G	49.94	54.00	-4.06	43.66	3	Horizontal	167	1.94	-	32.70	6.37	32.79	
PK	5.1716G	123.87	Inf	-Inf	117.56	3	Horizontal	167	1.94	-	32.70	6.39	32.78	
AV	5.1718G	103.49	Inf	-Inf	97.18	3	Horizontal	167	1.94	-	32.70	6.39	32.78	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35857G	56.33	68.20	-11.87	41.13	3	Vertical	0	1.14	-	38.40	8.59	31.79
PK	15.54024G	62.76	74.00	-11.24	45.08	3	Vertical	43	1.68	-	38.04	10.36	30.72
AV	15.54418G	48.44	54.00	-5.56	30.78	3	Vertical	43	1.68	-	38.02	10.36	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35966G	56.67	68.20	-11.53	41.47	3	Horizontal	256	1.79	-	38.40	8.59	31.79
PK	15.54234G	62.34	74.00	-11.66	44.67	3	Horizontal	338	1.80	-	38.03	10.36	30.72
AV	15.54006G	48.47	54.00	-5.53	30.79	3	Horizontal	338	1.80	-	38.04	10.36	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1136G	60.10	74.00	-13.90	53.77	3	Vertical	108	3.00	-	32.77	6.36	32.80	
AV	5.1G	46.40	54.00	-7.60	40.06	3	Vertical	108	3.00	-	32.80	6.35	32.81	
PK	5.2052G	114.33	Inf	-Inf	107.98	3	Vertical	108	3.00	-	32.71	6.40	32.76	
AV	5.2056G	101.71	Inf	-Inf	95.36	3	Vertical	108	3.00	-	32.71	6.40	32.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.146G	60.56	74.00	-13.44	54.27	3	Horizontal	8	2.73	-	32.71	6.37	32.79	
AV	5.1496G	47.65	54.00	-6.35	41.37	3	Horizontal	8	2.73	-	32.70	6.37	32.79	
PK	5.204G	124.54	Inf	-Inf	118.19	3	Horizontal	8	2.73	-	32.71	6.40	32.76	
AV	5.2044G	112.51	Inf	-Inf	106.16	3	Horizontal	8	2.73	-	32.71	6.40	32.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40198G	56.50	68.20	-11.70	41.25	3	Vertical	308	1.27	-	38.40	8.60	31.75
PK	15.6018G	63.72	74.00	-10.28	46.24	3	Vertical	256	2.52	-	37.80	10.38	30.70
AV	15.59684G	48.98	54.00	-5.02	31.49	3	Vertical	256	2.52	-	37.81	10.38	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39746G	56.91	68.20	-11.29	41.66	3	Horizontal	106	2.43	-	38.40	8.60	31.75
PK	15.6025G	63.62	74.00	-10.38	46.14	3	Horizontal	271	1.59	-	37.80	10.38	30.70
AV	15.59948G	48.96	54.00	-5.04	31.48	3	Horizontal	271	1.59	-	37.80	10.38	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1278G	59.06	74.00	-14.94	52.76	3	Vertical	48	2.85	-	32.74	6.36	32.80
AV	5.0912G	46.35	54.00	-7.65	40.01	3	Vertical	48	2.85	-	32.80	6.35	32.81
PK	5.2352G	112.28	Inf	-Inf	105.86	3	Vertical	48	2.85	-	32.77	6.40	32.75
AV	5.231G	100.50	Inf	-Inf	94.09	3	Vertical	48	2.85	-	32.76	6.40	32.75
PK	5.381G	59.95	74.00	-14.05	53.12	3	Vertical	48	2.85	-	33.12	6.40	32.69
AV	5.3894G	47.00	54.00	-7.00	40.13	3	Vertical	48	2.85	-	33.16	6.40	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	60.35	74.00	-13.65	54.04	3	Horizontal	170	2.00	-	32.73	6.37	32.79
AV	5.0906G	47.86	54.00	-6.14	41.52	3	Horizontal	170	2.00	-	32.80	6.35	32.81
PK	5.2322G	124.81	Inf	-Inf	118.40	3	Horizontal	170	2.00	-	32.76	6.40	32.75
AV	5.2316G	112.90	Inf	-Inf	106.49	3	Horizontal	170	2.00	-	32.76	6.40	32.75
PK	5.3834G	60.61	74.00	-13.39	53.77	3	Horizontal	170	2.00	-	33.13	6.40	32.69
AV	5.3744G	48.41	54.00	-5.59	41.60	3	Horizontal	170	2.00	-	33.10	6.40	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4818G	56.37	68.20	-11.83	40.93	3	Vertical	180	2.67	-	38.48	8.62	31.66
PK	15.7219G	62.87	74.00	-11.13	45.28	3	Vertical	122	2.73	-	37.83	10.42	30.66
AV	15.71786G	48.64	54.00	-5.36	31.07	3	Vertical	122	2.73	-	37.81	10.42	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48002G	56.65	68.20	-11.55	41.21	3	Horizontal	116	2.42	-	38.48	8.62	31.66
PK	15.72482G	62.33	74.00	-11.67	44.72	3	Horizontal	157	1.51	-	37.85	10.42	30.66
AV	15.71776G	48.59	54.00	-5.41	31.02	3	Horizontal	157	1.51	-	37.81	10.42	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	60.43	68.20	-7.77	52.68	3	Vertical	103	2.08	-	33.84	6.58	32.67
PK	5.737G	106.83	Inf	-Inf	98.66	3	Vertical	103	2.08	-	34.30	6.60	32.73
AV	5.737G	95.61	Inf	-Inf	87.44	3	Vertical	103	2.08	-	34.30	6.60	32.73
PK	5.986G	61.70	68.20	-6.50	52.69	3	Vertical	103	2.08	-	35.24	6.60	32.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.54G	60.80	68.20	-7.40	53.06	3	Horizontal	173	2.22	-	33.86	6.54	32.66
PK	5.748G	119.08	Inf	-Inf	110.84	3	Horizontal	173	2.22	-	34.38	6.60	32.74
AV	5.736G	107.77	Inf	-Inf	99.61	3	Horizontal	173	2.22	-	34.29	6.60	32.73
PK	5.935G	61.72	68.20	-6.48	52.89	3	Horizontal	173	2.22	-	35.04	6.60	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48522G	57.53	74.00	-16.47	42.01	3	Vertical	256	1.18	-	38.40	8.87	31.75
AV	11.48622G	44.12	54.00	-9.88	28.60	3	Vertical	256	1.18	-	38.40	8.87	31.75
PK	17.23118G	66.12	68.20	-2.08	43.66	3	Vertical	319	2.82	-	41.76	10.87	30.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48958G	58.07	74.00	-15.93	42.55	3	Horizontal	37	1.86	-	38.40	8.87	31.75
AV	11.49304G	44.14	54.00	-9.86	28.61	3	Horizontal	37	1.86	-	38.40	8.87	31.74
PK	17.23566G	66.57	68.20	-1.63	44.10	3	Horizontal	24	2.29	-	41.78	10.87	30.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	60.47	68.20	-7.73	52.71	3	Vertical	115	3.00	-	33.86	6.57	32.67
PK	5.794G	109.30	Inf	-Inf	101.06	3	Vertical	115	3.00	-	34.40	6.60	32.76
AV	5.794G	97.84	Inf	-Inf	89.60	3	Vertical	115	3.00	-	34.40	6.60	32.76
PK	6.03G	60.95	68.20	-7.25	51.91	3	Vertical	115	3.00	-	35.24	6.64	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	60.98	68.20	-7.22	53.05	3	Horizontal	360	1.93	-	34.02	6.60	32.69
PK	5.793G	119.12	Inf	-Inf	110.88	3	Horizontal	360	1.93	-	34.40	6.60	32.76
AV	5.784G	107.96	Inf	-Inf	99.71	3	Horizontal	360	1.93	-	34.40	6.60	32.75
PK	5.938G	63.44	68.20	-4.76	54.61	3	Horizontal	360	1.93	-	35.05	6.60	32.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57148G	58.03	74.00	-15.97	42.31	3	Vertical	239	2.35	-	38.54	8.89	31.71
AV	11.56794G	44.59	54.00	-9.41	28.87	3	Vertical	239	2.35	-	38.54	8.89	31.71
PK	17.35588G	66.81	68.20	-1.39	44.11	3	Vertical	15	1.67	-	42.16	10.91	30.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57458G	45.73	74.00	-28.27	30.00	3	Horizontal	46	2.24	-	38.55	8.89	31.71
AV	11.56914G	32.43	54.00	-21.57	16.71	3	Horizontal	46	2.24	-	38.54	8.89	31.71
PK	17.35354G	66.82	68.20	-1.38	44.12	3	Horizontal	75	1.43	-	42.15	10.91	30.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	60.06	68.20	-8.14	52.34	3	Vertical	49	2.95	-	33.80	6.60	32.68
PK	5.818G	106.72	Inf	-Inf	98.35	3	Vertical	49	2.95	-	34.54	6.60	32.77
AV	5.832G	95.14	Inf	-Inf	86.65	3	Vertical	49	2.95	-	34.66	6.60	32.77
PK	6.051G	61.64	68.20	-6.56	52.60	3	Vertical	49	2.95	-	35.20	6.68	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	62.08	68.20	-6.12	54.28	3	Horizontal	176	2.11	-	33.89	6.60	32.69
PK	5.827G	120.87	Inf	-Inf	112.42	3	Horizontal	176	2.11	-	34.62	6.60	32.77
AV	5.833G	107.56	Inf	-Inf	99.07	3	Horizontal	176	2.11	-	34.66	6.60	32.77
PK	6.068G	62.74	68.20	-5.46	53.64	3	Horizontal	176	2.11	-	35.24	6.70	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6457G	57.93	74.00	-16.07	42.10	3	Vertical	356	2.81	-	38.60	8.91	31.68
AV	11.65406G	44.21	54.00	-9.79	28.38	3	Vertical	356	2.81	-	38.60	8.91	31.68
PK	17.47568G	66.93	68.20	-1.27	44.26	3	Vertical	201	1.46	-	42.28	10.94	30.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64574G	57.48	74.00	-16.52	41.65	3	Horizontal	287	1.66	-	38.60	8.91	31.68
AV	11.65178G	44.18	54.00	-9.82	28.35	3	Horizontal	287	1.66	-	38.60	8.91	31.68
PK	17.47852G	67.20	68.20	-1.00	44.54	3	Horizontal	303	2.37	-	42.28	10.94	30.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 24
01-C-B-5-10

29/08/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	59.70	74.00	-14.30	53.37	3	Vertical	316	3.00	-	32.78	6.35	32.80
AV	5.15G	46.00	54.00	-8.00	39.72	3	Vertical	316	3.00	-	32.70	6.37	32.79
PK	5.1792G	99.10	Inf	-Inf	92.78	3	Vertical	316	3.00	-	32.70	6.39	32.77
AV	5.1816G	85.35	Inf	-Inf	79.03	3	Vertical	316	3.00	-	32.70	6.39	32.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 24
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	67.48	74.00	-6.52	61.20	3	Horizontal	166	2.25	-	32.70	6.37	32.79	
AV	5.15G	52.24	54.00	-1.76	45.96	3	Horizontal	166	2.25	-	32.70	6.37	32.79	
PK	5.1944G	115.42	Inf	-Inf	109.09	3	Horizontal	166	2.25	-	32.70	6.40	32.77	
AV	5.1872G	101.92	Inf	-Inf	95.60	3	Horizontal	166	2.25	-	32.70	6.39	32.77	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Y_4TX
Setting 24
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3848G	57.50	68.20	-10.70	42.26	3	Vertical	341	2.90	-	38.40	8.60	31.76
PK	15.56776G	62.30	74.00	-11.70	44.71	3	Vertical	82	2.91	-	37.93	10.37	30.71
AV	15.57394G	48.56	54.00	-5.44	31.00	3	Vertical	82	2.91	-	37.90	10.37	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 24
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37644G	56.43	68.20	-11.77	41.21	3	Horizontal	138	2.32	-	38.40	8.59	31.77
PK	15.57124G	62.54	74.00	-11.46	44.96	3	Horizontal	223	1.64	-	37.92	10.37	30.71
AV	15.57054G	48.54	54.00	-5.46	30.96	3	Horizontal	223	1.64	-	37.92	10.37	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.034G	59.07	74.00	-14.93	52.73	3	Vertical	174	1.80	-	32.86	6.32	32.84
AV	5.0644G	46.00	54.00	-8.00	39.69	3	Vertical	174	1.80	-	32.80	6.33	32.82
PK	5.242G	98.36	Inf	-Inf	91.93	3	Vertical	174	1.80	-	32.78	6.40	32.75
AV	5.2364G	84.78	Inf	-Inf	78.36	3	Vertical	174	1.80	-	32.77	6.40	32.75
PK	5.3892G	59.43	74.00	-14.57	52.56	3	Vertical	174	1.80	-	33.16	6.40	32.69
AV	5.418G	47.01	54.00	-6.99	39.88	3	Vertical	174	1.80	-	33.38	6.42	32.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.074G	59.95	74.00	-14.05	53.63	3	Horizontal	10	1.80	-	32.80	6.34	32.82
AV	5.0708G	47.20	54.00	-6.80	40.88	3	Horizontal	10	1.80	-	32.80	6.34	32.82
PK	5.2212G	115.50	Inf	-Inf	109.12	3	Horizontal	10	1.80	-	32.74	6.40	32.76
AV	5.2284G	101.98	Inf	-Inf	95.57	3	Horizontal	10	1.80	-	32.76	6.40	32.75
PK	5.3508G	60.42	74.00	-13.58	53.72	3	Horizontal	10	1.80	-	33.00	6.40	32.70
AV	5.398G	47.81	54.00	-6.19	40.90	3	Horizontal	10	1.80	-	33.19	6.40	32.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46222G	57.12	68.20	-11.08	41.72	3	Vertical	12	1.56	-	38.46	8.62	31.68
PK	15.69136G	62.03	74.00	-11.97	44.58	3	Vertical	292	2.91	-	37.71	10.41	30.67
AV	15.68622G	48.42	54.00	-5.58	30.97	3	Vertical	292	2.91	-	37.71	10.41	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45912G	56.79	68.20	-11.41	41.40	3	Horizontal	13	2.24	-	38.46	8.61	31.68
PK	15.68862G	62.56	74.00	-11.44	45.11	3	Horizontal	160	2.92	-	37.71	10.41	30.67
AV	15.68598G	48.50	54.00	-5.50	31.05	3	Horizontal	160	2.92	-	37.71	10.41	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	60.26	68.20	-7.94	52.47	3	Vertical	0	1.97	-	33.90	6.55	32.66
PK	5.748G	105.50	Inf	-Inf	97.26	3	Vertical	0	1.97	-	34.38	6.60	32.74
AV	5.761G	89.85	Inf	-Inf	81.59	3	Vertical	0	1.97	-	34.40	6.60	32.74
PK	5.985G	61.00	68.20	-7.20	51.99	3	Vertical	0	1.97	-	35.24	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	61.50	68.20	-6.70	53.75	3	Horizontal	34.2	2.27	-	33.83	6.60	32.68
PK	5.742G	115.11	Inf	-Inf	106.91	3	Horizontal	34.2	2.27	-	34.34	6.60	32.74
AV	5.747G	104.04	Inf	-Inf	95.80	3	Horizontal	34.2	2.27	-	34.38	6.60	32.74
PK	5.965G	61.57	68.20	-6.63	52.64	3	Horizontal	34.2	2.27	-	35.16	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50964G	57.40	74.00	-16.60	41.84	3	Vertical	7	2.74	-	38.42	8.88	31.74
AV	11.5098G	44.13	54.00	-9.87	28.57	3	Vertical	7	2.74	-	38.42	8.88	31.74
PK	17.2632G	66.01	68.20	-2.19	43.43	3	Vertical	283	1.23	-	41.92	10.88	30.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50744G	57.51	74.00	-16.49	41.96	3	Horizontal	250	1.85	-	38.41	8.88	31.74
AV	11.50606G	44.14	54.00	-9.86	28.59	3	Horizontal	250	1.85	-	38.41	8.88	31.74
PK	17.2673G	66.30	68.20	-1.90	43.71	3	Horizontal	41	2.58	-	41.94	10.88	30.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.552G	60.80	68.20	-7.40	53.01	3	Vertical	113	1.80	-	33.90	6.55	32.66	
PK	5.792G	104.02	Inf	-Inf	95.78	3	Vertical	113	1.80	-	34.40	6.60	32.76	
AV	5.792G	92.65	Inf	-Inf	84.41	3	Vertical	113	1.80	-	34.40	6.60	32.76	
PK	5.98G	62.13	68.20	-6.07	53.14	3	Vertical	113	1.80	-	35.22	6.60	32.83	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	60.80	68.20	-7.40	52.93	3	Horizontal	360	2.23	-	33.96	6.60	32.69
PK	5.8G	116.75	Inf	-Inf	108.51	3	Horizontal	360	2.23	-	34.40	6.60	32.76
AV	5.8G	104.65	Inf	-Inf	96.41	3	Horizontal	360	2.23	-	34.40	6.60	32.76
PK	5.932G	62.79	68.20	-5.41	53.97	3	Horizontal	360	2.23	-	35.03	6.60	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59458G	57.44	74.00	-16.56	41.65	3	Vertical	355	2.57	-	38.59	8.90	31.70
AV	11.59048G	44.30	54.00	-9.70	28.52	3	Vertical	355	2.57	-	38.58	8.90	31.70
PK	17.3807G	66.69	68.20	-1.51	44.00	3	Vertical	44	2.95	-	42.18	10.91	30.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58594G	57.32	74.00	-16.68	41.56	3	Horizontal	84	1.52	-	38.57	8.90	31.71
AV	11.59382G	44.37	54.00	-9.63	28.58	3	Horizontal	84	1.52	-	38.59	8.90	31.70
PK	17.38972G	66.36	68.20	-1.84	43.67	3	Horizontal	243	2.30	-	42.19	10.92	30.42

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 23
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	59.24	74.00	-14.76	52.93	3	Vertical	309	2.96	-	32.73	6.37	32.79
AV	5.041G	45.92	54.00	-8.08	39.59	3	Vertical	309	2.96	-	32.84	6.32	32.83
PK	5.219G	93.48	Inf	-Inf	87.10	3	Vertical	309	2.96	-	32.74	6.40	32.76
AV	5.176G	81.89	Inf	-Inf	75.58	3	Vertical	309	2.96	-	32.70	6.39	32.78
PK	5.459G	59.73	74.00	-14.27	52.23	3	Vertical	309	2.96	-	33.70	6.46	32.66
AV	5.456G	47.06	54.00	-6.94	39.56	3	Vertical	309	2.96	-	33.70	6.46	32.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 23
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	65.41	74.00	-8.59	59.10	3	Horizontal	172	2.72	-	32.73	6.37	32.79
AV	5.15G	51.89	54.00	-2.11	45.61	3	Horizontal	172	2.72	-	32.70	6.37	32.79
PK	5.175G	117.55	Inf	-Inf	111.24	3	Horizontal	172	2.72	-	32.70	6.39	32.78
AV	5.212G	98.78	Inf	-Inf	92.42	3	Horizontal	172	2.72	-	32.72	6.40	32.76
PK	5.374G	61.19	74.00	-12.81	54.38	3	Horizontal	172	2.72	-	33.10	6.40	32.69
AV	5.382G	48.18	54.00	-5.82	41.34	3	Horizontal	172	2.72	-	33.13	6.40	32.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 23
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.42376G	56.52	68.20	-11.68	41.21	3	Vertical	157	2.83	-	38.42	8.61	31.72	
PK	15.63152G	62.23	74.00	-11.77	44.76	3	Vertical	236	2.61	-	37.77	10.39	30.69	
AV	15.62542G	48.84	54.00	-5.16	31.37	3	Vertical	236	2.61	-	37.77	10.39	30.69	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 23
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41726G	56.40	68.20	-11.80	41.11	3	Horizontal	295	2.20	-	38.42	8.60	31.73
PK	15.63432G	62.52	74.00	-11.48	45.05	3	Horizontal	302	1.43	-	37.77	10.39	30.69
AV	15.63174G	48.75	54.00	-5.25	31.28	3	Horizontal	302	1.43	-	37.77	10.39	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	60.50	68.20	-7.70	52.71	3	Vertical	113	1.80	-	33.90	6.55	32.66
PK	5.752G	103.07	Inf	-Inf	94.81	3	Vertical	113	1.80	-	34.40	6.60	32.74
AV	5.752G	93.76	Inf	-Inf	85.50	3	Vertical	113	1.80	-	34.40	6.60	32.74
PK	5.995G	61.69	68.20	-6.51	52.65	3	Vertical	113	1.80	-	35.28	6.60	32.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	61.97	68.20	-6.23	54.01	3	Horizontal	2.3	1.80	-	34.06	6.60	32.70
PK	5.787G	113.35	Inf	-Inf	105.10	3	Horizontal	2.3	1.80	-	34.40	6.60	32.75
AV	5.761G	101.16	Inf	-Inf	92.90	3	Horizontal	2.3	1.80	-	34.40	6.60	32.74
PK	6.025G	61.81	68.20	-6.39	52.76	3	Horizontal	2.3	1.80	-	35.25	6.64	32.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5509G	58.71	74.00	-15.29	43.04	3	Vertical	68	2.36	-	38.50	8.89	31.72
AV	11.55288G	44.23	54.00	-9.77	28.55	3	Vertical	68	2.36	-	38.51	8.89	31.72
PK	17.32056G	65.89	68.20	-2.31	43.18	3	Vertical	23	2.39	-	42.12	10.90	30.31

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54796G	58.62	74.00	-15.38	42.95	3	Horizontal	204	2.17	-	38.50	8.89	31.72
AV	11.547G	44.18	54.00	-9.82	28.52	3	Horizontal	204	2.17	-	38.49	8.89	31.72
PK	17.3252G	66.70	68.20	-1.50	43.99	3	Horizontal	42	1.75	-	42.13	10.90	30.32




RSE TX above 1GHz_R3 + Antenna set 3_Non beamforming mode Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_4TX	Pass	PK	5.636G	68.01	68.20	-0.19	3	Horizontal	162	1.78	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 20
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1478G	68.31	74.00	-5.69	60.19	3	Vertical	183	2.02	-	33.60	5.25	30.73	
AV	5.1486G	53.69	54.00	-0.31	45.57	3	Vertical	183	2.02	-	33.60	5.25	30.73	
PK	5.1756G	123.44	Inf	-Inf	115.24	3	Vertical	183	2.02	-	33.65	5.28	30.73	
AV	5.1748G	113.62	Inf	-Inf	105.43	3	Vertical	183	2.02	-	33.65	5.27	30.73	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 20
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	65.84	74.00	-8.16	57.72	3	Horizontal	164	2.00	-	33.60	5.25	30.73	
AV	5.148G	52.19	54.00	-1.81	44.07	3	Horizontal	164	2.00	-	33.60	5.25	30.73	
PK	5.182G	121.38	Inf	-Inf	113.17	3	Horizontal	164	2.00	-	33.66	5.28	30.73	
AV	5.181G	111.78	Inf	-Inf	103.57	3	Horizontal	164	2.00	-	33.66	5.28	30.73	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.372G	53.04	68.20	-15.16	38.79	3	Vertical	265	1.15	-	38.63	7.45	31.83
PK	15.5256G	58.48	74.00	-15.52	42.08	3	Vertical	285	1.17	-	37.95	9.79	31.34
AV	15.54708G	45.77	54.00	-8.23	29.50	3	Vertical	285	1.17	-	37.82	9.80	31.35

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 20
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37332G	52.73	68.20	-15.47	38.48	3	Horizontal	167	1.26	-	38.63	7.45	31.83
PK	15.5541G	58.16	74.00	-15.84	41.94	3	Horizontal	113	1.25	-	37.78	9.80	31.36
AV	15.54312G	45.89	54.00	-8.11	29.61	3	Horizontal	113	1.25	-	37.84	9.79	31.35

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1368G	67.97	74.00	-6.03	59.89	3	Vertical	181	2.01	-	33.57	5.24	30.73	
AV	5.15G	53.80	54.00	-0.20	45.68	3	Vertical	181	2.01	-	33.60	5.25	30.73	
PK	5.1956G	127.05	Inf	-Inf	118.79	3	Vertical	181	2.01	-	33.69	5.30	30.73	
AV	5.1948G	117.51	Inf	-Inf	109.26	3	Vertical	181	2.01	-	33.69	5.29	30.73	

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	67.27	74.00	-6.73	59.15	3	Horizontal	167	2.01	-	33.60	5.25	30.73	
AV	5.1416G	52.91	54.00	-1.09	44.82	3	Horizontal	167	2.01	-	33.58	5.24	30.73	
PK	5.2012G	124.72	Inf	-Inf	116.45	3	Horizontal	167	2.01	-	33.70	5.30	30.73	
AV	5.2016G	115.20	Inf	-Inf	106.93	3	Horizontal	167	2.01	-	33.70	5.30	30.73	

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40216G	55.99	68.20	-12.21	41.76	3	Vertical	194	1.82	-	38.60	7.46	31.83
PK	15.61326G	58.50	74.00	-15.50	42.56	3	Vertical	188	2.10	-	37.50	9.83	31.39
AV	15.585G	45.53	54.00	-8.47	29.50	3	Vertical	188	2.10	-	37.59	9.81	31.37

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40024G	55.41	68.20	-12.79	41.18	3	Horizontal	43	1.72	-	38.60	7.46	31.83
PK	15.60606G	58.22	74.00	-15.78	42.29	3	Horizontal	86	2.57	-	37.50	9.82	31.39
AV	15.60096G	45.56	54.00	-8.44	29.62	3	Horizontal	86	2.57	-	37.50	9.82	31.38

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.093G	62.75	74.00	-11.25	54.79	3	Vertical	180	2.11	-	33.50	5.19	30.73
AV	5.1026G	50.29	54.00	-3.71	42.31	3	Vertical	180	2.11	-	33.51	5.20	30.73
PK	5.2358G	127.31	Inf	-Inf	119.02	3	Vertical	180	2.11	-	33.70	5.32	30.73
AV	5.2346G	117.59	Inf	-Inf	109.30	3	Vertical	180	2.11	-	33.70	5.32	30.73
PK	5.3798G	65.00	74.00	-9.00	56.37	3	Vertical	180	2.11	-	33.96	5.39	30.72
AV	5.387G	50.77	54.00	-3.23	42.13	3	Vertical	180	2.11	-	33.97	5.39	30.72

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.81	74.00	-12.19	53.69	3	Horizontal	162	2.06	-	33.60	5.25	30.73
AV	5.1038G	49.89	54.00	-4.11	41.91	3	Horizontal	162	2.06	-	33.51	5.20	30.73
PK	5.2406G	124.48	Inf	-Inf	116.19	3	Horizontal	162	2.06	-	33.70	5.32	30.73
AV	5.2412G	115.22	Inf	-Inf	106.93	3	Horizontal	162	2.06	-	33.70	5.32	30.73
PK	5.3828G	64.23	74.00	-9.77	55.59	3	Horizontal	162	2.06	-	33.97	5.39	30.72
AV	5.375G	50.33	54.00	-3.67	41.71	3	Horizontal	162	2.06	-	33.95	5.39	30.72

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48192G	55.95	68.20	-12.25	41.71	3	Vertical	188	1.82	-	38.60	7.49	31.85
PK	15.70818G	57.67	74.00	-16.33	41.74	3	Vertical	114	2.26	-	37.50	9.87	31.44
AV	15.7089G	44.76	54.00	-9.24	28.83	3	Vertical	114	2.26	-	37.50	9.87	31.44

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48162G	55.67	68.20	-12.53	41.43	3	Horizontal	168	1.19	-	38.60	7.49	31.85
PK	15.71832G	58.17	74.00	-15.83	42.24	3	Horizontal	11	1.46	-	37.50	9.87	31.44
AV	15.70878G	44.93	54.00	-9.07	29.00	3	Horizontal	11	1.46	-	37.50	9.87	31.44

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	62.86	68.20	-5.34	54.15	3	Vertical	189	2.07	-	33.91	5.59	30.79
PK	5.741G	127.05	Inf	-Inf	118.53	3	Vertical	189	2.07	-	33.82	5.60	30.90
AV	5.741G	117.19	Inf	-Inf	108.67	3	Vertical	189	2.07	-	33.82	5.60	30.90
PK	5.934G	62.66	68.20	-5.54	53.81	3	Vertical	189	2.07	-	34.17	5.73	31.05

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.593G	63.77	68.20	-4.43	55.06	3	Horizontal	204	1.96	-	33.91	5.59	30.79	
PK	5.738G	126.36	Inf	-Inf	117.84	3	Horizontal	204	1.96	-	33.82	5.60	30.90	
AV	5.738G	116.47	Inf	-Inf	107.95	3	Horizontal	204	1.96	-	33.82	5.60	30.90	
PK	5.949G	62.75	68.20	-5.45	53.86	3	Horizontal	204	1.96	-	34.20	5.75	31.06	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48784G	56.85	74.00	-17.15	42.09	3	Vertical	178	2.70	-	38.98	7.90	32.12
AV	11.48826G	43.74	54.00	-10.26	28.98	3	Vertical	178	2.70	-	38.98	7.90	32.12
PK	17.24124G	65.61	68.20	-2.59	43.02	3	Vertical	125	1.80	-	42.21	10.62	30.24

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4882G	55.73	74.00	-18.27	40.97	3	Horizontal	342	2.34	-	38.98	7.90	32.12	
AV	11.48856G	43.44	54.00	-10.56	28.68	3	Horizontal	342	2.34	-	38.98	7.90	32.12	
PK	17.22444G	64.43	68.20	-3.77	41.94	3	Horizontal	355	2.93	-	42.12	10.61	30.24	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.637G	63.64	68.20	-4.56	55.03	3	Vertical	187	2.01	-	33.83	5.60	30.82	
PK	5.782G	127.76	Inf	-Inf	119.29	3	Vertical	187	2.01	-	33.80	5.60	30.93	
AV	5.782G	117.48	Inf	-Inf	109.01	3	Vertical	187	2.01	-	33.80	5.60	30.93	
PK	5.925G	62.87	68.20	-5.33	54.03	3	Vertical	187	2.01	-	34.15	5.73	31.04	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	62.86	68.20	-5.34	54.29	3	Horizontal	172	2.15	-	33.80	5.60	30.83	
PK	5.787G	125.75	Inf	-Inf	117.29	3	Horizontal	172	2.15	-	33.80	5.60	30.94	
AV	5.787G	116.56	Inf	-Inf	108.10	3	Horizontal	172	2.15	-	33.80	5.60	30.94	
PK	5.957G	62.85	68.20	-5.35	53.96	3	Horizontal	172	2.15	-	34.20	5.76	31.07	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57378G	56.68	74.00	-17.32	41.69	3	Vertical	220	1.83	-	39.22	7.93	32.16
AV	11.57474G	40.79	54.00	-13.21	25.80	3	Vertical	220	1.83	-	39.22	7.93	32.16
PK	17.34294G	64.69	68.20	-3.51	41.49	3	Vertical	357	2.67	-	42.76	10.67	30.23

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57204G	56.17	74.00	-17.83	41.18	3	Horizontal	247	1.80	-	39.22	7.93	32.16	
AV	11.57198G	42.98	54.00	-11.02	27.99	3	Horizontal	247	1.80	-	39.22	7.93	32.16	
PK	17.36862G	65.09	68.20	-3.11	41.72	3	Horizontal	207	1.75	-	42.91	10.68	30.22	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.619G	61.94	68.20	-6.26	53.29	3	Vertical	191	2.15	-	33.86	5.60	30.81	
PK	5.821G	127.30	Inf	-Inf	118.84	3	Vertical	191	2.15	-	33.80	5.62	30.96	
AV	5.822G	117.75	Inf	-Inf	109.29	3	Vertical	191	2.15	-	33.80	5.62	30.96	
PK	5.969G	62.83	68.20	-5.37	53.94	3	Vertical	191	2.15	-	34.20	5.77	31.08	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	62.86	68.20	-5.34	54.25	3	Horizontal	172	2.12	-	33.83	5.60	30.82	
PK	5.827G	126.10	Inf	-Inf	117.64	3	Horizontal	172	2.12	-	33.80	5.63	30.97	
AV	5.826G	116.49	Inf	-Inf	108.03	3	Horizontal	172	2.12	-	33.80	5.63	30.97	
PK	5.972G	62.66	68.20	-5.54	53.77	3	Horizontal	172	2.12	-	34.20	5.77	31.08	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65144G	57.70	74.00	-16.30	42.55	3	Vertical	158	1.77	-	39.40	7.96	32.21
AV	11.65192G	44.78	54.00	-9.22	29.63	3	Vertical	158	1.77	-	39.40	7.96	32.21
PK	17.47452G	66.95	68.20	-1.25	42.72	3	Vertical	125	1.80	-	43.70	10.74	30.21

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65234G	56.94	74.00	-17.06	41.79	3	Horizontal	249	1.83	-	39.40	7.96	32.21
AV	11.65162G	44.45	54.00	-9.55	29.30	3	Horizontal	249	1.83	-	39.40	7.96	32.21
PK	17.47296G	67.41	68.20	-0.79	43.20	3	Horizontal	242	1.76	-	43.68	10.74	30.21

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 18.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.149G	69.32	74.00	-4.68	61.20	3	Vertical	175	2.03	-	33.60	5.25	30.73	
AV	5.1484G	52.53	54.00	-1.47	44.41	3	Vertical	175	2.03	-	33.60	5.25	30.73	
PK	5.1882G	123.54	Inf	-Inf	115.30	3	Vertical	175	2.03	-	33.68	5.29	30.73	
AV	5.1886G	110.38	Inf	-Inf	102.14	3	Vertical	175	2.03	-	33.68	5.29	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1428G	65.25	74.00	-8.75	57.15	3	Horizontal	209	2.02	-	33.59	5.24	30.73	
AV	5.1442G	50.61	54.00	-3.39	42.51	3	Horizontal	209	2.02	-	33.59	5.24	30.73	
PK	5.1832G	122.69	Inf	-Inf	114.47	3	Horizontal	209	2.02	-	33.67	5.28	30.73	
AV	5.1832G	109.39	Inf	-Inf	101.17	3	Horizontal	209	2.02	-	33.67	5.28	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36312G	54.85	68.20	-13.35	40.59	3	Vertical	185	1.77	-	38.64	7.45	31.83
PK	15.5292G	59.11	74.00	-14.89	42.75	3	Vertical	186	1.80	-	37.92	9.79	31.35
AV	15.53076G	45.44	54.00	-8.56	29.08	3	Vertical	186	1.80	-	37.92	9.79	31.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36138G	53.57	68.20	-14.63	39.32	3	Horizontal	252	1.80	-	38.64	7.44	31.83
PK	15.53526G	58.92	74.00	-15.08	42.59	3	Horizontal	139	1.70	-	37.89	9.79	31.35
AV	15.53088G	45.42	54.00	-8.58	29.07	3	Horizontal	139	1.70	-	37.91	9.79	31.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.64	74.00	-7.36	58.52	3	Vertical	179	2.01	-	33.60	5.25	30.73
AV	5.1488G	53.18	54.00	-0.82	45.06	3	Vertical	179	2.01	-	33.60	5.25	30.73
PK	5.208G	126.64	Inf	-Inf	118.37	3	Vertical	179	2.01	-	33.70	5.30	30.73
AV	5.2084G	114.48	Inf	-Inf	106.21	3	Vertical	179	2.01	-	33.70	5.30	30.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1424G	64.47	74.00	-9.53	56.38	3	Horizontal	205	2.10	-	33.58	5.24	30.73	
AV	5.1436G	51.57	54.00	-2.43	43.47	3	Horizontal	205	2.10	-	33.59	5.24	30.73	
PK	5.2024G	125.60	Inf	-Inf	117.33	3	Horizontal	205	2.10	-	33.70	5.30	30.73	
AV	5.2032G	113.45	Inf	-Inf	105.18	3	Horizontal	205	2.10	-	33.70	5.30	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4075G	53.01	68.20	-15.19	38.79	3	Vertical	27	1.96	-	38.60	7.46	31.84
PK	15.5901G	58.34	74.00	-15.66	42.34	3	Vertical	96	2.08	-	37.56	9.82	31.38
AV	15.60708G	45.04	54.00	-8.96	29.11	3	Vertical	96	2.08	-	37.50	9.82	31.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.388G	52.90	68.20	-15.30	38.66	3	Horizontal	16	1.66	-	38.61	7.46	31.83
PK	15.5919G	59.13	74.00	-14.87	43.14	3	Horizontal	326	1.29	-	37.55	9.82	31.38
AV	15.58998G	45.11	54.00	-8.89	29.11	3	Horizontal	326	1.29	-	37.56	9.82	31.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.46	74.00	-11.54	54.35	3	Vertical	178	1.98	-	33.59	5.25	30.73
AV	5.1488G	50.13	54.00	-3.87	42.01	3	Vertical	178	1.98	-	33.60	5.25	30.73
PK	5.2484G	128.38	Inf	-Inf	120.09	3	Vertical	178	1.98	-	33.70	5.32	30.73
AV	5.2484G	116.74	Inf	-Inf	108.45	3	Vertical	178	1.98	-	33.70	5.32	30.73
PK	5.3828G	62.44	74.00	-11.56	53.80	3	Vertical	178	1.98	-	33.97	5.39	30.72
AV	5.39G	50.26	54.00	-3.74	41.60	3	Vertical	178	1.98	-	33.98	5.40	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	64.53	74.00	-9.47	56.43	3	Horizontal	203	2.08	-	33.59	5.24	30.73
AV	5.144G	49.68	54.00	-4.32	41.58	3	Horizontal	203	2.08	-	33.59	5.24	30.73
PK	5.2424G	128.10	Inf	-Inf	119.81	3	Horizontal	203	2.08	-	33.70	5.32	30.73
AV	5.2436G	116.07	Inf	-Inf	107.78	3	Horizontal	203	2.08	-	33.70	5.32	30.73
PK	5.3702G	63.36	74.00	-10.64	54.75	3	Horizontal	203	2.08	-	33.94	5.39	30.72
AV	5.3852G	50.16	54.00	-3.84	41.52	3	Horizontal	203	2.08	-	33.97	5.39	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48216G	52.73	68.20	-15.47	38.49	3	Vertical	237	1.84	-	38.60	7.49	31.85
PK	15.71958G	57.84	74.00	-16.16	41.91	3	Vertical	183	1.57	-	37.50	9.87	31.44
AV	15.711G	44.49	54.00	-9.51	28.56	3	Vertical	183	1.57	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4878G	53.79	68.20	-14.41	39.54	3	Horizontal	349	2.00	-	38.60	7.50	31.85
PK	15.72294G	57.54	74.00	-16.46	41.61	3	Horizontal	41	2.68	-	37.50	9.88	31.45
AV	15.71472G	44.48	54.00	-9.52	28.55	3	Horizontal	41	2.68	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.497G	62.57	68.20	-5.63	53.79	3	Vertical	184	2.11	-	34.00	5.50	30.72	
PK	5.736G	127.74	Inf	-Inf	119.21	3	Vertical	184	2.11	-	33.83	5.60	30.90	
AV	5.754G	115.80	Inf	-Inf	107.31	3	Vertical	184	2.11	-	33.80	5.60	30.91	
PK	5.939G	62.21	68.20	-5.99	53.34	3	Vertical	184	2.11	-	34.18	5.74	31.05	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.548G	63.60	68.20	-4.60	54.81	3	Horizontal	162	2.01	-	34.00	5.55	30.76	
PK	5.747G	128.07	Inf	-Inf	119.57	3	Horizontal	162	2.01	-	33.81	5.60	30.91	
AV	5.747G	115.45	Inf	-Inf	106.95	3	Horizontal	162	2.01	-	33.81	5.60	30.91	
PK	5.962G	62.66	68.20	-5.54	53.77	3	Horizontal	162	2.01	-	34.20	5.76	31.07	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48992G	53.95	74.00	-20.05	39.19	3	Vertical	140	2.44	-	38.98	7.90	32.12
AV	11.48996G	42.28	54.00	-11.72	27.52	3	Vertical	140	2.44	-	38.98	7.90	32.12
PK	17.22548G	65.12	68.20	-3.08	42.62	3	Vertical	119	1.80	-	42.13	10.61	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48744G	55.25	74.00	-18.75	40.50	3	Horizontal	166	1.80	-	38.97	7.89	32.11
AV	11.48056G	41.68	54.00	-12.32	26.94	3	Horizontal	166	1.80	-	38.96	7.89	32.11
PK	17.24344G	65.35	68.20	-2.85	42.75	3	Horizontal	180	1.92	-	42.22	10.62	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.572G	62.79	68.20	-5.41	54.03	3	Vertical	184	2.03	-	33.96	5.57	30.77	
PK	5.794G	126.10	Inf	-Inf	117.64	3	Vertical	184	2.03	-	33.80	5.60	30.94	
AV	5.794G	115.00	Inf	-Inf	106.54	3	Vertical	184	2.03	-	33.80	5.60	30.94	
PK	5.935G	62.94	68.20	-5.26	54.08	3	Vertical	184	2.03	-	34.17	5.74	31.05	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.633G	62.74	68.20	-5.46	54.13	3	Horizontal	169	2.13	-	33.83	5.60	30.82	
PK	5.787G	127.79	Inf	-Inf	119.33	3	Horizontal	169	2.13	-	33.80	5.60	30.94	
AV	5.787G	115.85	Inf	-Inf	107.39	3	Horizontal	169	2.13	-	33.80	5.60	30.94	
PK	5.93G	62.96	68.20	-5.24	54.12	3	Horizontal	169	2.13	-	34.16	5.73	31.05	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5794G	54.10	74.00	-19.90	39.10	3	Vertical	343	1.86	-	39.24	7.93	32.17	
AV	11.56992G	42.25	54.00	-11.75	27.27	3	Vertical	343	1.86	-	39.21	7.93	32.16	
PK	17.35828G	64.23	68.20	-3.97	40.92	3	Vertical	133	1.04	-	42.85	10.68	30.22	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57248G	55.55	74.00	-18.45	40.56	3	Horizontal	256	1.79	-	39.22	7.93	32.16
AV	11.57152G	41.94	54.00	-12.06	26.96	3	Horizontal	256	1.79	-	39.21	7.93	32.16
PK	17.35406G	64.63	68.20	-3.57	41.35	3	Horizontal	239	1.70	-	42.82	10.68	30.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	61.91	68.20	-6.29	53.28	3	Vertical	176	2.05	-	33.85	5.60	30.82
PK	5.817G	126.32	Inf	-Inf	117.86	3	Vertical	176	2.05	-	33.80	5.62	30.96
AV	5.816G	116.27	Inf	-Inf	107.81	3	Vertical	176	2.05	-	33.80	5.62	30.96
PK	6.059G	62.56	68.20	-5.64	53.56	3	Vertical	176	2.05	-	34.32	5.80	31.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	62.43	68.20	-5.77	53.82	3	Horizontal	170	2.13	-	33.83	5.60	30.82
PK	5.826G	128.16	Inf	-Inf	119.70	3	Horizontal	170	2.13	-	33.80	5.63	30.97
AV	5.827G	115.51	Inf	-Inf	107.05	3	Horizontal	170	2.13	-	33.80	5.63	30.97
PK	5.939G	63.04	68.20	-5.16	54.17	3	Horizontal	170	2.13	-	34.18	5.74	31.05

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64948G	57.55	74.00	-16.45	42.40	3	Vertical	175	2.69	-	39.40	7.96	32.21
AV	11.64984G	44.10	54.00	-9.90	28.95	3	Vertical	175	2.69	-	39.40	7.96	32.21
PK	17.47922G	66.41	68.20	-1.79	42.15	3	Vertical	212	2.24	-	43.73	10.74	30.21

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6516G	56.23	74.00	-17.77	41.08	3	Horizontal	250	1.79	-	39.40	7.96	32.21
AV	11.65216G	43.02	54.00	-10.98	27.87	3	Horizontal	250	1.79	-	39.40	7.96	32.21
PK	17.47416G	65.94	68.20	-2.26	41.72	3	Horizontal	323	2.19	-	43.69	10.74	30.21

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1376G	69.78	74.00	-4.22	61.69	3	Vertical	180	1.71	-	33.58	5.24	30.73	
AV	5.1472G	53.56	54.00	-0.44	45.45	3	Vertical	180	1.71	-	33.59	5.25	30.73	
PK	5.1964G	117.58	Inf	-Inf	109.32	3	Vertical	180	1.71	-	33.69	5.30	30.73	
AV	5.1976G	105.79	Inf	-Inf	97.52	3	Vertical	180	1.71	-	33.70	5.30	30.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.21	74.00	-6.79	59.09	3	Horizontal	201	1.80	-	33.60	5.25	30.73
AV	5.15G	52.18	54.00	-1.82	44.06	3	Horizontal	201	1.80	-	33.60	5.25	30.73
PK	5.194G	118.19	Inf	-Inf	109.94	3	Horizontal	201	1.80	-	33.69	5.29	30.73
AV	5.1936G	106.46	Inf	-Inf	98.21	3	Horizontal	201	1.80	-	33.69	5.29	30.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37892G	52.99	68.20	-15.21	38.75	3	Vertical	158	1.68	-	38.62	7.45	31.83
PK	15.57486G	57.89	74.00	-16.11	41.80	3	Vertical	226	2.87	-	37.65	9.81	31.37
AV	15.56956G	44.92	54.00	-9.08	28.80	3	Vertical	226	2.87	-	37.68	9.81	31.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.372G	52.36	68.20	-15.84	38.11	3	Horizontal	243	2.82	-	38.63	7.45	31.83
PK	15.57292G	57.97	74.00	-16.03	41.87	3	Horizontal	40	1.90	-	37.66	9.81	31.37
AV	15.57222G	44.94	54.00	-9.06	28.83	3	Horizontal	40	1.90	-	37.67	9.81	31.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 21.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	66.73	74.00	-7.27	58.64	3	Vertical	179	1.69	-	33.58	5.24	30.73
AV	5.146G	52.93	54.00	-1.07	44.82	3	Vertical	179	1.69	-	33.59	5.25	30.73
PK	5.239G	121.71	Inf	-Inf	113.42	3	Vertical	179	1.69	-	33.70	5.32	30.73
AV	5.239G	110.42	Inf	-Inf	102.13	3	Vertical	179	1.69	-	33.70	5.32	30.73
PK	5.374G	62.52	74.00	-11.48	53.90	3	Vertical	179	1.69	-	33.95	5.39	30.72
AV	5.3596G	50.38	54.00	-3.62	41.80	3	Vertical	179	1.69	-	33.92	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 21.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.74	74.00	-9.26	56.62	3	Horizontal	202	1.88	-	33.60	5.25	30.73
AV	5.15G	53.32	54.00	-0.68	45.20	3	Horizontal	202	1.88	-	33.60	5.25	30.73
PK	5.2342G	123.60	Inf	-Inf	115.31	3	Horizontal	202	1.88	-	33.70	5.32	30.73
AV	5.2336G	110.83	Inf	-Inf	102.54	3	Horizontal	202	1.88	-	33.70	5.32	30.73
PK	5.3668G	62.31	74.00	-11.69	53.72	3	Horizontal	202	1.88	-	33.93	5.38	30.72
AV	5.3548G	50.34	54.00	-3.66	41.77	3	Horizontal	202	1.88	-	33.91	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4594G	53.71	68.20	-14.49	39.47	3	Vertical	196	1.64	-	38.60	7.48	31.84
PK	15.68606G	57.57	74.00	-16.43	41.64	3	Vertical	173	1.83	-	37.50	9.86	31.43
AV	15.68644G	44.61	54.00	-9.39	28.68	3	Vertical	173	1.83	-	37.50	9.86	31.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4596G	53.49	68.20	-14.71	39.25	3	Horizontal	210	1.85	-	38.60	7.48	31.84
PK	15.68536G	58.01	74.00	-15.99	42.08	3	Horizontal	1	1.20	-	37.50	9.86	31.43
AV	15.685G	44.66	54.00	-9.34	28.73	3	Horizontal	1	1.20	-	37.50	9.86	31.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	66.82	68.20	-1.38	58.24	3	Vertical	185	1.75	-	33.81	5.60	30.83	
PK	5.744G	122.37	Inf	-Inf	113.87	3	Vertical	185	1.75	-	33.81	5.60	30.91	
AV	5.744G	110.88	Inf	-Inf	102.38	3	Vertical	185	1.75	-	33.81	5.60	30.91	
PK	5.935G	62.37	68.20	-5.83	53.51	3	Vertical	185	1.75	-	34.17	5.74	31.05	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	70.25	71.16	-0.91	61.68	3	Horizontal	168	1.71	-	33.81	5.60	30.84
PK	5.757G	123.08	Inf	-Inf	114.60	3	Horizontal	168	1.71	-	33.80	5.60	30.92
AV	5.756G	112.32	Inf	-Inf	103.83	3	Horizontal	168	1.71	-	33.80	5.60	30.91
PK	5.987G	62.41	68.20	-5.79	53.51	3	Horizontal	168	1.71	-	34.20	5.79	31.09

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51748G	53.90	74.00	-20.10	39.07	3	Vertical	141	1.80	-	39.05	7.91	32.13	
AV	11.50988G	42.03	54.00	-11.97	27.23	3	Vertical	141	1.80	-	39.03	7.90	32.13	
PK	17.26508G	64.49	68.20	-3.71	41.76	3	Vertical	32	2.97	-	42.33	10.63	30.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50824G	55.21	74.00	-18.79	40.41	3	Horizontal	168	1.90	-	39.02	7.90	32.12
AV	11.50796G	42.10	54.00	-11.90	27.30	3	Horizontal	168	1.90	-	39.02	7.90	32.12
PK	17.2662G	64.18	68.20	-4.02	41.45	3	Horizontal	65	2.31	-	42.33	10.63	30.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.08	68.20	-4.12	55.50	3	Vertical	177	1.73	-	33.81	5.60	30.83
PK	5.785G	123.48	Inf	-Inf	115.02	3	Vertical	177	1.73	-	33.80	5.60	30.94
AV	5.786G	111.99	Inf	-Inf	103.53	3	Vertical	177	1.73	-	33.80	5.60	30.94
PK	5.926G	65.73	68.20	-2.47	56.89	3	Vertical	177	1.73	-	34.15	5.73	31.04

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	63.12	68.20	-5.08	54.51	3	Horizontal	163	1.78	-	33.83	5.60	30.82	
PK	5.797G	124.43	Inf	-Inf	115.98	3	Horizontal	163	1.78	-	33.80	5.60	30.95	
AV	5.797G	112.66	Inf	-Inf	104.21	3	Horizontal	163	1.78	-	33.80	5.60	30.95	
PK	5.937G	63.48	68.20	-4.72	54.62	3	Horizontal	163	1.78	-	34.17	5.74	31.05	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59004G	54.17	74.00	-19.83	39.13	3	Vertical	344	1.84	-	39.27	7.94	32.17
AV	11.58996G	42.67	54.00	-11.33	27.63	3	Vertical	344	1.84	-	39.27	7.94	32.17
PK	17.38176G	64.73	68.20	-3.47	41.27	3	Vertical	124	2.81	-	42.99	10.69	30.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58292G	54.34	74.00	-19.66	39.33	3	Horizontal	215	1.11	-	39.25	7.93	32.17
AV	11.59896G	40.14	54.00	-13.86	25.08	3	Horizontal	215	1.11	-	39.30	7.94	32.18
PK	17.3893G	65.08	68.20	-3.12	41.57	3	Horizontal	68	2.53	-	43.04	10.69	30.22

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	65.95	74.00	-8.05	57.86	3	Vertical	179	1.69	-	33.58	5.24	30.73
AV	5.138G	53.24	54.00	-0.76	45.15	3	Vertical	179	1.69	-	33.58	5.24	30.73
PK	5.238G	113.95	Inf	-Inf	105.66	3	Vertical	179	1.69	-	33.70	5.32	30.73
AV	5.218G	101.76	Inf	-Inf	93.48	3	Vertical	179	1.69	-	33.70	5.31	30.73
PK	5.434G	62.27	74.00	-11.73	53.56	3	Vertical	179	1.69	-	34.00	5.43	30.72
AV	5.359G	49.75	54.00	-4.25	41.17	3	Vertical	179	1.69	-	33.92	5.38	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	64.92	74.00	-9.08	56.85	3	Horizontal	201	1.87	-	33.57	5.23	30.73
AV	5.134G	53.05	54.00	-0.95	44.98	3	Horizontal	201	1.87	-	33.57	5.23	30.73
PK	5.212G	114.48	Inf	-Inf	106.20	3	Horizontal	201	1.87	-	33.70	5.31	30.73
AV	5.213G	102.91	Inf	-Inf	94.63	3	Horizontal	201	1.87	-	33.70	5.31	30.73
PK	5.361G	62.30	74.00	-11.70	53.72	3	Horizontal	201	1.87	-	33.92	5.38	30.72
AV	5.4G	49.66	54.00	-4.34	40.98	3	Horizontal	201	1.87	-	34.00	5.40	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4158G	52.74	68.20	-15.46	38.51	3	Vertical	335	2.05	-	38.60	7.47	31.84
PK	15.63512G	58.38	74.00	-15.62	42.44	3	Vertical	64	2.26	-	37.50	9.84	31.40
AV	15.62264G	45.05	54.00	-8.95	29.11	3	Vertical	64	2.26	-	37.50	9.83	31.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42112G	53.09	68.20	-15.11	38.86	3	Horizontal	183	1.24	-	38.60	7.47	31.84
PK	15.63028G	58.59	74.00	-15.41	42.66	3	Horizontal	92	2.86	-	37.50	9.83	31.40
AV	15.62268G	44.99	54.00	-9.01	29.05	3	Horizontal	92	2.86	-	37.50	9.83	31.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.61	68.20	-0.59	59.03	3	Vertical	179	1.80	-	33.81	5.60	30.83
PK	5.764G	118.46	Inf	-Inf	109.98	3	Vertical	179	1.80	-	33.80	5.60	30.92
AV	5.786G	105.73	Inf	-Inf	97.27	3	Vertical	179	1.80	-	33.80	5.60	30.94
PK	5.928G	63.85	68.20	-4.35	55.01	3	Vertical	179	1.80	-	34.16	5.73	31.05

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.636G	68.01	68.20	-0.19	59.40	3	Horizontal	162	1.78	-	33.83	5.60	30.82	
PK	5.778G	118.03	Inf	-Inf	109.56	3	Horizontal	162	1.78	-	33.80	5.60	30.93	
AV	5.778G	106.31	Inf	-Inf	97.84	3	Horizontal	162	1.78	-	33.80	5.60	30.93	
PK	6.019G	62.82	68.20	-5.38	53.89	3	Horizontal	162	1.78	-	34.24	5.80	31.11	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55452G	53.91	74.00	-20.09	38.98	3	Vertical	86	2.99	-	39.16	7.92	32.15
AV	11.5418G	40.08	54.00	-13.92	25.17	3	Vertical	86	2.99	-	39.13	7.92	32.14
PK	17.3288G	64.62	68.20	-3.58	41.52	3	Vertical	83	1.85	-	42.67	10.66	30.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54016G	54.02	74.00	-19.98	39.12	3	Horizontal	152	1.25	-	39.12	7.92	32.14
AV	11.54136G	40.18	54.00	-13.82	25.28	3	Horizontal	152	1.25	-	39.12	7.92	32.14
PK	17.31788G	65.03	68.20	-3.17	41.99	3	Horizontal	288	2.72	-	42.61	10.66	30.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.96	54.00	-0.04	3	Vertical	185	1.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1462G	67.49	74.00	-6.51	59.38	3	Vertical	149	1.80	-	33.59	5.25	30.73	
AV	5.1492G	49.71	54.00	-4.29	41.59	3	Vertical	149	1.80	-	33.60	5.25	30.73	
PK	5.1734G	121.42	Inf	-Inf	113.23	3	Vertical	149	1.80	-	33.65	5.27	30.73	
AV	5.1716G	110.37	Inf	-Inf	102.19	3	Vertical	149	1.80	-	33.64	5.27	30.73	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1486G	63.07	74.00	-10.93	54.95	3	Horizontal	161	1.98	-	33.60	5.25	30.73	
AV	5.1488G	49.50	54.00	-4.50	41.38	3	Horizontal	161	1.98	-	33.60	5.25	30.73	
PK	5.1888G	123.55	Inf	-Inf	115.31	3	Horizontal	161	1.98	-	33.68	5.29	30.73	
AV	5.1884G	111.93	Inf	-Inf	103.69	3	Horizontal	161	1.98	-	33.68	5.29	30.73	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.54294G	58.66	74.00	-15.34	42.38	3	Vertical	82	3.00	-	37.84	9.79	31.35	
AV	15.5283G	45.22	54.00	-8.78	28.84	3	Vertical	82	3.00	-	37.93	9.79	31.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55422G	58.82	74.00	-15.18	42.61	3	Horizontal	61	2.50	-	37.77	9.80	31.36
AV	15.52674G	45.00	54.00	-9.00	28.61	3	Horizontal	61	2.50	-	37.94	9.79	31.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	59.24	74.00	-14.76	51.13	3	Vertical	170	1.91	-	33.59	5.25	30.73
AV	5.1488G	47.29	54.00	-6.71	39.17	3	Vertical	170	1.91	-	33.60	5.25	30.73
PK	5.2084G	123.03	Inf	-Inf	114.76	3	Vertical	170	1.91	-	33.70	5.30	30.73
AV	5.208G	111.05	Inf	-Inf	102.78	3	Vertical	170	1.91	-	33.70	5.30	30.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.114G	59.36	74.00	-14.64	51.35	3	Horizontal	196	1.97	-	33.53	5.21	30.73	
AV	5.1464G	46.92	54.00	-7.08	38.81	3	Horizontal	196	1.97	-	33.59	5.25	30.73	
PK	5.2036G	121.26	Inf	-Inf	112.99	3	Horizontal	196	1.97	-	33.70	5.30	30.73	
AV	5.2036G	109.49	Inf	-Inf	101.22	3	Horizontal	196	1.97	-	33.70	5.30	30.73	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.60402G	58.49	74.00	-15.51	42.55	3	Vertical	109	1.80	-	37.50	9.82	31.38	
AV	15.61356G	45.33	54.00	-8.67	29.39	3	Vertical	109	1.80	-	37.50	9.83	31.39	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60618G	58.67	74.00	-15.33	42.74	3	Horizontal	151	1.80	-	37.50	9.82	31.39
AV	15.61452G	45.24	54.00	-8.76	29.30	3	Horizontal	151	1.80	-	37.50	9.83	31.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.20	74.00	-14.80	51.09	3	Vertical	173	1.80	-	33.59	5.25	30.73
AV	5.0924G	46.97	54.00	-7.03	39.01	3	Vertical	173	1.80	-	33.50	5.19	30.73
PK	5.249G	122.33	Inf	-Inf	114.04	3	Vertical	173	1.80	-	33.70	5.32	30.73
AV	5.2484G	109.92	Inf	-Inf	101.63	3	Vertical	173	1.80	-	33.70	5.32	30.73
PK	5.3702G	60.24	74.00	-13.76	51.63	3	Vertical	173	1.80	-	33.94	5.39	30.72
AV	5.3894G	47.45	54.00	-6.55	38.80	3	Vertical	173	1.80	-	33.98	5.39	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.09	74.00	-13.91	51.99	3	Horizontal	202	2.04	-	33.59	5.24	30.73
AV	5.144G	46.55	54.00	-7.45	38.45	3	Horizontal	202	2.04	-	33.59	5.24	30.73
PK	5.2436G	121.07	Inf	-Inf	112.78	3	Horizontal	202	2.04	-	33.70	5.32	30.73
AV	5.2436G	108.85	Inf	-Inf	100.56	3	Horizontal	202	2.04	-	33.70	5.32	30.73
PK	5.3882G	60.07	74.00	-13.93	51.42	3	Horizontal	202	2.04	-	33.98	5.39	30.72
AV	5.387G	47.31	54.00	-6.69	38.67	3	Horizontal	202	2.04	-	33.97	5.39	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70752G	58.17	74.00	-15.83	42.24	3	Vertical	67	1.31	-	37.50	9.87	31.44
AV	15.70752G	44.26	54.00	-9.74	28.33	3	Vertical	67	1.31	-	37.50	9.87	31.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.71778G	58.35	74.00	-15.65	42.42	3	Horizontal	185	1.28	-	37.50	9.87	31.44	
AV	15.72822G	44.30	54.00	-9.70	28.37	3	Horizontal	185	1.28	-	37.50	9.88	31.45	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.578G	59.84	68.20	-8.36	51.10	3	Vertical	182	1.80	-	33.94	5.58	30.78	
PK	5.754G	118.31	Inf	-Inf	109.82	3	Vertical	182	1.80	-	33.80	5.60	30.91	
AV	5.752G	106.39	Inf	-Inf	97.90	3	Vertical	182	1.80	-	33.80	5.60	30.91	
PK	5.932G	60.21	68.20	-7.99	51.37	3	Vertical	182	1.80	-	34.16	5.73	31.05	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	60.64	68.20	-7.56	51.94	3	Horizontal	195	1.80	-	33.90	5.60	30.80
PK	5.754G	118.05	Inf	-Inf	109.56	3	Horizontal	195	1.80	-	33.80	5.60	30.91
AV	5.736G	106.17	Inf	-Inf	97.64	3	Horizontal	195	1.80	-	33.83	5.60	30.90
PK	5.929G	60.10	68.20	-8.10	51.26	3	Horizontal	195	1.80	-	34.16	5.73	31.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49132G	53.92	74.00	-20.08	39.16	3	Vertical	41	2.90	-	38.98	7.90	32.12	
AV	11.48994G	42.81	54.00	-11.19	28.05	3	Vertical	41	2.90	-	38.98	7.90	32.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49714G	54.08	74.00	-19.92	39.31	3	Horizontal	212	2.94	-	38.99	7.90	32.12	
AV	11.48994G	41.97	54.00	-12.03	27.21	3	Horizontal	212	2.94	-	38.98	7.90	32.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.621G	60.07	68.20	-8.13	51.42	3	Vertical	189	1.80	-	33.86	5.60	30.81	
PK	5.793G	118.40	Inf	-Inf	109.94	3	Vertical	189	1.80	-	33.80	5.60	30.94	
AV	5.792G	106.00	Inf	-Inf	97.54	3	Vertical	189	1.80	-	33.80	5.60	30.94	
PK	5.987G	59.55	68.20	-8.65	50.65	3	Vertical	189	1.80	-	34.20	5.79	31.09	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.54G	60.52	68.20	-7.68	51.73	3	Horizontal	160	1.88	-	34.00	5.54	30.75	
PK	5.789G	119.67	Inf	-Inf	111.21	3	Horizontal	160	1.88	-	33.80	5.60	30.94	
AV	5.776G	106.26	Inf	-Inf	97.79	3	Horizontal	160	1.88	-	33.80	5.60	30.93	
PK	5.966G	59.79	68.20	-8.41	50.89	3	Horizontal	160	1.88	-	34.20	5.77	31.07	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57006G	54.15	74.00	-19.85	39.17	3	Vertical	48	2.05	-	39.21	7.93	32.16	
AV	11.56994G	41.96	54.00	-12.04	26.98	3	Vertical	48	2.05	-	39.21	7.93	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57078G	55.11	74.00	-18.89	40.13	3	Horizontal	360	2.84	-	39.21	7.93	32.16
AV	11.56982G	41.24	54.00	-12.76	26.26	3	Horizontal	360	2.84	-	39.21	7.93	32.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.585G	60.12	68.20	-8.08	51.39	3	Vertical	183	1.80	-	33.93	5.58	30.78	
PK	5.833G	119.19	Inf	-Inf	110.73	3	Vertical	183	1.80	-	33.80	5.63	30.97	
AV	5.832G	106.49	Inf	-Inf	98.03	3	Vertical	183	1.80	-	33.80	5.63	30.97	
PK	6.012G	59.91	68.20	-8.29	50.99	3	Vertical	183	1.80	-	34.22	5.80	31.10	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	59.86	68.20	-8.34	51.13	3	Horizontal	164	1.78	-	33.93	5.58	30.78	
PK	5.827G	119.97	Inf	-Inf	111.51	3	Horizontal	164	1.78	-	33.80	5.63	30.97	
AV	5.816G	107.14	Inf	-Inf	98.68	3	Horizontal	164	1.78	-	33.80	5.62	30.96	
PK	5.988G	60.90	68.20	-7.30	52.00	3	Horizontal	164	1.78	-	34.20	5.79	31.09	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63968G	54.07	74.00	-19.93	38.93	3	Vertical	288	1.03	-	39.38	7.96	32.20
AV	11.64982G	40.75	54.00	-13.25	25.60	3	Vertical	288	1.03	-	39.40	7.96	32.21

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6503G	53.68	74.00	-20.32	38.53	3	Horizontal	225	2.09	-	39.40	7.96	32.21
AV	11.64994G	41.04	54.00	-12.96	25.89	3	Horizontal	225	2.09	-	39.40	7.96	32.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.72	74.00	-9.28	56.60	3	Vertical	173	1.72	-	33.60	5.25	30.73
AV	5.15G	51.58	54.00	-2.42	43.46	3	Vertical	173	1.72	-	33.60	5.25	30.73
PK	5.194G	114.83	Inf	-Inf	106.58	3	Vertical	173	1.72	-	33.69	5.29	30.73
AV	5.1868G	101.79	Inf	-Inf	93.56	3	Vertical	173	1.72	-	33.67	5.29	30.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	66.74	74.00	-7.26	58.62	3	Horizontal	167	1.79	-	33.60	5.25	30.73	
AV	5.15G	51.61	54.00	-2.39	43.49	3	Horizontal	167	1.79	-	33.60	5.25	30.73	
PK	5.1868G	114.13	Inf	-Inf	105.90	3	Horizontal	167	1.79	-	33.67	5.29	30.73	
AV	5.1888G	100.50	Inf	-Inf	92.26	3	Horizontal	167	1.79	-	33.68	5.29	30.73	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55554G	59.25	74.00	-14.75	43.04	3	Vertical	60	2.45	-	37.77	9.80	31.36
AV	15.55794G	44.80	54.00	-9.20	28.61	3	Vertical	60	2.45	-	37.75	9.80	31.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5769G	58.00	74.00	-16.00	41.92	3	Horizontal	94	1.57	-	37.64	9.81	31.37
AV	15.56232G	44.83	54.00	-9.17	28.66	3	Horizontal	94	1.57	-	37.73	9.80	31.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0908G	61.33	74.00	-12.67	53.37	3	Vertical	176	1.80	-	33.50	5.19	30.73
AV	5.1436G	47.46	54.00	-6.54	39.36	3	Vertical	176	1.80	-	33.59	5.24	30.73
PK	5.2162G	116.18	Inf	-Inf	107.90	3	Vertical	176	1.80	-	33.70	5.31	30.73
AV	5.227G	103.36	Inf	-Inf	95.08	3	Vertical	176	1.80	-	33.70	5.31	30.73
PK	5.3776G	60.22	74.00	-13.78	51.59	3	Vertical	176	1.80	-	33.96	5.39	30.72
AV	5.3722G	47.87	54.00	-6.13	39.26	3	Vertical	176	1.80	-	33.94	5.39	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.84	74.00	-14.16	51.72	3	Horizontal	185	2.10	-	33.60	5.25	30.73
AV	5.149G	46.89	54.00	-7.11	38.77	3	Horizontal	185	2.10	-	33.60	5.25	30.73
PK	5.215G	115.88	Inf	-Inf	107.60	3	Horizontal	185	2.10	-	33.70	5.31	30.73
AV	5.224G	101.49	Inf	-Inf	93.21	3	Horizontal	185	2.10	-	33.70	5.31	30.73
PK	5.38G	59.91	74.00	-14.09	51.28	3	Horizontal	185	2.10	-	33.96	5.39	30.72
AV	5.3728G	47.49	54.00	-6.51	38.87	3	Horizontal	185	2.10	-	33.95	5.39	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70014G	58.94	74.00	-15.06	43.00	3	Vertical	73	1.80	-	37.50	9.87	31.43
AV	15.67926G	45.07	54.00	-8.93	29.13	3	Vertical	73	1.80	-	37.50	9.86	31.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69036G	58.56	74.00	-15.44	42.63	3	Horizontal	192	1.80	-	37.50	9.86	31.43
AV	15.67908G	45.02	54.00	-8.98	29.08	3	Horizontal	192	1.80	-	37.50	9.86	31.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	59.84	68.20	-8.36	51.10	3	Vertical	182	1.80	-	33.95	5.57	30.78
PK	5.76G	116.92	Inf	-Inf	108.44	3	Vertical	182	1.80	-	33.80	5.60	30.92
AV	5.752G	103.36	Inf	-Inf	94.87	3	Vertical	182	1.80	-	33.80	5.60	30.91
PK	5.931G	59.45	68.20	-8.75	50.61	3	Vertical	182	1.80	-	34.16	5.73	31.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.523G	60.36	68.20	-7.84	51.58	3	Horizontal	157	1.80	-	34.00	5.52	30.74	
PK	5.764G	115.30	Inf	-Inf	106.82	3	Horizontal	157	1.80	-	33.80	5.60	30.92	
AV	5.756G	102.68	Inf	-Inf	94.19	3	Horizontal	157	1.80	-	33.80	5.60	30.91	
PK	5.944G	60.22	68.20	-7.98	51.35	3	Horizontal	157	1.80	-	34.19	5.74	31.06	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49812G	53.84	74.00	-20.16	39.06	3	Vertical	44	1.80	-	39.00	7.90	32.12	
AV	11.50994G	40.80	54.00	-13.20	26.00	3	Vertical	44	1.80	-	39.03	7.90	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51552G	53.61	74.00	-20.39	38.78	3	Horizontal	211	2.95	-	39.05	7.91	32.13
AV	11.51006G	40.51	54.00	-13.49	25.71	3	Horizontal	211	2.95	-	39.03	7.90	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.556G	59.38	68.20	-8.82	50.59	3	Vertical	128	1.80	-	33.99	5.56	30.76
PK	5.793G	112.40	Inf	-Inf	103.94	3	Vertical	128	1.80	-	33.80	5.60	30.94
AV	5.794G	99.04	Inf	-Inf	90.58	3	Vertical	128	1.80	-	33.80	5.60	30.94
PK	6.024G	59.37	68.20	-8.83	50.43	3	Vertical	128	1.80	-	34.25	5.80	31.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.633G	61.00	68.20	-7.20	52.39	3	Horizontal	202	1.79	-	33.83	5.60	30.82	
PK	5.793G	116.22	Inf	-Inf	107.76	3	Horizontal	202	1.79	-	33.80	5.60	30.94	
AV	5.794G	103.17	Inf	-Inf	94.71	3	Horizontal	202	1.79	-	33.80	5.60	30.94	
PK	5.944G	60.02	68.20	-8.18	51.15	3	Horizontal	202	1.79	-	34.19	5.74	31.06	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58508G	54.09	74.00	-19.91	39.07	3	Vertical	50	1.80	-	39.26	7.93	32.17	
AV	11.58994G	42.42	54.00	-11.58	27.38	3	Vertical	50	1.80	-	39.27	7.94	32.17	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.60032G	54.33	74.00	-19.67	39.27	3	Horizontal	47	2.12	-	39.30	7.94	32.18	
AV	11.58988G	40.54	54.00	-13.46	25.50	3	Horizontal	47	2.12	-	39.27	7.94	32.17	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Y_4TX
Setting 24
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.69	74.00	-8.31	57.58	3	Vertical	185	1.66	-	33.59	5.25	30.73
AV	5.15G	53.96	54.00	-0.04	45.84	3	Vertical	185	1.66	-	33.60	5.25	30.73
PK	5.192G	111.45	Inf	-Inf	103.21	3	Vertical	185	1.66	-	33.68	5.29	30.73
AV	5.175G	107.71	Inf	-Inf	99.52	3	Vertical	185	1.66	-	33.65	5.27	30.73
PK	5.366G	60.12	74.00	-13.88	51.53	3	Vertical	185	1.66	-	33.93	5.38	30.72
AV	5.353G	48.46	54.00	-5.54	39.89	3	Vertical	185	1.66	-	33.91	5.38	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 24
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.68	74.00	-7.32	58.56	3	Horizontal	165	1.80	-	33.60	5.25	30.73
AV	5.148G	53.21	54.00	-0.79	45.09	3	Horizontal	165	1.80	-	33.60	5.25	30.73
PK	5.204G	111.33	Inf	-Inf	103.06	3	Horizontal	165	1.80	-	33.70	5.30	30.73
AV	5.211G	98.99	Inf	-Inf	90.71	3	Horizontal	165	1.80	-	33.70	5.31	30.73
PK	5.433G	60.76	74.00	-13.24	52.05	3	Horizontal	165	1.80	-	34.00	5.43	30.72
AV	5.35G	47.99	54.00	-6.01	39.43	3	Horizontal	165	1.80	-	33.90	5.38	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.64386G	58.72	74.00	-15.28	42.78	3	Vertical	178	1.86	-	37.50	9.84	31.40
AV	15.6225G	45.84	54.00	-8.16	29.90	3	Vertical	178	1.86	-	37.50	9.83	31.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61596G	58.58	74.00	-15.42	42.64	3	Horizontal	279	1.73	-	37.50	9.83	31.39
AV	15.62922G	45.86	54.00	-8.14	29.93	3	Horizontal	279	1.73	-	37.50	9.83	31.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.58	68.20	-7.62	52.00	3	Vertical	186	1.80	-	33.81	5.60	30.83
PK	5.763G	112.20	Inf	-Inf	103.72	3	Vertical	186	1.80	-	33.80	5.60	30.92
AV	5.782G	100.57	Inf	-Inf	92.10	3	Vertical	186	1.80	-	33.80	5.60	30.93
PK	5.976G	60.40	68.20	-7.80	51.50	3	Vertical	186	1.80	-	34.20	5.78	31.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	60.44	68.20	-7.76	51.86	3	Horizontal	167	1.80	-	33.81	5.60	30.83	
PK	5.77G	111.96	Inf	-Inf	103.49	3	Horizontal	167	1.80	-	33.80	5.60	30.93	
AV	5.781G	100.45	Inf	-Inf	91.98	3	Horizontal	167	1.80	-	33.80	5.60	30.93	
PK	5.929G	60.98	68.20	-7.22	52.14	3	Horizontal	167	1.80	-	34.16	5.73	31.05	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55006G	54.25	74.00	-19.75	39.33	3	Vertical	46	1.82	-	39.15	7.92	32.15	
AV	11.54994G	43.41	54.00	-10.59	28.49	3	Vertical	46	1.82	-	39.15	7.92	32.15	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.54856G	53.49	74.00	-20.51	38.57	3	Horizontal	118	1.80	-	39.15	7.92	32.15	
AV	11.55G	40.95	54.00	-13.05	26.03	3	Horizontal	118	1.80	-	39.15	7.92	32.15	




RSE TX above 1GHz_R3 + Antenna set 5_Non beamforming mode Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_4TX	Pass	PK	5.647G	68.06	68.20	-0.14	3	Horizontal	174	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.31	74.00	-6.69	59.19	3	Vertical	186	1.80	-	33.60	5.25	30.73
AV	5.15G	53.51	54.00	-0.49	45.39	3	Vertical	186	1.80	-	33.60	5.25	30.73
PK	5.1872G	124.65	Inf	-Inf	116.42	3	Vertical	186	1.80	-	33.67	5.29	30.73
AV	5.1874G	114.65	Inf	-Inf	106.42	3	Vertical	186	1.80	-	33.67	5.29	30.73

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1498G	62.68	74.00	-11.32	54.56	3	Horizontal	184	1.80	-	33.60	5.25	30.73	
AV	5.15G	49.99	54.00	-4.01	41.87	3	Horizontal	184	1.80	-	33.60	5.25	30.73	
PK	5.1736G	122.79	Inf	-Inf	114.60	3	Horizontal	184	1.80	-	33.65	5.27	30.73	
AV	5.1726G	113.25	Inf	-Inf	105.06	3	Horizontal	184	1.80	-	33.65	5.27	30.73	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36272G	52.94	68.20	-15.26	38.68	3	Vertical	15	1.34	-	38.64	7.45	31.83
PK	15.53268G	59.02	74.00	-14.98	42.68	3	Vertical	114	1.90	-	37.90	9.79	31.35
AV	15.5306G	45.90	54.00	-8.10	29.54	3	Vertical	114	1.90	-	37.92	9.79	31.35

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3534G	53.11	68.20	-15.09	38.85	3	Horizontal	209	1.97	-	38.65	7.44	31.83
PK	15.53504G	58.34	74.00	-15.66	42.01	3	Horizontal	4	1.97	-	37.89	9.79	31.35
AV	15.54168G	45.94	54.00	-8.06	29.65	3	Horizontal	4	1.97	-	37.85	9.79	31.35

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 21
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.35	74.00	-7.65	58.23	3	Vertical	185	1.61	-	33.60	5.25	30.73
AV	5.15G	53.32	54.00	-0.68	45.20	3	Vertical	185	1.61	-	33.60	5.25	30.73
PK	5.1936G	128.40	Inf	-Inf	120.15	3	Vertical	185	1.61	-	33.69	5.29	30.73
AV	5.1924G	118.59	Inf	-Inf	110.35	3	Vertical	185	1.61	-	33.68	5.29	30.73

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 21
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.98	74.00	-9.02	56.86	3	Horizontal	184	1.91	-	33.60	5.25	30.73
AV	5.15G	52.95	54.00	-1.05	44.83	3	Horizontal	184	1.91	-	33.60	5.25	30.73
PK	5.1936G	126.43	Inf	-Inf	118.18	3	Horizontal	184	1.91	-	33.69	5.29	30.73
AV	5.1932G	117.04	Inf	-Inf	108.79	3	Horizontal	184	1.91	-	33.69	5.29	30.73

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40648G	53.31	68.20	-14.89	39.09	3	Vertical	163	1.21	-	38.60	7.46	31.84
PK	15.60432G	58.34	74.00	-15.66	42.40	3	Vertical	293	2.38	-	37.50	9.82	31.38
AV	15.6076G	45.69	54.00	-8.31	29.76	3	Vertical	293	2.38	-	37.50	9.82	31.39

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 21
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40228G	52.90	68.20	-15.30	38.67	3	Horizontal	209	2.55	-	38.60	7.46	31.83
PK	15.60656G	58.72	74.00	-15.28	42.79	3	Horizontal	270	1.62	-	37.50	9.82	31.39
AV	15.60756G	45.91	54.00	-8.09	29.98	3	Horizontal	270	1.62	-	37.50	9.82	31.39

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0906G	66.33	74.00	-7.67	58.37	3	Vertical	184	1.69	-	33.50	5.19	30.73
AV	5.15G	52.30	54.00	-1.70	44.18	3	Vertical	184	1.69	-	33.60	5.25	30.73
PK	5.234G	131.01	Inf	-Inf	122.72	3	Vertical	184	1.69	-	33.70	5.32	30.73
AV	5.2346G	121.20	Inf	-Inf	112.91	3	Vertical	184	1.69	-	33.70	5.32	30.73
PK	5.3798G	68.80	74.00	-5.20	60.17	3	Vertical	184	1.69	-	33.96	5.39	30.72
AV	5.3816G	53.28	54.00	-0.72	44.65	3	Vertical	184	1.69	-	33.96	5.39	30.72

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1128G	64.49	74.00	-9.51	56.48	3	Horizontal	184	1.80	-	33.53	5.21	30.73
AV	5.1206G	51.92	54.00	-2.08	43.89	3	Horizontal	184	1.80	-	33.54	5.22	30.73
PK	5.234G	128.19	Inf	-Inf	119.90	3	Horizontal	184	1.80	-	33.70	5.32	30.73
AV	5.2328G	118.52	Inf	-Inf	110.23	3	Horizontal	184	1.80	-	33.70	5.32	30.73
PK	5.357G	64.57	74.00	-9.43	56.00	3	Horizontal	184	1.80	-	33.91	5.38	30.72
AV	5.3846G	52.48	54.00	-1.52	43.84	3	Horizontal	184	1.80	-	33.97	5.39	30.72

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47416G	53.67	68.20	-14.53	39.43	3	Vertical	132	1.69	-	38.60	7.49	31.85
PK	15.71508G	58.23	74.00	-15.77	42.30	3	Vertical	229	2.22	-	37.50	9.87	31.44
AV	15.71112G	45.59	54.00	-8.41	29.66	3	Vertical	229	2.22	-	37.50	9.87	31.44

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48756G	53.08	68.20	-15.12	38.83	3	Horizontal	237	2.44	-	38.60	7.50	31.85
PK	15.71504G	58.46	74.00	-15.54	42.53	3	Horizontal	81	1.31	-	37.50	9.87	31.44
AV	15.719G	45.38	54.00	-8.62	29.45	3	Horizontal	81	1.31	-	37.50	9.87	31.44

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.605G	65.65	68.20	-2.55	56.96	3	Vertical	181	1.80	-	33.89	5.60	30.80	
PK	5.753G	131.17	Inf	-Inf	122.68	3	Vertical	181	1.80	-	33.80	5.60	30.91	
AV	5.752G	121.97	Inf	-Inf	113.48	3	Vertical	181	1.80	-	33.80	5.60	30.91	
PK	5.925G	63.03	68.20	-5.17	54.19	3	Vertical	181	1.80	-	34.15	5.73	31.04	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	66.03	68.20	-2.17	57.33	3	Horizontal	175	1.80	-	33.90	5.60	30.80
PK	5.751G	130.05	Inf	-Inf	121.56	3	Horizontal	175	1.80	-	33.80	5.60	30.91
AV	5.752G	120.02	Inf	-Inf	111.53	3	Horizontal	175	1.80	-	33.80	5.60	30.91
PK	5.932G	63.42	68.20	-4.78	54.58	3	Horizontal	175	1.80	-	34.16	5.73	31.05

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47848G	53.77	74.00	-20.23	39.03	3	Vertical	143	1.65	-	38.96	7.89	32.11
AV	11.49114G	40.72	54.00	-13.28	25.96	3	Vertical	143	1.65	-	38.98	7.90	32.12
PK	17.24538G	64.99	68.20	-3.21	42.38	3	Vertical	266	2.04	-	42.23	10.62	30.24

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48586G	54.20	74.00	-19.80	39.45	3	Horizontal	139	1.45	-	38.97	7.89	32.11	
AV	11.48616G	40.85	54.00	-13.15	26.10	3	Horizontal	139	1.45	-	38.97	7.89	32.11	
PK	17.23338G	65.65	68.20	-2.55	43.10	3	Horizontal	221	1.62	-	42.17	10.62	30.24	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	65.31	68.20	-2.89	56.73	3	Vertical	180	1.80	-	33.81	5.60	30.83	
PK	5.778G	130.84	Inf	-Inf	122.37	3	Vertical	180	1.80	-	33.80	5.60	30.93	
AV	5.778G	120.59	Inf	-Inf	112.12	3	Vertical	180	1.80	-	33.80	5.60	30.93	
PK	5.936G	65.39	68.20	-2.81	56.53	3	Vertical	180	1.80	-	34.17	5.74	31.05	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.599G	64.43	68.20	-3.77	55.73	3	Horizontal	174	1.80	-	33.90	5.60	30.80	
PK	5.778G	128.26	Inf	-Inf	119.79	3	Horizontal	174	1.80	-	33.80	5.60	30.93	
AV	5.792G	119.12	Inf	-Inf	110.66	3	Horizontal	174	1.80	-	33.80	5.60	30.94	
PK	5.944G	64.09	68.20	-4.11	55.22	3	Horizontal	174	1.80	-	34.19	5.74	31.06	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56982G	53.94	74.00	-20.06	38.96	3	Vertical	171	1.08	-	39.21	7.93	32.16	
AV	11.5844G	41.05	54.00	-12.95	26.04	3	Vertical	171	1.08	-	39.25	7.93	32.17	
PK	17.36658G	65.95	68.20	-2.25	42.59	3	Vertical	115	1.08	-	42.90	10.68	30.22	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55824G	58.10	74.00	-15.90	43.16	3	Horizontal	93	1.21	-	39.17	7.92	32.15
AV	11.5718G	45.11	54.00	-8.89	30.12	3	Horizontal	93	1.21	-	39.22	7.93	32.16
PK	17.36358G	66.92	68.20	-1.28	43.58	3	Horizontal	132	1.88	-	42.88	10.68	30.22

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	63.49	68.20	-4.71	54.83	3	Vertical	186	1.80	-	33.87	5.60	30.81
PK	5.819G	128.43	Inf	-Inf	119.97	3	Vertical	186	1.80	-	33.80	5.62	30.96
AV	5.818G	118.44	Inf	-Inf	109.98	3	Vertical	186	1.80	-	33.80	5.62	30.96
PK	5.962G	65.68	68.20	-2.52	56.79	3	Vertical	186	1.80	-	34.20	5.76	31.07

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.629G	63.49	68.20	-4.71	54.87	3	Horizontal	180	1.80	-	33.84	5.60	30.82	
PK	5.818G	126.87	Inf	-Inf	118.41	3	Horizontal	180	1.80	-	33.80	5.62	30.96	
AV	5.818G	117.82	Inf	-Inf	109.36	3	Horizontal	180	1.80	-	33.80	5.62	30.96	
PK	5.945G	64.89	68.20	-3.31	56.01	3	Horizontal	180	1.80	-	34.19	5.75	31.06	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6413G	56.22	74.00	-17.78	41.08	3	Vertical	220	1.80	-	39.38	7.96	32.20
AV	11.6482G	43.03	54.00	-10.97	27.88	3	Vertical	220	1.80	-	39.40	7.96	32.21
PK	17.4804G	66.84	68.20	-1.36	42.57	3	Vertical	240	1.80	-	43.74	10.74	30.21

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6426G	60.41	74.00	-13.59	45.26	3	Horizontal	150	1.88	-	39.39	7.96	32.20
AV	11.6501G	47.62	54.00	-6.38	32.47	3	Horizontal	150	1.88	-	39.40	7.96	32.21
PK	17.47398G	67.78	68.20	-0.42	43.56	3	Horizontal	216	1.87	-	43.69	10.74	30.21

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	68.21	74.00	-5.79	60.09	3	Vertical	184	1.76	-	33.60	5.25	30.73	
AV	5.1486G	53.53	54.00	-0.47	45.41	3	Vertical	184	1.76	-	33.60	5.25	30.73	
PK	5.1858G	126.35	Inf	-Inf	118.12	3	Vertical	184	1.76	-	33.67	5.29	30.73	
AV	5.1874G	113.94	Inf	-Inf	105.71	3	Vertical	184	1.76	-	33.67	5.29	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.149G	67.99	74.00	-6.01	59.87	3	Horizontal	182	1.87	-	33.60	5.25	30.73	
AV	5.15G	52.45	54.00	-1.55	44.33	3	Horizontal	182	1.87	-	33.60	5.25	30.73	
PK	5.1888G	125.11	Inf	-Inf	116.87	3	Horizontal	182	1.87	-	33.68	5.29	30.73	
AV	5.1888G	112.67	Inf	-Inf	104.43	3	Horizontal	182	1.87	-	33.68	5.29	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35052G	53.13	68.20	-15.07	38.87	3	Vertical	137	1.57	-	38.65	7.44	31.83
PK	15.54044G	58.56	74.00	-15.44	42.26	3	Vertical	199	1.62	-	37.86	9.79	31.35
AV	15.5394G	45.33	54.00	-8.67	29.03	3	Vertical	199	1.62	-	37.86	9.79	31.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.35624G	53.47	68.20	-14.73	39.22	3	Horizontal	1	2.07	-	38.64	7.44	31.83	
PK	15.53756G	58.58	74.00	-15.42	42.27	3	Horizontal	249	2.26	-	37.87	9.79	31.35	
AV	15.5444G	45.36	54.00	-8.64	29.09	3	Horizontal	249	2.26	-	37.83	9.79	31.35	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.94	74.00	-7.06	58.82	3	Vertical	182	1.80	-	33.60	5.25	30.73
AV	5.15G	53.44	54.00	-0.56	45.32	3	Vertical	182	1.80	-	33.60	5.25	30.73
PK	5.1912G	127.41	Inf	-Inf	119.17	3	Vertical	182	1.80	-	33.68	5.29	30.73
AV	5.1912G	116.04	Inf	-Inf	107.80	3	Vertical	182	1.80	-	33.68	5.29	30.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.27	74.00	-6.73	59.15	3	Horizontal	182	1.98	-	33.60	5.25	30.73
AV	5.15G	53.66	54.00	-0.34	45.54	3	Horizontal	182	1.98	-	33.60	5.25	30.73
PK	5.2092G	127.75	Inf	-Inf	119.48	3	Horizontal	182	1.98	-	33.70	5.30	30.73
AV	5.2088G	116.05	Inf	-Inf	107.78	3	Horizontal	182	1.98	-	33.70	5.30	30.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3988G	52.64	68.20	-15.56	38.41	3	Vertical	80	2.83	-	38.60	7.46	31.83
PK	15.59476G	58.30	74.00	-15.70	42.33	3	Vertical	308	2.76	-	37.53	9.82	31.38
AV	15.60464G	45.10	54.00	-8.90	29.16	3	Vertical	308	2.76	-	37.50	9.82	31.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.395G	52.65	68.20	-15.55	38.41	3	Horizontal	8	2.26	-	38.61	7.46	31.83
PK	15.59576G	58.72	74.00	-15.28	42.75	3	Horizontal	352	2.50	-	37.53	9.82	31.38
AV	15.609G	45.22	54.00	-8.78	29.29	3	Horizontal	352	2.50	-	37.50	9.82	31.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.87	74.00	-9.13	56.75	3	Vertical	183	1.80	-	33.60	5.25	30.73
AV	5.1482G	52.11	54.00	-1.89	43.99	3	Vertical	183	1.80	-	33.60	5.25	30.73
PK	5.2484G	130.91	Inf	-Inf	122.62	3	Vertical	183	1.80	-	33.70	5.32	30.73
AV	5.249G	119.48	Inf	-Inf	111.19	3	Vertical	183	1.80	-	33.70	5.32	30.73
PK	5.3852G	65.11	74.00	-8.89	56.47	3	Vertical	183	1.80	-	33.97	5.39	30.72
AV	5.351G	51.51	54.00	-2.49	42.95	3	Vertical	183	1.80	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.43	74.00	-9.57	56.31	3	Horizontal	182	1.81	-	33.60	5.25	30.73
AV	5.1494G	52.31	54.00	-1.69	44.19	3	Horizontal	182	1.81	-	33.60	5.25	30.73
PK	5.2472G	129.34	Inf	-Inf	121.05	3	Horizontal	182	1.81	-	33.70	5.32	30.73
AV	5.2484G	118.86	Inf	-Inf	110.57	3	Horizontal	182	1.81	-	33.70	5.32	30.73
PK	5.357G	65.34	74.00	-8.66	56.77	3	Horizontal	182	1.81	-	33.91	5.38	30.72
AV	5.3822G	52.10	54.00	-1.90	43.47	3	Horizontal	182	1.81	-	33.96	5.39	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47628G	52.86	68.20	-15.34	38.62	3	Vertical	349	1.00	-	38.60	7.49	31.85
PK	15.71652G	57.94	74.00	-16.06	42.01	3	Vertical	8	2.81	-	37.50	9.87	31.44
AV	15.7142G	44.72	54.00	-9.28	28.79	3	Vertical	8	2.81	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48072G	52.83	68.20	-15.37	38.59	3	Horizontal	265	1.32	-	38.60	7.49	31.85
PK	15.71708G	58.18	74.00	-15.82	42.25	3	Horizontal	60	1.50	-	37.50	9.87	31.44
AV	15.71096G	44.75	54.00	-9.25	28.82	3	Horizontal	60	1.50	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	65.50	68.20	-2.70	56.92	3	Vertical	182	1.80	-	33.81	5.60	30.83	
PK	5.737G	131.18	Inf	-Inf	122.65	3	Vertical	182	1.80	-	33.83	5.60	30.90	
AV	5.737G	120.41	Inf	-Inf	111.88	3	Vertical	182	1.80	-	33.83	5.60	30.90	
PK	5.941G	62.44	68.20	-5.76	53.58	3	Vertical	182	1.80	-	34.18	5.74	31.06	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	64.31	68.20	-3.89	55.59	3	Horizontal	175	1.76	-	33.92	5.59	30.79
PK	5.737G	131.03	Inf	-Inf	122.50	3	Horizontal	175	1.76	-	33.83	5.60	30.90
AV	5.738G	118.14	Inf	-Inf	109.62	3	Horizontal	175	1.76	-	33.82	5.60	30.90
PK	5.934G	62.58	68.20	-5.62	53.73	3	Horizontal	175	1.76	-	34.17	5.73	31.05

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4988G	53.92	74.00	-20.08	39.14	3	Vertical	240	2.02	-	39.00	7.90	32.12
AV	11.48552G	39.93	54.00	-14.07	25.18	3	Vertical	240	2.02	-	38.97	7.89	32.11
PK	17.24432G	65.18	68.20	-3.02	42.58	3	Vertical	9	1.37	-	42.22	10.62	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48536G	53.12	74.00	-20.88	38.37	3	Horizontal	155	2.24	-	38.97	7.89	32.11
AV	11.48084G	39.83	54.00	-14.17	25.09	3	Horizontal	155	2.24	-	38.96	7.89	32.11
PK	17.22708G	65.28	68.20	-2.92	42.77	3	Horizontal	279	2.32	-	42.14	10.61	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	64.58	68.20	-3.62	55.96	3	Vertical	182	1.80	-	33.84	5.60	30.82
PK	5.778G	130.98	Inf	-Inf	122.51	3	Vertical	182	1.80	-	33.80	5.60	30.93
AV	5.777G	119.63	Inf	-Inf	111.16	3	Vertical	182	1.80	-	33.80	5.60	30.93
PK	5.93G	64.17	68.20	-4.03	55.33	3	Vertical	182	1.80	-	34.16	5.73	31.05

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.587G	64.65	68.20	-3.55	55.92	3	Horizontal	174	1.84	-	33.93	5.59	30.79
PK	5.79G	130.66	Inf	-Inf	122.20	3	Horizontal	174	1.84	-	33.80	5.60	30.94
AV	5.79G	117.82	Inf	-Inf	109.36	3	Horizontal	174	1.84	-	33.80	5.60	30.94
PK	5.936G	62.95	68.20	-5.25	54.09	3	Horizontal	174	1.84	-	34.17	5.74	31.05

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57312G	58.21	74.00	-15.79	43.22	3	Vertical	103	2.81	-	39.22	7.93	32.16
AV	11.57356G	44.63	54.00	-9.37	29.64	3	Vertical	103	2.81	-	39.22	7.93	32.16
PK	17.3512G	65.22	68.20	-2.98	41.95	3	Vertical	342	2.83	-	42.81	10.68	30.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom



EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57308G	58.35	74.00	-15.65	43.36	3	Horizontal	200	1.08	-	39.22	7.93	32.16
AV	11.57244G	44.49	54.00	-9.51	29.50	3	Horizontal	200	1.08	-	39.22	7.93	32.16
PK	17.36064G	64.98	68.20	-3.22	41.66	3	Horizontal	121	2.68	-	42.86	10.68	30.22