


802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.23	68.20	-3.97	55.65	3	Vertical	184	1.66	-	33.81	5.60	30.83
PK	5.834G	130.26	Inf	-Inf	121.80	3	Vertical	184	1.66	-	33.80	5.63	30.97
AV	5.834G	118.50	Inf	-Inf	110.04	3	Vertical	184	1.66	-	33.80	5.63	30.97
PK	5.977G	64.12	68.20	-4.08	55.22	3	Vertical	184	1.66	-	34.20	5.78	31.08

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	62.47	68.20	-5.73	53.86	3	Horizontal	179	1.84	-	33.83	5.60	30.82
PK	5.832G	128.75	Inf	-Inf	120.29	3	Horizontal	179	1.84	-	33.80	5.63	30.97
AV	5.831G	118.30	Inf	-Inf	109.84	3	Horizontal	179	1.84	-	33.80	5.63	30.97
PK	6.013G	63.01	68.20	-5.19	54.08	3	Horizontal	179	1.84	-	34.23	5.80	31.10

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65056G	58.04	74.00	-15.96	42.89	3	Vertical	134	2.85	-	39.40	7.96	32.21
AV	11.64952G	45.55	54.00	-8.45	30.40	3	Vertical	134	2.85	-	39.40	7.96	32.21
PK	17.4722G	66.33	68.20	-1.87	42.12	3	Vertical	219	2.90	-	43.68	10.74	30.21

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63512G	58.06	74.00	-15.94	42.94	3	Horizontal	232.8	2.39	-	39.37	7.95	32.20
AV	11.64968G	44.99	54.00	-9.01	29.84	3	Horizontal	232.8	2.39	-	39.40	7.96	32.21
PK	17.47268G	67.30	68.20	-0.90	43.09	3	Horizontal	214	1.90	-	43.68	10.74	30.21

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 14
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.07	74.00	-6.93	58.95	3	Vertical	183	1.89	-	33.60	5.25	30.73
AV	5.15G	53.60	54.00	-0.40	45.48	3	Vertical	183	1.89	-	33.60	5.25	30.73
PK	5.198G	120.15	Inf	-Inf	111.88	3	Vertical	183	1.89	-	33.70	5.30	30.73
AV	5.1884G	107.70	Inf	-Inf	99.46	3	Vertical	183	1.89	-	33.68	5.29	30.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Y_4TX
Setting 14
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.0928G	62.87	74.00	-11.13	54.91	3	Horizontal	182	1.86	-	33.50	5.19	30.73	
AV	5.15G	50.58	54.00	-3.42	42.46	3	Horizontal	182	1.86	-	33.60	5.25	30.73	
PK	5.198G	119.19	Inf	-Inf	110.92	3	Horizontal	182	1.86	-	33.70	5.30	30.73	
AV	5.1992G	105.65	Inf	-Inf	97.38	3	Horizontal	182	1.86	-	33.70	5.30	30.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 14
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38468G	52.96	68.20	-15.24	38.72	3	Vertical	9	1.35	-	38.62	7.45	31.83
PK	15.56376G	57.95	74.00	-16.05	41.79	3	Vertical	77	2.68	-	37.72	9.80	31.36
AV	15.56208G	44.86	54.00	-9.14	28.69	3	Vertical	77	2.68	-	37.73	9.80	31.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 14
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.385G	53.08	68.20	-15.12	38.84	3	Horizontal	264	2.17	-	38.62	7.45	31.83	
PK	15.56092G	58.71	74.00	-15.29	42.54	3	Horizontal	100	2.83	-	37.73	9.80	31.36	
AV	15.56172G	44.85	54.00	-9.15	28.68	3	Horizontal	100	2.83	-	37.73	9.80	31.36	

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 20
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.05	74.00	-6.95	58.93	3	Vertical	180	1.73	-	33.60	5.25	30.73
AV	5.15G	53.29	54.00	-0.71	45.17	3	Vertical	180	1.73	-	33.60	5.25	30.73
PK	5.2234G	126.57	Inf	-Inf	118.29	3	Vertical	180	1.73	-	33.70	5.31	30.73
AV	5.2324G	113.96	Inf	-Inf	105.67	3	Vertical	180	1.73	-	33.70	5.32	30.73
PK	5.3746G	64.40	74.00	-9.60	55.78	3	Vertical	180	1.73	-	33.95	5.39	30.72
AV	5.38G	51.94	54.00	-2.06	43.31	3	Vertical	180	1.73	-	33.96	5.39	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 20
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.27	74.00	-8.73	57.15	3	Horizontal	181	1.80	-	33.60	5.25	30.73
AV	5.15G	53.51	54.00	-0.49	45.39	3	Horizontal	181	1.80	-	33.60	5.25	30.73
PK	5.2198G	124.05	Inf	-Inf	115.77	3	Horizontal	181	1.80	-	33.70	5.31	30.73
AV	5.2396G	111.52	Inf	-Inf	103.23	3	Horizontal	181	1.80	-	33.70	5.32	30.73
PK	5.3722G	64.52	74.00	-9.48	55.91	3	Horizontal	181	1.80	-	33.94	5.39	30.72
AV	5.3788G	52.16	54.00	-1.84	43.53	3	Horizontal	181	1.80	-	33.96	5.39	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46804G	52.80	68.20	-15.40	38.55	3	Vertical	127	2.67	-	38.60	7.49	31.84
PK	15.69648G	58.01	74.00	-15.99	42.08	3	Vertical	156	1.29	-	37.50	9.86	31.43
AV	15.68696G	44.85	54.00	-9.15	28.92	3	Vertical	156	1.29	-	37.50	9.86	31.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45644G	52.92	68.20	-15.28	38.68	3	Horizontal	122	1.01	-	38.60	7.48	31.84
PK	15.69324G	57.86	74.00	-16.14	41.93	3	Horizontal	48	2.94	-	37.50	9.86	31.43
AV	15.6816G	44.87	54.00	-9.13	28.93	3	Horizontal	48	2.94	-	37.50	9.86	31.42

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.95	68.20	-0.25	59.38	3	Vertical	182	1.76	-	33.80	5.60	30.83
PK	5.758G	126.79	Inf	-Inf	118.31	3	Vertical	182	1.76	-	33.80	5.60	30.92
AV	5.757G	115.35	Inf	-Inf	106.87	3	Vertical	182	1.76	-	33.80	5.60	30.92
PK	5.928G	63.11	68.20	-5.09	54.27	3	Vertical	182	1.76	-	34.16	5.73	31.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	65.24	68.20	-2.96	56.58	3	Horizontal	173	1.82	-	33.87	5.60	30.81
PK	5.75G	125.81	Inf	-Inf	117.32	3	Horizontal	173	1.82	-	33.80	5.60	30.91
AV	5.75G	113.57	Inf	-Inf	105.08	3	Horizontal	173	1.82	-	33.80	5.60	30.91
PK	5.965G	63.05	68.20	-5.15	54.16	3	Horizontal	173	1.82	-	34.20	5.76	31.07

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50392G	54.00	74.00	-20.00	39.21	3	Vertical	25	1.12	-	39.01	7.90	32.12
AV	11.51772G	39.85	54.00	-14.15	25.02	3	Vertical	25	1.12	-	39.05	7.91	32.13
PK	17.26728G	64.66	68.20	-3.54	41.92	3	Vertical	294	2.96	-	42.34	10.63	30.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50336G	53.23	74.00	-20.77	38.44	3	Horizontal	303	1.50	-	39.01	7.90	32.12
AV	11.51836G	39.89	54.00	-14.11	25.05	3	Horizontal	303	1.50	-	39.06	7.91	32.13
PK	17.25944G	64.78	68.20	-3.42	42.08	3	Horizontal	112	2.11	-	42.30	10.63	30.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	66.81	68.20	-1.39	58.23	3	Vertical	186	1.80	-	33.81	5.60	30.83
PK	5.791G	128.25	Inf	-Inf	119.79	3	Vertical	186	1.80	-	33.80	5.60	30.94
AV	5.791G	116.14	Inf	-Inf	107.68	3	Vertical	186	1.80	-	33.80	5.60	30.94
PK	5.922G	69.72	70.42	-0.70	60.90	3	Vertical	186	1.80	-	34.14	5.72	31.04

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.86	68.20	-1.34	58.28	3	Horizontal	176	1.86	-	33.81	5.60	30.83
PK	5.788G	127.49	Inf	-Inf	119.03	3	Horizontal	176	1.86	-	33.80	5.60	30.94
AV	5.796G	115.62	Inf	-Inf	107.16	3	Horizontal	176	1.86	-	33.80	5.60	30.94
PK	5.928G	67.28	68.20	-0.92	58.44	3	Horizontal	176	1.86	-	34.16	5.73	31.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6G	53.42	74.00	-20.58	38.36	3	Vertical	234	1.10	-	39.30	7.94	32.18
AV	11.59936G	40.05	54.00	-13.95	24.99	3	Vertical	234	1.10	-	39.30	7.94	32.18
PK	17.387G	65.55	68.20	-2.65	42.06	3	Vertical	308	2.54	-	43.02	10.69	30.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58944G	53.16	74.00	-20.84	38.12	3	Horizontal	335	1.70	-	39.27	7.94	32.17	
AV	11.59656G	40.09	54.00	-13.91	25.04	3	Horizontal	335	1.70	-	39.29	7.94	32.18	
PK	17.38064G	65.07	68.20	-3.13	41.62	3	Horizontal	281	1.93	-	42.98	10.69	30.22	

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 13
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.52	74.00	-9.48	56.40	3	Vertical	183	1.70	-	33.60	5.25	30.73
AV	5.1492G	53.41	54.00	-0.59	45.29	3	Vertical	183	1.70	-	33.60	5.25	30.73
PK	5.2188G	114.95	Inf	-Inf	106.67	3	Vertical	183	1.70	-	33.70	5.31	30.73
AV	5.218G	103.21	Inf	-Inf	94.93	3	Vertical	183	1.70	-	33.70	5.31	30.73
PK	5.35G	63.33	74.00	-10.67	54.77	3	Vertical	183	1.70	-	33.90	5.38	30.72
AV	5.3988G	50.43	54.00	-3.57	41.75	3	Vertical	183	1.70	-	34.00	5.40	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 13
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	63.90	74.00	-10.10	55.81	3	Horizontal	181	1.80	-	33.58	5.24	30.73
AV	5.15G	51.60	54.00	-2.40	43.48	3	Horizontal	181	1.80	-	33.60	5.25	30.73
PK	5.2012G	113.41	Inf	-Inf	105.14	3	Horizontal	181	1.80	-	33.70	5.30	30.73
AV	5.2004G	101.15	Inf	-Inf	92.88	3	Horizontal	181	1.80	-	33.70	5.30	30.73
PK	5.3988G	62.88	74.00	-11.12	54.20	3	Horizontal	181	1.80	-	34.00	5.40	30.72
AV	5.3524G	50.50	54.00	-3.50	41.94	3	Horizontal	181	1.80	-	33.90	5.38	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 13
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42616G	53.30	68.20	-14.90	39.07	3	Vertical	260	1.33	-	38.60	7.47	31.84
PK	15.62188G	58.92	74.00	-15.08	42.98	3	Vertical	332	1.95	-	37.50	9.83	31.39
AV	15.62484G	45.05	54.00	-8.95	29.11	3	Vertical	332	1.95	-	37.50	9.83	31.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 13
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42684G	53.11	68.20	-15.09	38.88	3	Horizontal	332	1.43	-	38.60	7.47	31.84
PK	15.63856G	58.29	74.00	-15.71	42.35	3	Horizontal	154	2.67	-	37.50	9.84	31.40
AV	15.62152G	45.09	54.00	-8.91	29.15	3	Horizontal	154	2.67	-	37.50	9.83	31.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.655G	71.44	71.90	-0.46	62.87	3	Vertical	182	1.84	-	33.81	5.60	30.84
PK	5.765G	121.08	Inf	-Inf	112.60	3	Vertical	182	1.84	-	33.80	5.60	30.92
AV	5.767G	108.99	Inf	-Inf	100.51	3	Vertical	182	1.84	-	33.80	5.60	30.92
PK	5.979G	63.23	68.20	-4.97	54.33	3	Vertical	182	1.84	-	34.20	5.78	31.08

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	68.06	68.20	-0.14	59.48	3	Horizontal	174	1.80	-	33.81	5.60	30.83
PK	5.789G	119.15	Inf	-Inf	110.69	3	Horizontal	174	1.80	-	33.80	5.60	30.94
AV	5.78G	107.49	Inf	-Inf	99.02	3	Horizontal	174	1.80	-	33.80	5.60	30.93
PK	5.93G	63.67	68.20	-4.53	54.83	3	Horizontal	174	1.80	-	34.16	5.73	31.05

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.54124G	53.19	74.00	-20.81	38.29	3	Vertical	55	1.66	-	39.12	7.92	32.14	
AV	11.54548G	39.86	54.00	-14.14	24.95	3	Vertical	55	1.66	-	39.14	7.92	32.15	
PK	17.323G	65.46	68.20	-2.74	42.39	3	Vertical	113	1.10	-	42.64	10.66	30.23	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 18.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5522G	53.49	74.00	-20.51	38.56	3	Horizontal	49	2.01	-	39.16	7.92	32.15
AV	11.54496G	39.78	54.00	-14.22	24.88	3	Horizontal	49	2.01	-	39.13	7.92	32.15
PK	17.31916G	64.82	68.20	-3.38	41.78	3	Horizontal	89	2.37	-	42.61	10.66	30.23




RSE TX above 1GHz_R3 + Antenna set 5_Beamforming mode Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1476G	53.52	54.00	-0.48	3	Vertical	0	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1474G	66.86	74.00	-7.14	60.57	3	Vertical	3	1.80	-	32.71	6.37	32.79	
AV	5.1498G	52.74	54.00	-1.26	46.46	3	Vertical	3	1.80	-	32.70	6.37	32.79	
PK	5.1822G	124.07	Inf	-Inf	117.75	3	Vertical	3	1.80	-	32.70	6.39	32.77	
AV	5.1888G	112.30	Inf	-Inf	105.98	3	Vertical	3	1.80	-	32.70	6.39	32.77	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	65.71	74.00	-8.29	59.43	3	Horizontal	3	1.80	-	32.70	6.37	32.79	
AV	5.1492G	52.19	54.00	-1.81	45.91	3	Horizontal	3	1.80	-	32.70	6.37	32.79	
PK	5.1752G	123.97	Inf	-Inf	117.66	3	Horizontal	3	1.80	-	32.70	6.39	32.78	
AV	5.175G	112.78	Inf	-Inf	106.47	3	Horizontal	3	1.80	-	32.70	6.39	32.78	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35912G	56.14	68.20	-12.06	40.94	3	Vertical	325	1.37	-	38.40	8.59	31.79
PK	15.54294G	62.91	74.00	-11.09	45.24	3	Vertical	21	2.83	-	38.03	10.36	30.72
AV	15.53718G	49.68	54.00	-4.32	31.99	3	Vertical	21	2.83	-	38.05	10.36	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36006G	56.23	68.20	-11.97	41.03	3	Horizontal	81	2.31	-	38.40	8.59	31.79
PK	15.54142G	63.46	74.00	-10.54	45.79	3	Horizontal	63	2.12	-	38.03	10.36	30.72
AV	15.54438G	49.82	54.00	-4.18	32.16	3	Horizontal	63	2.12	-	38.02	10.36	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1404G	63.07	74.00	-10.93	56.77	3	Vertical	3	1.67	-	32.72	6.37	32.79	
AV	5.1492G	50.73	54.00	-3.27	44.45	3	Vertical	3	1.67	-	32.70	6.37	32.79	
PK	5.2076G	126.50	Inf	-Inf	120.14	3	Vertical	3	1.67	-	32.72	6.40	32.76	
AV	5.2088G	114.45	Inf	-Inf	108.09	3	Vertical	3	1.67	-	32.72	6.40	32.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	62.31	74.00	-11.69	56.03	3	Horizontal	360	1.80	-	32.70	6.37	32.79	
AV	5.1496G	50.69	54.00	-3.31	44.41	3	Horizontal	360	1.80	-	32.70	6.37	32.79	
PK	5.2056G	125.42	Inf	-Inf	119.07	3	Horizontal	360	1.80	-	32.71	6.40	32.76	
AV	5.208G	113.40	Inf	-Inf	107.04	3	Horizontal	360	1.80	-	32.72	6.40	32.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39648G	56.07	68.20	-12.13	40.82	3	Vertical	11	2.53	-	38.40	8.60	31.75
PK	15.60124G	62.41	74.00	-11.59	44.93	3	Vertical	9	2.40	-	37.80	10.38	30.70
AV	15.5985G	49.06	54.00	-4.94	31.57	3	Vertical	9	2.40	-	37.81	10.38	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39528G	56.53	68.20	-11.67	41.28	3	Horizontal	62	1.38	-	38.40	8.60	31.75
PK	15.5978G	62.72	74.00	-11.28	45.23	3	Horizontal	229	2.24	-	37.81	10.38	30.70
AV	15.60206G	49.15	54.00	-4.85	31.67	3	Horizontal	229	2.24	-	37.80	10.38	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0966G	62.77	74.00	-11.23	56.43	3	Vertical	360	1.80	-	32.80	6.35	32.81
AV	5.1062G	50.38	54.00	-3.62	44.05	3	Vertical	360	1.80	-	32.79	6.35	32.81
PK	5.2466G	126.01	Inf	-Inf	119.57	3	Vertical	360	1.80	-	32.79	6.40	32.75
AV	5.2442G	114.17	Inf	-Inf	107.73	3	Vertical	360	1.80	-	32.79	6.40	32.75
PK	5.3768G	64.37	74.00	-9.63	57.55	3	Vertical	360	1.80	-	33.11	6.40	32.69
AV	5.3822G	50.25	54.00	-3.75	43.41	3	Vertical	360	1.80	-	33.13	6.40	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1266G	64.17	74.00	-9.83	57.86	3	Horizontal	0	1.80	-	32.75	6.36	32.80
AV	5.1008G	50.36	54.00	-3.64	44.02	3	Horizontal	0	1.80	-	32.80	6.35	32.81
PK	5.2442G	125.83	Inf	-Inf	119.39	3	Horizontal	0	1.80	-	32.79	6.40	32.75
AV	5.2484G	113.51	Inf	-Inf	107.06	3	Horizontal	0	1.80	-	32.80	6.40	32.75
PK	5.3786G	64.67	74.00	-9.33	57.85	3	Horizontal	0	1.80	-	33.11	6.40	32.69
AV	5.3864G	51.34	54.00	-2.66	44.48	3	Horizontal	0	1.80	-	33.15	6.40	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47618G	56.36	68.20	-11.84	40.93	3	Vertical	230	2.11	-	38.48	8.62	31.67
PK	15.71788G	61.87	74.00	-12.13	44.30	3	Vertical	140	2.80	-	37.81	10.42	30.66
AV	15.7191G	48.37	54.00	-5.63	30.80	3	Vertical	140	2.80	-	37.81	10.42	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48336G	56.78	68.20	-11.42	41.34	3	Horizontal	101	2.20	-	38.48	8.62	31.66
PK	15.72186G	62.00	74.00	-12.00	44.41	3	Horizontal	230	2.12	-	37.83	10.42	30.66
AV	15.72154G	48.37	54.00	-5.63	30.78	3	Horizontal	230	2.12	-	37.83	10.42	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.603G	65.49	68.20	-2.71	57.75	3	Vertical	0	1.80	-	33.82	6.60	32.68	
PK	5.736G	126.60	Inf	-Inf	118.44	3	Vertical	0	1.80	-	34.29	6.60	32.73	
AV	5.736G	114.94	Inf	-Inf	106.78	3	Vertical	0	1.80	-	34.29	6.60	32.73	
PK	5.943G	62.27	68.20	-5.93	53.42	3	Vertical	0	1.80	-	35.07	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.572G	63.43	68.20	-4.77	55.67	3	Horizontal	0	1.80	-	33.86	6.57	32.67	
PK	5.75G	123.92	Inf	-Inf	115.66	3	Horizontal	0	1.80	-	34.40	6.60	32.74	
AV	5.754G	112.28	Inf	-Inf	104.02	3	Horizontal	0	1.80	-	34.40	6.60	32.74	
PK	5.924G	62.61	68.94	-6.33	53.82	3	Horizontal	0	1.80	-	35.00	6.60	32.81	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49246G	58.77	74.00	-15.23	43.24	3	Vertical	289	2.72	-	38.40	8.87	31.74
AV	11.48556G	44.22	54.00	-9.78	28.70	3	Vertical	289	2.72	-	38.40	8.87	31.75
PK	17.23572G	67.05	68.20	-1.15	44.58	3	Vertical	359	1.82	-	41.78	10.87	30.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49374G	57.55	74.00	-16.45	42.02	3	Horizontal	100	1.79	-	38.40	8.87	31.74
AV	11.4855G	44.31	54.00	-9.69	28.79	3	Horizontal	100	1.79	-	38.40	8.87	31.75
PK	17.23558G	66.62	68.20	-1.58	44.15	3	Horizontal	283	1.40	-	41.78	10.87	30.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	65.70	68.20	-2.50	57.79	3	Vertical	0	1.80	-	34.00	6.60	32.69
PK	5.789G	125.51	Inf	-Inf	117.27	3	Vertical	0	1.80	-	34.40	6.60	32.76
AV	5.776G	113.91	Inf	-Inf	105.66	3	Vertical	0	1.80	-	34.40	6.60	32.75
PK	6.023G	63.27	68.20	-4.93	54.23	3	Vertical	0	1.80	-	35.25	6.63	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	63.68	68.20	-4.52	55.76	3	Horizontal	0	1.80	-	34.01	6.60	32.69
PK	5.789G	123.96	Inf	-Inf	115.72	3	Horizontal	0	1.80	-	34.40	6.60	32.76
AV	5.776G	113.11	Inf	-Inf	104.86	3	Horizontal	0	1.80	-	34.40	6.60	32.75
PK	5.995G	63.18	68.20	-5.02	54.14	3	Horizontal	0	1.80	-	35.28	6.60	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5744G	57.58	74.00	-16.42	41.85	3	Vertical	174	1.23	-	38.55	8.89	31.71
AV	11.57408G	44.38	54.00	-9.62	28.65	3	Vertical	174	1.23	-	38.55	8.89	31.71
PK	17.35194G	66.35	68.20	-1.85	43.65	3	Vertical	2	1.56	-	42.15	10.91	30.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56586G	57.65	74.00	-16.35	41.94	3	Horizontal	22	1.70	-	38.53	8.89	31.71
AV	11.56984G	44.32	54.00	-9.68	28.60	3	Horizontal	22	1.70	-	38.54	8.89	31.71
PK	17.34282G	66.97	68.20	-1.23	44.27	3	Horizontal	156	1.06	-	42.14	10.90	30.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.627G	63.42	68.20	-4.78	55.55	3	Vertical	0	1.80	-	33.96	6.60	32.69	
PK	5.817G	125.26	Inf	-Inf	116.89	3	Vertical	0	1.80	-	34.54	6.60	32.77	
AV	5.816G	113.76	Inf	-Inf	105.40	3	Vertical	0	1.80	-	34.53	6.60	32.77	
PK	5.971G	63.22	68.20	-4.98	54.27	3	Vertical	0	1.80	-	35.18	6.60	32.83	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	62.99	68.20	-5.21	55.03	3	Horizontal	0	1.80	-	34.06	6.60	32.70
PK	5.817G	125.93	Inf	-Inf	117.56	3	Horizontal	0	1.80	-	34.54	6.60	32.77
AV	5.816G	114.36	Inf	-Inf	106.00	3	Horizontal	0	1.80	-	34.53	6.60	32.77
PK	6.002G	64.54	68.20	-3.66	55.48	3	Horizontal	0	1.80	-	35.30	6.60	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65156G	57.76	74.00	-16.24	41.93	3	Vertical	66	2.99	-	38.60	8.91	31.68
AV	11.6524G	44.33	54.00	-9.67	28.50	3	Vertical	66	2.99	-	38.60	8.91	31.68
PK	17.47972G	65.99	68.20	-2.21	43.33	3	Vertical	292	2.56	-	42.28	10.94	30.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64852G	57.53	74.00	-16.47	41.70	3	Horizontal	219	1.40	-	38.60	8.91	31.68
AV	11.64564G	44.46	54.00	-9.54	28.63	3	Horizontal	219	1.40	-	38.60	8.91	31.68
PK	17.47112G	66.05	68.20	-2.15	43.38	3	Horizontal	303	1.82	-	42.27	10.94	30.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	68.31	74.00	-5.69	62.02	3	Vertical	2	1.80	-	32.71	6.37	32.79
AV	5.15G	53.49	54.00	-0.51	47.21	3	Vertical	2	1.80	-	32.70	6.37	32.79
PK	5.1864G	121.16	Inf	-Inf	114.84	3	Vertical	2	1.80	-	32.70	6.39	32.77
AV	5.196G	108.27	Inf	-Inf	101.94	3	Vertical	2	1.80	-	32.70	6.40	32.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Y_4TX
Setting 23
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.49	74.00	-6.51	61.21	3	Horizontal	0	1.80	-	32.70	6.37	32.79
AV	5.148G	51.56	54.00	-2.44	45.28	3	Horizontal	0	1.80	-	32.70	6.37	32.79
PK	5.1932G	119.99	Inf	-Inf	113.66	3	Horizontal	0	1.80	-	32.70	6.40	32.77
AV	5.1948G	107.00	Inf	-Inf	100.67	3	Horizontal	0	1.80	-	32.70	6.40	32.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38098G	56.48	68.20	-11.72	41.25	3	Vertical	131	1.25	-	38.40	8.60	31.77
PK	15.5738G	62.51	74.00	-11.49	44.95	3	Vertical	44	1.99	-	37.90	10.37	30.71
AV	15.56534G	49.76	54.00	-4.24	32.16	3	Vertical	44	1.99	-	37.94	10.37	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38216G	56.54	68.20	-11.66	41.31	3	Horizontal	108	2.19	-	38.40	8.60	31.77
PK	15.5709G	63.23	74.00	-10.77	45.65	3	Horizontal	344	2.35	-	37.92	10.37	30.71
AV	15.56514G	49.56	54.00	-4.44	31.96	3	Horizontal	344	2.35	-	37.94	10.37	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0914G	63.79	74.00	-10.21	57.45	3	Vertical	3	1.80	-	32.80	6.35	32.81
AV	5.149G	50.59	54.00	-3.41	44.31	3	Vertical	3	1.80	-	32.70	6.37	32.79
PK	5.2354G	122.30	Inf	-Inf	115.88	3	Vertical	3	1.80	-	32.77	6.40	32.75
AV	5.2294G	111.09	Inf	-Inf	104.68	3	Vertical	3	1.80	-	32.76	6.40	32.75
PK	5.3722G	65.47	74.00	-8.53	58.67	3	Vertical	3	1.80	-	33.09	6.40	32.69
AV	5.377G	51.19	54.00	-2.81	44.37	3	Vertical	3	1.80	-	33.11	6.40	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.03	74.00	-10.97	56.74	3	Horizontal	2	1.80	-	32.71	6.37	32.79
AV	5.15G	50.55	54.00	-3.45	44.27	3	Horizontal	2	1.80	-	32.70	6.37	32.79
PK	5.2324G	122.18	Inf	-Inf	115.77	3	Horizontal	2	1.80	-	32.76	6.40	32.75
AV	5.2348G	109.63	Inf	-Inf	103.21	3	Horizontal	2	1.80	-	32.77	6.40	32.75
PK	5.3794G	64.03	74.00	-9.97	57.20	3	Horizontal	2	1.80	-	33.12	6.40	32.69
AV	5.3788G	50.99	54.00	-3.01	44.16	3	Horizontal	2	1.80	-	33.12	6.40	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4559G	56.31	68.20	-11.89	40.93	3	Vertical	141	2.67	-	38.46	8.61	31.69
PK	15.68514G	61.40	74.00	-12.60	43.95	3	Vertical	139	1.71	-	37.71	10.41	30.67
AV	15.68696G	48.38	54.00	-5.62	30.93	3	Vertical	139	1.71	-	37.71	10.41	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46174G	56.76	68.20	-11.44	41.36	3	Horizontal	321	1.89	-	38.46	8.62	31.68
PK	15.686G	61.74	74.00	-12.26	44.29	3	Horizontal	352	1.90	-	37.71	10.41	30.67
AV	15.69026G	48.44	54.00	-5.56	30.99	3	Horizontal	352	1.90	-	37.71	10.41	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.625G	66.61	68.20	-1.59	58.75	3	Vertical	0	1.80	-	33.95	6.60	32.69	
PK	5.751G	123.75	Inf	-Inf	115.49	3	Vertical	0	1.80	-	34.40	6.60	32.74	
AV	5.744G	111.48	Inf	-Inf	103.27	3	Vertical	0	1.80	-	34.35	6.60	32.74	
PK	5.948G	62.81	68.20	-5.39	53.94	3	Vertical	0	1.80	-	35.09	6.60	32.82	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	63.80	68.20	-4.40	56.04	3	Horizontal	0	1.80	-	33.85	6.58	32.67
PK	5.766G	121.79	Inf	-Inf	113.54	3	Horizontal	0	1.80	-	34.40	6.60	32.75
AV	5.761G	109.77	Inf	-Inf	101.51	3	Horizontal	0	1.80	-	34.40	6.60	32.74
PK	5.987G	62.95	68.20	-5.25	53.93	3	Horizontal	0	1.80	-	35.25	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50952G	58.07	74.00	-15.93	42.51	3	Vertical	278	2.72	-	38.42	8.88	31.74
AV	11.50882G	44.09	54.00	-9.91	28.53	3	Vertical	278	2.72	-	38.42	8.88	31.74
PK	17.26966G	67.35	68.20	-0.85	44.75	3	Vertical	218	2.31	-	41.95	10.88	30.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50604G	57.39	74.00	-16.61	41.84	3	Horizontal	112	2.24	-	38.41	8.88	31.74
AV	11.50678G	44.06	54.00	-9.94	28.51	3	Horizontal	112	2.24	-	38.41	8.88	31.74
PK	17.26026G	67.10	68.20	-1.10	44.54	3	Horizontal	290	2.80	-	41.90	10.88	30.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	65.64	68.20	-2.56	57.66	3	Vertical	0	1.80	-	34.08	6.60	32.70	
PK	5.789G	123.80	Inf	-Inf	115.56	3	Vertical	0	1.80	-	34.40	6.60	32.76	
AV	5.789G	111.11	Inf	-Inf	102.87	3	Vertical	0	1.80	-	34.40	6.60	32.76	
PK	5.967G	63.50	68.20	-4.70	54.56	3	Vertical	0	1.80	-	35.17	6.60	32.83	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	63.99	68.20	-4.21	56.25	3	Horizontal	358	1.80	-	33.83	6.58	32.67
PK	5.801G	122.24	Inf	-Inf	113.99	3	Horizontal	358	1.80	-	34.41	6.60	32.76
AV	5.802G	110.13	Inf	-Inf	101.87	3	Horizontal	358	1.80	-	34.42	6.60	32.76
PK	6.013G	62.58	68.20	-5.62	53.53	3	Horizontal	358	1.80	-	35.27	6.62	32.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59288G	57.33	74.00	-16.67	41.54	3	Vertical	309	2.44	-	38.59	8.90	31.70
AV	11.5864G	44.32	54.00	-9.68	28.56	3	Vertical	309	2.44	-	38.57	8.90	31.71
PK	17.38816G	66.81	68.20	-1.39	44.12	3	Vertical	184	1.53	-	42.19	10.92	30.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59468G	57.54	74.00	-16.46	41.75	3	Horizontal	229	2.08	-	38.59	8.90	31.70
AV	11.58954G	44.17	54.00	-9.83	28.39	3	Horizontal	229	2.08	-	38.58	8.90	31.70
PK	17.38768G	66.41	68.20	-1.79	43.71	3	Horizontal	291	2.18	-	42.19	10.92	30.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	68.48	74.00	-5.52	62.17	3	Vertical	0	1.80	-	32.74	6.37	32.80
AV	5.1476G	53.52	54.00	-0.48	47.24	3	Vertical	0	1.80	-	32.70	6.37	32.79
PK	5.1844G	120.66	Inf	-Inf	114.34	3	Vertical	0	1.80	-	32.70	6.39	32.77
AV	5.1884G	104.66	Inf	-Inf	98.34	3	Vertical	0	1.80	-	32.70	6.39	32.77
PK	5.3588G	62.23	74.00	-11.77	55.49	3	Vertical	0	1.80	-	33.04	6.40	32.70
AV	5.35G	49.49	54.00	-4.51	42.79	3	Vertical	0	1.80	-	33.00	6.40	32.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	67.87	74.00	-6.13	61.55	3	Horizontal	4	1.80	-	32.76	6.36	32.80
AV	5.1436G	52.27	54.00	-1.73	45.98	3	Horizontal	4	1.80	-	32.71	6.37	32.79
PK	5.2372G	116.32	Inf	-Inf	109.90	3	Horizontal	4	1.80	-	32.77	6.40	32.75
AV	5.2116G	103.92	Inf	-Inf	97.56	3	Horizontal	4	1.80	-	32.72	6.40	32.76
PK	5.3612G	62.32	74.00	-11.68	55.58	3	Horizontal	4	1.80	-	33.04	6.40	32.70
AV	5.3748G	49.93	54.00	-4.07	43.12	3	Horizontal	4	1.80	-	33.10	6.40	32.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42002G	56.93	68.20	-11.27	41.63	3	Vertical	99	2.41	-	38.42	8.61	31.73
PK	15.63252G	62.31	74.00	-11.69	44.84	3	Vertical	102	2.54	-	37.77	10.39	30.69
AV	15.6307G	49.28	54.00	-4.72	31.81	3	Vertical	102	2.54	-	37.77	10.39	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4188G	55.94	68.20	-12.26	40.65	3	Horizontal	38	2.17	-	38.42	8.60	31.73
PK	15.63352G	62.32	74.00	-11.68	44.85	3	Horizontal	241	2.61	-	37.77	10.39	30.69
AV	15.63262G	49.32	54.00	-4.68	31.85	3	Horizontal	241	2.61	-	37.77	10.39	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	66.44	68.20	-1.76	58.48	3	Vertical	0	1.80	-	34.06	6.60	32.70	
PK	5.766G	119.38	Inf	-Inf	111.13	3	Vertical	0	1.80	-	34.40	6.60	32.75	
AV	5.748G	110.73	Inf	-Inf	102.49	3	Vertical	0	1.80	-	34.38	6.60	32.74	
PK	5.967G	62.20	68.20	-6.00	53.26	3	Vertical	0	1.80	-	35.17	6.60	32.83	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	64.04	68.20	-4.16	56.29	3	Horizontal	358	1.80	-	33.84	6.58	32.67
PK	5.773G	118.02	Inf	-Inf	109.77	3	Horizontal	358	1.80	-	34.40	6.60	32.75
AV	5.743G	108.78	Inf	-Inf	100.58	3	Horizontal	358	1.80	-	34.34	6.60	32.74
PK	5.998G	62.98	68.20	-5.22	53.93	3	Horizontal	358	1.80	-	35.29	6.60	32.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54736G	57.31	74.00	-16.69	41.65	3	Vertical	127	2.62	-	38.49	8.89	31.72
AV	11.5504G	44.18	54.00	-9.82	28.51	3	Vertical	127	2.62	-	38.50	8.89	31.72
PK	17.32806G	66.81	68.20	-1.39	44.10	3	Vertical	71	1.12	-	42.13	10.90	30.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54688G	57.73	74.00	-16.27	42.07	3	Horizontal	174	2.08	-	38.49	8.89	31.72
AV	11.54792G	44.18	54.00	-9.82	28.51	3	Horizontal	174	2.08	-	38.50	8.89	31.72
PK	17.32848G	67.10	68.20	-1.10	44.39	3	Horizontal	349	1.96	-	42.13	10.90	30.32




Radiated Emission Co-location Report

Appendix F

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.04209G	41.32	54.00	-12.68	Horizontal

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.0395G	45.66	74.00	-28.34	-8.37	3	Vertical	309	1.69	-	54.03	25.17	2.86	36.40
AV	1.03979G	35.11	54.00	-18.89	-8.36	3	Vertical	309	1.69	"Worst"	43.47	25.18	2.86	36.40

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.03937G	50.49	74.00	-23.51	-8.37	3	Horizontal	327	1.73	-	58.86	25.17	2.86	36.40
AV	1.04209G	41.32	54.00	-12.68	-8.33	3	Horizontal	327	1.73	"Worst"	49.65	25.21	2.86	36.40