


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05944G	57.23	74.00	-16.77	42.03	3	Vertical	213	2.62	-	38.44	8.76	32.00
AV	11.06026G	43.64	54.00	-10.36	28.43	3	Vertical	213	2.62	-	38.44	8.77	32.00
PK	16.59006G	65.64	68.20	-2.56	43.76	3	Vertical	82	2.34	-	40.30	10.68	29.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06438G	57.69	74.00	-16.31	42.48	3	Horizontal	110	1.09	-	38.44	8.77	32.00
AV	11.06294G	43.76	54.00	-10.24	28.55	3	Horizontal	110	1.09	-	38.44	8.77	32.00
PK	16.59106G	66.64	68.20	-1.56	44.76	3	Horizontal	342	2.90	-	40.30	10.68	29.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.375G	60.58	74.00	-13.42	53.77	3	Vertical	42	2.57	-	33.10	6.40	32.69
PK	5.466G	59.51	68.20	-8.69	51.99	3	Vertical	42	2.57	-	33.70	6.47	32.65
AV	5.439G	47.72	54.00	-6.28	40.36	3	Vertical	42	2.57	-	33.59	6.44	32.67
PK	5.606G	99.09	Inf	-Inf	91.33	3	Vertical	42	2.57	-	33.84	6.60	32.68
AV	5.604G	86.40	Inf	-Inf	78.66	3	Vertical	42	2.57	-	33.82	6.60	32.68
PK	5.808G	60.61	68.20	-7.59	52.31	3	Vertical	42	2.57	-	34.46	6.60	32.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.35	74.00	-13.65	52.86	3	Horizontal	174	1.80	-	33.70	6.45	32.66
AV	5.454G	48.50	54.00	-5.50	41.01	3	Horizontal	174	1.80	-	33.70	6.45	32.66
PK	5.462G	60.68	68.20	-7.52	53.18	3	Horizontal	174	1.80	-	33.70	6.46	32.66
PK	5.614G	110.68	Inf	-Inf	102.89	3	Horizontal	174	1.80	-	33.88	6.60	32.69
AV	5.583G	98.33	Inf	-Inf	90.59	3	Horizontal	174	1.80	-	33.83	6.58	32.67
PK	5.741G	61.60	68.20	-6.60	53.41	3	Horizontal	174	1.80	-	34.33	6.60	32.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2234G	56.31	74.00	-17.69	41.09	3	Vertical	312	1.51	-	38.32	8.81	31.91
AV	11.22458G	43.44	54.00	-10.56	28.22	3	Vertical	312	1.51	-	38.32	8.81	31.91
PK	16.8267G	65.93	68.20	-2.27	44.06	3	Vertical	246	1.51	-	40.63	10.75	29.51

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22184G	56.74	74.00	-17.26	41.52	3	Horizontal	215	1.26	-	38.32	8.81	31.91
AV	11.21604G	43.61	54.00	-10.39	28.40	3	Horizontal	215	1.26	-	38.32	8.80	31.91
PK	16.82888G	66.46	68.20	-1.74	44.58	3	Horizontal	37	2.74	-	40.64	10.75	29.51

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.84	74.00	-14.16	52.35	3	Vertical	35	2.95	-	33.70	6.45	32.66
AV	5.45G	47.75	54.00	-6.25	40.26	3	Vertical	35	2.95	-	33.70	6.45	32.66
PK	5.465G	59.61	68.20	-8.59	52.10	3	Vertical	35	2.95	-	33.70	6.46	32.65
PK	5.685G	101.81	Inf	-Inf	93.89	3	Vertical	35	2.95	-	34.03	6.60	32.71
AV	5.686G	88.69	Inf	-Inf	80.77	3	Vertical	35	2.95	-	34.03	6.60	32.71
PK	5.928G	61.89	68.20	-6.31	53.09	3	Vertical	35	2.95	-	35.01	6.60	32.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	60.22	74.00	-13.78	52.75	3	Horizontal	0	2.15	-	33.68	6.45	32.66
AV	5.456G	48.44	54.00	-5.56	40.94	3	Horizontal	0	2.15	-	33.70	6.46	32.66
PK	5.466G	60.06	68.20	-8.14	52.54	3	Horizontal	0	2.15	-	33.70	6.47	32.65
PK	5.68G	111.19	Inf	-Inf	103.26	3	Horizontal	0	2.15	-	34.04	6.60	32.71
AV	5.695G	99.09	Inf	-Inf	91.20	3	Horizontal	0	2.15	-	34.01	6.60	32.72
PK	5.888G	62.44	68.20	-5.76	53.76	3	Horizontal	0	2.15	-	34.88	6.60	32.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38242G	57.92	74.00	-16.08	42.48	3	Vertical	219	2.74	-	38.40	8.85	31.81
AV	11.38306G	44.54	54.00	-9.46	29.10	3	Vertical	219	2.74	-	38.40	8.85	31.81
PK	17.0726G	67.08	68.20	-1.12	44.86	3	Vertical	346	2.67	-	41.32	10.82	29.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37972G	57.90	74.00	-16.10	42.47	3	Horizontal	285	1.76	-	38.40	8.84	31.81
AV	11.37592G	44.46	54.00	-9.54	29.03	3	Horizontal	285	1.76	-	38.40	8.84	31.81
PK	17.07414G	66.84	68.20	-1.36	44.63	3	Horizontal	248	1.57	-	41.32	10.82	29.93

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	58.92	74.00	-15.08	52.64	3	Vertical	93	3.00	-	32.70	6.37	32.79
AV	5.114G	46.34	54.00	-7.66	40.01	3	Vertical	93	3.00	-	32.77	6.36	32.80
AV	5.1732G	87.41	Inf	-Inf	81.10	3	Vertical	93	3.00	-	32.70	6.39	32.78
PK	5.2004G	98.40	Inf	-Inf	92.07	3	Vertical	93	3.00	-	32.70	6.40	32.77
PK	5.386G	65.91	74.00	-8.09	59.06	3	Vertical	93	3.00	-	33.14	6.40	32.69
AV	5.4596G	47.27	54.00	-6.73	39.77	3	Vertical	93	3.00	-	33.70	6.46	32.66
PK	5.6372G	60.84	68.20	-7.36	52.91	3	Vertical	93	3.00	-	34.02	6.60	32.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	64.90	74.00	-9.10	58.60	3	Horizontal	169	1.80	-	32.74	6.36	32.80
AV	5.1284G	49.52	54.00	-4.48	43.22	3	Horizontal	169	1.80	-	32.74	6.36	32.80
PK	5.2772G	110.42	Inf	-Inf	103.90	3	Horizontal	169	1.80	-	32.85	6.40	32.73
AV	5.2292G	98.03	Inf	-Inf	91.62	3	Horizontal	169	1.80	-	32.76	6.40	32.75
PK	5.394G	73.93	74.00	-0.07	67.03	3	Horizontal	169	1.80	-	33.18	6.40	32.68
AV	5.3524G	51.16	54.00	-2.84	44.45	3	Horizontal	169	1.80	-	33.01	6.40	32.70
PK	5.514G	61.74	68.20	-6.46	54.12	3	Horizontal	169	1.80	-	33.76	6.51	32.65

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50194G	57.41	68.20	-10.79	41.92	3	Vertical	291	2.11	-	38.50	8.63	31.64
PK	15.7538G	62.50	74.00	-11.50	44.70	3	Vertical	15	2.47	-	38.02	10.43	30.65
AV	15.74676G	48.36	54.00	-5.64	30.62	3	Vertical	15	2.47	-	37.98	10.42	30.66

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49678G	56.51	68.20	-11.69	41.03	3	Horizontal	84	1.53	-	38.50	8.62	31.64
PK	15.74768G	62.16	74.00	-11.84	44.41	3	Horizontal	132	1.37	-	37.99	10.42	30.66
AV	15.75342G	48.32	54.00	-5.68	30.52	3	Horizontal	132	1.37	-	38.02	10.43	30.65

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.82	68.20	-8.38	53.13	3	Vertical	0	2.21	-	32.99	6.40	32.70
PK	5.442G	63.81	74.00	-10.19	56.41	3	Vertical	0	2.21	-	33.62	6.44	32.66
PK	5.4612G	63.76	68.20	-4.44	56.26	3	Vertical	0	2.21	-	33.70	6.46	32.66
AV	5.4564G	51.55	54.00	-2.45	44.05	3	Vertical	0	2.21	-	33.70	6.46	32.66
PK	5.5332G	109.33	Inf	-Inf	101.62	3	Vertical	0	2.21	-	33.83	6.53	32.65
AV	5.5044G	96.16	Inf	-Inf	88.58	3	Vertical	0	2.21	-	33.72	6.50	32.64
PK	5.7332G	65.88	68.20	-2.32	57.74	3	Vertical	0	2.21	-	34.27	6.60	32.73

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3348G	60.14	68.20	-8.06	53.48	3	Horizontal	0	2.21	-	32.97	6.40	32.71
PK	5.4196G	64.50	74.00	-9.50	57.35	3	Horizontal	0	2.21	-	33.40	6.42	32.67
PK	5.466G	63.16	68.20	-5.04	55.64	3	Horizontal	0	2.21	-	33.70	6.47	32.65
AV	5.458G	51.62	54.00	-2.38	44.12	3	Horizontal	0	2.21	-	33.70	6.46	32.66
PK	5.5236G	108.73	Inf	-Inf	101.07	3	Horizontal	0	2.21	-	33.79	6.52	32.65
AV	5.5044G	96.46	Inf	-Inf	88.88	3	Horizontal	0	2.21	-	33.72	6.50	32.64
PK	5.7284G	65.08	68.20	-3.12	56.98	3	Horizontal	0	2.21	-	34.23	6.60	32.73

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14386G	56.75	74.00	-17.25	41.55	3	Vertical	1	1.01	-	38.36	8.79	31.95
AV	11.136G	42.61	54.00	-11.39	27.43	3	Vertical	1	1.01	-	38.36	8.78	31.96
PK	16.713G	66.50	68.20	-1.70	44.69	3	Vertical	293	2.29	-	40.41	10.71	29.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1381G	56.20	74.00	-17.80	41.02	3	Horizontal	106	1.93	-	38.36	8.78	31.96
AV	11.1368G	42.70	54.00	-11.30	27.52	3	Horizontal	106	1.93	-	38.36	8.78	31.96
PK	16.71006G	65.75	68.20	-2.45	43.94	3	Horizontal	211	1.72	-	40.41	10.71	29.31




RSE TX above 1GHz_R3 + Antenna set 3_Non beamforming mode Appendix D.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3548G	53.98	54.00	-0.02	3	Vertical	183	1.96	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1112G	64.03	74.00	-9.97	56.03	3	Vertical	183	2.00	-	33.52	5.21	30.73
AV	5.1196G	50.18	54.00	-3.82	42.15	3	Vertical	183	2.00	-	33.54	5.22	30.73
PK	5.2546G	126.93	Inf	-Inf	118.61	3	Vertical	183	2.00	-	33.71	5.33	30.72
AV	5.2552G	117.53	Inf	-Inf	109.21	3	Vertical	183	2.00	-	33.71	5.33	30.72
PK	5.3998G	65.43	74.00	-8.57	56.75	3	Vertical	183	2.00	-	34.00	5.40	30.72
AV	5.4064G	50.99	54.00	-3.01	42.30	3	Vertical	183	2.00	-	34.00	5.41	30.72

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1166G	62.08	74.00	-11.92	54.06	3	Horizontal	167	2.06	-	33.53	5.22	30.73
AV	5.134G	49.92	54.00	-4.08	41.85	3	Horizontal	167	2.06	-	33.57	5.23	30.73
PK	5.2612G	123.43	Inf	-Inf	115.10	3	Horizontal	167	2.06	-	33.72	5.33	30.72
AV	5.2612G	113.63	Inf	-Inf	105.30	3	Horizontal	167	2.06	-	33.72	5.33	30.72
PK	5.4064G	65.47	74.00	-8.53	56.78	3	Horizontal	167	2.06	-	34.00	5.41	30.72
AV	5.4028G	50.73	54.00	-3.27	42.05	3	Horizontal	167	2.06	-	34.00	5.40	30.72

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52198G	56.78	68.20	-11.42	42.54	3	Vertical	191	1.79	-	38.58	7.51	31.85
PK	15.78912G	57.27	74.00	-16.73	41.34	3	Vertical	278	2.68	-	37.50	9.91	31.48
AV	15.76704G	44.62	54.00	-9.38	28.69	3	Vertical	278	2.68	-	37.50	9.90	31.47

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52204G	57.08	68.20	-11.12	42.84	3	Horizontal	213	1.04	-	38.58	7.51	31.85
PK	15.7866G	57.13	74.00	-16.87	41.21	3	Horizontal	119	2.21	-	37.50	9.90	31.48
AV	15.77382G	44.63	54.00	-9.37	28.70	3	Horizontal	119	2.21	-	37.50	9.90	31.47

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 23.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2964G	126.15	Inf	-Inf	117.73	3	Vertical	183	1.96	-	33.79	5.35	30.72
AV	5.2948G	116.39	Inf	-Inf	107.97	3	Vertical	183	1.96	-	33.79	5.35	30.72
PK	5.3552G	68.09	74.00	-5.91	59.52	3	Vertical	183	1.96	-	33.91	5.38	30.72
AV	5.3548G	53.98	54.00	-0.02	45.41	3	Vertical	183	1.96	-	33.91	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 23.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	123.87	Inf	-Inf	115.44	3	Horizontal	169	2.05	-	33.80	5.35	30.72
AV	5.3008G	114.48	Inf	-Inf	106.05	3	Horizontal	169	2.05	-	33.80	5.35	30.72
PK	5.3592G	65.57	74.00	-8.43	56.99	3	Horizontal	169	2.05	-	33.92	5.38	30.72
AV	5.35G	52.06	54.00	-1.94	43.50	3	Horizontal	169	2.05	-	33.90	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 23.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60204G	57.52	74.00	-16.48	43.34	3	Vertical	190	1.78	-	38.50	7.54	31.86
AV	10.60192G	44.33	54.00	-9.67	30.15	3	Vertical	190	1.78	-	38.50	7.54	31.86
PK	15.90576G	56.58	74.00	-17.42	40.86	3	Vertical	1	1.80	-	37.30	9.96	31.54
AV	15.90576G	43.76	54.00	-10.24	28.04	3	Vertical	1	1.80	-	37.30	9.96	31.54

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 23.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59868G	55.20	68.20	-13.00	41.02	3	Horizontal	113	1.78	-	38.50	7.54	31.86
AV	10.60006G	42.04	54.00	-11.96	27.86	3	Horizontal	113	1.78	-	38.50	7.54	31.86
PK	15.90942G	56.62	74.00	-17.38	40.90	3	Horizontal	255	2.82	-	37.30	9.96	31.54
AV	15.91374G	43.92	54.00	-10.08	28.21	3	Horizontal	255	2.82	-	37.30	9.96	31.55

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	122.92	Inf	-Inf	114.45	3	Vertical	182	2.14	-	33.83	5.36	30.72
AV	5.3154G	113.03	Inf	-Inf	104.56	3	Vertical	182	2.14	-	33.83	5.36	30.72
PK	5.3538G	67.03	74.00	-6.97	58.46	3	Vertical	182	2.14	-	33.91	5.38	30.72
AV	5.3538G	52.57	54.00	-1.43	44.00	3	Vertical	182	2.14	-	33.91	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	120.56	Inf	-Inf	112.08	3	Horizontal	164	2.11	-	33.84	5.36	30.72
AV	5.3212G	111.01	Inf	-Inf	102.53	3	Horizontal	164	2.11	-	33.84	5.36	30.72
PK	5.3606G	63.49	74.00	-10.51	54.91	3	Horizontal	164	2.11	-	33.92	5.38	30.72
AV	5.3592G	50.56	54.00	-3.44	41.98	3	Horizontal	164	2.11	-	33.92	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6292G	52.12	74.00	-21.88	37.94	3	Vertical	183	1.97	-	38.50	7.55	31.87
AV	10.64912G	39.29	54.00	-14.71	25.10	3	Vertical	183	1.97	-	38.50	7.56	31.87
PK	15.95988G	56.15	74.00	-17.85	40.44	3	Vertical	133	2.26	-	37.30	9.98	31.57
AV	15.9465G	43.75	54.00	-10.25	28.03	3	Vertical	133	2.26	-	37.30	9.98	31.56

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65458G	52.27	74.00	-21.73	38.08	3	Horizontal	42	1.87	-	38.50	7.56	31.87
AV	10.62656G	39.27	54.00	-14.73	25.09	3	Horizontal	42	1.87	-	38.50	7.55	31.87
PK	15.94518G	56.14	74.00	-17.86	40.42	3	Horizontal	210	2.33	-	37.30	9.98	31.56
AV	15.9642G	43.57	54.00	-10.43	27.86	3	Horizontal	210	2.33	-	37.30	9.98	31.57

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 20
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	63.82	74.00	-10.18	55.09	3	Vertical	182	2.16	-	34.00	5.45	30.72
AV	5.4578G	51.29	54.00	-2.71	42.55	3	Vertical	182	2.16	-	34.00	5.46	30.72
PK	5.467G	65.48	68.20	-2.72	56.73	3	Vertical	182	2.16	-	34.00	5.47	30.72
PK	5.4966G	123.00	Inf	-Inf	114.22	3	Vertical	182	2.16	-	34.00	5.50	30.72
AV	5.4954G	113.15	Inf	-Inf	104.37	3	Vertical	182	2.16	-	34.00	5.50	30.72

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 20
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.72	74.00	-10.28	54.98	3	Horizontal	164	2.02	-	34.00	5.46	30.72
AV	5.4598G	51.33	54.00	-2.67	42.59	3	Horizontal	164	2.02	-	34.00	5.46	30.72
PK	5.4632G	67.21	68.20	-0.99	58.47	3	Horizontal	164	2.02	-	34.00	5.46	30.72
PK	5.5008G	122.31	Inf	-Inf	113.53	3	Horizontal	164	2.02	-	34.00	5.50	30.72
AV	5.5012G	112.84	Inf	-Inf	104.06	3	Horizontal	164	2.02	-	34.00	5.50	30.72

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99892G	52.95	74.00	-21.05	38.57	3	Vertical	22	2.12	-	38.60	7.70	31.92
AV	10.98974G	40.31	54.00	-13.69	25.94	3	Vertical	22	2.12	-	38.59	7.70	31.92
PK	16.49604G	60.32	68.20	-7.88	41.98	3	Vertical	18	1.61	-	39.07	10.25	30.98

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99802G	53.43	74.00	-20.57	39.05	3	Horizontal	335	2.53	-	38.60	7.70	31.92
AV	11.00924G	40.13	54.00	-13.87	25.74	3	Horizontal	335	2.53	-	38.61	7.70	31.92
PK	16.49352G	60.11	68.20	-8.09	41.80	3	Horizontal	318	1.16	-	39.05	10.25	30.99

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4232G	63.07	74.00	-10.93	54.37	3	Vertical	190	2.00	-	34.00	5.42	30.72
PK	5.4632G	62.12	68.20	-6.08	53.38	3	Vertical	190	2.00	-	34.00	5.46	30.72
AV	5.4568G	50.44	54.00	-3.56	41.70	3	Vertical	190	2.00	-	34.00	5.46	30.72
PK	5.5768G	125.48	Inf	-Inf	116.73	3	Vertical	190	2.00	-	33.95	5.58	30.78
AV	5.5752G	115.84	Inf	-Inf	107.09	3	Vertical	190	2.00	-	33.95	5.58	30.78
PK	5.7496G	63.43	68.20	-4.77	54.94	3	Vertical	190	2.00	-	33.80	5.60	30.91



802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	63.09	74.00	-10.91	54.39	3	Horizontal	204	1.97	-	34.00	5.42	30.72
AV	5.408G	50.50	54.00	-3.50	41.81	3	Horizontal	204	1.97	-	34.00	5.41	30.72
PK	5.4616G	61.72	68.20	-6.48	52.98	3	Horizontal	204	1.97	-	34.00	5.46	30.72
PK	5.5728G	126.05	Inf	-Inf	117.31	3	Horizontal	204	1.97	-	33.95	5.57	30.78
AV	5.5728G	116.54	Inf	-Inf	107.80	3	Horizontal	204	1.97	-	33.95	5.57	30.78
PK	5.756G	62.76	68.20	-5.44	54.27	3	Horizontal	204	1.97	-	33.80	5.60	30.91

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15976G	53.91	74.00	-20.09	39.37	3	Vertical	35	1.50	-	38.76	7.76	31.98
AV	11.16006G	43.26	54.00	-10.74	28.72	3	Vertical	35	1.50	-	38.76	7.76	31.98
PK	16.7508G	61.45	68.20	-6.75	41.68	3	Vertical	360	1.80	-	40.01	10.38	30.62

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1729G	53.55	74.00	-20.45	39.00	3	Horizontal	151	2.50	-	38.77	7.77	31.99
AV	11.15994G	43.25	54.00	-10.75	28.71	3	Horizontal	151	2.50	-	38.76	7.76	31.98
PK	16.74372G	61.00	68.20	-7.20	41.31	3	Horizontal	158	1.90	-	39.95	10.37	30.63

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6962G	122.59	Inf	-Inf	113.97	3	Vertical	186	2.05	-	33.89	5.60	30.87
AV	5.696G	112.11	Inf	-Inf	103.49	3	Vertical	186	2.05	-	33.89	5.60	30.87
PK	5.732G	64.97	68.20	-3.23	56.43	3	Vertical	186	2.05	-	33.84	5.60	30.90

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	121.13	Inf	-Inf	112.52	3	Horizontal	201	2.00	-	33.88	5.60	30.87
AV	5.6926G	111.68	Inf	-Inf	103.06	3	Horizontal	201	2.00	-	33.89	5.60	30.87
PK	5.7296G	67.46	68.20	-0.74	58.91	3	Horizontal	201	2.00	-	33.84	5.60	30.89

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39676G	53.18	74.00	-20.82	38.60	3	Vertical	270	1.28	-	38.80	7.86	32.08
AV	11.40828G	39.96	54.00	-14.04	25.36	3	Vertical	270	1.28	-	38.82	7.86	32.08
PK	17.09802G	62.44	68.20	-5.76	40.75	3	Vertical	197	1.57	-	41.39	10.55	30.25

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38968G	53.13	74.00	-20.87	38.55	3	Horizontal	195	2.80	-	38.80	7.86	32.08
AV	11.40798G	40.07	54.00	-13.93	25.47	3	Horizontal	195	2.80	-	38.82	7.86	32.08
PK	17.09178G	63.17	68.20	-5.03	41.50	3	Horizontal	354	2.60	-	41.37	10.55	30.25

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	127.29	Inf	-Inf	118.70	3	Vertical	187	2.12	-	33.87	5.60	30.88
AV	5.7152G	117.05	Inf	-Inf	108.46	3	Vertical	187	2.12	-	33.87	5.60	30.88
PK	5.8608G	62.83	68.20	-5.37	54.30	3	Vertical	187	2.12	-	33.86	5.66	30.99

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	126.46	Inf	-Inf	117.89	3	Horizontal	171	1.99	-	33.86	5.60	30.89
AV	5.7216G	116.35	Inf	-Inf	107.78	3	Horizontal	171	1.99	-	33.86	5.60	30.89
PK	5.8656G	63.98	68.20	-4.22	55.42	3	Horizontal	171	1.99	-	33.89	5.67	31.00

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4535G	54.28	74.00	-19.72	39.59	3	Vertical	225	1.80	-	38.91	7.88	32.10
AV	11.44006G	41.77	54.00	-12.23	27.11	3	Vertical	225	1.80	-	38.88	7.88	32.10
PK	17.15502G	63.61	68.20	-4.59	41.54	3	Vertical	125	2.96	-	41.73	10.58	30.24

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43964G	54.33	74.00	-19.67	39.67	3	Horizontal	120	2.23	-	38.88	7.88	32.10
AV	11.44012G	41.40	54.00	-12.60	26.74	3	Horizontal	120	2.23	-	38.88	7.88	32.10
PK	17.15202G	63.71	68.20	-4.49	41.66	3	Horizontal	171	2.86	-	41.71	10.58	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	63.27	74.00	-10.73	55.16	3	Vertical	181	2.10	-	33.59	5.25	30.73
AV	5.1484G	49.65	54.00	-4.35	41.53	3	Vertical	181	2.10	-	33.60	5.25	30.73
PK	5.2684G	128.40	Inf	-Inf	120.05	3	Vertical	181	2.10	-	33.74	5.33	30.72
AV	5.269G	116.21	Inf	-Inf	107.86	3	Vertical	181	2.10	-	33.74	5.33	30.72
PK	5.4022G	63.58	74.00	-10.42	54.90	3	Vertical	181	2.10	-	34.00	5.40	30.72
AV	5.35G	50.72	54.00	-3.28	42.16	3	Vertical	181	2.10	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	62.15	74.00	-11.85	54.07	3	Horizontal	203	2.16	-	33.57	5.24	30.73
AV	5.1442G	49.54	54.00	-4.46	41.44	3	Horizontal	203	2.16	-	33.59	5.24	30.73
PK	5.2654G	126.29	Inf	-Inf	117.95	3	Horizontal	203	2.16	-	33.73	5.33	30.72
AV	5.2642G	114.18	Inf	-Inf	105.84	3	Horizontal	203	2.16	-	33.73	5.33	30.72
PK	5.3986G	63.16	74.00	-10.84	54.48	3	Horizontal	203	2.16	-	34.00	5.40	30.72
AV	5.3992G	50.26	54.00	-3.74	41.58	3	Horizontal	203	2.16	-	34.00	5.40	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52456G	56.14	68.20	-12.06	41.90	3	Vertical	181	1.80	-	38.58	7.51	31.85
PK	15.7758G	58.31	74.00	-15.69	42.38	3	Vertical	32	2.66	-	37.50	9.90	31.47
AV	15.76584G	44.02	54.00	-9.98	28.10	3	Vertical	32	2.66	-	37.50	9.89	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52378G	56.29	68.20	-11.91	42.05	3	Horizontal	201	2.41	-	38.58	7.51	31.85
PK	15.77208G	57.70	74.00	-16.30	41.77	3	Horizontal	228	2.95	-	37.50	9.90	31.47
AV	15.76878G	44.00	54.00	-10.00	28.07	3	Horizontal	228	2.95	-	37.50	9.90	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	125.99	Inf	-Inf	117.54	3	Vertical	179	1.95	-	33.82	5.35	30.72
AV	5.3088G	114.00	Inf	-Inf	105.55	3	Vertical	179	1.95	-	33.82	5.35	30.72
PK	5.35G	66.70	74.00	-7.30	58.14	3	Vertical	179	1.95	-	33.90	5.38	30.72
AV	5.3504G	53.03	54.00	-0.97	44.47	3	Vertical	179	1.95	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	125.53	Inf	-Inf	117.09	3	Horizontal	200	2.05	-	33.81	5.35	30.72
AV	5.304G	112.98	Inf	-Inf	104.54	3	Horizontal	200	2.05	-	33.81	5.35	30.72
PK	5.3776G	64.30	74.00	-9.70	55.67	3	Horizontal	200	2.05	-	33.96	5.39	30.72
AV	5.3644G	50.95	54.00	-3.05	42.36	3	Horizontal	200	2.05	-	33.93	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60498G	52.96	74.00	-21.04	38.78	3	Vertical	269	2.25	-	38.50	7.54	31.86
AV	10.60018G	39.23	54.00	-14.77	25.05	3	Vertical	269	2.25	-	38.50	7.54	31.86
PK	15.90576G	56.40	74.00	-17.60	40.68	3	Vertical	131	1.81	-	37.30	9.96	31.54
AV	15.90948G	43.16	54.00	-10.84	27.44	3	Vertical	131	1.81	-	37.30	9.96	31.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60876G	52.79	74.00	-21.21	38.62	3	Horizontal	45	2.03	-	38.50	7.54	31.87
AV	10.60912G	39.22	54.00	-14.78	25.05	3	Horizontal	45	2.03	-	38.50	7.54	31.87
PK	15.91038G	56.59	74.00	-17.41	40.87	3	Horizontal	230	2.51	-	37.30	9.96	31.54
AV	15.88734G	43.25	54.00	-10.75	27.50	3	Horizontal	230	2.51	-	37.33	9.95	31.53

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3274G	123.63	Inf	-Inf	115.14	3	Vertical	180	2.15	-	33.85	5.36	30.72
AV	5.3284G	111.04	Inf	-Inf	102.54	3	Vertical	180	2.15	-	33.86	5.36	30.72
PK	5.35G	68.47	74.00	-5.53	59.91	3	Vertical	180	2.15	-	33.90	5.38	30.72
AV	5.35G	52.76	54.00	-1.24	44.20	3	Vertical	180	2.15	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	122.49	Inf	-Inf	114.00	3	Horizontal	202	2.09	-	33.85	5.36	30.72
AV	5.3236G	109.47	Inf	-Inf	100.98	3	Horizontal	202	2.09	-	33.85	5.36	30.72
PK	5.3552G	63.57	74.00	-10.43	55.00	3	Horizontal	202	2.09	-	33.91	5.38	30.72
AV	5.3546G	50.09	54.00	-3.91	41.52	3	Horizontal	202	2.09	-	33.91	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63382G	52.55	74.00	-21.45	38.37	3	Vertical	204	2.13	-	38.50	7.55	31.87
AV	10.63328G	39.05	54.00	-14.95	24.87	3	Vertical	204	2.13	-	38.50	7.55	31.87
PK	15.9492G	56.80	74.00	-17.20	41.08	3	Vertical	331	1.32	-	37.30	9.98	31.56
AV	15.96816G	43.18	54.00	-10.82	27.46	3	Vertical	331	1.32	-	37.30	9.99	31.57

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6457G	52.29	74.00	-21.71	38.10	3	Horizontal	49	1.92	-	38.50	7.56	31.87
AV	10.6403G	39.11	54.00	-14.89	24.92	3	Horizontal	49	1.92	-	38.50	7.56	31.87
PK	15.951G	56.20	74.00	-17.80	40.48	3	Horizontal	115	1.35	-	37.30	9.98	31.56
AV	15.97062G	43.17	54.00	-10.83	27.45	3	Horizontal	115	1.35	-	37.30	9.99	31.57

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	62.88	74.00	-11.12	54.14	3	Vertical	180	2.05	-	34.00	5.46	30.72
AV	5.4582G	49.85	54.00	-4.15	41.11	3	Vertical	180	2.05	-	34.00	5.46	30.72
PK	5.4676G	68.01	68.20	-0.19	59.26	3	Vertical	180	2.05	-	34.00	5.47	30.72
PK	5.508G	123.17	Inf	-Inf	114.39	3	Vertical	180	2.05	-	34.00	5.51	30.73
AV	5.5086G	110.84	Inf	-Inf	102.06	3	Vertical	180	2.05	-	34.00	5.51	30.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.13	74.00	-11.87	53.39	3	Horizontal	164	2.02	-	34.00	5.46	30.72
AV	5.46G	49.91	54.00	-4.09	41.17	3	Horizontal	164	2.02	-	34.00	5.46	30.72
PK	5.4672G	62.59	68.20	-5.61	53.84	3	Horizontal	164	2.02	-	34.00	5.47	30.72
PK	5.5018G	123.99	Inf	-Inf	115.21	3	Horizontal	164	2.02	-	34.00	5.50	30.72
AV	5.5014G	110.09	Inf	-Inf	101.31	3	Horizontal	164	2.02	-	34.00	5.50	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00642G	53.82	74.00	-20.18	39.43	3	Vertical	84	2.16	-	38.61	7.70	31.92
AV	10.99802G	39.89	54.00	-14.11	25.51	3	Vertical	84	2.16	-	38.60	7.70	31.92
PK	16.51116G	59.85	68.20	-8.35	41.42	3	Vertical	353	2.22	-	39.13	10.26	30.96

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9994G	53.42	74.00	-20.58	39.04	3	Horizontal	97	3.00	-	38.60	7.70	31.92
AV	10.99538G	39.90	54.00	-14.10	25.52	3	Horizontal	97	3.00	-	38.60	7.70	31.92
PK	16.50522G	60.09	68.20	-8.11	41.69	3	Horizontal	143	1.00	-	39.12	10.25	30.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	63.41	74.00	-10.59	54.70	3	Vertical	182	2.00	-	34.00	5.43	30.72
AV	5.4296G	50.33	54.00	-3.67	41.62	3	Vertical	182	2.00	-	34.00	5.43	30.72
PK	5.4696G	62.22	68.20	-5.98	53.47	3	Vertical	182	2.00	-	34.00	5.47	30.72
PK	5.5896G	127.30	Inf	-Inf	118.58	3	Vertical	182	2.00	-	33.92	5.59	30.79
AV	5.5888G	115.75	Inf	-Inf	107.03	3	Vertical	182	2.00	-	33.92	5.59	30.79
PK	5.7552G	63.37	68.20	-4.83	54.88	3	Vertical	182	2.00	-	33.80	5.60	30.91

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	63.43	74.00	-10.57	54.71	3	Horizontal	206	1.98	-	34.00	5.44	30.72
AV	5.4048G	50.10	54.00	-3.90	41.42	3	Horizontal	206	1.98	-	34.00	5.40	30.72
PK	5.4688G	61.70	68.20	-6.50	52.95	3	Horizontal	206	1.98	-	34.00	5.47	30.72
PK	5.5864G	128.86	Inf	-Inf	120.13	3	Horizontal	206	1.98	-	33.93	5.59	30.79
AV	5.5848G	116.13	Inf	-Inf	107.40	3	Horizontal	206	1.98	-	33.93	5.58	30.78
PK	5.7624G	63.08	68.20	-5.12	54.60	3	Horizontal	206	1.98	-	33.80	5.60	30.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15994G	53.53	74.00	-20.47	38.99	3	Vertical	31	1.74	-	38.76	7.76	31.98
AV	11.15994G	42.29	54.00	-11.71	27.75	3	Vertical	31	1.74	-	38.76	7.76	31.98

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15988G	54.45	74.00	-19.55	39.91	3	Horizontal	288	1.10	-	38.76	7.76	31.98
AV	11.15982G	42.26	54.00	-11.74	27.72	3	Horizontal	288	1.10	-	38.76	7.76	31.98
PK	16.73892G	60.88	68.20	-7.32	41.24	3	Horizontal	5	2.11	-	39.91	10.37	30.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	122.59	Inf	-Inf	113.98	3	Vertical	172	2.04	-	33.88	5.60	30.87
AV	5.6912G	110.32	Inf	-Inf	101.71	3	Vertical	172	2.04	-	33.88	5.60	30.87
PK	5.7288G	66.21	68.20	-1.99	57.66	3	Vertical	172	2.04	-	33.84	5.60	30.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	122.75	Inf	-Inf	114.12	3	Horizontal	167	2.02	-	33.90	5.60	30.87
AV	5.7014G	109.92	Inf	-Inf	101.29	3	Horizontal	167	2.02	-	33.90	5.60	30.87
PK	5.7252G	67.37	68.20	-0.83	58.81	3	Horizontal	167	2.02	-	33.85	5.60	30.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39976G	52.91	74.00	-21.09	38.33	3	Vertical	196	2.45	-	38.80	7.86	32.08
AV	11.39514G	39.86	54.00	-14.14	25.28	3	Vertical	196	2.45	-	38.80	7.86	32.08
PK	17.11338G	63.22	68.20	-4.98	41.43	3	Vertical	80	1.29	-	41.48	10.56	30.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39082G	53.66	74.00	-20.34	39.08	3	Horizontal	202	1.42	-	38.80	7.86	32.08
AV	11.40306G	39.80	54.00	-14.20	25.21	3	Horizontal	202	1.42	-	38.81	7.86	32.08
PK	17.1102G	63.53	68.20	-4.67	41.76	3	Horizontal	42	2.01	-	41.46	10.56	30.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	127.85	Inf	-Inf	119.30	3	Vertical	183	2.09	-	33.84	5.60	30.89
AV	5.7288G	116.41	Inf	-Inf	107.86	3	Vertical	183	2.09	-	33.84	5.60	30.89
PK	5.8776G	62.42	68.20	-5.78	53.78	3	Vertical	183	2.09	-	33.97	5.68	31.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	128.37	Inf	-Inf	119.80	3	Horizontal	166	1.99	-	33.86	5.60	30.89
AV	5.7208G	115.28	Inf	-Inf	106.71	3	Horizontal	166	1.99	-	33.86	5.60	30.89
PK	5.8544G	62.49	68.20	-5.71	54.00	3	Horizontal	166	1.99	-	33.83	5.65	30.99

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43988G	54.38	74.00	-19.62	39.72	3	Vertical	30	1.79	-	38.88	7.88	32.10
AV	11.44G	42.48	54.00	-11.52	27.82	3	Vertical	30	1.79	-	38.88	7.88	32.10
PK	17.15238G	64.20	68.20	-4.00	42.15	3	Vertical	191	1.80	-	41.71	10.58	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45494G	53.64	74.00	-20.36	38.95	3	Horizontal	86	2.98	-	38.91	7.88	32.10
AV	11.44G	42.12	54.00	-11.88	27.46	3	Horizontal	86	2.98	-	38.88	7.88	32.10
PK	17.1681G	63.38	68.20	-4.82	41.23	3	Horizontal	190	2.28	-	41.81	10.58	30.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 21.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	62.43	74.00	-11.57	54.34	3	Vertical	175	1.77	-	33.58	5.24	30.73
AV	5.1452G	49.58	54.00	-4.42	41.47	3	Vertical	175	1.77	-	33.59	5.25	30.73
PK	5.279G	121.33	Inf	-Inf	112.95	3	Vertical	175	1.77	-	33.76	5.34	30.72
AV	5.2784G	109.51	Inf	-Inf	101.13	3	Vertical	175	1.77	-	33.76	5.34	30.72
PK	5.36G	66.46	74.00	-7.54	57.88	3	Vertical	175	1.77	-	33.92	5.38	30.72
AV	5.3588G	52.26	54.00	-1.74	43.68	3	Vertical	175	1.77	-	33.92	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 21.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	62.25	74.00	-11.75	54.21	3	Horizontal	200	1.82	-	33.55	5.22	30.73
AV	5.147G	49.60	54.00	-4.40	41.49	3	Horizontal	200	1.82	-	33.59	5.25	30.73
PK	5.2736G	122.27	Inf	-Inf	113.90	3	Horizontal	200	1.82	-	33.75	5.34	30.72
AV	5.2736G	110.34	Inf	-Inf	101.97	3	Horizontal	200	1.82	-	33.75	5.34	30.72
PK	5.3522G	67.33	74.00	-6.67	58.77	3	Horizontal	200	1.82	-	33.90	5.38	30.72
AV	5.354G	53.03	54.00	-0.97	44.46	3	Horizontal	200	1.82	-	33.91	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53384G	53.36	68.20	-14.84	39.13	3	Vertical	258	1.32	-	38.57	7.51	31.85
PK	15.80942G	57.02	74.00	-16.98	41.12	3	Vertical	237	1.17	-	37.48	9.91	31.49
AV	15.81062G	43.57	54.00	-10.43	27.67	3	Vertical	237	1.17	-	37.48	9.91	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53184G	52.86	68.20	-15.34	38.63	3	Horizontal	175	1.06	-	38.57	7.51	31.85
PK	15.81492G	57.26	74.00	-16.74	41.36	3	Horizontal	329	2.75	-	37.47	9.92	31.49
AV	15.81166G	43.55	54.00	-10.45	27.64	3	Horizontal	329	2.75	-	37.48	9.92	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	117.85	Inf	-Inf	109.37	3	Vertical	180	1.66	-	33.84	5.36	30.72
AV	5.3184G	104.60	Inf	-Inf	96.12	3	Vertical	180	1.66	-	33.84	5.36	30.72
PK	5.3612G	66.45	74.00	-7.55	57.87	3	Vertical	180	1.66	-	33.92	5.38	30.72
AV	5.3568G	51.52	54.00	-2.48	42.95	3	Vertical	180	1.66	-	33.91	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3128G	119.09	Inf	-Inf	110.62	3	Horizontal	202	1.79	-	33.83	5.36	30.72
AV	5.3136G	105.61	Inf	-Inf	97.14	3	Horizontal	202	1.79	-	33.83	5.36	30.72
PK	5.3536G	66.76	74.00	-7.24	58.19	3	Horizontal	202	1.79	-	33.91	5.38	30.72
AV	5.352G	53.29	54.00	-0.71	44.73	3	Horizontal	202	1.79	-	33.90	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61616G	52.68	74.00	-21.32	38.50	3	Vertical	178	2.36	-	38.50	7.55	31.87
AV	10.617G	39.23	54.00	-14.77	25.05	3	Vertical	178	2.36	-	38.50	7.55	31.87
PK	15.9264G	56.76	74.00	-17.24	41.04	3	Vertical	262	2.62	-	37.30	9.97	31.55
AV	15.92598G	43.13	54.00	-10.87	27.41	3	Vertical	262	2.62	-	37.30	9.97	31.55

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6128G	52.68	74.00	-21.32	38.50	3	Horizontal	109	1.77	-	38.50	7.55	31.87
AV	10.61096G	39.07	54.00	-14.93	24.90	3	Horizontal	109	1.77	-	38.50	7.54	31.87
PK	15.93338G	56.35	74.00	-17.65	40.64	3	Horizontal	133	2.57	-	37.30	9.97	31.56
AV	15.92836G	43.16	54.00	-10.84	27.44	3	Horizontal	133	2.57	-	37.30	9.97	31.55

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.40	74.00	-9.60	55.66	3	Vertical	176	1.68	-	34.00	5.46	30.72
AV	5.46G	50.41	54.00	-3.59	41.67	3	Vertical	176	1.68	-	34.00	5.46	30.72
PK	5.4604G	65.25	68.20	-2.95	56.51	3	Vertical	176	1.68	-	34.00	5.46	30.72
PK	5.4996G	118.16	Inf	-Inf	109.38	3	Vertical	176	1.68	-	34.00	5.50	30.72
AV	5.5196G	104.58	Inf	-Inf	95.79	3	Vertical	176	1.68	-	34.00	5.52	30.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	62.74	74.00	-11.26	54.02	3	Horizontal	165	1.64	-	34.00	5.44	30.72
AV	5.4184G	49.56	54.00	-4.44	40.86	3	Horizontal	165	1.64	-	34.00	5.42	30.72
PK	5.4696G	67.05	68.20	-1.15	58.30	3	Horizontal	165	1.64	-	34.00	5.47	30.72
PK	5.5116G	118.49	Inf	-Inf	109.71	3	Horizontal	165	1.64	-	34.00	5.51	30.73
AV	5.5112G	106.00	Inf	-Inf	97.22	3	Horizontal	165	1.64	-	34.00	5.51	30.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01984G	53.19	74.00	-20.81	38.79	3	Vertical	103	1.77	-	38.62	7.71	31.93
AV	11.01988G	41.48	54.00	-12.52	27.08	3	Vertical	103	1.77	-	38.62	7.71	31.93
PK	16.52806G	60.26	68.20	-7.94	41.76	3	Vertical	94	2.12	-	39.18	10.26	30.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.017G	53.18	74.00	-20.82	38.78	3	Horizontal	25	2.86	-	38.62	7.71	31.93
AV	11.01992G	40.88	54.00	-13.12	26.48	3	Horizontal	25	2.86	-	38.62	7.71	31.93
PK	16.533G	60.25	68.20	-7.95	41.71	3	Horizontal	210	2.43	-	39.20	10.27	30.93

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.45	74.00	-8.55	56.71	3	Vertical	176	1.66	-	34.00	5.46	30.72
AV	5.4594G	51.66	54.00	-2.34	42.92	3	Vertical	176	1.66	-	34.00	5.46	30.72
PK	5.4612G	63.83	68.20	-4.37	55.09	3	Vertical	176	1.66	-	34.00	5.46	30.72
PK	5.5398G	121.73	Inf	-Inf	112.94	3	Vertical	176	1.66	-	34.00	5.54	30.75
AV	5.5392G	108.95	Inf	-Inf	100.16	3	Vertical	176	1.66	-	34.00	5.54	30.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 21
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	62.93	74.00	-11.07	54.20	3	Horizontal	163	1.70	-	34.00	5.45	30.72
AV	5.451G	50.77	54.00	-3.23	42.04	3	Horizontal	163	1.70	-	34.00	5.45	30.72
PK	5.4684G	67.68	68.20	-0.52	58.93	3	Horizontal	163	1.70	-	34.00	5.47	30.72
PK	5.5512G	121.58	Inf	-Inf	112.79	3	Horizontal	163	1.70	-	34.00	5.55	30.76
AV	5.5512G	110.05	Inf	-Inf	101.26	3	Horizontal	163	1.70	-	34.00	5.55	30.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10592G	53.79	74.00	-20.21	39.30	3	Vertical	185	3.00	-	38.71	7.74	31.96
AV	11.10412G	41.07	54.00	-12.93	26.59	3	Vertical	185	3.00	-	38.70	7.74	31.96
PK	16.64776G	61.16	68.20	-7.04	42.11	3	Vertical	252	1.77	-	39.50	10.32	30.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10012G	53.80	74.00	-20.20	39.32	3	Horizontal	119	1.80	-	38.70	7.74	31.96
AV	11.09996G	40.59	54.00	-13.41	26.11	3	Horizontal	119	1.80	-	38.70	7.74	31.96
PK	16.64602G	60.64	68.20	-7.56	41.60	3	Horizontal	224	1.34	-	39.49	10.32	30.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6796G	118.53	Inf	-Inf	109.93	3	Vertical	175	1.69	-	33.86	5.60	30.86
AV	5.6802G	105.62	Inf	-Inf	97.02	3	Vertical	175	1.69	-	33.86	5.60	30.86
PK	5.7396G	63.05	68.20	-5.15	54.53	3	Vertical	175	1.69	-	33.82	5.60	30.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6724G	119.82	Inf	-Inf	111.23	3	Horizontal	167	1.72	-	33.84	5.60	30.85
AV	5.6712G	107.28	Inf	-Inf	98.69	3	Horizontal	167	1.72	-	33.84	5.60	30.85
PK	5.7306G	67.35	68.20	-0.85	58.81	3	Horizontal	167	1.72	-	33.84	5.60	30.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33424G	53.47	74.00	-20.53	38.89	3	Vertical	102	2.26	-	38.80	7.83	32.05
AV	11.34G	40.88	54.00	-13.12	26.30	3	Vertical	102	2.26	-	38.80	7.84	32.06
PK	17.01208G	62.82	68.20	-5.38	41.52	3	Vertical	33	2.35	-	41.05	10.51	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34028G	52.90	74.00	-21.10	38.32	3	Horizontal	342	1.80	-	38.80	7.84	32.06
AV	11.33992G	39.81	54.00	-14.19	25.23	3	Horizontal	342	1.80	-	38.80	7.84	32.06
PK	17.0098G	63.04	68.20	-5.16	41.76	3	Horizontal	285	2.26	-	41.04	10.50	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	122.72	Inf	-Inf	114.09	3	Vertical	174	1.76	-	33.90	5.60	30.87
AV	5.7004G	111.22	Inf	-Inf	102.59	3	Vertical	174	1.76	-	33.90	5.60	30.87
PK	5.8612G	63.23	68.20	-4.97	54.69	3	Vertical	174	1.76	-	33.87	5.66	30.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7116G	124.00	Inf	-Inf	115.40	3	Horizontal	163	1.80	-	33.88	5.60	30.88
AV	5.7116G	112.32	Inf	-Inf	103.72	3	Horizontal	163	1.80	-	33.88	5.60	30.88
PK	5.854G	65.20	68.20	-3.00	56.72	3	Horizontal	163	1.80	-	33.82	5.65	30.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42492G	52.86	74.00	-21.14	38.23	3	Vertical	100	1.83	-	38.85	7.87	32.09
AV	11.41992G	40.75	54.00	-13.25	26.13	3	Vertical	100	1.83	-	38.84	7.87	32.09
PK	17.1303G	63.20	68.20	-5.00	41.30	3	Vertical	358	2.14	-	41.58	10.57	30.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41596G	52.85	74.00	-21.15	38.24	3	Horizontal	31	1.98	-	38.83	7.87	32.09
AV	11.41996G	41.39	54.00	-12.61	26.77	3	Horizontal	31	1.98	-	38.84	7.87	32.09
PK	17.12812G	63.34	68.20	-4.86	41.46	3	Horizontal	125	1.99	-	41.57	10.56	30.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.074G	61.47	74.00	-12.53	53.53	3	Vertical	174	1.87	-	33.50	5.17	30.73
AV	5.149G	49.07	54.00	-4.93	40.95	3	Vertical	174	1.87	-	33.60	5.25	30.73
PK	5.299G	112.81	Inf	-Inf	104.38	3	Vertical	174	1.87	-	33.80	5.35	30.72
AV	5.279G	100.95	Inf	-Inf	92.57	3	Vertical	174	1.87	-	33.76	5.34	30.72
PK	5.36G	65.54	74.00	-8.46	56.96	3	Vertical	174	1.87	-	33.92	5.38	30.72
AV	5.359G	53.54	54.00	-0.46	44.96	3	Vertical	174	1.87	-	33.92	5.38	30.72
PK	5.492G	62.48	68.20	-5.72	53.71	3	Vertical	174	1.87	-	34.00	5.49	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
 Setting 16
 02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.095G	61.55	74.00	-12.45	53.58	3	Horizontal	198	1.84	-	33.50	5.20	30.73
AV	5.143G	49.03	54.00	-4.97	40.93	3	Horizontal	198	1.84	-	33.59	5.24	30.73
PK	5.274G	112.79	Inf	-Inf	104.42	3	Horizontal	198	1.84	-	33.75	5.34	30.72
AV	5.274G	101.11	Inf	-Inf	92.74	3	Horizontal	198	1.84	-	33.75	5.34	30.72
PK	5.354G	66.13	74.00	-7.87	57.56	3	Horizontal	198	1.84	-	33.91	5.38	30.72
AV	5.354G	53.71	54.00	-0.29	45.14	3	Horizontal	198	1.84	-	33.91	5.38	30.72
PK	5.515G	62.56	68.20	-5.64	53.78	3	Horizontal	198	1.84	-	34.00	5.51	30.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5802G	52.80	68.20	-15.40	38.61	3	Vertical	10	1.33	-	38.52	7.53	31.86
PK	15.86204G	57.48	74.00	-16.52	41.68	3	Vertical	107	2.57	-	37.38	9.94	31.52
AV	15.86396G	43.37	54.00	-10.63	27.58	3	Vertical	107	2.57	-	37.37	9.94	31.52

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5754G	53.14	68.20	-15.06	38.95	3	Horizontal	85	2.41	-	38.52	7.53	31.86
PK	15.86136G	57.02	74.00	-16.98	41.22	3	Horizontal	22	1.58	-	37.38	9.94	31.52
AV	15.86016G	43.43	54.00	-10.57	27.63	3	Horizontal	22	1.58	-	37.38	9.94	31.52

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Y_4TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	61.88	68.20	-6.32	53.41	3	Vertical	176	1.67	-	33.83	5.36	30.72
AV	5.35G	49.39	54.00	-4.61	40.84	3	Vertical	176	1.67	-	33.90	5.37	30.72
PK	5.459G	67.11	74.00	-6.89	58.37	3	Vertical	176	1.67	-	34.00	5.46	30.72
AV	5.459G	53.75	54.00	-0.25	45.01	3	Vertical	176	1.67	-	34.00	5.46	30.72
PK	5.461G	65.29	68.20	-2.91	56.55	3	Vertical	176	1.67	-	34.00	5.46	30.72
PK	5.521G	114.50	Inf	-Inf	105.72	3	Vertical	176	1.67	-	34.00	5.52	30.74
AV	5.52G	101.88	Inf	-Inf	93.10	3	Vertical	176	1.67	-	34.00	5.52	30.74
PK	5.759G	63.57	68.20	-4.63	55.09	3	Vertical	176	1.67	-	33.80	5.60	30.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	62.34	68.20	-5.86	53.87	3	Horizontal	165	1.80	-	33.83	5.36	30.72
AV	5.35G	49.23	54.00	-4.77	40.68	3	Horizontal	165	1.80	-	33.90	5.37	30.72
PK	5.451G	65.05	74.00	-8.95	56.32	3	Horizontal	165	1.80	-	34.00	5.45	30.72
AV	5.451G	52.59	54.00	-1.41	43.86	3	Horizontal	165	1.80	-	34.00	5.45	30.72
PK	5.469G	66.61	68.20	-1.59	57.86	3	Horizontal	165	1.80	-	34.00	5.47	30.72
PK	5.55G	115.17	Inf	-Inf	106.38	3	Horizontal	165	1.80	-	34.00	5.55	30.76
AV	5.531G	102.39	Inf	-Inf	93.60	3	Horizontal	165	1.80	-	34.00	5.53	30.74
PK	5.78G	62.64	68.20	-5.56	54.17	3	Horizontal	165	1.80	-	33.80	5.60	30.93

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06G	53.62	74.00	-20.38	39.18	3	Vertical	163	2.85	-	38.66	7.72	31.94
AV	11.05996G	41.26	54.00	-12.74	26.82	3	Vertical	163	2.85	-	38.66	7.72	31.94
PK	16.5988G	60.25	68.20	-7.95	41.39	3	Vertical	230	2.47	-	39.40	10.30	30.84

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06852G	53.90	74.00	-20.10	39.45	3	Horizontal	130	2.00	-	38.67	7.73	31.95
AV	11.05992G	41.45	54.00	-12.55	27.01	3	Horizontal	130	2.00	-	38.66	7.72	31.94
PK	16.59096G	60.05	68.20	-8.15	41.23	3	Horizontal	10	1.82	-	39.37	10.30	30.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.82	74.00	-10.18	55.08	3	Vertical	173	1.79	-	34.00	5.46	30.72
AV	5.46G	51.63	54.00	-2.37	42.89	3	Vertical	173	1.79	-	34.00	5.46	30.72
PK	5.461G	63.29	68.20	-4.91	54.55	3	Vertical	173	1.79	-	34.00	5.46	30.72
PK	5.601G	115.87	Inf	-Inf	107.17	3	Vertical	173	1.79	-	33.90	5.60	30.80
AV	5.62G	104.26	Inf	-Inf	95.61	3	Vertical	173	1.79	-	33.86	5.60	30.81
PK	5.74G	67.40	68.20	-0.80	58.88	3	Vertical	173	1.79	-	33.82	5.60	30.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT V_4TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.434G	64.16	74.00	-9.84	55.45	3	Horizontal	205	1.78	-	34.00	5.43	30.72
PK	5.47G	64.18	68.20	-4.02	55.43	3	Horizontal	205	1.78	-	34.00	5.47	30.72
AV	5.454G	51.44	54.00	-2.56	42.71	3	Horizontal	205	1.78	-	34.00	5.45	30.72
PK	5.615G	117.97	Inf	-Inf	109.31	3	Horizontal	205	1.78	-	33.87	5.60	30.81
AV	5.614G	105.58	Inf	-Inf	96.92	3	Horizontal	205	1.78	-	33.87	5.60	30.81
PK	5.734G	67.52	68.20	-0.68	58.99	3	Horizontal	205	1.78	-	33.83	5.60	30.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21184G	54.12	74.00	-19.88	39.54	3	Vertical	228	1.13	-	38.80	7.78	32.00
AV	11.21988G	41.34	54.00	-12.66	26.76	3	Vertical	228	1.13	-	38.80	7.79	32.01
PK	16.83292G	62.05	68.20	-6.15	41.63	3	Vertical	20	1.35	-	40.50	10.42	30.50

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21992G	52.95	74.00	-21.05	38.37	3	Horizontal	51	2.81	-	38.80	7.79	32.01
AV	11.22G	41.10	54.00	-12.90	26.52	3	Horizontal	51	2.81	-	38.80	7.79	32.01
PK	16.82484G	61.79	68.20	-6.41	41.42	3	Horizontal	338	2.02	-	40.47	10.41	30.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 21
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	62.07	74.00	-11.93	53.34	3	Vertical	181	1.76	-	34.00	5.45	30.72
PK	5.469G	61.67	68.20	-6.53	52.92	3	Vertical	181	1.76	-	34.00	5.47	30.72
AV	5.459G	49.78	54.00	-4.22	41.04	3	Vertical	181	1.76	-	34.00	5.46	30.72
PK	5.679G	118.00	Inf	-Inf	109.40	3	Vertical	181	1.76	-	33.86	5.60	30.86
AV	5.7G	106.40	Inf	-Inf	97.77	3	Vertical	181	1.76	-	33.90	5.60	30.87
PK	5.861G	65.45	68.20	-2.75	56.91	3	Vertical	181	1.76	-	33.87	5.66	30.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 21
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	61.86	74.00	-12.14	53.13	3	Horizontal	160	1.80	-	34.00	5.45	30.72
AV	5.451G	49.71	54.00	-4.29	40.98	3	Horizontal	160	1.80	-	34.00	5.45	30.72
PK	5.463G	62.15	68.20	-6.05	53.41	3	Horizontal	160	1.80	-	34.00	5.46	30.72
PK	5.692G	120.49	Inf	-Inf	111.88	3	Horizontal	160	1.80	-	33.88	5.60	30.87
AV	5.692G	107.38	Inf	-Inf	98.77	3	Horizontal	160	1.80	-	33.88	5.60	30.87
PK	5.852G	67.48	68.20	-0.72	59.01	3	Horizontal	160	1.80	-	33.81	5.65	30.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37988G	53.21	74.00	-20.79	38.63	3	Vertical	148	2.36	-	38.80	7.85	32.07
AV	11.37992G	40.40	54.00	-13.60	25.82	3	Vertical	148	2.36	-	38.80	7.85	32.07
PK	17.06016G	63.05	68.20	-5.15	41.53	3	Vertical	321	1.80	-	41.24	10.53	30.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37988G	53.92	74.00	-20.08	39.34	3	Horizontal	2	2.07	-	38.80	7.85	32.07
AV	11.37996G	40.44	54.00	-13.56	25.86	3	Horizontal	2	2.07	-	38.80	7.85	32.07
PK	17.06784G	62.86	68.20	-5.34	41.31	3	Horizontal	67	1.51	-	41.27	10.53	30.25

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_Y_4TX
Setting 15
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	65.34	74.00	-8.66	57.26	3	Vertical	182	1.64	-	33.57	5.24	30.73
AV	5.138G	53.56	54.00	-0.44	45.47	3	Vertical	182	1.64	-	33.58	5.24	30.73
PK	5.2788G	111.15	Inf	-Inf	102.77	3	Vertical	182	1.64	-	33.76	5.34	30.72
AV	5.2388G	98.86	Inf	-Inf	90.57	3	Vertical	182	1.64	-	33.70	5.32	30.73
PK	5.3588G	64.92	74.00	-9.08	56.34	3	Vertical	182	1.64	-	33.92	5.38	30.72
AV	5.3572G	53.49	54.00	-0.51	44.92	3	Vertical	182	1.64	-	33.91	5.38	30.72
PK	5.482G	62.61	68.20	-5.59	53.85	3	Vertical	182	1.64	-	34.00	5.48	30.72

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_Y_4TX
Setting 15
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	66.80	74.00	-7.20	58.73	3	Horizontal	203	1.86	-	33.57	5.23	30.73
AV	5.1332G	53.50	54.00	-0.50	45.43	3	Horizontal	203	1.86	-	33.57	5.23	30.73
PK	5.234G	112.06	Inf	-Inf	103.77	3	Horizontal	203	1.86	-	33.70	5.32	30.73
AV	5.2132G	99.52	Inf	-Inf	91.24	3	Horizontal	203	1.86	-	33.70	5.31	30.73
PK	5.354G	65.57	74.00	-8.43	57.00	3	Horizontal	203	1.86	-	33.91	5.38	30.72
AV	5.354G	53.92	54.00	-0.08	45.35	3	Horizontal	203	1.86	-	33.91	5.38	30.72
PK	5.5124G	62.22	68.20	-5.98	53.44	3	Horizontal	203	1.86	-	34.00	5.51	30.73

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 15
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50032G	53.35	68.20	-14.85	39.10	3	Vertical	26	2.10	-	38.60	7.50	31.85
PK	15.7465G	58.43	74.00	-15.57	42.50	3	Vertical	287	2.07	-	37.50	9.89	31.46
AV	15.75248G	44.30	54.00	-9.70	28.37	3	Vertical	287	2.07	-	37.50	9.89	31.46

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 15
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50756G	53.14	68.20	-15.06	38.90	3	Horizontal	115	1.33	-	38.59	7.50	31.85
PK	15.75048G	58.68	74.00	-15.32	42.75	3	Horizontal	112	1.01	-	37.50	9.89	31.46
AV	15.74734G	44.35	54.00	-9.65	28.42	3	Horizontal	112	1.01	-	37.50	9.89	31.46

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1892G	62.58	68.20	-5.62	54.34	3	Vertical	173	1.70	-	33.68	5.29	30.73
PK	5.3972G	65.12	74.00	-8.88	56.45	3	Vertical	173	1.70	-	33.99	5.40	30.72
PK	5.4628G	64.23	68.20	-3.97	55.49	3	Vertical	173	1.70	-	34.00	5.46	30.72
AV	5.4596G	52.95	54.00	-1.05	44.21	3	Vertical	173	1.70	-	34.00	5.46	30.72
PK	5.5796G	109.63	Inf	-Inf	100.89	3	Vertical	173	1.70	-	33.94	5.58	30.78
AV	5.5796G	97.85	Inf	-Inf	89.11	3	Vertical	173	1.70	-	33.94	5.58	30.78
PK	5.7604G	65.23	68.20	-2.97	56.75	3	Vertical	173	1.70	-	33.80	5.60	30.92

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 16
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2916G	61.72	68.20	-6.48	53.31	3	Horizontal	162	1.80	-	33.78	5.35	30.72
PK	5.4516G	65.42	74.00	-8.58	56.69	3	Horizontal	162	1.80	-	34.00	5.45	30.72
AV	5.4516G	53.67	54.00	-0.33	44.94	3	Horizontal	162	1.80	-	34.00	5.45	30.72
PK	5.4692G	65.51	68.20	-2.69	56.76	3	Horizontal	162	1.80	-	34.00	5.47	30.72
PK	5.5316G	112.09	Inf	-Inf	103.30	3	Horizontal	162	1.80	-	34.00	5.53	30.74
AV	5.53G	100.25	Inf	-Inf	91.46	3	Horizontal	162	1.80	-	34.00	5.53	30.74
PK	5.7316G	64.41	68.20	-3.79	55.87	3	Horizontal	162	1.80	-	33.84	5.60	30.90

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13976G	53.34	74.00	-20.66	38.82	3	Vertical	116	1.18	-	38.74	7.76	31.98
AV	11.13992G	41.74	54.00	-12.26	27.22	3	Vertical	116	1.18	-	38.74	7.76	31.98
PK	16.7059G	60.76	68.20	-7.44	41.44	3	Vertical	99	1.41	-	39.65	10.35	30.68

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 16
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14032G	53.42	74.00	-20.58	38.90	3	Horizontal	9	1.95	-	38.74	7.76	31.98
AV	11.14004G	40.57	54.00	-13.43	26.05	3	Horizontal	9	1.95	-	38.74	7.76	31.98
PK	16.7121G	60.99	68.20	-7.21	41.60	3	Horizontal	202	1.74	-	39.70	10.36	30.67




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.96	54.00	-0.04	3	Vertical	185	1.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1106G	58.91	74.00	-15.09	50.91	3	Vertical	178	1.80	-	33.52	5.21	30.73
AV	5.1268G	46.50	54.00	-7.50	38.45	3	Vertical	178	1.80	-	33.55	5.23	30.73
PK	5.2678G	115.08	Inf	-Inf	106.73	3	Vertical	178	1.80	-	33.74	5.33	30.72
AV	5.2678G	103.29	Inf	-Inf	94.94	3	Vertical	178	1.80	-	33.74	5.33	30.72
PK	5.3914G	59.49	74.00	-14.51	50.83	3	Vertical	178	1.80	-	33.98	5.40	30.72
AV	5.4052G	47.31	54.00	-6.69	38.62	3	Vertical	178	1.80	-	34.00	5.41	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	58.26	74.00	-15.74	50.15	3	Horizontal	205	1.86	-	33.59	5.25	30.73
AV	5.149G	46.48	54.00	-7.52	38.36	3	Horizontal	205	1.86	-	33.60	5.25	30.73
PK	5.263G	114.07	Inf	-Inf	105.73	3	Horizontal	205	1.86	-	33.73	5.33	30.72
AV	5.2636G	103.16	Inf	-Inf	94.82	3	Horizontal	205	1.86	-	33.73	5.33	30.72
PK	5.401G	59.89	74.00	-14.11	51.21	3	Horizontal	205	1.86	-	34.00	5.40	30.72
AV	5.4004G	47.28	54.00	-6.72	38.60	3	Horizontal	205	1.86	-	34.00	5.40	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78336G	57.92	74.00	-16.08	42.00	3	Vertical	354	1.41	-	37.50	9.90	31.48
AV	15.77016G	44.32	54.00	-9.68	28.39	3	Vertical	354	1.41	-	37.50	9.90	31.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77082G	57.84	74.00	-16.16	41.91	3	Horizontal	172	2.09	-	37.50	9.90	31.47
AV	15.7656G	44.21	54.00	-9.79	28.29	3	Horizontal	172	2.09	-	37.50	9.89	31.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	115.60	Inf	-Inf	107.18	3	Vertical	183	1.98	-	33.79	5.35	30.72
AV	5.3088G	102.92	Inf	-Inf	94.47	3	Vertical	183	1.98	-	33.82	5.35	30.72
PK	5.3896G	59.62	74.00	-14.38	50.97	3	Vertical	183	1.98	-	33.98	5.39	30.72
AV	5.3964G	47.57	54.00	-6.43	38.90	3	Vertical	183	1.98	-	33.99	5.40	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	116.07	Inf	-Inf	107.62	3	Horizontal	195	2.06	-	33.82	5.35	30.72
AV	5.2912G	103.44	Inf	-Inf	95.03	3	Horizontal	195	2.06	-	33.78	5.35	30.72
PK	5.3608G	59.90	74.00	-14.10	51.32	3	Horizontal	195	2.06	-	33.92	5.38	30.72
AV	5.3968G	47.18	54.00	-6.82	38.51	3	Horizontal	195	2.06	-	33.99	5.40	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61479G	52.79	74.00	-21.21	38.61	3	Vertical	183	1.63	-	38.50	7.55	31.87
AV	10.61398G	39.16	54.00	-14.84	24.98	3	Vertical	183	1.63	-	38.50	7.55	31.87
PK	15.9054G	57.63	74.00	-16.37	41.91	3	Vertical	213	1.83	-	37.30	9.96	31.54
AV	15.90804G	43.49	54.00	-10.51	27.77	3	Vertical	213	1.83	-	37.30	9.96	31.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60318G	52.49	74.00	-21.51	38.31	3	Horizontal	192	1.36	-	38.50	7.54	31.86
AV	10.60819G	39.12	54.00	-14.88	24.95	3	Horizontal	192	1.36	-	38.50	7.54	31.87
PK	15.89526G	56.80	74.00	-17.20	41.08	3	Horizontal	246	2.05	-	37.31	9.95	31.54
AV	15.91398G	43.58	54.00	-10.42	27.87	3	Horizontal	246	2.05	-	37.30	9.96	31.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3262G	117.13	Inf	-Inf	108.64	3	Vertical	184	2.04	-	33.85	5.36	30.72
AV	5.3272G	103.57	Inf	-Inf	95.08	3	Vertical	184	2.04	-	33.85	5.36	30.72
PK	5.3656G	59.92	74.00	-14.08	51.33	3	Vertical	184	2.04	-	33.93	5.38	30.72
AV	5.35G	47.43	54.00	-6.57	38.87	3	Vertical	184	2.04	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	115.75	Inf	-Inf	107.26	3	Horizontal	196	1.91	-	33.85	5.36	30.72
AV	5.311G	103.21	Inf	-Inf	94.75	3	Horizontal	196	1.91	-	33.82	5.36	30.72
PK	5.3526G	59.44	74.00	-14.56	50.87	3	Horizontal	196	1.91	-	33.91	5.38	30.72
AV	5.35G	47.12	54.00	-6.88	38.56	3	Horizontal	196	1.91	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64G	53.36	74.00	-20.64	39.17	3	Vertical	159	1.74	-	38.50	7.56	31.87
AV	10.63994G	40.22	54.00	-13.78	26.03	3	Vertical	159	1.74	-	38.50	7.56	31.87
PK	15.94644G	56.84	74.00	-17.16	41.12	3	Vertical	237	1.80	-	37.30	9.98	31.56
AV	15.97188G	43.40	54.00	-10.60	27.69	3	Vertical	237	1.80	-	37.30	9.99	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62554G	52.85	74.00	-21.15	38.67	3	Horizontal	146	1.80	-	38.50	7.55	31.87
AV	10.63988G	39.16	54.00	-14.84	24.97	3	Horizontal	146	1.80	-	38.50	7.56	31.87
PK	15.95952G	57.55	74.00	-16.45	41.84	3	Horizontal	156	1.74	-	37.30	9.98	31.57
AV	15.96684G	43.30	54.00	-10.70	27.58	3	Horizontal	156	1.74	-	37.30	9.99	31.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4328G	59.88	74.00	-14.12	51.17	3	Vertical	180	1.76	-	34.00	5.43	30.72
AV	5.4048G	47.29	54.00	-6.71	38.61	3	Vertical	180	1.76	-	34.00	5.40	30.72
PK	5.4616G	59.47	68.20	-8.73	50.73	3	Vertical	180	1.76	-	34.00	5.46	30.72
PK	5.494G	115.83	Inf	-Inf	107.06	3	Vertical	180	1.76	-	34.00	5.49	30.72
AV	5.4916G	103.24	Inf	-Inf	94.47	3	Vertical	180	1.76	-	34.00	5.49	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	59.56	74.00	-14.44	50.85	3	Horizontal	200	1.80	-	34.00	5.43	30.72
AV	5.4028G	47.29	54.00	-6.71	38.61	3	Horizontal	200	1.80	-	34.00	5.40	30.72
PK	5.4692G	59.20	68.20	-9.00	50.45	3	Horizontal	200	1.80	-	34.00	5.47	30.72
PK	5.5036G	117.40	Inf	-Inf	108.62	3	Horizontal	200	1.80	-	34.00	5.50	30.72
AV	5.5084G	104.47	Inf	-Inf	95.69	3	Horizontal	200	1.80	-	34.00	5.51	30.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0012G	59.14	74.00	-14.86	44.76	3	Vertical	25	1.76	-	38.60	7.70	31.92
AV	10.99958G	44.63	54.00	-9.37	30.25	3	Vertical	25	1.76	-	38.60	7.70	31.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99382G	58.88	74.00	-15.12	44.51	3	Horizontal	338	1.01	-	38.59	7.70	31.92
AV	11G	44.72	54.00	-9.28	30.34	3	Horizontal	338	1.01	-	38.60	7.70	31.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	60.85	74.00	-13.15	52.14	3	Vertical	179	1.84	-	34.00	5.43	30.72
AV	5.4088G	47.60	54.00	-6.40	38.91	3	Vertical	179	1.84	-	34.00	5.41	30.72
PK	5.4608G	59.36	68.20	-8.84	50.62	3	Vertical	179	1.84	-	34.00	5.46	30.72
PK	5.5888G	116.48	Inf	-Inf	107.76	3	Vertical	179	1.84	-	33.92	5.59	30.79
AV	5.5872G	103.12	Inf	-Inf	94.39	3	Vertical	179	1.84	-	33.93	5.59	30.79
PK	5.7784G	59.90	68.20	-8.30	51.43	3	Vertical	179	1.84	-	33.80	5.60	30.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.412G	59.65	74.00	-14.35	50.96	3	Horizontal	200	1.94	-	34.00	5.41	30.72
AV	5.412G	47.54	54.00	-6.46	38.85	3	Horizontal	200	1.94	-	34.00	5.41	30.72
PK	5.464G	59.78	68.20	-8.42	51.04	3	Horizontal	200	1.94	-	34.00	5.46	30.72
PK	5.5744G	117.17	Inf	-Inf	108.43	3	Horizontal	200	1.94	-	33.95	5.57	30.78
AV	5.588G	104.71	Inf	-Inf	95.99	3	Horizontal	200	1.94	-	33.92	5.59	30.79
PK	5.7592G	60.17	68.20	-8.03	51.69	3	Horizontal	200	1.94	-	33.80	5.60	30.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15994G	59.54	74.00	-14.46	45.00	3	Vertical	177	1.90	-	38.76	7.76	31.98
AV	11.15952G	44.67	54.00	-9.33	30.13	3	Vertical	177	1.90	-	38.76	7.76	31.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17014G	62.72	74.00	-11.28	48.17	3	Horizontal	276	1.05	-	38.77	7.77	31.99
AV	11.15958G	46.53	54.00	-7.47	31.99	3	Horizontal	276	1.05	-	38.76	7.76	31.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6938G	117.37	Inf	-Inf	108.75	3	Vertical	190	1.87	-	33.89	5.60	30.87
AV	5.707G	103.60	Inf	-Inf	94.99	3	Vertical	190	1.87	-	33.89	5.60	30.88
PK	5.7256G	60.81	68.20	-7.39	52.25	3	Vertical	190	1.87	-	33.85	5.60	30.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6926G	116.92	Inf	-Inf	108.30	3	Horizontal	202	1.89	-	33.89	5.60	30.87
AV	5.691G	103.79	Inf	-Inf	95.18	3	Horizontal	202	1.89	-	33.88	5.60	30.87
PK	5.7268G	60.55	68.20	-7.65	51.99	3	Horizontal	202	1.89	-	33.85	5.60	30.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39622G	52.93	74.00	-21.07	38.35	3	Vertical	289	1.53	-	38.80	7.86	32.08
AV	11.39994G	39.76	54.00	-14.24	25.18	3	Vertical	289	1.53	-	38.80	7.86	32.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40492G	53.07	74.00	-20.93	38.48	3	Horizontal	6	2.35	-	38.81	7.86	32.08
AV	11.4G	39.71	54.00	-14.29	25.13	3	Horizontal	6	2.35	-	38.80	7.86	32.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4162G	59.89	74.00	-14.11	51.19	3	Vertical	184	1.85	-	34.00	5.42	30.72
AV	5.4008G	47.10	54.00	-6.90	38.42	3	Vertical	184	1.85	-	34.00	5.40	30.72
PK	5.468G	58.24	68.20	-9.96	49.49	3	Vertical	184	1.85	-	34.00	5.47	30.72
PK	5.7284G	116.99	Inf	-Inf	108.44	3	Vertical	184	1.85	-	33.84	5.60	30.89
AV	5.727G	104.36	Inf	-Inf	95.80	3	Vertical	184	1.85	-	33.85	5.60	30.89
PK	5.895G	59.68	68.20	-8.52	50.93	3	Vertical	184	1.85	-	34.07	5.70	31.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4204G	59.40	74.00	-14.60	50.70	3	Horizontal	198	1.80	-	34.00	5.42	30.72
AV	5.4106G	47.03	54.00	-6.97	38.34	3	Horizontal	198	1.80	-	34.00	5.41	30.72
PK	5.4694G	59.29	68.20	-8.91	50.54	3	Horizontal	198	1.80	-	34.00	5.47	30.72
PK	5.7116G	115.33	Inf	-Inf	106.73	3	Horizontal	198	1.80	-	33.88	5.60	30.88
AV	5.7284G	103.97	Inf	-Inf	95.42	3	Horizontal	198	1.80	-	33.84	5.60	30.89
PK	5.965G	59.74	68.20	-8.46	50.85	3	Horizontal	198	1.80	-	34.20	5.76	31.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45344G	53.08	74.00	-20.92	38.39	3	Vertical	32	2.18	-	38.91	7.88	32.10
AV	11.44G	40.28	54.00	-13.72	25.62	3	Vertical	32	2.18	-	38.88	7.88	32.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4421G	53.35	74.00	-20.65	38.69	3	Horizontal	218	1.02	-	38.88	7.88	32.10
AV	11.43994G	40.31	54.00	-13.69	25.65	3	Horizontal	218	1.02	-	38.88	7.88	32.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	59.70	74.00	-14.30	51.67	3	Vertical	176	1.79	-	33.54	5.22	30.73
AV	5.1242G	46.91	54.00	-7.09	38.87	3	Vertical	176	1.79	-	33.55	5.22	30.73
PK	5.2682G	113.76	Inf	-Inf	105.41	3	Vertical	176	1.79	-	33.74	5.33	30.72
AV	5.267G	100.77	Inf	-Inf	92.43	3	Vertical	176	1.79	-	33.73	5.33	30.72
PK	5.3528G	60.53	74.00	-13.47	51.96	3	Vertical	176	1.79	-	33.91	5.38	30.72
AV	5.4176G	47.69	54.00	-6.31	38.99	3	Vertical	176	1.79	-	34.00	5.42	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1314G	59.04	74.00	-14.96	50.98	3	Horizontal	203	1.93	-	33.56	5.23	30.73
AV	5.1482G	46.87	54.00	-7.13	38.75	3	Horizontal	203	1.93	-	33.60	5.25	30.73
PK	5.2736G	115.05	Inf	-Inf	106.68	3	Horizontal	203	1.93	-	33.75	5.34	30.72
AV	5.2706G	100.95	Inf	-Inf	92.59	3	Horizontal	203	1.93	-	33.74	5.34	30.72
PK	5.4068G	60.44	74.00	-13.56	51.75	3	Horizontal	203	1.93	-	34.00	5.41	30.72
AV	5.4158G	47.87	54.00	-6.13	39.17	3	Horizontal	203	1.93	-	34.00	5.42	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80178G	57.22	74.00	-16.78	41.30	3	Vertical	81	1.01	-	37.50	9.91	31.49
AV	15.80484G	44.02	54.00	-9.98	28.11	3	Vertical	81	1.01	-	37.49	9.91	31.49

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81504G	57.35	74.00	-16.65	41.45	3	Horizontal	166	2.21	-	37.47	9.92	31.49
AV	15.81054G	43.99	54.00	-10.01	28.09	3	Horizontal	166	2.21	-	37.48	9.91	31.49

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	113.96	Inf	-Inf	105.48	3	Vertical	174	1.80	-	33.84	5.36	30.72
AV	5.3068G	100.17	Inf	-Inf	91.73	3	Vertical	174	1.80	-	33.81	5.35	30.72
PK	5.3552G	61.48	74.00	-12.52	52.91	3	Vertical	174	1.80	-	33.91	5.38	30.72
AV	5.35G	49.57	54.00	-4.43	41.01	3	Vertical	174	1.80	-	33.90	5.38	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	114.98	Inf	-Inf	106.51	3	Horizontal	198	2.08	-	33.83	5.36	30.72
AV	5.3108G	100.92	Inf	-Inf	92.46	3	Horizontal	198	2.08	-	33.82	5.36	30.72
PK	5.3516G	61.32	74.00	-12.68	52.76	3	Horizontal	198	2.08	-	33.90	5.38	30.72
AV	5.3504G	49.50	54.00	-4.50	40.94	3	Horizontal	198	2.08	-	33.90	5.38	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61994G	58.81	74.00	-15.19	44.63	3	Vertical	141	2.70	-	38.50	7.55	31.87
AV	10.62204G	42.71	54.00	-11.29	28.53	3	Vertical	141	2.70	-	38.50	7.55	31.87
PK	15.93918G	57.08	74.00	-16.92	41.37	3	Vertical	112	1.48	-	37.30	9.97	31.56
AV	15.93318G	43.58	54.00	-10.42	27.87	3	Vertical	112	1.48	-	37.30	9.97	31.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62G	59.52	74.00	-14.48	45.34	3	Horizontal	346	2.73	-	38.50	7.55	31.87
AV	10.62072G	42.71	54.00	-11.29	28.53	3	Horizontal	346	2.73	-	38.50	7.55	31.87
PK	15.91878G	56.51	74.00	-17.49	40.80	3	Horizontal	126	1.61	-	37.30	9.96	31.55
AV	15.9207G	43.78	54.00	-10.22	28.07	3	Horizontal	126	1.61	-	37.30	9.96	31.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.58	74.00	-13.42	51.84	3	Vertical	176	1.79	-	34.00	5.46	30.72
AV	5.46G	48.53	54.00	-5.47	39.79	3	Vertical	176	1.79	-	34.00	5.46	30.72
PK	5.47G	65.23	68.20	-2.97	56.48	3	Vertical	176	1.79	-	34.00	5.47	30.72
PK	5.5068G	114.72	Inf	-Inf	105.94	3	Vertical	176	1.79	-	34.00	5.51	30.73
AV	5.5076G	100.79	Inf	-Inf	92.01	3	Vertical	176	1.79	-	34.00	5.51	30.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	60.81	74.00	-13.19	52.07	3	Horizontal	201	1.92	-	34.00	5.46	30.72
AV	5.46G	48.49	54.00	-5.51	39.75	3	Horizontal	201	1.92	-	34.00	5.46	30.72
PK	5.4692G	65.17	68.20	-3.03	56.42	3	Horizontal	201	1.92	-	34.00	5.47	30.72
PK	5.5144G	115.73	Inf	-Inf	106.95	3	Horizontal	201	1.92	-	34.00	5.51	30.73
AV	5.5116G	102.12	Inf	-Inf	93.34	3	Horizontal	201	1.92	-	34.00	5.51	30.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02768G	53.56	74.00	-20.44	39.15	3	Vertical	131	2.96	-	38.63	7.71	31.93
AV	11.01718G	39.85	54.00	-14.15	25.45	3	Vertical	131	2.96	-	38.62	7.71	31.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00968G	53.07	74.00	-20.93	38.68	3	Horizontal	114	2.53	-	38.61	7.70	31.92
AV	11.01526G	39.75	54.00	-14.25	25.35	3	Horizontal	114	2.53	-	38.62	7.71	31.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4156G	60.87	74.00	-13.13	52.17	3	Vertical	177	1.80	-	34.00	5.42	30.72
AV	5.4048G	47.65	54.00	-6.35	38.97	3	Vertical	177	1.80	-	34.00	5.40	30.72
PK	5.4618G	58.95	68.20	-9.25	50.21	3	Vertical	177	1.80	-	34.00	5.46	30.72
PK	5.559G	113.89	Inf	-Inf	105.11	3	Vertical	177	1.80	-	33.98	5.56	30.76
AV	5.547G	100.87	Inf	-Inf	92.08	3	Vertical	177	1.80	-	34.00	5.55	30.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4306G	60.44	74.00	-13.56	51.73	3	Horizontal	201	1.90	-	34.00	5.43	30.72
AV	5.4054G	47.71	54.00	-6.29	39.02	3	Horizontal	201	1.90	-	34.00	5.41	30.72
PK	5.47G	59.13	68.20	-9.07	50.38	3	Horizontal	201	1.90	-	34.00	5.47	30.72
PK	5.5566G	115.40	Inf	-Inf	106.61	3	Horizontal	201	1.90	-	33.99	5.56	30.76
AV	5.5482G	102.24	Inf	-Inf	93.45	3	Horizontal	201	1.90	-	34.00	5.55	30.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09532G	53.19	74.00	-20.81	38.71	3	Vertical	267	2.60	-	38.70	7.74	31.96
AV	11.0874G	39.73	54.00	-14.27	25.26	3	Vertical	267	2.60	-	38.69	7.73	31.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11458G	52.84	74.00	-21.16	38.35	3	Horizontal	321	2.45	-	38.71	7.75	31.97
AV	11.10468G	39.70	54.00	-14.30	25.22	3	Horizontal	321	2.45	-	38.70	7.74	31.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6732G	113.35	Inf	-Inf	104.75	3	Vertical	187	1.80	-	33.85	5.60	30.85
AV	5.6672G	100.95	Inf	-Inf	92.37	3	Vertical	187	1.80	-	33.83	5.60	30.85
PK	5.7252G	62.49	68.20	-5.71	53.93	3	Vertical	187	1.80	-	33.85	5.60	30.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6624G	114.94	Inf	-Inf	106.36	3	Horizontal	199	1.76	-	33.82	5.60	30.84
AV	5.664G	101.54	Inf	-Inf	92.95	3	Horizontal	199	1.76	-	33.83	5.60	30.84
PK	5.7264G	61.76	68.20	-6.44	53.20	3	Horizontal	199	1.76	-	33.85	5.60	30.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3502G	52.62	74.00	-21.38	38.04	3	Vertical	342	1.66	-	38.80	7.84	32.06
AV	11.33472G	39.60	54.00	-14.40	25.02	3	Vertical	342	1.66	-	38.80	7.83	32.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34306G	52.97	74.00	-21.03	38.39	3	Horizontal	170	2.86	-	38.80	7.84	32.06
AV	11.33718G	39.67	54.00	-14.33	25.09	3	Horizontal	170	2.86	-	38.80	7.83	32.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4328G	59.30	74.00	-14.70	50.59	3	Vertical	160	1.80	-	34.00	5.43	30.72
AV	5.402G	46.90	54.00	-7.10	38.22	3	Vertical	160	1.80	-	34.00	5.40	30.72
PK	5.4622G	57.74	68.20	-10.46	49.00	3	Vertical	160	1.80	-	34.00	5.46	30.72
PK	5.7044G	113.11	Inf	-Inf	104.50	3	Vertical	160	1.80	-	33.89	5.60	30.88
AV	5.7044G	99.77	Inf	-Inf	91.16	3	Vertical	160	1.80	-	33.89	5.60	30.88
PK	5.9326G	59.57	68.20	-8.63	50.72	3	Vertical	160	1.80	-	34.17	5.73	31.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.437G	59.22	74.00	-14.78	50.50	3	Horizontal	201	1.83	-	34.00	5.44	30.72
AV	5.4454G	47.12	54.00	-6.88	38.39	3	Horizontal	201	1.83	-	34.00	5.45	30.72
PK	5.465G	59.39	68.20	-8.81	50.65	3	Horizontal	201	1.83	-	34.00	5.46	30.72
PK	5.7142G	114.03	Inf	-Inf	105.44	3	Horizontal	201	1.83	-	33.87	5.60	30.88
AV	5.703G	101.70	Inf	-Inf	93.08	3	Horizontal	201	1.83	-	33.89	5.60	30.87
PK	5.9158G	60.58	68.20	-7.62	51.77	3	Horizontal	201	1.83	-	34.13	5.72	31.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42396G	53.69	74.00	-20.31	39.06	3	Vertical	147	2.21	-	38.85	7.87	32.09
AV	11.41994G	41.18	54.00	-12.82	26.56	3	Vertical	147	2.21	-	38.84	7.87	32.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42186G	53.40	74.00	-20.60	38.78	3	Horizontal	211	2.95	-	38.84	7.87	32.09
AV	11.41994G	40.00	54.00	-14.00	25.38	3	Horizontal	211	2.95	-	38.84	7.87	32.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.056G	59.34	74.00	-14.66	51.41	3	Vertical	208	1.73	-	33.50	5.16	30.73
AV	5.15G	47.21	54.00	-6.79	39.09	3	Vertical	208	1.73	-	33.60	5.25	30.73
PK	5.282G	109.34	Inf	-Inf	100.96	3	Vertical	208	1.73	-	33.76	5.34	30.72
AV	5.263G	99.77	Inf	-Inf	91.43	3	Vertical	208	1.73	-	33.73	5.33	30.72
PK	5.383G	68.21	74.00	-5.79	59.57	3	Vertical	208	1.73	-	33.97	5.39	30.72
AV	5.35G	52.87	54.00	-1.13	44.31	3	Vertical	208	1.73	-	33.90	5.38	30.72
PK	5.473G	59.94	68.20	-8.26	51.19	3	Vertical	208	1.73	-	34.00	5.47	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	59.45	74.00	-14.55	51.35	3	Horizontal	201	1.80	-	33.59	5.24	30.73
AV	5.15G	47.56	54.00	-6.44	39.44	3	Horizontal	201	1.80	-	33.60	5.25	30.73
PK	5.293G	110.04	Inf	-Inf	101.62	3	Horizontal	201	1.80	-	33.79	5.35	30.72
AV	5.28G	98.23	Inf	-Inf	89.85	3	Horizontal	201	1.80	-	33.76	5.34	30.72
PK	5.354G	66.36	74.00	-7.64	57.79	3	Horizontal	201	1.80	-	33.91	5.38	30.72
AV	5.352G	53.90	54.00	-0.10	45.34	3	Horizontal	201	1.80	-	33.90	5.38	30.72
PK	5.497G	60.59	68.20	-7.61	51.81	3	Horizontal	201	1.80	-	34.00	5.50	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88452G	57.39	74.00	-16.61	41.64	3	Vertical	313	2.95	-	37.33	9.95	31.53
AV	15.85602G	44.25	54.00	-9.75	28.44	3	Vertical	313	2.95	-	37.39	9.94	31.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88308G	57.12	74.00	-16.88	41.37	3	Horizontal	241	1.80	-	37.33	9.95	31.53
AV	15.85944G	44.27	54.00	-9.73	28.47	3	Horizontal	241	1.80	-	37.38	9.94	31.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	59.02	68.20	-9.18	50.54	3	Vertical	148	1.79	-	33.84	5.36	30.72
PK	5.459G	62.09	74.00	-11.91	53.35	3	Vertical	148	1.79	-	34.00	5.46	30.72
AV	5.46G	49.84	54.00	-4.16	41.10	3	Vertical	148	1.79	-	34.00	5.46	30.72
PK	5.469G	64.38	68.20	-3.82	55.63	3	Vertical	148	1.79	-	34.00	5.47	30.72
PK	5.529G	109.37	Inf	-Inf	100.58	3	Vertical	148	1.79	-	34.00	5.53	30.74
AV	5.531G	96.78	Inf	-Inf	87.99	3	Vertical	148	1.79	-	34.00	5.53	30.74
PK	5.735G	59.55	68.20	-8.65	51.02	3	Vertical	148	1.79	-	33.83	5.60	30.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.62	68.20	-8.58	51.07	3	Horizontal	160	1.93	-	33.90	5.37	30.72
PK	5.455G	63.54	74.00	-10.46	54.80	3	Horizontal	160	1.93	-	34.00	5.46	30.72
PK	5.462G	64.53	68.20	-3.67	55.79	3	Horizontal	160	1.93	-	34.00	5.46	30.72
AV	5.459G	51.09	54.00	-2.91	42.35	3	Horizontal	160	1.93	-	34.00	5.46	30.72
PK	5.506G	112.20	Inf	-Inf	103.41	3	Horizontal	160	1.93	-	34.00	5.51	30.72
AV	5.525G	99.41	Inf	-Inf	90.62	3	Horizontal	160	1.93	-	34.00	5.53	30.74
PK	5.725G	59.67	68.20	-8.53	51.11	3	Horizontal	160	1.93	-	33.85	5.60	30.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06336G	53.38	74.00	-20.62	38.94	3	Vertical	143	2.19	-	38.66	7.73	31.95
AV	11.0612G	40.42	54.00	-13.58	25.98	3	Vertical	143	2.19	-	38.66	7.72	31.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04908G	52.79	74.00	-21.21	38.36	3	Horizontal	26	2.80	-	38.65	7.72	31.94
AV	11.06678G	40.36	54.00	-13.64	25.91	3	Horizontal	26	2.80	-	38.67	7.73	31.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	60.24	74.00	-13.76	51.51	3	Vertical	162	1.80	-	34.00	5.45	30.72
AV	5.431G	47.85	54.00	-6.15	39.14	3	Vertical	162	1.80	-	34.00	5.43	30.72
PK	5.469G	58.79	68.20	-9.41	50.04	3	Vertical	162	1.80	-	34.00	5.47	30.72
PK	5.582G	109.85	Inf	-Inf	101.11	3	Vertical	162	1.80	-	33.94	5.58	30.78
AV	5.603G	98.07	Inf	-Inf	89.38	3	Vertical	162	1.80	-	33.89	5.60	30.80
PK	5.8G	60.18	68.20	-8.02	51.73	3	Vertical	162	1.80	-	33.80	5.60	30.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	60.61	74.00	-13.39	51.90	3	Horizontal	166	1.80	-	34.00	5.43	30.72
AV	5.441G	47.94	54.00	-6.06	39.22	3	Horizontal	166	1.80	-	34.00	5.44	30.72
PK	5.469G	59.39	68.20	-8.81	50.64	3	Horizontal	166	1.80	-	34.00	5.47	30.72
PK	5.586G	111.74	Inf	-Inf	103.01	3	Horizontal	166	1.80	-	33.93	5.59	30.79
AV	5.588G	98.95	Inf	-Inf	90.23	3	Horizontal	166	1.80	-	33.92	5.59	30.79
PK	5.738G	60.12	68.20	-8.08	51.60	3	Horizontal	166	1.80	-	33.82	5.60	30.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21502G	53.48	74.00	-20.52	38.90	3	Vertical	328	2.73	-	38.80	7.79	32.01
AV	11.22372G	40.38	54.00	-13.62	25.80	3	Vertical	328	2.73	-	38.80	7.79	32.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21532G	53.77	74.00	-20.23	39.19	3	Horizontal	257	2.36	-	38.80	7.79	32.01
AV	11.21406G	40.10	54.00	-13.90	25.52	3	Horizontal	257	2.36	-	38.80	7.79	32.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.402G	60.18	74.00	-13.82	51.50	3	Vertical	183	1.80	-	34.00	5.40	30.72
AV	5.4284G	47.67	54.00	-6.33	38.96	3	Vertical	183	1.80	-	34.00	5.43	30.72
PK	5.462G	59.46	68.20	-8.74	50.72	3	Vertical	183	1.80	-	34.00	5.46	30.72
PK	5.6996G	110.81	Inf	-Inf	102.18	3	Vertical	183	1.80	-	33.90	5.60	30.87
AV	5.6924G	99.14	Inf	-Inf	90.53	3	Vertical	183	1.80	-	33.88	5.60	30.87
PK	5.8544G	60.03	68.20	-8.17	51.54	3	Vertical	183	1.80	-	33.83	5.65	30.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4104G	58.83	74.00	-15.17	50.14	3	Horizontal	193	1.79	-	34.00	5.41	30.72
PK	5.47G	59.13	68.20	-9.07	50.38	3	Horizontal	193	1.79	-	34.00	5.47	30.72
AV	5.4524G	47.44	54.00	-6.56	38.71	3	Horizontal	193	1.79	-	34.00	5.45	30.72
PK	5.7008G	111.71	Inf	-Inf	103.08	3	Horizontal	193	1.79	-	33.90	5.60	30.87
AV	5.6924G	99.23	Inf	-Inf	90.62	3	Horizontal	193	1.79	-	33.88	5.60	30.87
PK	5.8676G	60.48	68.20	-7.72	51.90	3	Horizontal	193	1.79	-	33.91	5.67	31.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38012G	53.85	74.00	-20.15	39.27	3	Vertical	40	1.83	-	38.80	7.85	32.07
AV	11.37988G	41.85	54.00	-12.15	27.27	3	Vertical	40	1.83	-	38.80	7.85	32.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3854G	53.00	74.00	-21.00	38.42	3	Horizontal	32	2.33	-	38.80	7.85	32.07
AV	11.37994G	41.77	54.00	-12.23	27.19	3	Horizontal	32	2.33	-	38.80	7.85	32.07

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_V_4TX
Setting 24
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0952G	62.70	74.00	-11.30	54.73	3	Vertical	185	1.80	-	33.50	5.20	30.73
AV	5.1456G	52.00	54.00	-2.00	43.89	3	Vertical	185	1.80	-	33.59	5.25	30.73
PK	5.2248G	108.64	Inf	-Inf	100.36	3	Vertical	185	1.80	-	33.70	5.31	30.73
AV	5.2428G	95.97	Inf	-Inf	87.68	3	Vertical	185	1.80	-	33.70	5.32	30.73
PK	5.3772G	66.41	74.00	-7.59	57.79	3	Vertical	185	1.80	-	33.95	5.39	30.72
AV	5.3568G	53.62	54.00	-0.38	45.05	3	Vertical	185	1.80	-	33.91	5.38	30.72
PK	5.4624G	60.16	68.20	-8.04	51.42	3	Vertical	185	1.80	-	34.00	5.46	30.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	63.40	74.00	-10.60	55.29	3	Horizontal	189	1.93	-	33.59	5.25	30.73
AV	5.148G	50.94	54.00	-3.06	42.82	3	Horizontal	189	1.93	-	33.60	5.25	30.73
PK	5.2404G	107.86	Inf	-Inf	99.57	3	Horizontal	189	1.93	-	33.70	5.32	30.73
AV	5.2488G	95.34	Inf	-Inf	87.05	3	Horizontal	189	1.93	-	33.70	5.32	30.73
PK	5.3544G	66.64	74.00	-7.36	58.07	3	Horizontal	189	1.93	-	33.91	5.38	30.72
AV	5.3508G	52.35	54.00	-1.65	43.79	3	Horizontal	189	1.93	-	33.90	5.38	30.72
PK	5.5284G	59.93	68.20	-8.27	51.14	3	Horizontal	189	1.93	-	34.00	5.53	30.74

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74904G	58.20	74.00	-15.80	42.27	3	Vertical	49	2.18	-	37.50	9.89	31.46
AV	15.73758G	45.01	54.00	-8.99	29.08	3	Vertical	49	2.18	-	37.50	9.88	31.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75156G	59.11	74.00	-14.89	43.18	3	Horizontal	160	1.80	-	37.50	9.89	31.46
AV	15.74544G	44.96	54.00	-9.04	29.03	3	Horizontal	160	1.80	-	37.50	9.89	31.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	64.19	68.20	-4.01	55.72	3	Vertical	214	1.80	-	33.83	5.36	30.72
PK	5.4116G	64.04	74.00	-9.96	55.35	3	Vertical	214	1.80	-	34.00	5.41	30.72
PK	5.4644G	60.63	68.20	-7.57	51.89	3	Vertical	214	1.80	-	34.00	5.46	30.72
AV	5.4488G	49.29	54.00	-4.71	40.56	3	Vertical	214	1.80	-	34.00	5.45	30.72
PK	5.5496G	105.87	Inf	-Inf	97.08	3	Vertical	214	1.80	-	34.00	5.55	30.76
AV	5.5472G	93.48	Inf	-Inf	84.69	3	Vertical	214	1.80	-	34.00	5.55	30.76
PK	5.7992G	62.32	68.20	-5.88	53.87	3	Vertical	214	1.80	-	33.80	5.60	30.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 25
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.282G	65.89	68.20	-2.31	57.51	3	Horizontal	163	1.80	-	33.76	5.34	30.72
PK	5.4464G	62.10	74.00	-11.90	53.37	3	Horizontal	163	1.80	-	34.00	5.45	30.72
AV	5.4452G	49.82	54.00	-4.18	41.09	3	Horizontal	163	1.80	-	34.00	5.45	30.72
PK	5.4644G	61.50	68.20	-6.70	52.76	3	Horizontal	163	1.80	-	34.00	5.46	30.72
PK	5.5868G	108.67	Inf	-Inf	99.94	3	Horizontal	163	1.80	-	33.93	5.59	30.79
AV	5.546G	95.61	Inf	-Inf	86.81	3	Horizontal	163	1.80	-	34.00	5.55	30.75
PK	5.7692G	63.85	68.20	-4.35	55.37	3	Horizontal	163	1.80	-	33.80	5.60	30.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14G	53.56	74.00	-20.44	39.04	3	Vertical	166	1.77	-	38.74	7.76	31.98
AV	11.13994G	41.94	54.00	-12.06	27.42	3	Vertical	166	1.77	-	38.74	7.76	31.98

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 25
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14912G	53.57	74.00	-20.43	39.04	3	Horizontal	45	1.19	-	38.75	7.76	31.98
AV	11.1397G	40.67	54.00	-13.33	26.15	3	Horizontal	45	1.19	-	38.74	7.76	31.98




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.458G	53.96	54.00	-0.04	3	Vertical	184	1.85	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	65.21	74.00	-8.79	57.14	3	Vertical	184	1.80	-	33.57	5.23	30.73
AV	5.1436G	52.17	54.00	-1.83	44.07	3	Vertical	184	1.80	-	33.59	5.24	30.73
PK	5.2546G	130.94	Inf	-Inf	122.62	3	Vertical	184	1.80	-	33.71	5.33	30.72
AV	5.2546G	120.88	Inf	-Inf	112.56	3	Vertical	184	1.80	-	33.71	5.33	30.72
PK	5.401G	65.96	74.00	-8.04	57.28	3	Vertical	184	1.80	-	34.00	5.40	30.72
AV	5.4034G	52.69	54.00	-1.31	44.01	3	Vertical	184	1.80	-	34.00	5.40	30.72

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	64.70	74.00	-9.30	56.60	3	Horizontal	183	1.80	-	33.59	5.24	30.73
AV	5.1106G	52.16	54.00	-1.84	44.16	3	Horizontal	183	1.80	-	33.52	5.21	30.73
PK	5.2528G	128.67	Inf	-Inf	120.35	3	Horizontal	183	1.80	-	33.71	5.33	30.72
AV	5.2534G	118.86	Inf	-Inf	110.54	3	Horizontal	183	1.80	-	33.71	5.33	30.72
PK	5.401G	65.97	74.00	-8.03	57.29	3	Horizontal	183	1.80	-	34.00	5.40	30.72
AV	5.3956G	52.87	54.00	-1.13	44.20	3	Horizontal	183	1.80	-	33.99	5.40	30.72

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51972G	53.46	68.20	-14.74	39.22	3	Vertical	225	2.21	-	38.58	7.51	31.85
PK	15.78064G	57.99	74.00	-16.01	42.07	3	Vertical	124	1.03	-	37.50	9.90	31.48
AV	15.77628G	45.04	54.00	-8.96	29.11	3	Vertical	124	1.03	-	37.50	9.90	31.47

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51192G	53.34	68.20	-14.86	39.10	3	Horizontal	345	1.97	-	38.59	7.50	31.85
PK	15.78668G	57.90	74.00	-16.10	41.98	3	Horizontal	291	1.24	-	37.50	9.90	31.48
AV	15.77068G	44.95	54.00	-9.05	29.02	3	Horizontal	291	1.24	-	37.50	9.90	31.47

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	128.35	Inf	-Inf	119.93	3	Vertical	184	1.80	-	33.79	5.35	30.72
AV	5.2936G	118.55	Inf	-Inf	110.13	3	Vertical	184	1.80	-	33.79	5.35	30.72
PK	5.3528G	67.51	74.00	-6.49	58.94	3	Vertical	184	1.80	-	33.91	5.38	30.72
AV	5.354G	53.61	54.00	-0.39	45.04	3	Vertical	184	1.80	-	33.91	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	124.98	Inf	-Inf	116.56	3	Horizontal	178	1.80	-	33.79	5.35	30.72
AV	5.2928G	115.68	Inf	-Inf	107.26	3	Horizontal	178	1.80	-	33.79	5.35	30.72
PK	5.3516G	67.27	74.00	-6.73	58.71	3	Horizontal	178	1.80	-	33.90	5.38	30.72
AV	5.3516G	53.32	54.00	-0.68	44.76	3	Horizontal	178	1.80	-	33.90	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59196G	53.01	68.20	-15.19	38.82	3	Vertical	0	2.95	-	38.51	7.54	31.86
AV	10.60524G	40.12	54.00	-13.88	25.94	3	Vertical	0	2.95	-	38.50	7.54	31.86
PK	15.907G	57.62	74.00	-16.38	41.90	3	Vertical	297	2.07	-	37.30	9.96	31.54
AV	15.90572G	44.52	54.00	-9.48	28.80	3	Vertical	297	2.07	-	37.30	9.96	31.54

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60528G	53.51	74.00	-20.49	39.33	3	Horizontal	146	1.80	-	38.50	7.54	31.86
AV	10.60204G	40.16	54.00	-13.84	25.98	3	Horizontal	146	1.80	-	38.50	7.54	31.86
PK	15.90912G	57.30	74.00	-16.70	41.58	3	Horizontal	330	2.60	-	37.30	9.96	31.54
AV	15.90724G	44.43	54.00	-9.57	28.71	3	Horizontal	330	2.60	-	37.30	9.96	31.54



802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	125.26	Inf	-Inf	116.79	3	Vertical	185	1.87	-	33.83	5.36	30.72
AV	5.3126G	115.21	Inf	-Inf	106.74	3	Vertical	185	1.87	-	33.83	5.36	30.72
PK	5.3502G	66.01	74.00	-7.99	57.45	3	Vertical	185	1.87	-	33.90	5.38	30.72
AV	5.3502G	53.95	54.00	-0.05	45.39	3	Vertical	185	1.87	-	33.90	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	123.05	Inf	-Inf	114.58	3	Horizontal	177	1.83	-	33.83	5.36	30.72
AV	5.3134G	113.46	Inf	-Inf	104.99	3	Horizontal	177	1.83	-	33.83	5.36	30.72
PK	5.3502G	65.69	74.00	-8.31	57.13	3	Horizontal	177	1.83	-	33.90	5.38	30.72
AV	5.3506G	52.11	54.00	-1.89	43.55	3	Horizontal	177	1.83	-	33.90	5.38	30.72

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64924G	53.33	74.00	-20.67	39.14	3	Vertical	47	2.30	-	38.50	7.56	31.87
AV	10.64056G	40.13	54.00	-13.87	25.94	3	Vertical	47	2.30	-	38.50	7.56	31.87
PK	15.96028G	58.07	74.00	-15.93	42.36	3	Vertical	120	1.20	-	37.30	9.98	31.57
AV	15.96852G	44.30	54.00	-9.70	28.58	3	Vertical	120	1.20	-	37.30	9.99	31.57

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63404G	53.41	74.00	-20.59	39.23	3	Horizontal	153	2.94	-	38.50	7.55	31.87
AV	10.6424G	39.82	54.00	-14.18	25.63	3	Horizontal	153	2.94	-	38.50	7.56	31.87
PK	15.96856G	57.48	74.00	-16.52	41.76	3	Horizontal	117	1.44	-	37.30	9.99	31.57
AV	15.96616G	44.30	54.00	-9.70	28.59	3	Horizontal	117	1.44	-	37.30	9.98	31.57

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	64.33	74.00	-9.67	55.60	3	Vertical	185	1.69	-	34.00	5.45	30.72
AV	5.4552G	51.79	54.00	-2.21	43.05	3	Vertical	185	1.69	-	34.00	5.46	30.72
PK	5.4696G	68.03	68.20	-0.17	59.28	3	Vertical	185	1.69	-	34.00	5.47	30.72
PK	5.493G	125.34	Inf	-Inf	116.57	3	Vertical	185	1.69	-	34.00	5.49	30.72
AV	5.493G	115.51	Inf	-Inf	106.74	3	Vertical	185	1.69	-	34.00	5.49	30.72

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.17	74.00	-9.83	55.43	3	Horizontal	178	1.80	-	34.00	5.46	30.72
AV	5.458G	51.88	54.00	-2.12	43.14	3	Horizontal	178	1.80	-	34.00	5.46	30.72
PK	5.4688G	66.24	68.20	-1.96	57.49	3	Horizontal	178	1.80	-	34.00	5.47	30.72
PK	5.493G	123.34	Inf	-Inf	114.57	3	Horizontal	178	1.80	-	34.00	5.49	30.72
AV	5.4928G	113.84	Inf	-Inf	105.07	3	Horizontal	178	1.80	-	34.00	5.49	30.72

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00564G	53.31	74.00	-20.69	38.92	3	Vertical	86	1.95	-	38.61	7.70	31.92
AV	11.00552G	40.55	54.00	-13.45	26.16	3	Vertical	86	1.95	-	38.61	7.70	31.92
PK	16.49044G	60.90	68.20	-7.30	42.62	3	Vertical	257	2.45	-	39.02	10.25	30.99

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00204G	53.32	74.00	-20.68	38.94	3	Horizontal	88	2.68	-	38.60	7.70	31.92
AV	11.0004G	40.50	54.00	-13.50	26.12	3	Horizontal	88	2.68	-	38.60	7.70	31.92
PK	16.49632G	60.63	68.20	-7.57	42.29	3	Horizontal	90	1.76	-	39.07	10.25	30.98

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	65.18	74.00	-8.82	56.47	3	Vertical	186	1.80	-	34.00	5.43	30.72
AV	5.3952G	52.14	54.00	-1.86	43.47	3	Vertical	186	1.80	-	33.99	5.40	30.72
PK	5.4632G	63.47	68.20	-4.73	54.73	3	Vertical	186	1.80	-	34.00	5.46	30.72
PK	5.5872G	128.71	Inf	-Inf	119.98	3	Vertical	186	1.80	-	33.93	5.59	30.79
AV	5.5872G	118.80	Inf	-Inf	110.07	3	Vertical	186	1.80	-	33.93	5.59	30.79
PK	5.7304G	65.22	68.20	-2.98	56.68	3	Vertical	186	1.80	-	33.84	5.60	30.90

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	65.51	74.00	-8.49	56.79	3	Horizontal	179	1.80	-	34.00	5.44	30.72
AV	5.448G	52.55	54.00	-1.45	43.82	3	Horizontal	179	1.80	-	34.00	5.45	30.72
PK	5.4624G	63.84	68.20	-4.36	55.10	3	Horizontal	179	1.80	-	34.00	5.46	30.72
PK	5.5728G	128.97	Inf	-Inf	120.23	3	Horizontal	179	1.80	-	33.95	5.57	30.78
AV	5.5728G	119.59	Inf	-Inf	110.85	3	Horizontal	179	1.80	-	33.95	5.57	30.78
PK	5.772G	64.58	68.20	-3.62	56.11	3	Horizontal	179	1.80	-	33.80	5.60	30.93

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15104G	53.90	74.00	-20.10	39.37	3	Vertical	226	1.23	-	38.75	7.76	31.98
AV	11.15532G	40.87	54.00	-13.13	26.33	3	Vertical	226	1.23	-	38.76	7.76	31.98
PK	16.741G	61.83	68.20	-6.37	42.16	3	Vertical	244	1.48	-	39.93	10.37	30.63

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1534G	54.40	74.00	-19.60	39.87	3	Horizontal	270	2.68	-	38.75	7.76	31.98
AV	11.15784G	40.80	54.00	-13.20	26.26	3	Horizontal	270	2.68	-	38.76	7.76	31.98
PK	16.734G	62.54	68.20	-5.66	42.94	3	Horizontal	196	2.09	-	39.87	10.37	30.64

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7072G	124.99	Inf	-Inf	116.38	3	Vertical	180	1.80	-	33.89	5.60	30.88
AV	5.7076G	114.94	Inf	-Inf	106.34	3	Vertical	180	1.80	-	33.88	5.60	30.88
PK	5.726G	67.82	68.20	-0.38	59.26	3	Vertical	180	1.80	-	33.85	5.60	30.89

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_V_4TX
Setting 17.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	123.54	Inf	-Inf	114.93	3	Horizontal	174	1.81	-	33.89	5.60	30.88
AV	5.7072G	114.12	Inf	-Inf	105.51	3	Horizontal	174	1.81	-	33.89	5.60	30.88
PK	5.726G	67.04	68.20	-1.16	58.48	3	Horizontal	174	1.81	-	33.85	5.60	30.89

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40832G	52.53	74.00	-21.47	37.93	3	Vertical	206	2.70	-	38.82	7.86	32.08
AV	11.4068G	39.98	54.00	-14.02	25.39	3	Vertical	206	2.70	-	38.81	7.86	32.08
PK	17.09824G	63.66	68.20	-4.54	41.97	3	Vertical	294	2.14	-	41.39	10.55	30.25

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40592G	52.98	74.00	-21.02	38.39	3	Horizontal	284	2.18	-	38.81	7.86	32.08
AV	11.40712G	40.18	54.00	-13.82	25.59	3	Horizontal	284	2.18	-	38.81	7.86	32.08
PK	17.10204G	63.34	68.20	-4.86	41.63	3	Horizontal	160	2.93	-	41.41	10.55	30.25

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.723G	131.06	Inf	-Inf	122.50	3	Vertical	182	1.80	-	33.85	5.60	30.89
AV	5.727G	121.04	Inf	-Inf	112.48	3	Vertical	182	1.80	-	33.85	5.60	30.89
PK	5.865G	65.31	68.20	-2.89	56.76	3	Vertical	182	1.80	-	33.89	5.66	31.00

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.712G	129.01	Inf	-Inf	120.41	3	Horizontal	173	1.80	-	33.88	5.60	30.88
AV	5.713G	119.86	Inf	-Inf	111.27	3	Horizontal	173	1.80	-	33.87	5.60	30.88
PK	5.871G	63.95	68.20	-4.25	55.35	3	Horizontal	173	1.80	-	33.93	5.67	31.00

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44534G	58.27	74.00	-15.73	43.60	3	Vertical	95	1.98	-	38.89	7.88	32.10
AV	11.44624G	45.81	54.00	-8.19	31.14	3	Vertical	95	1.98	-	38.89	7.88	32.10
PK	17.16516G	64.04	68.20	-4.16	41.91	3	Vertical	243	2.41	-	41.79	10.58	30.24

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4472G	59.30	74.00	-14.70	44.63	3	Horizontal	147	1.72	-	38.89	7.88	32.10
AV	11.44618G	45.96	54.00	-8.04	31.29	3	Horizontal	147	1.72	-	38.89	7.88	32.10
PK	17.15148G	64.66	68.20	-3.54	42.61	3	Horizontal	116	1.80	-	41.71	10.58	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	64.31	74.00	-9.69	56.22	3	Vertical	183	1.81	-	33.58	5.24	30.73
AV	5.15G	51.31	54.00	-2.69	43.19	3	Vertical	183	1.81	-	33.60	5.25	30.73
PK	5.269G	131.14	Inf	-Inf	122.79	3	Vertical	183	1.81	-	33.74	5.33	30.72
AV	5.2684G	119.76	Inf	-Inf	111.41	3	Vertical	183	1.81	-	33.74	5.33	30.72
PK	5.35G	68.01	74.00	-5.99	59.45	3	Vertical	183	1.81	-	33.90	5.38	30.72
AV	5.3506G	53.04	54.00	-0.96	44.48	3	Vertical	183	1.81	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	64.53	74.00	-9.47	56.49	3	Horizontal	181	1.80	-	33.55	5.22	30.73
AV	5.1496G	51.26	54.00	-2.74	43.14	3	Horizontal	181	1.80	-	33.60	5.25	30.73
PK	5.251G	130.44	Inf	-Inf	122.13	3	Horizontal	181	1.80	-	33.70	5.33	30.72
AV	5.251G	118.16	Inf	-Inf	109.85	3	Horizontal	181	1.80	-	33.70	5.33	30.72
PK	5.4094G	66.18	74.00	-7.82	57.49	3	Horizontal	181	1.80	-	34.00	5.41	30.72
AV	5.35G	52.99	54.00	-1.01	44.43	3	Horizontal	181	1.80	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51944G	53.36	68.20	-14.84	39.12	3	Vertical	326	1.71	-	38.58	7.51	31.85
PK	15.78284G	57.39	74.00	-16.61	41.47	3	Vertical	26	2.40	-	37.50	9.90	31.48
AV	15.77332G	44.34	54.00	-9.66	28.41	3	Vertical	26	2.40	-	37.50	9.90	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5204G	53.67	68.20	-14.53	39.43	3	Horizontal	141	1.63	-	38.58	7.51	31.85
PK	15.7792G	57.57	74.00	-16.43	41.65	3	Horizontal	208	1.77	-	37.50	9.90	31.48
AV	15.7712G	44.33	54.00	-9.67	28.40	3	Horizontal	208	1.77	-	37.50	9.90	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	129.34	Inf	-Inf	120.89	3	Vertical	183	1.76	-	33.82	5.35	30.72
AV	5.3084G	117.20	Inf	-Inf	108.75	3	Vertical	183	1.76	-	33.82	5.35	30.72
PK	5.35G	66.84	74.00	-7.16	58.28	3	Vertical	183	1.76	-	33.90	5.38	30.72
AV	5.3504G	53.67	54.00	-0.33	45.11	3	Vertical	183	1.76	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	127.82	Inf	-Inf	119.37	3	Horizontal	176	1.80	-	33.82	5.35	30.72
AV	5.3088G	115.08	Inf	-Inf	106.63	3	Horizontal	176	1.80	-	33.82	5.35	30.72
PK	5.3504G	65.95	74.00	-8.05	57.39	3	Horizontal	176	1.80	-	33.90	5.38	30.72
AV	5.35G	52.79	54.00	-1.21	44.23	3	Horizontal	176	1.80	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60876G	52.59	74.00	-21.41	38.42	3	Vertical	113	1.35	-	38.50	7.54	31.87
AV	10.60436G	39.24	54.00	-14.76	25.06	3	Vertical	113	1.35	-	38.50	7.54	31.86
PK	15.90388G	56.73	74.00	-17.27	41.01	3	Vertical	275	1.64	-	37.30	9.96	31.54
AV	15.89048G	43.53	54.00	-10.47	27.79	3	Vertical	275	1.64	-	37.32	9.95	31.53

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5932G	53.35	68.20	-14.85	39.16	3	Horizontal	215	1.13	-	38.51	7.54	31.86
PK	15.9084G	56.70	74.00	-17.30	40.98	3	Horizontal	81	1.72	-	37.30	9.96	31.54
AV	15.90408G	43.59	54.00	-10.41	27.87	3	Horizontal	81	1.72	-	37.30	9.96	31.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	126.14	Inf	-Inf	117.65	3	Vertical	184	1.77	-	33.85	5.36	30.72
AV	5.3284G	114.12	Inf	-Inf	105.62	3	Vertical	184	1.77	-	33.86	5.36	30.72
PK	5.35G	69.67	74.00	-4.33	61.11	3	Vertical	184	1.77	-	33.90	5.38	30.72
AV	5.35G	53.43	54.00	-0.57	44.87	3	Vertical	184	1.77	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	125.00	Inf	-Inf	116.50	3	Horizontal	176	1.80	-	33.86	5.36	30.72
AV	5.3288G	112.48	Inf	-Inf	103.98	3	Horizontal	176	1.80	-	33.86	5.36	30.72
PK	5.35G	70.17	74.00	-3.83	61.61	3	Horizontal	176	1.80	-	33.90	5.38	30.72
AV	5.35G	53.44	54.00	-0.56	44.88	3	Horizontal	176	1.80	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6322G	53.24	74.00	-20.76	39.06	3	Vertical	277	2.03	-	38.50	7.55	31.87
AV	10.63068G	38.99	54.00	-15.01	24.81	3	Vertical	277	2.03	-	38.50	7.55	31.87
PK	15.95676G	56.58	74.00	-17.42	40.87	3	Vertical	341	1.03	-	37.30	9.98	31.57
AV	15.9588G	43.40	54.00	-10.60	27.69	3	Vertical	341	1.03	-	37.30	9.98	31.57

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6328G	52.85	74.00	-21.15	38.67	3	Horizontal	309	1.80	-	38.50	7.55	31.87
AV	10.63808G	38.97	54.00	-15.03	24.78	3	Horizontal	309	1.80	-	38.50	7.56	31.87
PK	15.95848G	57.57	74.00	-16.43	41.86	3	Horizontal	241	1.95	-	37.30	9.98	31.57
AV	15.96436G	43.37	54.00	-10.63	27.66	3	Horizontal	241	1.95	-	37.30	9.98	31.57

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4506G	63.62	74.00	-10.38	54.89	3	Vertical	184	1.80	-	34.00	5.45	30.72
PK	5.467G	67.99	68.20	-0.21	59.24	3	Vertical	184	1.80	-	34.00	5.47	30.72
AV	5.4594G	51.06	54.00	-2.94	42.32	3	Vertical	184	1.80	-	34.00	5.46	30.72
PK	5.5074G	126.09	Inf	-Inf	117.31	3	Vertical	184	1.80	-	34.00	5.51	30.73
AV	5.5072G	113.38	Inf	-Inf	104.60	3	Vertical	184	1.80	-	34.00	5.51	30.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.57	74.00	-10.43	54.83	3	Horizontal	175	1.80	-	34.00	5.46	30.72
AV	5.4584G	51.09	54.00	-2.91	42.35	3	Horizontal	175	1.80	-	34.00	5.46	30.72
PK	5.4696G	66.59	68.20	-1.61	57.84	3	Horizontal	175	1.80	-	34.00	5.47	30.72
PK	5.4912G	124.44	Inf	-Inf	115.67	3	Horizontal	175	1.80	-	34.00	5.49	30.72
AV	5.4914G	112.44	Inf	-Inf	103.67	3	Horizontal	175	1.80	-	34.00	5.49	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00512G	53.76	74.00	-20.24	39.37	3	Vertical	314	2.09	-	38.61	7.70	31.92
AV	11.00532G	39.70	54.00	-14.30	25.31	3	Vertical	314	2.09	-	38.61	7.70	31.92
PK	16.50556G	60.51	68.20	-7.69	42.11	3	Vertical	142	1.66	-	39.12	10.25	30.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99692G	53.62	74.00	-20.38	39.24	3	Horizontal	239	1.46	-	38.60	7.70	31.92
AV	10.99808G	39.78	54.00	-14.22	25.40	3	Horizontal	239	1.46	-	38.60	7.70	31.92
PK	16.49352G	60.73	68.20	-7.47	42.42	3	Horizontal	195	1.00	-	39.05	10.25	30.99

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	64.47	74.00	-9.53	55.76	3	Vertical	181	1.86	-	34.00	5.43	30.72
AV	5.424G	51.31	54.00	-2.69	42.61	3	Vertical	181	1.86	-	34.00	5.42	30.72
PK	5.4688G	63.54	68.20	-4.66	54.79	3	Vertical	181	1.86	-	34.00	5.47	30.72
PK	5.5832G	131.06	Inf	-Inf	122.33	3	Vertical	181	1.86	-	33.93	5.58	30.78
AV	5.572G	119.51	Inf	-Inf	110.75	3	Vertical	181	1.86	-	33.96	5.57	30.77
PK	5.728G	66.18	68.20	-2.02	57.63	3	Vertical	181	1.86	-	33.84	5.60	30.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	64.77	74.00	-9.23	56.05	3	Horizontal	175	1.80	-	34.00	5.44	30.72
AV	5.4488G	51.80	54.00	-2.20	43.07	3	Horizontal	175	1.80	-	34.00	5.45	30.72
PK	5.4672G	63.40	68.20	-4.80	54.65	3	Horizontal	175	1.80	-	34.00	5.47	30.72
PK	5.572G	131.00	Inf	-Inf	122.24	3	Horizontal	175	1.80	-	33.96	5.57	30.77
AV	5.5712G	119.15	Inf	-Inf	110.39	3	Horizontal	175	1.80	-	33.96	5.57	30.77
PK	5.7648G	63.58	68.20	-4.62	55.10	3	Horizontal	175	1.80	-	33.80	5.60	30.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16272G	53.25	74.00	-20.75	38.71	3	Vertical	340	1.09	-	38.76	7.77	31.99
AV	11.16388G	39.90	54.00	-14.10	25.36	3	Vertical	340	1.09	-	38.76	7.77	31.99
PK	16.73268G	61.62	68.20	-6.58	42.03	3	Vertical	122	1.53	-	39.86	10.37	30.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16256G	53.13	74.00	-20.87	38.59	3	Horizontal	222	2.03	-	38.76	7.77	31.99
AV	11.16288G	39.89	54.00	-14.11	25.35	3	Horizontal	222	2.03	-	38.76	7.77	31.99
PK	16.74724G	61.32	68.20	-6.88	41.59	3	Horizontal	65	2.55	-	39.98	10.37	30.62

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	125.25	Inf	-Inf	116.63	3	Vertical	180	1.63	-	33.89	5.60	30.87
AV	5.6946G	112.14	Inf	-Inf	103.52	3	Vertical	180	1.63	-	33.89	5.60	30.87
PK	5.7254G	68.05	68.20	-0.15	59.49	3	Vertical	180	1.63	-	33.85	5.60	30.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6914G	123.19	Inf	-Inf	114.58	3	Horizontal	170	1.80	-	33.88	5.60	30.87
AV	5.6912G	110.55	Inf	-Inf	101.94	3	Horizontal	170	1.80	-	33.88	5.60	30.87
PK	5.726G	64.14	68.20	-4.06	55.58	3	Horizontal	170	1.80	-	33.85	5.60	30.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.391G	52.73	74.00	-21.27	38.15	3	Vertical	103	1.89	-	38.80	7.86	32.08
AV	11.39196G	39.24	54.00	-14.76	24.66	3	Vertical	103	1.89	-	38.80	7.86	32.08
PK	17.09876G	63.02	68.20	-5.18	41.32	3	Vertical	335	2.75	-	41.40	10.55	30.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40112G	53.13	74.00	-20.87	38.55	3	Horizontal	326	1.84	-	38.80	7.86	32.08
AV	11.40896G	39.28	54.00	-14.72	24.68	3	Horizontal	326	1.84	-	38.82	7.86	32.08
PK	17.10656G	63.73	68.20	-4.47	41.99	3	Horizontal	179	1.19	-	41.44	10.55	30.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.719G	131.26	Inf	-Inf	122.69	3	Vertical	184	1.80	-	33.86	5.60	30.89
AV	5.729G	120.39	Inf	-Inf	111.84	3	Vertical	184	1.80	-	33.84	5.60	30.89
PK	5.873G	63.51	68.20	-4.69	54.90	3	Vertical	184	1.80	-	33.94	5.67	31.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.712G	129.51	Inf	-Inf	120.91	3	Horizontal	170	1.80	-	33.88	5.60	30.88
AV	5.711G	117.91	Inf	-Inf	109.31	3	Horizontal	170	1.80	-	33.88	5.60	30.88
PK	5.908G	63.32	68.20	-4.88	54.52	3	Horizontal	170	1.80	-	34.12	5.71	31.03

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44952G	52.73	74.00	-21.27	38.05	3	Vertical	117	2.29	-	38.90	7.88	32.10
AV	11.44896G	39.44	54.00	-14.56	24.76	3	Vertical	117	2.29	-	38.90	7.88	32.10
PK	17.16596G	63.22	68.20	-4.98	41.08	3	Vertical	156	2.02	-	41.80	10.58	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44412G	53.35	74.00	-20.65	38.68	3	Horizontal	313	2.70	-	38.89	7.88	32.10
AV	11.44864G	39.32	54.00	-14.68	24.64	3	Horizontal	313	2.70	-	38.90	7.88	32.10
PK	17.15196G	63.43	68.20	-4.77	41.38	3	Horizontal	90	1.20	-	41.71	10.58	30.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 20.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	64.12	74.00	-9.88	56.03	3	Vertical	180	1.54	-	33.58	5.24	30.73
AV	5.1446G	51.46	54.00	-2.54	43.36	3	Vertical	180	1.54	-	33.59	5.24	30.73
PK	5.273G	128.04	Inf	-Inf	119.67	3	Vertical	180	1.54	-	33.75	5.34	30.72
AV	5.2736G	114.54	Inf	-Inf	106.17	3	Vertical	180	1.54	-	33.75	5.34	30.72
PK	5.3534G	68.33	74.00	-5.67	59.76	3	Vertical	180	1.54	-	33.91	5.38	30.72
AV	5.3534G	53.62	54.00	-0.38	45.05	3	Vertical	180	1.54	-	33.91	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 20.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	63.06	74.00	-10.94	55.02	3	Horizontal	177	1.81	-	33.55	5.22	30.73
AV	5.1452G	50.67	54.00	-3.33	42.56	3	Horizontal	177	1.81	-	33.59	5.25	30.73
PK	5.276G	123.96	Inf	-Inf	115.59	3	Horizontal	177	1.81	-	33.75	5.34	30.72
AV	5.276G	112.30	Inf	-Inf	103.93	3	Horizontal	177	1.81	-	33.75	5.34	30.72
PK	5.3576G	66.79	74.00	-7.21	58.21	3	Horizontal	177	1.81	-	33.92	5.38	30.72
AV	5.3564G	53.27	54.00	-0.73	44.70	3	Horizontal	177	1.81	-	33.91	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53544G	53.22	68.20	-14.98	39.00	3	Vertical	245	2.98	-	38.56	7.51	31.85
PK	15.8048G	57.68	74.00	-16.32	41.77	3	Vertical	130	2.87	-	37.49	9.91	31.49
AV	15.80308G	43.91	54.00	-10.09	28.00	3	Vertical	130	2.87	-	37.49	9.91	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54184G	53.01	68.20	-15.19	38.79	3	Horizontal	199	2.55	-	38.56	7.52	31.86
PK	15.80888G	57.68	74.00	-16.32	41.78	3	Horizontal	59	2.10	-	37.48	9.91	31.49
AV	15.81324G	43.94	54.00	-10.06	28.04	3	Horizontal	59	2.10	-	37.47	9.92	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	120.07	Inf	-Inf	111.61	3	Vertical	181	1.53	-	33.82	5.36	30.72
AV	5.3116G	108.48	Inf	-Inf	100.02	3	Vertical	181	1.53	-	33.82	5.36	30.72
PK	5.3532G	67.67	74.00	-6.33	59.10	3	Vertical	181	1.53	-	33.91	5.38	30.72
AV	5.3528G	53.60	54.00	-0.40	45.03	3	Vertical	181	1.53	-	33.91	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	119.09	Inf	-Inf	110.62	3	Horizontal	179	1.85	-	33.83	5.36	30.72
AV	5.3136G	107.04	Inf	-Inf	98.57	3	Horizontal	179	1.85	-	33.83	5.36	30.72
PK	5.3532G	66.25	74.00	-7.75	57.68	3	Horizontal	179	1.85	-	33.91	5.38	30.72
AV	5.3512G	52.78	54.00	-1.22	44.22	3	Horizontal	179	1.85	-	33.90	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62256G	53.07	74.00	-20.93	38.89	3	Vertical	16	1.52	-	38.50	7.55	31.87
AV	10.6158G	39.22	54.00	-14.78	25.04	3	Vertical	16	1.52	-	38.50	7.55	31.87
PK	15.92964G	57.09	74.00	-16.91	41.37	3	Vertical	313	1.69	-	37.30	9.97	31.55
AV	15.9236G	43.58	54.00	-10.42	27.86	3	Vertical	313	1.69	-	37.30	9.97	31.55

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom



EUT Y_4TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61816G	53.58	74.00	-20.42	39.40	3	Horizontal	119	1.23	-	38.50	7.55	31.87
AV	10.61036G	39.28	54.00	-14.72	25.11	3	Horizontal	119	1.23	-	38.50	7.54	31.87
PK	15.92616G	56.61	74.00	-17.39	40.89	3	Horizontal	258	2.69	-	37.30	9.97	31.55
AV	15.92372G	43.52	54.00	-10.48	27.80	3	Horizontal	258	2.69	-	37.30	9.97	31.55