


802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 21.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	63.25	68.20	-4.95	54.70	3	Horizontal	180	1.54	-	33.90	5.37	30.72
AV	5.35G	51.75	54.00	-2.25	43.20	3	Horizontal	180	1.54	-	33.90	5.37	30.72
PK	5.375G	65.09	74.00	-8.91	56.47	3	Horizontal	180	1.54	-	33.95	5.39	30.72
AV	5.376G	52.56	54.00	-1.44	43.94	3	Horizontal	180	1.54	-	33.95	5.39	30.72
PK	5.468G	64.05	68.20	-4.15	55.30	3	Horizontal	180	1.54	-	34.00	5.47	30.72
PK	5.549G	123.06	Inf	-Inf	114.27	3	Horizontal	180	1.54	-	34.00	5.55	30.76
AV	5.546G	110.78	Inf	-Inf	101.98	3	Horizontal	180	1.54	-	34.00	5.55	30.75
PK	5.761G	63.69	68.20	-4.51	55.21	3	Horizontal	180	1.54	-	33.80	5.60	30.92

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09874G	55.48	74.00	-18.52	41.00	3	Vertical	28	1.80	-	38.70	7.74	31.96
AV	11.10744G	41.53	54.00	-12.47	27.04	3	Vertical	28	1.80	-	38.71	7.74	31.96
PK	16.65362G	61.46	68.20	-6.74	42.38	3	Vertical	21	1.89	-	39.51	10.33	30.76

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10756G	54.88	74.00	-19.12	40.39	3	Horizontal	336	1.87	-	38.71	7.74	31.96
AV	11.0886G	41.52	54.00	-12.48	27.05	3	Horizontal	336	1.87	-	38.69	7.74	31.96
PK	16.64978G	61.21	68.20	-6.99	42.15	3	Horizontal	177	1.56	-	39.50	10.32	30.76

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_V_2TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	124.06	Inf	-Inf	115.47	3	Vertical	187	1.68	-	33.84	5.60	30.85
AV	5.6718G	110.73	Inf	-Inf	102.14	3	Vertical	187	1.68	-	33.84	5.60	30.85
PK	5.7318G	67.78	68.20	-0.42	59.24	3	Vertical	187	1.68	-	33.84	5.60	30.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT V_2TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6634G	120.43	Inf	-Inf	111.84	3	Horizontal	176	1.75	-	33.83	5.60	30.84
AV	5.6838G	107.63	Inf	-Inf	99.02	3	Horizontal	176	1.75	-	33.87	5.60	30.86
PK	5.727G	67.52	68.20	-0.68	58.96	3	Horizontal	176	1.75	-	33.85	5.60	30.89

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33808G	54.43	74.00	-19.57	39.85	3	Vertical	23	2.07	-	38.80	7.84	32.06
AV	11.33874G	40.83	54.00	-13.17	26.25	3	Vertical	23	2.07	-	38.80	7.84	32.06
PK	17.01192G	63.03	68.20	-5.17	41.73	3	Vertical	175	2.43	-	41.05	10.51	30.26

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32866G	53.58	74.00	-20.42	39.00	3	Horizontal	235	2.42	-	38.80	7.83	32.05
AV	11.33868G	40.43	54.00	-13.57	25.85	3	Horizontal	235	2.42	-	38.80	7.84	32.06
PK	17.00704G	63.22	68.20	-4.98	41.95	3	Horizontal	102	1.04	-	41.03	10.50	30.26

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	128.58	Inf	-Inf	120.01	3	Vertical	187	1.78	-	33.86	5.60	30.89
AV	5.7188G	115.51	Inf	-Inf	106.94	3	Vertical	187	1.78	-	33.86	5.60	30.89
PK	5.9092G	64.50	68.20	-3.70	55.70	3	Vertical	187	1.78	-	34.12	5.71	31.03

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7204G	125.26	Inf	-Inf	116.69	3	Horizontal	175	1.70	-	33.86	5.60	30.89
AV	5.7196G	112.85	Inf	-Inf	104.28	3	Horizontal	175	1.70	-	33.86	5.60	30.89
PK	5.8604G	64.42	68.20	-3.78	55.89	3	Horizontal	175	1.70	-	33.86	5.66	30.99

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41814G	56.30	74.00	-17.70	41.68	3	Vertical	23	1.86	-	38.84	7.87	32.09
AV	11.40812G	42.31	54.00	-11.69	27.71	3	Vertical	23	1.86	-	38.82	7.86	32.08
PK	17.12702G	64.17	68.20	-4.03	42.30	3	Vertical	167	1.66	-	41.56	10.56	30.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 25
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4164G	54.87	74.00	-19.13	40.26	3	Horizontal	232	2.97	-	38.83	7.87	32.09
AV	11.4176G	41.74	54.00	-12.26	27.12	3	Horizontal	232	2.97	-	38.84	7.87	32.09
PK	17.13444G	63.85	68.20	-4.35	41.92	3	Horizontal	274	2.61	-	41.61	10.57	30.25

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.79	74.00	-11.21	54.68	3	Vertical	189	1.80	-	33.59	5.25	30.73
AV	5.088G	50.55	54.00	-3.45	42.59	3	Vertical	189	1.80	-	33.50	5.19	30.73
PK	5.283G	115.60	Inf	-Inf	107.21	3	Vertical	189	1.80	-	33.77	5.34	30.72
AV	5.276G	102.47	Inf	-Inf	94.10	3	Vertical	189	1.80	-	33.75	5.34	30.72
PK	5.353G	64.62	74.00	-9.38	56.05	3	Vertical	189	1.80	-	33.91	5.38	30.72
AV	5.352G	52.07	54.00	-1.93	43.51	3	Vertical	189	1.80	-	33.90	5.38	30.72
PK	5.481G	62.88	68.20	-5.32	54.12	3	Vertical	189	1.80	-	34.00	5.48	30.72

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 16.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	62.21	74.00	-11.79	54.14	3	Horizontal	184	1.78	-	33.57	5.23	30.73
AV	5.15G	50.30	54.00	-3.70	42.18	3	Horizontal	184	1.78	-	33.60	5.25	30.73
PK	5.28G	115.30	Inf	-Inf	106.92	3	Horizontal	184	1.78	-	33.76	5.34	30.72
AV	5.28G	102.27	Inf	-Inf	93.89	3	Horizontal	184	1.78	-	33.76	5.34	30.72
PK	5.353G	67.01	74.00	-6.99	58.44	3	Horizontal	184	1.78	-	33.91	5.38	30.72
AV	5.35G	53.60	54.00	-0.40	45.04	3	Horizontal	184	1.78	-	33.90	5.38	30.72
PK	5.473G	63.60	68.20	-4.60	54.85	3	Horizontal	184	1.78	-	34.00	5.47	30.72

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58324G	52.65	68.20	-15.55	38.46	3	Vertical	326	2.74	-	38.52	7.53	31.86
PK	15.87254G	57.11	74.00	-16.89	41.34	3	Vertical	184	1.88	-	37.35	9.94	31.52
AV	15.8655G	43.85	54.00	-10.15	28.06	3	Vertical	184	1.88	-	37.37	9.94	31.52

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57226G	52.58	68.20	-15.62	38.38	3	Horizontal	40	2.81	-	38.53	7.53	31.86
PK	15.86692G	58.31	74.00	-15.69	42.52	3	Horizontal	322	2.38	-	37.37	9.94	31.52
AV	15.86618G	43.82	54.00	-10.18	28.03	3	Horizontal	322	2.38	-	37.37	9.94	31.52

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 17.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	63.63	68.20	-4.57	55.20	3	Vertical	189	1.76	-	33.80	5.35	30.72
AV	5.35G	50.81	54.00	-3.19	42.26	3	Vertical	189	1.76	-	33.90	5.37	30.72
PK	5.441G	64.79	74.00	-9.21	56.07	3	Vertical	189	1.76	-	34.00	5.44	30.72
AV	5.445G	51.95	54.00	-2.05	43.22	3	Vertical	189	1.76	-	34.00	5.45	30.72
PK	5.461G	65.77	68.20	-2.43	57.03	3	Vertical	189	1.76	-	34.00	5.46	30.72
PK	5.531G	116.09	Inf	-Inf	107.30	3	Vertical	189	1.76	-	34.00	5.53	30.74
AV	5.54G	102.43	Inf	-Inf	93.64	3	Vertical	189	1.76	-	34.00	5.54	30.75
PK	5.764G	64.75	68.20	-3.45	56.27	3	Vertical	189	1.76	-	33.80	5.60	30.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 17.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.287G	63.87	68.20	-4.33	55.48	3	Horizontal	183	1.70	-	33.77	5.34	30.72
AV	5.35G	51.20	54.00	-2.80	42.65	3	Horizontal	183	1.70	-	33.90	5.37	30.72
PK	5.459G	65.45	74.00	-8.55	56.71	3	Horizontal	183	1.70	-	34.00	5.46	30.72
AV	5.456G	53.52	54.00	-0.48	44.78	3	Horizontal	183	1.70	-	34.00	5.46	30.72
PK	5.465G	66.30	68.20	-1.90	57.56	3	Horizontal	183	1.70	-	34.00	5.46	30.72
PK	5.518G	116.31	Inf	-Inf	107.52	3	Horizontal	183	1.70	-	34.00	5.52	30.73
AV	5.517G	103.77	Inf	-Inf	94.98	3	Horizontal	183	1.70	-	34.00	5.52	30.73
PK	5.76G	63.14	68.20	-5.06	54.66	3	Horizontal	183	1.70	-	33.80	5.60	30.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 17.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0498G	52.98	74.00	-21.02	38.55	3	Vertical	34	1.83	-	38.65	7.72	31.94
AV	11.0543G	39.87	54.00	-14.13	25.44	3	Vertical	34	1.83	-	38.65	7.72	31.94
PK	16.58502G	60.99	68.20	-7.21	42.20	3	Vertical	106	2.28	-	39.36	10.29	30.86

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 17.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05628G	53.07	74.00	-20.93	38.63	3	Horizontal	344	2.18	-	38.66	7.72	31.94
AV	11.0489G	39.86	54.00	-14.14	25.43	3	Horizontal	344	2.18	-	38.65	7.72	31.94
PK	16.59138G	60.86	68.20	-7.34	42.04	3	Horizontal	18	1.58	-	39.37	10.30	30.85

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT V_2TX
Setting 20.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.389G	63.07	74.00	-10.93	54.42	3	Vertical	186	1.65	-	33.98	5.39	30.72
AV	5.407G	50.87	54.00	-3.13	42.18	3	Vertical	186	1.65	-	34.00	5.41	30.72
PK	5.465G	63.12	68.20	-5.08	54.38	3	Vertical	186	1.65	-	34.00	5.46	30.72
PK	5.608G	119.68	Inf	-Inf	111.00	3	Vertical	186	1.65	-	33.88	5.60	30.80
AV	5.604G	107.02	Inf	-Inf	98.33	3	Vertical	186	1.65	-	33.89	5.60	30.80
PK	5.734G	67.91	68.20	-0.29	59.38	3	Vertical	186	1.65	-	33.83	5.60	30.90

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 20.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.431G	64.56	74.00	-9.44	55.85	3	Horizontal	178	1.66	-	34.00	5.43	30.72
AV	5.449G	52.16	54.00	-1.84	43.43	3	Horizontal	178	1.66	-	34.00	5.45	30.72
PK	5.468G	63.84	68.20	-4.36	55.09	3	Horizontal	178	1.66	-	34.00	5.47	30.72
PK	5.606G	119.75	Inf	-Inf	111.06	3	Horizontal	178	1.66	-	33.89	5.60	30.80
AV	5.616G	106.60	Inf	-Inf	97.94	3	Horizontal	178	1.66	-	33.87	5.60	30.81
PK	5.727G	67.73	68.20	-0.47	59.17	3	Horizontal	178	1.66	-	33.85	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 20.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23068G	53.54	74.00	-20.46	38.96	3	Vertical	350	2.66	-	38.80	7.79	32.01
AV	11.20614G	40.01	54.00	-13.99	25.43	3	Vertical	350	2.66	-	38.80	7.78	32.00
PK	16.83222G	62.60	68.20	-5.60	42.18	3	Vertical	231	1.61	-	40.50	10.42	30.50

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 20.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20716G	53.93	74.00	-20.07	39.35	3	Horizontal	50	1.80	-	38.80	7.78	32.00
AV	11.20872G	40.31	54.00	-13.69	25.73	3	Horizontal	50	1.80	-	38.80	7.78	32.00
PK	16.8339G	62.59	68.20	-5.61	42.17	3	Horizontal	123	2.13	-	40.50	10.42	30.50

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	64.62	74.00	-9.38	55.88	3	Vertical	187	1.77	-	34.00	5.46	30.72
PK	5.462G	63.94	68.20	-4.26	55.20	3	Vertical	187	1.77	-	34.00	5.46	30.72
AV	5.46G	51.32	54.00	-2.68	42.58	3	Vertical	187	1.77	-	34.00	5.46	30.72
PK	5.691G	124.63	Inf	-Inf	116.02	3	Vertical	187	1.77	-	33.88	5.60	30.87
AV	5.699G	111.64	Inf	-Inf	103.01	3	Vertical	187	1.77	-	33.90	5.60	30.87
PK	5.854G	67.76	68.20	-0.44	59.28	3	Vertical	187	1.77	-	33.82	5.65	30.99

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 24
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.441G	64.02	74.00	-9.98	55.30	3	Horizontal	175	1.78	-	34.00	5.44	30.72
PK	5.461G	64.25	68.20	-3.95	55.51	3	Horizontal	175	1.78	-	34.00	5.46	30.72
AV	5.46G	52.10	54.00	-1.90	43.36	3	Horizontal	175	1.78	-	34.00	5.46	30.72
PK	5.694G	121.60	Inf	-Inf	112.98	3	Horizontal	175	1.78	-	33.89	5.60	30.87
AV	5.688G	109.63	Inf	-Inf	101.01	3	Horizontal	175	1.78	-	33.88	5.60	30.86
PK	5.866G	67.18	68.20	-1.02	58.61	3	Horizontal	175	1.78	-	33.90	5.67	31.00

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37808G	54.02	74.00	-19.98	39.44	3	Vertical	226	1.89	-	38.80	7.85	32.07
AV	11.36818G	40.92	54.00	-13.08	26.34	3	Vertical	226	1.89	-	38.80	7.85	32.07
PK	17.06768G	63.44	68.20	-4.76	41.89	3	Vertical	342	1.52	-	41.27	10.53	30.25

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3677G	54.82	74.00	-19.18	40.24	3	Horizontal	14	2.28	-	38.80	7.85	32.07
AV	11.37766G	41.16	54.00	-12.84	26.58	3	Horizontal	14	2.28	-	38.80	7.85	32.07
PK	17.06852G	63.34	68.20	-4.86	41.79	3	Horizontal	352	2.11	-	41.27	10.53	30.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1494G	53.94	54.00	-0.06	3	Horizontal	3	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 23
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.067G	64.77	74.00	-9.23	58.36	3	Vertical	3	1.82	-	32.80	6.43	32.82
AV	5.065G	52.20	54.00	-1.80	45.79	3	Vertical	3	1.82	-	32.80	6.43	32.82
PK	5.257G	128.64	Inf	-Inf	122.04	3	Vertical	3	1.82	-	32.81	6.53	32.74
AV	5.259G	117.25	Inf	-Inf	110.64	3	Vertical	3	1.82	-	32.82	6.53	32.74
PK	5.362G	65.05	74.00	-8.95	58.12	3	Vertical	3	1.82	-	33.05	6.58	32.70
AV	5.354G	53.73	54.00	-0.27	46.83	3	Vertical	3	1.82	-	33.02	6.58	32.70
PK	5.492G	62.76	68.20	-5.44	55.05	3	Vertical	3	1.82	-	33.70	6.65	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 23
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.073G	64.69	74.00	-9.31	58.27	3	Horizontal	0	1.77	-	32.80	6.44	32.82
AV	5.071G	52.30	54.00	-1.70	45.88	3	Horizontal	0	1.77	-	32.80	6.44	32.82
PK	5.262G	127.52	Inf	-Inf	120.91	3	Horizontal	0	1.77	-	32.82	6.53	32.74
AV	5.261G	116.46	Inf	-Inf	109.85	3	Horizontal	0	1.77	-	32.82	6.53	32.74
PK	5.354G	66.07	74.00	-7.93	59.17	3	Horizontal	0	1.77	-	33.02	6.58	32.70
AV	5.355G	52.68	54.00	-1.32	45.78	3	Horizontal	0	1.77	-	33.02	6.58	32.70
PK	5.462G	62.50	68.20	-5.70	54.83	3	Horizontal	0	1.77	-	33.70	6.63	32.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 23
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52132G	59.53	68.20	-8.67	43.69	3	Vertical	240	1.80	-	38.52	8.98	31.66
PK	15.78276G	63.44	74.00	-10.56	45.07	3	Vertical	201	1.54	-	38.20	10.82	30.65
AV	15.77704G	49.52	54.00	-4.48	31.19	3	Vertical	201	1.54	-	38.16	10.82	30.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 23
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52236G	59.99	68.20	-8.21	44.15	3	Horizontal	202	1.53	-	38.52	8.98	31.66
PK	15.78308G	63.18	74.00	-10.82	44.81	3	Horizontal	244	1.47	-	38.20	10.82	30.65
AV	15.77642G	49.46	54.00	-4.54	31.13	3	Horizontal	244	1.47	-	38.16	10.82	30.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 23
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	63.12	74.00	-10.88	56.72	3	Vertical	2	1.80	-	32.72	6.47	32.79
AV	5.087G	51.60	54.00	-2.40	45.17	3	Vertical	2	1.80	-	32.80	6.44	32.81
PK	5.304G	126.62	Inf	-Inf	119.88	3	Vertical	2	1.80	-	32.91	6.55	32.72
AV	5.303G	115.25	Inf	-Inf	108.51	3	Vertical	2	1.80	-	32.91	6.55	32.72
PK	5.354G	64.16	74.00	-9.84	57.26	3	Vertical	2	1.80	-	33.02	6.58	32.70
AV	5.351G	52.22	54.00	-1.78	45.34	3	Vertical	2	1.80	-	33.00	6.58	32.70
PK	5.547G	63.44	68.20	-4.76	55.54	3	Vertical	2	1.80	-	33.89	6.67	32.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 23
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.099G	64.91	74.00	-9.09	58.47	3	Horizontal	358	1.80	-	32.80	6.45	32.81
AV	5.114G	51.94	54.00	-2.06	45.51	3	Horizontal	358	1.80	-	32.77	6.46	32.80
PK	5.298G	127.61	Inf	-Inf	120.88	3	Horizontal	358	1.80	-	32.90	6.55	32.72
AV	5.303G	115.65	Inf	-Inf	108.91	3	Horizontal	358	1.80	-	32.91	6.55	32.72
PK	5.388G	65.70	74.00	-8.30	58.65	3	Horizontal	358	1.80	-	33.15	6.59	32.69
AV	5.398G	53.76	54.00	-0.24	46.65	3	Horizontal	358	1.80	-	33.19	6.60	32.68
PK	5.494G	64.89	68.20	-3.31	57.18	3	Horizontal	358	1.80	-	33.70	6.65	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 23
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59502G	59.49	68.20	-8.71	43.60	3	Vertical	205	2.00	-	38.60	9.01	31.72
PK	15.89776G	64.19	74.00	-9.81	45.54	3	Vertical	216	1.37	-	38.40	10.86	30.61
AV	15.9039G	50.41	54.00	-3.59	31.75	3	Vertical	216	1.37	-	38.40	10.87	30.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 23
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59664G	59.58	68.20	-8.62	43.69	3	Horizontal	256	2.48	-	38.60	9.01	31.72
PK	15.90326G	64.26	74.00	-9.74	45.60	3	Horizontal	213	1.85	-	38.40	10.87	30.61
AV	15.90378G	50.31	54.00	-3.69	31.65	3	Horizontal	213	1.85	-	38.40	10.87	30.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	62.79	74.00	-11.21	56.37	3	Vertical	3	1.80	-	32.74	6.47	32.79
AV	5.126G	50.59	54.00	-3.41	44.18	3	Vertical	3	1.80	-	32.75	6.46	32.80
PK	5.318G	124.26	Inf	-Inf	117.48	3	Vertical	3	1.80	-	32.94	6.56	32.72
AV	5.316G	112.72	Inf	-Inf	105.95	3	Vertical	3	1.80	-	32.93	6.56	32.72
PK	5.358G	64.62	74.00	-9.38	57.71	3	Vertical	3	1.80	-	33.03	6.58	32.70
AV	5.35G	51.77	54.00	-2.23	44.89	3	Vertical	3	1.80	-	33.00	6.58	32.70
PK	5.563G	63.40	68.20	-4.80	55.52	3	Vertical	3	1.80	-	33.87	6.68	32.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	63.17	74.00	-10.83	56.76	3	Horizontal	357	1.80	-	32.75	6.46	32.80
AV	5.133G	50.38	54.00	-3.62	43.97	3	Horizontal	357	1.80	-	32.73	6.47	32.79
PK	5.322G	124.94	Inf	-Inf	118.15	3	Horizontal	357	1.80	-	32.94	6.56	32.71
AV	5.317G	112.53	Inf	-Inf	105.76	3	Horizontal	357	1.80	-	32.93	6.56	32.72
PK	5.357G	64.61	74.00	-9.39	57.70	3	Horizontal	357	1.80	-	33.03	6.58	32.70
AV	5.35G	52.69	54.00	-1.31	45.81	3	Horizontal	357	1.80	-	33.00	6.58	32.70
PK	5.495G	63.87	68.20	-4.33	56.16	3	Horizontal	357	1.80	-	33.70	6.65	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6359G	58.97	74.00	-15.03	43.10	3	Vertical	182	1.96	-	38.60	9.02	31.75
AV	10.63736G	45.48	54.00	-8.52	29.61	3	Vertical	182	1.96	-	38.60	9.02	31.75
PK	15.958G	63.68	74.00	-10.32	44.98	3	Vertical	215	2.28	-	38.40	10.89	30.59
AV	15.95502G	50.45	54.00	-3.55	31.76	3	Vertical	215	2.28	-	38.40	10.88	30.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63754G	59.38	74.00	-14.62	43.51	3	Horizontal	299	2.19	-	38.60	9.02	31.75
AV	10.6357G	45.47	54.00	-8.53	29.60	3	Horizontal	299	2.19	-	38.60	9.02	31.75
PK	15.96136G	63.90	74.00	-10.10	45.20	3	Horizontal	354	1.55	-	38.40	10.89	30.59
AV	15.96476G	50.21	54.00	-3.79	31.51	3	Horizontal	354	1.55	-	38.40	10.89	30.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	64.96	68.20	-3.24	58.29	3	Vertical	6	1.80	-	32.86	6.54	32.73
PK	5.46G	65.05	74.00	-8.95	57.38	3	Vertical	6	1.80	-	33.70	6.63	32.66
AV	5.459G	53.46	54.00	-0.54	45.79	3	Vertical	6	1.80	-	33.70	6.63	32.66
PK	5.469G	66.62	68.20	-1.58	58.94	3	Vertical	6	1.80	-	33.70	6.63	32.65
PK	5.494G	124.11	Inf	-Inf	116.40	3	Vertical	6	1.80	-	33.70	6.65	32.64
AV	5.499G	111.31	Inf	-Inf	103.60	3	Vertical	6	1.80	-	33.70	6.65	32.64
PK	5.739G	64.77	68.20	-3.43	56.43	3	Vertical	6	1.80	-	34.31	6.77	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	63.71	68.20	-4.49	56.97	3	Horizontal	355	1.80	-	32.91	6.55	32.72
PK	5.457G	64.75	74.00	-9.25	57.08	3	Horizontal	355	1.80	-	33.70	6.63	32.66
AV	5.46G	52.73	54.00	-1.27	45.06	3	Horizontal	355	1.80	-	33.70	6.63	32.66
PK	5.468G	66.98	68.20	-1.22	59.30	3	Horizontal	355	1.80	-	33.70	6.63	32.65
PK	5.495G	125.35	Inf	-Inf	117.64	3	Horizontal	355	1.80	-	33.70	6.65	32.64
AV	5.502G	113.40	Inf	-Inf	105.68	3	Horizontal	355	1.80	-	33.71	6.65	32.64
PK	5.744G	63.78	68.20	-4.42	55.40	3	Horizontal	355	1.80	-	34.35	6.77	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99518G	58.84	74.00	-15.16	43.23	3	Vertical	270	2.82	-	38.50	9.15	32.04
AV	11.0039G	45.39	54.00	-8.61	29.78	3	Vertical	270	2.82	-	38.50	9.15	32.04
PK	16.49598G	67.49	68.20	-0.71	45.14	3	Vertical	168	1.63	-	40.28	11.02	28.95

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99832G	59.19	74.00	-14.81	43.58	3	Horizontal	150	1.25	-	38.50	9.15	32.04
AV	10.99832G	45.35	54.00	-8.65	29.74	3	Horizontal	150	1.25	-	38.50	9.15	32.04
PK	16.5081G	67.35	68.20	-0.85	44.97	3	Horizontal	170	1.80	-	40.30	11.03	28.95

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	63.76	68.20	-4.44	56.90	3	Vertical	0	1.80	-	32.99	6.57	32.70
PK	5.382G	64.46	74.00	-9.54	57.43	3	Vertical	0	1.80	-	33.13	6.59	32.69
AV	5.391G	52.06	54.00	-1.94	44.99	3	Vertical	0	1.80	-	33.16	6.60	32.69
PK	5.464G	63.66	68.20	-4.54	55.99	3	Vertical	0	1.80	-	33.70	6.63	32.66
PK	5.581G	125.90	Inf	-Inf	118.04	3	Vertical	0	1.80	-	33.84	6.69	32.67
AV	5.578G	114.30	Inf	-Inf	106.44	3	Vertical	0	1.80	-	33.84	6.69	32.67
PK	5.76G	65.32	68.20	-2.88	56.88	3	Vertical	0	1.80	-	34.40	6.78	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	64.11	68.20	-4.09	57.27	3	Horizontal	355	1.80	-	32.98	6.57	32.71
PK	5.395G	66.33	74.00	-7.67	59.23	3	Horizontal	355	1.80	-	33.18	6.60	32.68
AV	5.39G	53.74	54.00	-0.26	46.68	3	Horizontal	355	1.80	-	33.16	6.59	32.69
PK	5.468G	64.30	68.20	-3.90	56.62	3	Horizontal	355	1.80	-	33.70	6.63	32.65
PK	5.575G	127.30	Inf	-Inf	119.43	3	Horizontal	355	1.80	-	33.85	6.69	32.67
AV	5.578G	115.00	Inf	-Inf	107.14	3	Horizontal	355	1.80	-	33.84	6.69	32.67
PK	5.75G	65.30	68.20	-2.90	56.86	3	Horizontal	355	1.80	-	34.40	6.78	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16G	59.30	74.00	-14.70	43.69	3	Vertical	306	2.34	-	38.34	9.21	31.94
AV	11.1644G	45.50	54.00	-8.50	29.89	3	Vertical	306	2.34	-	38.34	9.21	31.94
PK	16.73942G	66.11	68.20	-2.09	43.95	3	Vertical	161	2.78	-	40.44	11.08	29.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1624G	58.85	74.00	-15.15	43.24	3	Horizontal	201	1.65	-	38.34	9.21	31.94
AV	11.15668G	45.60	54.00	-8.40	30.01	3	Horizontal	201	1.65	-	38.34	9.20	31.95
PK	16.73958G	66.03	68.20	-2.17	43.87	3	Horizontal	351	1.04	-	40.44	11.08	29.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	123.66	Inf	-Inf	115.60	3	Vertical	360	1.80	-	34.03	6.75	32.72
AV	5.7016G	111.41	Inf	-Inf	103.37	3	Vertical	360	1.80	-	34.01	6.75	32.72
PK	5.7272G	65.23	68.20	-2.97	56.98	3	Vertical	360	1.80	-	34.22	6.76	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	122.87	Inf	-Inf	114.79	3	Horizontal	347	1.80	-	34.05	6.75	32.72
AV	5.7028G	110.51	Inf	-Inf	102.46	3	Horizontal	347	1.80	-	34.02	6.75	32.72
PK	5.7256G	67.59	68.20	-0.61	59.36	3	Horizontal	347	1.80	-	34.20	6.76	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40318G	59.77	74.00	-14.23	43.88	3	Vertical	205	1.11	-	38.40	9.29	31.80
AV	11.40368G	46.47	54.00	-7.53	30.58	3	Vertical	205	1.11	-	38.40	9.29	31.80
PK	17.09638G	66.86	68.20	-1.34	44.26	3	Vertical	191	2.26	-	41.39	11.17	29.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 19
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39844G	60.69	74.00	-13.31	44.80	3	Horizontal	158	2.72	-	38.40	9.29	31.80
AV	11.39532G	46.47	54.00	-7.53	30.58	3	Horizontal	158	2.72	-	38.40	9.29	31.80
PK	17.09634G	66.83	68.20	-1.37	44.23	3	Horizontal	354	1.49	-	41.39	11.17	29.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	131.17	Inf	-Inf	122.99	3	Vertical	0	1.80	-	34.15	6.76	32.73
AV	5.7224G	119.13	Inf	-Inf	110.92	3	Vertical	0	1.80	-	34.18	6.76	32.73
PK	5.8888G	65.63	68.20	-2.57	56.71	3	Vertical	0	1.80	-	34.88	6.84	32.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	130.92	Inf	-Inf	122.69	3	Horizontal	351	1.80	-	34.20	6.76	32.73
AV	5.7144G	119.37	Inf	-Inf	111.22	3	Horizontal	351	1.80	-	34.12	6.76	32.73
PK	5.8632G	66.64	68.20	-1.56	57.77	3	Horizontal	351	1.80	-	34.83	6.83	32.79

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43358G	65.23	74.00	-8.77	49.31	3	Vertical	230	1.80	-	38.40	9.30	31.78
AV	11.43688G	51.11	54.00	-2.89	35.19	3	Vertical	230	1.80	-	38.40	9.30	31.78
PK	17.16012G	67.26	68.20	-0.94	44.61	3	Vertical	241	1.97	-	41.52	11.19	30.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
 Setting 28
 01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43946G	65.48	74.00	-8.52	49.56	3	Horizontal	171	1.08	-	38.40	9.30	31.78
AV	11.43808G	52.44	54.00	-1.56	36.52	3	Horizontal	171	1.08	-	38.40	9.30	31.78
PK	17.16228G	67.33	68.20	-0.87	44.68	3	Horizontal	111	2.40	-	41.52	11.19	30.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.46	74.00	-10.54	57.08	3	Vertical	0	1.80	-	32.70	6.47	32.79
AV	5.1458G	51.38	54.00	-2.62	44.99	3	Vertical	0	1.80	-	32.71	6.47	32.79
PK	5.2742G	128.23	Inf	-Inf	121.57	3	Vertical	0	1.80	-	32.85	6.54	32.73
AV	5.273G	113.41	Inf	-Inf	106.76	3	Vertical	0	1.80	-	32.85	6.54	32.74
PK	5.3522G	64.88	74.00	-9.12	57.99	3	Vertical	0	1.80	-	33.01	6.58	32.70
AV	5.3618G	52.47	54.00	-1.53	45.54	3	Vertical	0	1.80	-	33.05	6.58	32.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	64.50	74.00	-9.50	58.10	3	Horizontal	360	1.80	-	32.72	6.47	32.79
AV	5.1398G	51.94	54.00	-2.06	45.54	3	Horizontal	360	1.80	-	32.72	6.47	32.79
PK	5.258G	126.00	Inf	-Inf	119.39	3	Horizontal	360	1.80	-	32.82	6.53	32.74
AV	5.267G	113.31	Inf	-Inf	106.69	3	Horizontal	360	1.80	-	32.83	6.53	32.74
PK	5.3588G	66.52	74.00	-7.48	59.60	3	Horizontal	360	1.80	-	33.04	6.58	32.70
AV	5.3702G	53.63	54.00	-0.37	46.65	3	Horizontal	360	1.80	-	33.08	6.59	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54324G	59.56	68.20	-8.64	43.70	3	Vertical	11	2.16	-	38.54	8.99	31.67
PK	15.8052G	62.71	74.00	-11.29	44.21	3	Vertical	261	2.30	-	38.31	10.83	30.64
AV	15.80862G	49.30	54.00	-4.70	30.80	3	Vertical	261	2.30	-	38.31	10.83	30.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54392G	59.44	68.20	-8.76	43.59	3	Horizontal	75	2.91	-	38.54	8.99	31.68
PK	15.8114G	62.74	74.00	-11.26	44.24	3	Horizontal	268	1.28	-	38.31	10.83	30.64
AV	15.80544G	49.35	54.00	-4.65	30.85	3	Horizontal	268	1.28	-	38.31	10.83	30.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 16
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	118.86	Inf	-Inf	112.08	3	Vertical	0	1.80	-	32.94	6.56	32.72
AV	5.3016G	107.92	Inf	-Inf	101.19	3	Vertical	0	1.80	-	32.90	6.55	32.72
PK	5.3536G	64.09	74.00	-9.91	57.20	3	Vertical	0	1.80	-	33.01	6.58	32.70
AV	5.35G	50.88	54.00	-3.12	44.00	3	Vertical	0	1.80	-	33.00	6.58	32.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 16
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	120.41	Inf	-Inf	113.70	3	Horizontal	356	1.79	-	32.89	6.55	32.73
AV	5.3064G	107.28	Inf	-Inf	100.54	3	Horizontal	356	1.79	-	32.91	6.55	32.72
PK	5.3508G	67.10	74.00	-6.90	60.22	3	Horizontal	356	1.79	-	33.00	6.58	32.70
AV	5.3504G	53.94	54.00	-0.06	47.06	3	Horizontal	356	1.79	-	33.00	6.58	32.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61538G	59.08	74.00	-14.92	43.19	3	Vertical	64	1.57	-	38.60	9.02	31.73
AV	10.61558G	45.54	54.00	-8.46	29.65	3	Vertical	64	1.57	-	38.60	9.02	31.73
PK	15.93032G	63.12	74.00	-10.88	44.44	3	Vertical	18	2.06	-	38.40	10.88	30.60
AV	15.93274G	49.76	54.00	-4.24	31.08	3	Vertical	18	2.06	-	38.40	10.88	30.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62406G	59.13	74.00	-14.87	43.25	3	Horizontal	281	2.33	-	38.60	9.02	31.74
AV	10.62152G	45.53	54.00	-8.47	29.65	3	Horizontal	281	2.33	-	38.60	9.02	31.74
PK	15.92846G	63.09	74.00	-10.91	44.42	3	Horizontal	339	2.71	-	38.40	10.87	30.60
AV	15.92996G	49.75	54.00	-4.25	31.07	3	Horizontal	339	2.71	-	38.40	10.88	30.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 16
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	63.29	74.00	-10.71	55.62	3	Vertical	2	1.80	-	33.70	6.63	32.66
AV	5.4568G	50.94	54.00	-3.06	43.27	3	Vertical	2	1.80	-	33.70	6.63	32.66
PK	5.4696G	63.78	68.20	-4.42	56.10	3	Vertical	2	1.80	-	33.70	6.63	32.65
PK	5.5084G	119.59	Inf	-Inf	111.85	3	Vertical	2	1.80	-	33.73	6.65	32.64
AV	5.4952G	106.54	Inf	-Inf	98.83	3	Vertical	2	1.80	-	33.70	6.65	32.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 16
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	66.99	74.00	-7.01	59.32	3	Horizontal	353	1.80	-	33.70	6.63	32.66
AV	5.4588G	53.85	54.00	-0.15	46.18	3	Horizontal	353	1.80	-	33.70	6.63	32.66
PK	5.4648G	67.66	68.20	-0.54	59.98	3	Horizontal	353	1.80	-	33.70	6.63	32.65
PK	5.5012G	119.26	Inf	-Inf	111.55	3	Horizontal	353	1.80	-	33.70	6.65	32.64
AV	5.5012G	106.85	Inf	-Inf	99.14	3	Horizontal	353	1.80	-	33.70	6.65	32.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0219G	58.78	74.00	-15.22	43.17	3	Vertical	344	1.69	-	38.48	9.16	32.03
AV	11.01532G	45.16	54.00	-8.84	29.55	3	Vertical	344	1.69	-	38.48	9.16	32.03
PK	16.53276G	67.19	68.20	-1.01	44.86	3	Vertical	256	1.91	-	40.30	11.03	29.00

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 16
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01624G	58.73	74.00	-15.27	43.12	3	Horizontal	3	2.47	-	38.48	9.16	32.03
AV	11.02228G	45.24	54.00	-8.76	29.63	3	Horizontal	3	2.47	-	38.48	9.16	32.03
PK	16.52688G	67.31	68.20	-0.89	44.97	3	Horizontal	280	1.19	-	40.30	11.03	28.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4228G	64.08	74.00	-9.92	56.71	3	Vertical	0	1.80	-	33.43	6.61	32.67
PK	5.463G	63.48	68.20	-4.72	55.81	3	Vertical	0	1.80	-	33.70	6.63	32.66
AV	5.4576G	51.64	54.00	-2.36	43.97	3	Vertical	0	1.80	-	33.70	6.63	32.66
PK	5.5506G	121.72	Inf	-Inf	113.80	3	Vertical	0	1.80	-	33.90	6.68	32.66
AV	5.5488G	109.25	Inf	-Inf	101.34	3	Vertical	0	1.80	-	33.90	6.67	32.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4072G	65.85	74.00	-8.15	58.66	3	Horizontal	355	1.80	-	33.27	6.60	32.68
PK	5.4684G	66.90	68.20	-1.30	59.22	3	Horizontal	355	1.80	-	33.70	6.63	32.65
AV	5.4552G	53.91	54.00	-0.09	46.24	3	Horizontal	355	1.80	-	33.70	6.63	32.66
PK	5.5338G	124.82	Inf	-Inf	116.96	3	Horizontal	355	1.80	-	33.84	6.67	32.65
AV	5.5464G	110.60	Inf	-Inf	102.70	3	Horizontal	355	1.80	-	33.89	6.67	32.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09526G	59.09	74.00	-14.91	43.49	3	Vertical	52	2.35	-	38.40	9.18	31.98
AV	11.1006G	45.51	54.00	-8.49	29.90	3	Vertical	52	2.35	-	38.40	9.19	31.98
PK	16.6456G	66.94	68.20	-1.26	44.72	3	Vertical	159	2.11	-	40.35	11.06	29.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1013G	58.87	74.00	-15.13	43.26	3	Horizontal	66	2.00	-	38.40	9.19	31.98
AV	11.10176G	45.43	54.00	-8.57	29.82	3	Horizontal	66	2.00	-	38.40	9.19	31.98
PK	16.64532G	66.61	68.20	-1.59	44.39	3	Horizontal	312	1.63	-	40.35	11.06	29.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6718G	125.57	Inf	-Inf	117.48	3	Vertical	0	1.80	-	34.06	6.74	32.71
AV	5.667G	112.15	Inf	-Inf	104.06	3	Vertical	0	1.80	-	34.07	6.73	32.71
PK	5.7336G	67.95	68.20	-0.25	59.64	3	Vertical	0	1.80	-	34.27	6.77	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6622G	125.91	Inf	-Inf	117.80	3	Horizontal	348	1.80	-	34.08	6.73	32.70
AV	5.6772G	111.83	Inf	-Inf	103.75	3	Horizontal	348	1.80	-	34.05	6.74	32.71
PK	5.7252G	67.28	68.20	-0.92	59.05	3	Horizontal	348	1.80	-	34.20	6.76	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33644G	60.36	74.00	-13.64	44.53	3	Vertical	60	2.52	-	38.40	9.27	31.84
AV	11.33936G	46.40	54.00	-7.60	30.57	3	Vertical	60	2.52	-	38.40	9.27	31.84
PK	17.01006G	66.64	68.20	-1.56	44.19	3	Vertical	339	2.13	-	41.13	11.15	29.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3408G	60.21	74.00	-13.79	44.38	3	Horizontal	33	1.05	-	38.40	9.27	31.84
AV	11.3371G	46.40	54.00	-7.60	30.57	3	Horizontal	33	1.05	-	38.40	9.27	31.84
PK	17.0126G	66.66	68.20	-1.54	44.20	3	Horizontal	69	2.58	-	41.14	11.15	29.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	130.30	Inf	-Inf	122.22	3	Vertical	0	1.80	-	34.05	6.75	32.72
AV	5.706G	117.72	Inf	-Inf	109.64	3	Vertical	0	1.80	-	34.05	6.75	32.72
PK	5.8556G	66.55	68.20	-1.65	57.69	3	Vertical	0	1.80	-	34.81	6.83	32.78

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	128.92	Inf	-Inf	120.73	3	Horizontal	355	1.80	-	34.16	6.76	32.73
AV	5.7052G	118.00	Inf	-Inf	109.93	3	Horizontal	355	1.80	-	34.04	6.75	32.72
PK	5.8716G	67.66	68.20	-0.54	58.77	3	Horizontal	355	1.80	-	34.84	6.84	32.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42702G	63.79	74.00	-10.21	47.87	3	Vertical	196	2.52	-	38.40	9.30	31.78
AV	11.42636G	49.47	54.00	-4.53	33.55	3	Vertical	196	2.52	-	38.40	9.30	31.78
PK	17.13312G	67.00	68.20	-1.20	44.37	3	Vertical	155	2.05	-	41.47	11.18	30.02

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40896G	63.54	74.00	-10.46	47.64	3	Horizontal	171	1.66	-	38.40	9.29	31.79
AV	11.42138G	49.74	54.00	-4.26	33.83	3	Horizontal	171	1.66	-	38.40	9.30	31.79
PK	17.1294G	67.46	68.20	-0.74	44.83	3	Horizontal	315	2.53	-	41.46	11.18	30.01

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 18
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.094G	61.30	74.00	-12.70	54.86	3	Vertical	0	1.80	-	32.80	6.45	32.81
AV	5.1252G	49.09	54.00	-4.91	42.68	3	Vertical	0	1.80	-	32.75	6.46	32.80
PK	5.258G	118.29	Inf	-Inf	111.68	3	Vertical	0	1.80	-	32.82	6.53	32.74
AV	5.2516G	102.92	Inf	-Inf	96.33	3	Vertical	0	1.80	-	32.80	6.53	32.74
PK	5.3772G	62.84	74.00	-11.16	55.83	3	Vertical	0	1.80	-	33.11	6.59	32.69
AV	5.3548G	50.67	54.00	-3.33	43.77	3	Vertical	0	1.80	-	33.02	6.58	32.70
PK	5.4684G	62.61	68.20	-5.59	54.93	3	Vertical	0	1.80	-	33.70	6.63	32.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 18
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	62.02	74.00	-11.98	55.59	3	Horizontal	0	1.80	-	32.77	6.46	32.80
AV	5.1292G	49.16	54.00	-4.84	42.76	3	Horizontal	0	1.80	-	32.74	6.46	32.80
PK	5.2532G	117.00	Inf	-Inf	110.40	3	Horizontal	0	1.80	-	32.81	6.53	32.74
AV	5.2868G	101.18	Inf	-Inf	94.50	3	Horizontal	0	1.80	-	32.87	6.54	32.73
PK	5.3548G	66.37	74.00	-7.63	59.47	3	Horizontal	0	1.80	-	33.02	6.58	32.70
AV	5.35G	51.70	54.00	-2.30	44.82	3	Horizontal	0	1.80	-	33.00	6.58	32.70
PK	5.4716G	63.08	68.20	-5.12	55.39	3	Horizontal	0	1.80	-	33.70	6.64	32.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58342G	59.99	68.20	-8.21	44.12	3	Vertical	309	2.73	-	38.58	9.00	31.71
PK	15.86578G	62.89	74.00	-11.11	44.29	3	Vertical	274	1.32	-	38.37	10.85	30.62
AV	15.87264G	49.31	54.00	-4.69	30.70	3	Vertical	274	1.32	-	38.37	10.86	30.62

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57632G	59.73	68.20	-8.47	43.85	3	Horizontal	240	2.47	-	38.58	9.00	31.70
PK	15.8724G	62.75	74.00	-11.25	44.14	3	Horizontal	151	2.01	-	38.37	10.86	30.62
AV	15.86644G	49.14	54.00	-4.86	30.54	3	Horizontal	151	2.01	-	38.37	10.85	30.62

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	62.56	68.20	-5.64	55.70	3	Vertical	2	1.80	-	32.99	6.57	32.70
PK	5.432G	63.86	74.00	-10.14	56.39	3	Vertical	2	1.80	-	33.52	6.62	32.67
PK	5.47G	62.93	68.20	-5.27	55.25	3	Vertical	2	1.80	-	33.70	6.63	32.65
AV	5.459G	51.17	54.00	-2.83	43.50	3	Vertical	2	1.80	-	33.70	6.63	32.66
PK	5.496G	116.18	Inf	-Inf	108.47	3	Vertical	2	1.80	-	33.70	6.65	32.64
AV	5.492G	103.50	Inf	-Inf	95.79	3	Vertical	2	1.80	-	33.70	6.65	32.64
PK	5.761G	64.08	68.20	-4.12	55.64	3	Vertical	2	1.80	-	34.40	6.78	32.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.281G	62.94	68.20	-5.26	56.27	3	Horizontal	358	1.80	-	32.86	6.54	32.73
PK	5.457G	64.34	74.00	-9.66	56.67	3	Horizontal	358	1.80	-	33.70	6.63	32.66
AV	5.46G	52.17	54.00	-1.83	44.50	3	Horizontal	358	1.80	-	33.70	6.63	32.66
PK	5.465G	64.51	68.20	-3.69	56.83	3	Horizontal	358	1.80	-	33.70	6.63	32.65
AV	5.495G	106.53	Inf	-Inf	98.82	3	Horizontal	358	1.80	-	33.70	6.65	32.64
PK	5.54G	113.13	Inf	-Inf	105.26	3	Horizontal	358	1.80	-	33.86	6.67	32.66
PK	5.78G	62.70	68.20	-5.50	54.26	3	Horizontal	358	1.80	-	34.40	6.79	32.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 14
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06422G	59.62	74.00	-14.38	44.01	3	Vertical	247	1.05	-	38.44	9.17	32.00
AV	11.05714G	45.34	54.00	-8.66	29.74	3	Vertical	247	1.05	-	38.44	9.17	32.01
PK	16.5926G	66.82	68.20	-1.38	44.57	3	Vertical	25	1.29	-	40.30	11.05	29.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 14
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06132G	59.48	74.00	-14.52	43.87	3	Horizontal	19	1.98	-	38.44	9.17	32.00
AV	11.062G	45.34	54.00	-8.66	29.73	3	Horizontal	19	1.98	-	38.44	9.17	32.00
PK	16.58548G	66.88	68.20	-1.32	44.62	3	Horizontal	45	1.02	-	40.30	11.05	29.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.375G	63.99	74.00	-10.01	56.99	3	Vertical	360	1.80	-	33.10	6.59	32.69
PK	5.463G	63.26	68.20	-4.94	55.59	3	Vertical	360	1.80	-	33.70	6.63	32.66
AV	5.451G	51.78	54.00	-2.22	44.11	3	Vertical	360	1.80	-	33.70	6.63	32.66
PK	5.581G	123.20	Inf	-Inf	115.34	3	Vertical	360	1.80	-	33.84	6.69	32.67
AV	5.614G	107.75	Inf	-Inf	99.85	3	Vertical	360	1.80	-	33.88	6.71	32.69
PK	5.766G	66.86	68.20	-1.34	58.43	3	Vertical	360	1.80	-	34.40	6.78	32.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	66.53	74.00	-7.47	58.98	3	Horizontal	353	1.80	-	33.60	6.62	32.67
AV	5.419G	52.42	54.00	-1.58	45.09	3	Horizontal	353	1.80	-	33.39	6.61	32.67
PK	5.466G	65.38	68.20	-2.82	57.70	3	Horizontal	353	1.80	-	33.70	6.63	32.65
PK	5.604G	120.34	Inf	-Inf	112.50	3	Horizontal	353	1.80	-	33.82	6.70	32.68
AV	5.606G	107.56	Inf	-Inf	99.70	3	Horizontal	353	1.80	-	33.84	6.70	32.68
PK	5.726G	67.61	68.20	-0.59	59.37	3	Horizontal	353	1.80	-	34.21	6.76	32.73

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2158G	59.21	74.00	-14.79	43.57	3	Vertical	333	2.87	-	38.32	9.23	31.91
AV	11.21604G	45.86	54.00	-8.14	30.22	3	Vertical	333	2.87	-	38.32	9.23	31.91
PK	16.82792G	66.15	68.20	-2.05	43.91	3	Vertical	338	2.07	-	40.64	11.11	29.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22398G	60.13	74.00	-13.87	44.49	3	Horizontal	346	1.97	-	38.32	9.23	31.91
AV	11.22482G	45.86	54.00	-8.14	30.22	3	Horizontal	346	1.97	-	38.32	9.23	31.91
PK	16.8252G	66.29	68.20	-1.91	44.06	3	Horizontal	89	2.98	-	40.63	11.11	29.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.68	74.00	-10.32	56.01	3	Vertical	360	1.77	-	33.70	6.63	32.66
AV	5.4596G	51.60	54.00	-2.40	43.93	3	Vertical	360	1.77	-	33.70	6.63	32.66
PK	5.4668G	63.96	68.20	-4.24	56.28	3	Vertical	360	1.77	-	33.70	6.63	32.65
PK	5.6996G	123.50	Inf	-Inf	115.47	3	Vertical	360	1.77	-	34.00	6.75	32.72
AV	5.6528G	114.71	Inf	-Inf	106.59	3	Vertical	360	1.77	-	34.09	6.73	32.70
PK	5.8592G	64.75	68.20	-3.45	55.88	3	Vertical	360	1.77	-	34.82	6.83	32.78

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4032G	66.49	74.00	-7.51	59.34	3	Horizontal	351	1.80	-	33.23	6.60	32.68
PK	5.4632G	66.30	68.20	-1.90	58.63	3	Horizontal	351	1.80	-	33.70	6.63	32.66
AV	5.4584G	53.45	54.00	-0.55	45.78	3	Horizontal	351	1.80	-	33.70	6.63	32.66
PK	5.6816G	123.20	Inf	-Inf	115.13	3	Horizontal	351	1.80	-	34.04	6.74	32.71
AV	5.672G	109.90	Inf	-Inf	101.81	3	Horizontal	351	1.80	-	34.06	6.74	32.71
PK	5.858G	66.64	68.20	-1.56	57.77	3	Horizontal	351	1.80	-	34.82	6.83	32.78

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38442G	60.10	74.00	-13.90	44.23	3	Vertical	199	1.80	-	38.40	9.28	31.81
AV	11.38466G	46.46	54.00	-7.54	30.59	3	Vertical	199	1.80	-	38.40	9.28	31.81
PK	17.06808G	67.14	68.20	-1.06	44.59	3	Vertical	100	1.43	-	41.30	11.17	29.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37622G	59.72	74.00	-14.28	43.85	3	Horizontal	261	1.13	-	38.40	9.28	31.81
AV	11.37858G	46.41	54.00	-7.59	30.54	3	Horizontal	261	1.13	-	38.40	9.28	31.81
PK	17.06718G	66.95	68.20	-1.25	44.39	3	Horizontal	209	1.48	-	41.30	11.17	29.91



**RSE TX above 1GHz_R3 + Antenna set 1 for UNII 2A +
Antenna set 2 for UNII 2C_Non beamforming mode**


Appendix D.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.1626G	68.19	68.20	-0.01	3	Horizontal	218	1.83	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	58.51	74.00	-15.49	52.23	3	Vertical	112	1.62	-	32.70	6.37	32.79
AV	5.1166G	46.49	54.00	-7.51	40.16	3	Vertical	112	1.62	-	32.77	6.36	32.80
PK	5.2528G	117.86	Inf	-Inf	111.39	3	Vertical	112	1.62	-	32.81	6.40	32.74
AV	5.2528G	108.71	Inf	-Inf	102.24	3	Vertical	112	1.62	-	32.81	6.40	32.74
PK	5.4052G	60.66	74.00	-13.34	53.68	3	Vertical	112	1.62	-	33.25	6.41	32.68
AV	5.4082G	47.29	54.00	-6.71	40.28	3	Vertical	112	1.62	-	33.28	6.41	32.68

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1112G	60.81	74.00	-13.19	54.47	3	Horizontal	170	2.97	-	32.78	6.36	32.80
AV	5.1262G	47.90	54.00	-6.10	41.59	3	Horizontal	170	2.97	-	32.75	6.36	32.80
PK	5.2528G	128.01	Inf	-Inf	121.54	3	Horizontal	170	2.97	-	32.81	6.40	32.74
AV	5.2528G	117.78	Inf	-Inf	111.31	3	Horizontal	170	2.97	-	32.81	6.40	32.74
PK	5.3968G	61.80	74.00	-12.20	54.89	3	Horizontal	170	2.97	-	33.19	6.40	32.68
AV	5.404G	48.95	54.00	-5.05	41.99	3	Horizontal	170	2.97	-	33.24	6.40	32.68

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52352G	56.34	68.20	-11.86	40.85	3	Vertical	59	1.47	-	38.52	8.63	31.66
PK	15.77896G	61.12	74.00	-12.88	43.17	3	Vertical	91	1.80	-	38.17	10.43	30.65
AV	15.78304G	48.17	54.00	-5.83	30.19	3	Vertical	91	1.80	-	38.20	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51874G	56.47	68.20	-11.73	40.97	3	Horizontal	235	1.85	-	38.52	8.63	31.65
PK	15.78354G	61.24	74.00	-12.76	43.24	3	Horizontal	318	2.46	-	38.20	10.44	30.64
AV	15.7782G	48.26	54.00	-5.74	30.31	3	Horizontal	318	2.46	-	38.17	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	118.14	Inf	-Inf	111.58	3	Vertical	113	1.67	-	32.89	6.40	32.73
AV	5.2928G	108.43	Inf	-Inf	101.87	3	Vertical	113	1.67	-	32.89	6.40	32.73
PK	5.3508G	64.49	74.00	-9.51	57.79	3	Vertical	113	1.67	-	33.00	6.40	32.70
AV	5.3512G	49.92	54.00	-4.08	43.22	3	Vertical	113	1.67	-	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	127.69	Inf	-Inf	121.10	3	Horizontal	167	1.59	-	32.91	6.40	32.72
AV	5.3032G	117.58	Inf	-Inf	110.99	3	Horizontal	167	1.59	-	32.91	6.40	32.72
PK	5.3636G	68.27	74.00	-5.73	61.52	3	Horizontal	167	1.59	-	33.05	6.40	32.70
AV	5.3508G	53.70	54.00	-0.30	47.00	3	Horizontal	167	1.59	-	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60402G	57.06	74.00	-16.94	41.53	3	Vertical	126	1.67	-	38.60	8.65	31.72
PK	15.90146G	62.26	74.00	-11.74	44.00	3	Vertical	60	1.48	-	38.40	10.47	30.61
AV	15.90336G	49.45	54.00	-4.55	31.19	3	Vertical	60	1.48	-	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59672G	56.40	68.20	-11.80	40.87	3	Horizontal	206	1.67	-	38.60	8.65	31.72
PK	15.90064G	62.67	74.00	-11.33	44.41	3	Horizontal	113	1.41	-	38.40	10.47	30.61
AV	15.90358G	49.39	54.00	-4.61	31.13	3	Horizontal	113	1.41	-	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	114.63	Inf	-Inf	108.02	3	Vertical	118	1.56	-	32.93	6.40	32.72
AV	5.3126G	105.00	Inf	-Inf	98.39	3	Vertical	118	1.56	-	32.93	6.40	32.72
PK	5.3508G	62.99	74.00	-11.01	56.29	3	Vertical	118	1.56	-	33.00	6.40	32.70
AV	5.3506G	49.17	54.00	-4.83	42.47	3	Vertical	118	1.56	-	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	124.20	Inf	-Inf	117.59	3	Horizontal	166	2.95	-	32.93	6.40	32.72
AV	5.313G	114.21	Inf	-Inf	107.60	3	Horizontal	166	2.95	-	32.93	6.40	32.72
PK	5.3518G	69.79	74.00	-4.21	63.08	3	Horizontal	166	2.95	-	33.01	6.40	32.70
AV	5.351G	53.76	54.00	-0.24	47.06	3	Horizontal	166	2.95	-	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64312G	56.39	74.00	-17.61	40.88	3	Vertical	291	1.19	-	38.60	8.66	31.75
AV	10.63848G	43.10	54.00	-10.90	27.59	3	Vertical	291	1.19	-	38.60	8.66	31.75
PK	15.9565G	62.95	74.00	-11.05	44.65	3	Vertical	338	2.25	-	38.40	10.49	30.59
AV	15.96308G	50.14	54.00	-3.86	31.84	3	Vertical	338	2.25	-	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63866G	56.30	74.00	-17.70	40.79	3	Horizontal	337	3.00	-	38.60	8.66	31.75
AV	10.63914G	43.13	54.00	-10.87	27.62	3	Horizontal	337	3.00	-	38.60	8.66	31.75
PK	15.96092G	63.30	74.00	-10.70	45.00	3	Horizontal	349	2.96	-	38.40	10.49	30.59
AV	15.96388G	50.06	54.00	-3.94	31.76	3	Horizontal	349	2.96	-	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4428G	60.07	74.00	-13.93	52.66	3	Vertical	268	2.32	-	33.63	6.44	32.66
AV	5.4436G	47.81	54.00	-6.19	40.39	3	Vertical	268	2.32	-	33.64	6.44	32.66
PK	5.47G	61.31	68.20	-6.89	53.79	3	Vertical	268	2.32	-	33.70	6.47	32.65
PK	5.5024G	111.89	Inf	-Inf	104.32	3	Vertical	268	2.32	-	33.71	6.50	32.64
AV	5.5024G	102.15	Inf	-Inf	94.58	3	Vertical	268	2.32	-	33.71	6.50	32.64

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.79	74.00	-11.21	55.29	3	Horizontal	182	2.57	-	33.70	6.46	32.66
AV	5.4464G	49.33	54.00	-4.67	41.88	3	Horizontal	182	2.57	-	33.66	6.45	32.66
PK	5.47G	68.04	68.20	-0.16	60.52	3	Horizontal	182	2.57	-	33.70	6.47	32.65
PK	5.4924G	122.05	Inf	-Inf	114.50	3	Horizontal	182	2.57	-	33.70	6.49	32.64
AV	5.4924G	112.83	Inf	-Inf	105.28	3	Horizontal	182	2.57	-	33.70	6.49	32.64

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99944G	56.47	74.00	-17.53	41.26	3	Vertical	4	2.60	-	38.50	8.75	32.04
AV	11.0047G	43.43	54.00	-10.57	28.22	3	Vertical	4	2.60	-	38.50	8.75	32.04
PK	16.50034G	66.87	68.20	-1.33	44.86	3	Vertical	253	2.91	-	40.30	10.65	28.94

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0002G	56.56	74.00	-17.44	41.35	3	Horizontal	287	1.17	-	38.50	8.75	32.04
AV	11.00436G	43.40	54.00	-10.60	28.19	3	Horizontal	287	1.17	-	38.50	8.75	32.04
PK	16.50484G	67.30	68.20	-0.90	45.30	3	Horizontal	244	2.18	-	40.30	10.65	28.95

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	60.07	74.00	-13.93	52.83	3	Vertical	270	1.02	-	33.48	6.43	32.67
PK	5.4616G	59.65	68.20	-8.55	52.15	3	Vertical	270	1.02	-	33.70	6.46	32.66
AV	5.4552G	47.90	54.00	-6.10	40.40	3	Vertical	270	1.02	-	33.70	6.46	32.66
PK	5.5824G	117.11	Inf	-Inf	109.36	3	Vertical	270	1.02	-	33.84	6.58	32.67
AV	5.5832G	107.28	Inf	-Inf	99.54	3	Vertical	270	1.02	-	33.83	6.58	32.67
PK	5.7544G	60.70	68.20	-7.50	52.44	3	Vertical	270	1.02	-	34.40	6.60	32.74

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	62.30	74.00	-11.70	54.94	3	Horizontal	184	3.00	-	33.59	6.44	32.67
PK	5.4632G	60.96	68.20	-7.24	53.46	3	Horizontal	184	3.00	-	33.70	6.46	32.66
AV	5.4528G	49.41	54.00	-4.59	41.92	3	Horizontal	184	3.00	-	33.70	6.45	32.66
PK	5.5728G	126.74	Inf	-Inf	118.99	3	Horizontal	184	3.00	-	33.85	6.57	32.67
AV	5.5728G	116.85	Inf	-Inf	109.10	3	Horizontal	184	3.00	-	33.85	6.57	32.67
PK	5.7576G	61.52	68.20	-6.68	53.26	3	Horizontal	184	3.00	-	34.40	6.60	32.74

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15688G	56.50	74.00	-17.50	41.32	3	Vertical	51	1.79	-	38.34	8.79	31.95
AV	11.15992G	43.91	54.00	-10.09	28.72	3	Vertical	51	1.79	-	38.34	8.79	31.94
PK	16.74704G	66.30	68.20	-1.90	44.50	3	Vertical	83	2.50	-	40.45	10.72	29.37

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15952G	56.53	74.00	-17.47	41.34	3	Horizontal	314	1.80	-	38.34	8.79	31.94
AV	11.15984G	44.49	54.00	-9.51	29.30	3	Horizontal	314	1.80	-	38.34	8.79	31.94
PK	16.73912G	68.11	68.20	-0.09	46.31	3	Horizontal	236	1.81	-	40.44	10.72	29.36

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	110.68	Inf	-Inf	102.74	3	Vertical	247	2.39	-	34.06	6.60	32.72
AV	5.7072G	101.27	Inf	-Inf	93.33	3	Vertical	247	2.39	-	34.06	6.60	32.72
PK	5.7284G	63.83	68.20	-4.37	55.73	3	Vertical	247	2.39	-	34.23	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.693G	120.63	Inf	-Inf	112.74	3	Horizontal	179	2.97	-	34.01	6.60	32.72
AV	5.6928G	111.12	Inf	-Inf	103.23	3	Horizontal	179	2.97	-	34.01	6.60	32.72
PK	5.7262G	67.91	68.20	-0.29	59.83	3	Horizontal	179	2.97	-	34.21	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 19
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40086G	57.76	74.00	-16.24	42.31	3	Vertical	351	2.44	-	38.40	8.85	31.80
AV	11.40048G	44.18	54.00	-9.82	28.73	3	Vertical	351	2.44	-	38.40	8.85	31.80
PK	17.10104G	67.43	68.20	-0.77	45.17	3	Vertical	335	2.37	-	41.40	10.83	29.97

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 19
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39624G	57.88	74.00	-16.12	42.43	3	Horizontal	350	1.13	-	38.40	8.85	31.80
AV	11.3964G	43.85	54.00	-10.15	28.40	3	Horizontal	350	1.13	-	38.40	8.85	31.80
PK	17.09744G	67.17	68.20	-1.03	44.91	3	Horizontal	6	2.58	-	41.39	10.83	29.96

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	116.45	Inf	-Inf	108.45	3	Vertical	243	3.00	-	34.13	6.60	32.73
AV	5.7168G	106.75	Inf	-Inf	98.75	3	Vertical	243	3.00	-	34.13	6.60	32.73
PK	5.92G	61.05	68.20	-7.15	52.28	3	Vertical	243	3.00	-	34.98	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	126.54	Inf	-Inf	118.57	3	Horizontal	355	2.39	-	34.10	6.60	32.73
AV	5.7128G	117.33	Inf	-Inf	109.36	3	Horizontal	355	2.39	-	34.10	6.60	32.73
PK	5.9008G	62.41	68.20	-5.79	53.71	3	Horizontal	355	2.39	-	34.90	6.60	32.80

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44166G	57.23	74.00	-16.77	41.75	3	Vertical	2	2.03	-	38.40	8.86	31.78
AV	11.43516G	43.89	54.00	-10.11	28.41	3	Vertical	2	2.03	-	38.40	8.86	31.78
PK	17.16356G	67.42	68.20	-0.78	45.11	3	Vertical	15	1.80	-	41.53	10.85	30.07

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4367G	56.90	74.00	-17.10	41.42	3	Horizontal	323	1.89	-	38.40	8.86	31.78
AV	11.44226G	43.98	54.00	-10.02	28.49	3	Horizontal	323	1.89	-	38.40	8.86	31.77
PK	17.1626G	68.19	68.20	-0.01	45.87	3	Horizontal	218	1.83	-	41.53	10.85	30.06

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1214G	58.58	74.00	-15.42	52.26	3	Vertical	114	1.78	-	32.76	6.36	32.80
AV	5.1298G	45.84	54.00	-8.16	39.54	3	Vertical	114	1.78	-	32.74	6.36	32.80
PK	5.2654G	121.02	Inf	-Inf	114.53	3	Vertical	114	1.78	-	32.83	6.40	32.74
AV	5.2654G	107.62	Inf	-Inf	101.13	3	Vertical	114	1.78	-	32.83	6.40	32.74
PK	5.395G	59.58	74.00	-14.42	52.68	3	Vertical	114	1.78	-	33.18	6.40	32.68
AV	5.4034G	47.02	54.00	-6.98	40.07	3	Vertical	114	1.78	-	33.23	6.40	32.68

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	60.62	74.00	-13.38	54.29	3	Horizontal	167	2.60	-	32.77	6.36	32.80
AV	5.1208G	47.60	54.00	-6.40	41.28	3	Horizontal	167	2.60	-	32.76	6.36	32.80
PK	5.266G	128.83	Inf	-Inf	122.34	3	Horizontal	167	2.60	-	32.83	6.40	32.74
AV	5.2672G	116.92	Inf	-Inf	110.43	3	Horizontal	167	2.60	-	32.83	6.40	32.74
PK	5.3926G	61.56	74.00	-12.44	54.68	3	Horizontal	167	2.60	-	33.17	6.40	32.69
AV	5.35G	48.91	54.00	-5.09	42.21	3	Horizontal	167	2.60	-	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51814G	57.69	68.20	-10.51	42.19	3	Vertical	356	2.57	-	38.52	8.63	31.65
PK	15.78488G	63.42	74.00	-10.58	45.41	3	Vertical	128	1.75	-	38.21	10.44	30.64
AV	15.79192G	48.96	54.00	-5.04	30.91	3	Vertical	128	1.75	-	38.25	10.44	30.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5173G	56.99	68.20	-11.21	41.49	3	Horizontal	60	2.36	-	38.52	8.63	31.65
PK	15.79048G	66.13	74.00	-7.87	48.09	3	Horizontal	166	1.78	-	38.24	10.44	30.64
AV	15.78864G	51.81	54.00	-2.19	33.78	3	Horizontal	166	1.78	-	38.23	10.44	30.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 22.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	120.13	Inf	-Inf	113.54	3	Vertical	116	1.68	-	32.91	6.40	32.72
AV	5.3052G	107.05	Inf	-Inf	100.46	3	Vertical	116	1.68	-	32.91	6.40	32.72
PK	5.366G	60.05	74.00	-13.95	53.29	3	Vertical	116	1.68	-	33.06	6.40	32.70
AV	5.3656G	47.48	54.00	-6.52	40.72	3	Vertical	116	1.68	-	33.06	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 22.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	127.42	Inf	-Inf	120.82	3	Horizontal	171	3.00	-	32.92	6.40	32.72
AV	5.3072G	115.51	Inf	-Inf	108.92	3	Horizontal	171	3.00	-	32.91	6.40	32.72
PK	5.35G	67.26	74.00	-6.74	60.56	3	Horizontal	171	3.00	-	33.00	6.40	32.70
AV	5.35G	53.64	54.00	-0.36	46.94	3	Horizontal	171	3.00	-	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 22.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59804G	56.67	68.20	-11.53	41.14	3	Vertical	73	2.33	-	38.60	8.65	31.72
PK	15.90334G	62.04	74.00	-11.96	43.78	3	Vertical	100	1.40	-	38.40	10.47	30.61
AV	15.89608G	48.68	54.00	-5.32	30.42	3	Vertical	100	1.40	-	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 22.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59798G	57.31	68.20	-10.89	41.78	3	Horizontal	162	2.33	-	38.60	8.65	31.72
PK	15.90188G	62.58	74.00	-11.42	44.32	3	Horizontal	197	1.03	-	38.40	10.47	30.61
AV	15.89522G	48.68	54.00	-5.32	30.42	3	Horizontal	197	1.03	-	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	117.01	Inf	-Inf	110.37	3	Vertical	117	1.60	-	32.95	6.40	32.71
AV	5.3258G	104.07	Inf	-Inf	97.43	3	Vertical	117	1.60	-	32.95	6.40	32.71
PK	5.35G	59.15	74.00	-14.85	52.45	3	Vertical	117	1.60	-	33.00	6.40	32.70
AV	5.3582G	46.75	54.00	-7.25	40.02	3	Vertical	117	1.60	-	33.03	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	125.36	Inf	-Inf	118.72	3	Horizontal	170	3.00	-	32.95	6.40	32.71
AV	5.3272G	112.60	Inf	-Inf	105.96	3	Horizontal	170	3.00	-	32.95	6.40	32.71
PK	5.35G	67.10	74.00	-6.90	60.40	3	Horizontal	170	3.00	-	33.00	6.40	32.70
AV	5.35G	53.43	54.00	-0.57	46.73	3	Horizontal	170	3.00	-	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT X_4TX
Setting 19
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64158G	56.92	74.00	-17.08	41.41	3	Vertical	3	1.07	-	38.60	8.66	31.75
AV	10.64058G	42.90	54.00	-11.10	27.39	3	Vertical	3	1.07	-	38.60	8.66	31.75
PK	15.9637G	62.54	74.00	-11.46	44.24	3	Vertical	274	2.65	-	38.40	10.49	30.59
AV	15.9572G	49.05	54.00	-4.95	30.75	3	Vertical	274	2.65	-	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT X_4TX
Setting 19
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64408G	56.60	74.00	-17.40	41.10	3	Horizontal	208	1.58	-	38.60	8.66	31.76
AV	10.63786G	42.86	54.00	-11.14	27.35	3	Horizontal	208	1.58	-	38.60	8.66	31.75
PK	15.95952G	63.07	74.00	-10.93	44.77	3	Horizontal	166	1.63	-	38.40	10.49	30.59
AV	15.95552G	49.03	54.00	-4.97	30.73	3	Horizontal	166	1.63	-	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	60.38	74.00	-13.62	52.89	3	Vertical	266	2.33	-	33.70	6.45	32.66
AV	5.4506G	48.05	54.00	-5.95	40.56	3	Vertical	266	2.33	-	33.70	6.45	32.66
PK	5.4634G	60.15	68.20	-8.05	52.65	3	Vertical	266	2.33	-	33.70	6.46	32.66
PK	5.5026G	115.23	Inf	-Inf	107.66	3	Vertical	266	2.33	-	33.71	6.50	32.64
AV	5.5028G	102.09	Inf	-Inf	94.52	3	Vertical	266	2.33	-	33.71	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	62.13	74.00	-11.87	54.63	3	Horizontal	352	2.60	-	33.70	6.46	32.66
AV	5.4584G	49.65	54.00	-4.35	42.15	3	Horizontal	352	2.60	-	33.70	6.46	32.66
PK	5.4696G	65.09	68.20	-3.11	57.57	3	Horizontal	352	2.60	-	33.70	6.47	32.65
PK	5.4972G	123.66	Inf	-Inf	116.10	3	Horizontal	352	2.60	-	33.70	6.50	32.64
AV	5.4968G	111.45	Inf	-Inf	103.89	3	Horizontal	352	2.60	-	33.70	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99842G	57.25	74.00	-16.75	42.04	3	Vertical	326	2.43	-	38.50	8.75	32.04
AV	11.00194G	43.50	54.00	-10.50	28.29	3	Vertical	326	2.43	-	38.50	8.75	32.04
PK	16.4959G	66.65	68.20	-1.55	44.67	3	Vertical	220	1.75	-	40.28	10.65	28.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99852G	56.81	74.00	-17.19	41.60	3	Horizontal	199	1.27	-	38.50	8.75	32.04
AV	11.00458G	43.56	54.00	-10.44	28.35	3	Horizontal	199	1.27	-	38.50	8.75	32.04
PK	16.50036G	66.90	68.20	-1.30	44.89	3	Horizontal	284	1.97	-	40.30	10.65	28.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4168G	59.75	74.00	-14.25	52.63	3	Vertical	268	2.39	-	33.37	6.42	32.67
PK	5.4616G	59.97	68.20	-8.23	52.47	3	Vertical	268	2.39	-	33.70	6.46	32.66
AV	5.44G	47.79	54.00	-6.21	40.42	3	Vertical	268	2.39	-	33.60	6.44	32.67
PK	5.5832G	120.51	Inf	-Inf	112.77	3	Vertical	268	2.39	-	33.83	6.58	32.67
AV	5.584G	108.58	Inf	-Inf	100.84	3	Vertical	268	2.39	-	33.83	6.58	32.67
PK	5.7552G	60.80	68.20	-7.40	52.54	3	Vertical	268	2.39	-	34.40	6.60	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	60.85	74.00	-13.15	53.35	3	Horizontal	347	2.22	-	33.70	6.46	32.66
AV	5.4536G	48.98	54.00	-5.02	41.49	3	Horizontal	347	2.22	-	33.70	6.45	32.66
PK	5.4656G	59.95	68.20	-8.25	52.43	3	Horizontal	347	2.22	-	33.70	6.47	32.65
PK	5.576G	126.67	Inf	-Inf	118.91	3	Horizontal	347	2.22	-	33.85	6.58	32.67
AV	5.576G	114.09	Inf	-Inf	106.33	3	Horizontal	347	2.22	-	33.85	6.58	32.67
PK	5.7576G	61.00	68.20	-7.20	52.74	3	Horizontal	347	2.22	-	34.40	6.60	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16436G	57.74	74.00	-16.26	42.55	3	Vertical	176	2.82	-	38.34	8.79	31.94
AV	11.15986G	43.06	54.00	-10.94	27.87	3	Vertical	176	2.82	-	38.34	8.79	31.94
PK	16.73224G	66.13	68.20	-2.07	44.32	3	Vertical	9	1.80	-	40.43	10.72	29.34

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15904G	56.53	74.00	-17.47	41.34	3	Horizontal	222	2.07	-	38.34	8.79	31.94
AV	11.1592G	43.31	54.00	-10.69	28.12	3	Horizontal	222	2.07	-	38.34	8.79	31.94
PK	16.73912G	66.20	68.20	-2.00	44.40	3	Horizontal	238	1.80	-	40.44	10.72	29.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6962G	111.49	Inf	-Inf	103.60	3	Vertical	241	2.97	-	34.01	6.60	32.72
AV	5.6956G	99.35	Inf	-Inf	91.46	3	Vertical	241	2.97	-	34.01	6.60	32.72
PK	5.7418G	61.15	68.20	-7.05	52.96	3	Vertical	241	2.97	-	34.33	6.60	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	123.28	Inf	-Inf	115.38	3	Horizontal	356	1.80	-	34.02	6.60	32.72
AV	5.7032G	110.85	Inf	-Inf	102.94	3	Horizontal	356	1.80	-	34.03	6.60	32.72
PK	5.725G	67.76	68.20	-0.44	59.69	3	Horizontal	356	1.80	-	34.20	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40206G	57.74	74.00	-16.26	42.29	3	Vertical	97	1.09	-	38.40	8.85	31.80
AV	11.3971G	44.21	54.00	-9.79	28.76	3	Vertical	97	1.09	-	38.40	8.85	31.80
PK	17.10204G	67.15	68.20	-1.05	44.89	3	Vertical	241	2.27	-	41.40	10.83	29.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40346G	57.72	74.00	-16.28	42.27	3	Horizontal	262	2.56	-	38.40	8.85	31.80
AV	11.40376G	44.24	54.00	-9.76	28.79	3	Horizontal	262	2.56	-	38.40	8.85	31.80
PK	17.10192G	67.28	68.20	-0.92	45.02	3	Horizontal	339	2.24	-	41.40	10.83	29.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 23.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	117.19	Inf	-Inf	109.20	3	Vertical	252	2.14	-	34.12	6.60	32.73
AV	5.716G	105.75	Inf	-Inf	97.75	3	Vertical	252	2.14	-	34.13	6.60	32.73
PK	5.9128G	61.63	68.20	-6.57	52.89	3	Vertical	252	2.14	-	34.95	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_4TX
Setting 23.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	127.50	Inf	-Inf	119.44	3	Horizontal	353	1.79	-	34.19	6.60	32.73
AV	5.724G	117.05	Inf	-Inf	108.99	3	Horizontal	353	1.79	-	34.19	6.60	32.73
PK	5.868G	62.95	68.20	-5.25	54.30	3	Horizontal	353	1.79	-	34.84	6.60	32.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 23.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43848G	57.64	74.00	-16.36	42.16	3	Vertical	356	2.75	-	38.40	8.86	31.78
AV	11.44204G	44.07	54.00	-9.93	28.58	3	Vertical	356	2.75	-	38.40	8.86	31.77
PK	17.17424G	66.72	68.20	-1.48	44.40	3	Vertical	75	1.80	-	41.55	10.85	30.08

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 23.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44104G	57.94	74.00	-16.06	42.46	3	Horizontal	137	1.01	-	38.40	8.86	31.78
AV	11.4449G	44.22	54.00	-9.78	28.73	3	Horizontal	137	1.01	-	38.40	8.86	31.77
PK	17.16G	67.77	68.20	-0.43	45.46	3	Horizontal	217	1.80	-	41.52	10.85	30.06

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1338G	58.73	74.00	-15.27	52.42	3	Vertical	116	1.65	-	32.73	6.37	32.79
AV	5.132G	45.99	54.00	-8.01	39.67	3	Vertical	116	1.65	-	32.74	6.37	32.79
PK	5.2736G	115.76	Inf	-Inf	109.25	3	Vertical	116	1.65	-	32.85	6.40	32.74
AV	5.2754G	103.06	Inf	-Inf	96.54	3	Vertical	116	1.65	-	32.85	6.40	32.73
PK	5.3546G	60.53	74.00	-13.47	53.81	3	Vertical	116	1.65	-	33.02	6.40	32.70
AV	5.3552G	47.72	54.00	-6.28	41.00	3	Vertical	116	1.65	-	33.02	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1218G	60.99	74.00	-13.01	54.67	3	Horizontal	6	2.37	-	32.76	6.36	32.80
AV	5.1218G	48.15	54.00	-5.85	41.83	3	Horizontal	6	2.37	-	32.76	6.36	32.80
PK	5.2694G	124.52	Inf	-Inf	118.02	3	Horizontal	6	2.37	-	32.84	6.40	32.74
AV	5.2688G	112.03	Inf	-Inf	105.53	3	Horizontal	6	2.37	-	32.84	6.40	32.74
PK	5.35G	67.57	74.00	-6.43	60.87	3	Horizontal	6	2.37	-	33.00	6.40	32.70
AV	5.35G	53.81	54.00	-0.19	47.11	3	Horizontal	6	2.37	-	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 21
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5414G	57.13	68.20	-11.07	41.62	3	Vertical	314	1.87	-	38.54	8.64	31.67
PK	15.80558G	62.60	74.00	-11.40	44.49	3	Vertical	322	1.40	-	38.31	10.44	30.64
AV	15.80964G	48.49	54.00	-5.51	30.38	3	Vertical	322	1.40	-	38.31	10.44	30.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 21
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54026G	57.22	68.20	-10.98	41.71	3	Horizontal	146	2.13	-	38.54	8.64	31.67
PK	15.81038G	62.20	74.00	-11.80	44.09	3	Horizontal	57	2.88	-	38.31	10.44	30.64
AV	15.80632G	48.52	54.00	-5.48	30.41	3	Horizontal	57	2.88	-	38.31	10.44	30.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 16
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	113.41	Inf	-Inf	106.80	3	Vertical	116	1.56	-	32.93	6.40	32.72
AV	5.3156G	100.11	Inf	-Inf	93.50	3	Vertical	116	1.56	-	32.93	6.40	32.72
PK	5.3556G	64.94	74.00	-9.06	58.22	3	Vertical	116	1.56	-	33.02	6.40	32.70
AV	5.3552G	48.91	54.00	-5.09	42.19	3	Vertical	116	1.56	-	33.02	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 16
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	119.76	Inf	-Inf	113.16	3	Horizontal	7	2.35	-	32.92	6.40	32.72
AV	5.3092G	107.14	Inf	-Inf	100.54	3	Horizontal	7	2.35	-	32.92	6.40	32.72
PK	5.3504G	67.15	74.00	-6.85	60.45	3	Horizontal	7	2.35	-	33.00	6.40	32.70
AV	5.35G	53.83	54.00	-0.17	47.13	3	Horizontal	7	2.35	-	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 16
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61852G	57.29	74.00	-16.71	41.77	3	Vertical	342	2.64	-	38.60	8.65	31.73
AV	10.6151G	42.60	54.00	-11.40	27.08	3	Vertical	342	2.64	-	38.60	8.65	31.73
PK	15.93054G	62.56	74.00	-11.44	44.28	3	Vertical	283	2.44	-	38.40	10.48	30.60
AV	15.92934G	48.51	54.00	-5.49	30.23	3	Vertical	283	2.44	-	38.40	10.48	30.60

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 16
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61612G	55.99	74.00	-18.01	40.47	3	Horizontal	290	1.86	-	38.60	8.65	31.73
AV	10.61542G	42.58	54.00	-11.42	27.06	3	Horizontal	290	1.86	-	38.60	8.65	31.73
PK	15.92728G	62.77	74.00	-11.23	44.49	3	Horizontal	147	2.59	-	38.40	10.48	30.60
AV	15.93392G	48.48	54.00	-5.52	30.20	3	Horizontal	147	2.59	-	38.40	10.48	30.60

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	62.98	74.00	-11.02	55.49	3	Vertical	266	2.33	-	33.70	6.45	32.66
AV	5.4542G	48.30	54.00	-5.70	40.81	3	Vertical	266	2.33	-	33.70	6.45	32.66
PK	5.4698G	63.53	68.20	-4.67	56.01	3	Vertical	266	2.33	-	33.70	6.47	32.65
PK	5.5142G	113.23	Inf	-Inf	105.61	3	Vertical	266	2.33	-	33.76	6.51	32.65
AV	5.5124G	101.22	Inf	-Inf	93.60	3	Vertical	266	2.33	-	33.75	6.51	32.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	71.02	74.00	-2.98	63.52	3	Horizontal	181	3.00	-	33.70	6.46	32.66
AV	5.456G	53.90	54.00	-0.10	46.40	3	Horizontal	181	3.00	-	33.70	6.46	32.66
PK	5.4632G	67.83	68.20	-0.37	60.33	3	Horizontal	181	3.00	-	33.70	6.46	32.66
PK	5.5154G	120.49	Inf	-Inf	112.86	3	Horizontal	181	3.00	-	33.76	6.52	32.65
AV	5.5154G	108.80	Inf	-Inf	101.17	3	Horizontal	181	3.00	-	33.76	6.52	32.65

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 18
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01518G	56.90	74.00	-17.10	41.70	3	Vertical	242	1.88	-	38.48	8.75	32.03
AV	11.01686G	43.16	54.00	-10.84	27.96	3	Vertical	242	1.88	-	38.48	8.75	32.03
PK	16.5257G	66.99	68.20	-1.21	45.01	3	Vertical	91	2.79	-	40.30	10.66	28.98

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 18
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02004G	56.75	74.00	-17.25	41.54	3	Horizontal	359	2.43	-	38.48	8.76	32.03
AV	11.01802G	43.03	54.00	-10.97	27.83	3	Horizontal	359	2.43	-	38.48	8.75	32.03
PK	16.5258G	66.37	68.20	-1.83	44.39	3	Horizontal	204	2.78	-	40.30	10.66	28.98

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 21.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	62.05	74.00	-11.95	54.56	3	Vertical	269	2.41	-	33.70	6.45	32.66
AV	5.4524G	48.64	54.00	-5.36	41.15	3	Vertical	269	2.41	-	33.70	6.45	32.66
PK	5.4684G	61.37	68.20	-6.83	53.85	3	Vertical	269	2.41	-	33.70	6.47	32.65
PK	5.5532G	116.69	Inf	-Inf	108.91	3	Vertical	269	2.41	-	33.89	6.55	32.66
AV	5.5532G	104.76	Inf	-Inf	96.98	3	Vertical	269	2.41	-	33.89	6.55	32.66
PK	5.7348G	60.61	68.20	-7.59	52.46	3	Vertical	269	2.41	-	34.28	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 21.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	65.96	74.00	-8.04	58.47	3	Horizontal	348	1.80	-	33.70	6.45	32.66
AV	5.4516G	51.34	54.00	-2.66	43.85	3	Horizontal	348	1.80	-	33.70	6.45	32.66
PK	5.47G	67.64	68.20	-0.56	60.12	3	Horizontal	348	1.80	-	33.70	6.47	32.65
PK	5.5524G	123.44	Inf	-Inf	115.65	3	Horizontal	348	1.80	-	33.90	6.55	32.66
AV	5.5524G	110.77	Inf	-Inf	102.98	3	Horizontal	348	1.80	-	33.90	6.55	32.66
PK	5.7308G	62.15	68.20	-6.05	54.03	3	Horizontal	348	1.80	-	34.25	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 21.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10204G	56.65	74.00	-17.35	41.45	3	Vertical	92	1.87	-	38.40	8.78	31.98
AV	11.09928G	43.05	54.00	-10.95	27.86	3	Vertical	92	1.87	-	38.40	8.77	31.98
PK	16.65022G	66.58	68.20	-1.62	44.73	3	Vertical	162	1.57	-	40.35	10.70	29.20

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 21.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1004G	57.27	74.00	-16.73	42.07	3	Horizontal	203	1.25	-	38.40	8.78	31.98
AV	11.1018G	43.03	54.00	-10.97	27.83	3	Horizontal	203	1.25	-	38.40	8.78	31.98
PK	16.64964G	66.28	68.20	-1.92	44.44	3	Horizontal	59	1.84	-	40.35	10.69	29.20

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	110.42	Inf	-Inf	102.47	3	Vertical	276	3.00	-	34.06	6.60	32.71
AV	5.6708G	97.59	Inf	-Inf	89.64	3	Vertical	276	3.00	-	34.06	6.60	32.71
PK	5.7292G	60.91	68.20	-7.29	52.81	3	Vertical	276	3.00	-	34.23	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	121.38	Inf	-Inf	113.43	3	Horizontal	353	1.80	-	34.06	6.60	32.71
AV	5.6732G	107.79	Inf	-Inf	99.85	3	Horizontal	353	1.80	-	34.05	6.60	32.71
PK	5.7344G	68.16	68.20	-0.04	60.01	3	Horizontal	353	1.80	-	34.28	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34312G	57.13	74.00	-16.87	41.72	3	Vertical	273	2.49	-	38.40	8.84	31.83
AV	11.34294G	43.57	54.00	-10.43	28.16	3	Vertical	273	2.49	-	38.40	8.84	31.83
PK	17.01434G	66.99	68.20	-1.21	44.88	3	Vertical	226	1.77	-	41.14	10.80	29.83

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 17.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3434G	57.13	74.00	-16.87	41.72	3	Horizontal	52	2.53	-	38.40	8.84	31.83
AV	11.34272G	43.50	54.00	-10.50	28.09	3	Horizontal	52	2.53	-	38.40	8.84	31.83
PK	17.00908G	67.45	68.20	-0.75	45.34	3	Horizontal	164	2.63	-	41.13	10.80	29.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	115.61	Inf	-Inf	107.68	3	Vertical	250	2.15	-	34.05	6.60	32.72
AV	5.7052G	103.39	Inf	-Inf	95.47	3	Vertical	250	2.15	-	34.04	6.60	32.72
PK	5.9004G	61.43	68.20	-6.77	52.73	3	Vertical	250	2.15	-	34.90	6.60	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7132G	126.51	Inf	-Inf	118.53	3	Horizontal	356	1.79	-	34.11	6.60	32.73
AV	5.7132G	114.54	Inf	-Inf	106.56	3	Horizontal	356	1.79	-	34.11	6.60	32.73
PK	5.854G	66.81	68.20	-1.39	58.18	3	Horizontal	356	1.79	-	34.81	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42488G	57.22	74.00	-16.78	41.75	3	Vertical	60	1.70	-	38.40	8.86	31.79
AV	11.41512G	43.83	54.00	-10.17	28.37	3	Vertical	60	1.70	-	38.40	8.85	31.79
PK	17.12932G	66.42	68.20	-1.78	44.13	3	Vertical	138	1.29	-	41.46	10.84	30.01

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42228G	57.39	74.00	-16.61	41.92	3	Horizontal	284	1.44	-	38.40	8.86	31.79
AV	11.4151G	43.80	54.00	-10.20	28.34	3	Horizontal	284	1.44	-	38.40	8.85	31.79
PK	17.1275G	67.10	68.20	-1.10	44.82	3	Horizontal	181	2.90	-	41.45	10.84	30.01

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	58.35	74.00	-15.65	52.03	3	Vertical	116	1.60	-	32.74	6.37	32.79
AV	5.1476G	45.86	54.00	-8.14	39.58	3	Vertical	116	1.60	-	32.70	6.37	32.79
PK	5.2956G	106.00	Inf	-Inf	99.44	3	Vertical	116	1.60	-	32.89	6.40	32.73
AV	5.2956G	94.11	Inf	-Inf	87.55	3	Vertical	116	1.60	-	32.89	6.40	32.73
AV	5.3548G	48.17	54.00	-5.83	41.45	3	Vertical	116	1.60	-	33.02	6.40	32.70
PK	5.4588G	60.87	74.00	-13.13	53.37	3	Vertical	116	1.60	-	33.70	6.46	32.66
PK	5.466G	59.69	68.20	-8.51	52.17	3	Vertical	116	1.60	-	33.70	6.47	32.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1076G	59.99	74.00	-14.01	53.66	3	Horizontal	6	2.77	-	32.78	6.35	32.80
AV	5.1188G	47.11	54.00	-6.89	40.79	3	Horizontal	6	2.77	-	32.76	6.36	32.80
PK	5.2684G	114.90	Inf	-Inf	108.40	3	Horizontal	6	2.77	-	32.84	6.40	32.74
AV	5.2876G	103.14	Inf	-Inf	96.59	3	Horizontal	6	2.77	-	32.88	6.40	32.73
PK	5.37G	65.41	74.00	-8.59	58.62	3	Horizontal	6	2.77	-	33.08	6.40	32.69
AV	5.35G	53.57	54.00	-0.43	46.87	3	Horizontal	6	2.77	-	33.00	6.40	32.70
PK	5.49G	61.01	68.20	-7.19	53.46	3	Horizontal	6	2.77	-	33.70	6.49	32.64

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 15
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57878G	57.20	68.20	-11.00	41.68	3	Vertical	357	2.77	-	38.58	8.64	31.70
PK	15.86894G	63.21	74.00	-10.79	45.00	3	Vertical	47	2.20	-	38.37	10.46	30.62
AV	15.86726G	48.68	54.00	-5.32	30.47	3	Vertical	47	2.20	-	38.37	10.46	30.62

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 15
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58314G	56.73	68.20	-11.47	41.21	3	Horizontal	22	2.09	-	38.58	8.65	31.71
PK	15.8677G	62.42	74.00	-11.58	44.21	3	Horizontal	313	2.30	-	38.37	10.46	30.62
AV	15.87242G	48.69	54.00	-5.31	30.48	3	Horizontal	313	2.30	-	38.37	10.46	30.62

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 16
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	58.65	68.20	-9.55	52.06	3	Vertical	265	2.45	-	32.91	6.40	32.72
PK	5.45G	61.28	74.00	-12.72	53.79	3	Vertical	265	2.45	-	33.70	6.45	32.66
AV	5.454G	48.76	54.00	-5.24	41.27	3	Vertical	265	2.45	-	33.70	6.45	32.66
PK	5.47G	59.61	68.20	-8.59	52.09	3	Vertical	265	2.45	-	33.70	6.47	32.65
PK	5.532G	107.88	Inf	-Inf	100.17	3	Vertical	265	2.45	-	33.83	6.53	32.65
AV	5.533G	96.50	Inf	-Inf	88.79	3	Vertical	265	2.45	-	33.83	6.53	32.65
PK	5.75G	60.46	68.20	-7.74	52.20	3	Vertical	265	2.45	-	34.40	6.60	32.74

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 16
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	60.16	68.20	-8.04	53.48	3	Horizontal	185	2.97	-	32.99	6.40	32.71
PK	5.456G	67.98	74.00	-6.02	60.48	3	Horizontal	185	2.97	-	33.70	6.46	32.66
AV	5.455G	53.87	54.00	-0.13	46.37	3	Horizontal	185	2.97	-	33.70	6.46	32.66
PK	5.465G	63.77	68.20	-4.43	56.26	3	Horizontal	185	2.97	-	33.70	6.46	32.65
PK	5.516G	115.34	Inf	-Inf	107.71	3	Horizontal	185	2.97	-	33.76	6.52	32.65
AV	5.516G	103.48	Inf	-Inf	95.85	3	Horizontal	185	2.97	-	33.76	6.52	32.65
PK	5.725G	60.70	68.20	-7.50	52.63	3	Horizontal	185	2.97	-	34.20	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 16
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05622G	57.29	74.00	-16.71	42.10	3	Vertical	300	1.80	-	38.44	8.76	32.01
AV	11.05622G	43.18	54.00	-10.82	27.99	3	Vertical	300	1.80	-	38.44	8.76	32.01
PK	16.58628G	66.96	68.20	-1.24	45.07	3	Vertical	75	1.49	-	40.30	10.68	29.09

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 16
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06088G	57.23	74.00	-16.77	42.02	3	Horizontal	116	2.20	-	38.44	8.77	32.00
AV	11.06122G	43.13	54.00	-10.87	27.92	3	Horizontal	116	2.20	-	38.44	8.77	32.00
PK	16.59066G	66.11	68.20	-2.09	44.23	3	Horizontal	99	1.75	-	40.30	10.68	29.10

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	60.15	74.00	-13.85	52.65	3	Vertical	269	2.38	-	33.70	6.46	32.66
AV	5.45G	47.80	54.00	-6.20	40.31	3	Vertical	269	2.38	-	33.70	6.45	32.66
PK	5.462G	60.48	68.20	-7.72	52.98	3	Vertical	269	2.38	-	33.70	6.46	32.66
PK	5.574G	110.60	Inf	-Inf	102.85	3	Vertical	269	2.38	-	33.85	6.57	32.67
AV	5.5932G	98.48	Inf	-Inf	90.76	3	Vertical	269	2.38	-	33.81	6.59	32.68
PK	5.7284G	61.28	68.20	-6.92	53.18	3	Vertical	269	2.38	-	34.23	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	61.70	74.00	-12.30	54.30	3	Horizontal	350	1.78	-	33.62	6.44	32.66
AV	5.4516G	49.30	54.00	-4.70	41.81	3	Horizontal	350	1.78	-	33.70	6.45	32.66
PK	5.4692G	62.50	68.20	-5.70	54.98	3	Horizontal	350	1.78	-	33.70	6.47	32.65
PK	5.6132G	117.09	Inf	-Inf	109.30	3	Horizontal	350	1.78	-	33.88	6.60	32.69
AV	5.6124G	105.18	Inf	-Inf	97.39	3	Horizontal	350	1.78	-	33.87	6.60	32.68
PK	5.734G	67.63	68.20	-0.57	59.49	3	Horizontal	350	1.78	-	34.27	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2181G	56.96	74.00	-17.04	41.75	3	Vertical	327	2.42	-	38.32	8.80	31.91
AV	11.22G	42.78	54.00	-11.22	27.57	3	Vertical	327	2.42	-	38.32	8.80	31.91
PK	16.83194G	65.97	68.20	-2.23	44.08	3	Vertical	49	1.54	-	40.66	10.75	29.52

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22396G	56.51	74.00	-17.49	41.29	3	Horizontal	123	1.90	-	38.32	8.81	31.91
AV	11.21682G	42.85	54.00	-11.15	27.64	3	Horizontal	123	1.90	-	38.32	8.80	31.91
PK	16.82966G	65.45	68.20	-2.75	43.56	3	Horizontal	295	1.04	-	40.65	10.75	29.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 20.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6884G	108.98	Inf	-Inf	101.08	3	Vertical	256	2.34	-	34.02	6.60	32.72
AV	5.686G	98.19	Inf	-Inf	90.27	3	Vertical	256	2.34	-	34.03	6.60	32.71
PK	5.8844G	61.61	68.20	-6.59	52.93	3	Vertical	256	2.34	-	34.87	6.60	32.79



802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 20.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6732G	120.03	Inf	-Inf	112.09	3	Horizontal	354	1.80	-	34.05	6.60	32.71
AV	5.6924G	107.82	Inf	-Inf	99.92	3	Horizontal	354	1.80	-	34.02	6.60	32.72
PK	5.8548G	67.66	68.20	-0.54	59.03	3	Horizontal	354	1.80	-	34.81	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT X_4TX
Setting 20.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3849G	57.35	74.00	-16.65	41.91	3	Vertical	332	1.27	-	38.40	8.85	31.81
AV	11.37774G	43.75	54.00	-10.25	28.32	3	Vertical	332	1.27	-	38.40	8.84	31.81
PK	17.07194G	67.11	68.20	-1.09	44.89	3	Vertical	50	1.56	-	41.32	10.82	29.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT X_4TX
Setting 20.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38366G	57.02	74.00	-16.98	41.58	3	Horizontal	194	3.00	-	38.40	8.85	31.81
AV	11.38476G	43.78	54.00	-10.22	28.34	3	Horizontal	194	3.00	-	38.40	8.85	31.81
PK	17.06608G	67.12	68.20	-1.08	44.91	3	Horizontal	256	2.36	-	41.30	10.82	29.91

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 14.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	59.32	74.00	-14.68	53.01	3	Vertical	114	1.65	-	32.73	6.37	32.79
AV	5.1364G	47.11	54.00	-6.89	40.80	3	Vertical	114	1.65	-	32.73	6.37	32.79
PK	5.2756G	103.10	Inf	-Inf	96.58	3	Vertical	114	1.65	-	32.85	6.40	32.73
AV	5.2548G	90.21	Inf	-Inf	83.74	3	Vertical	114	1.65	-	32.81	6.40	32.74
AV	5.3556G	47.59	54.00	-6.41	40.87	3	Vertical	114	1.65	-	33.02	6.40	32.70
PK	5.4468G	60.38	74.00	-13.62	52.92	3	Vertical	114	1.65	-	33.67	6.45	32.66
PK	5.6164G	60.54	68.20	-7.66	52.73	3	Vertical	114	1.65	-	33.90	6.60	32.69

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 14.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.09	74.00	-9.91	57.81	3	Horizontal	2	2.43	-	32.70	6.37	32.79
AV	5.1492G	52.76	54.00	-1.24	46.48	3	Horizontal	2	2.43	-	32.70	6.37	32.79
PK	5.2884G	110.02	Inf	-Inf	103.47	3	Horizontal	2	2.43	-	32.88	6.40	32.73
AV	5.2292G	99.25	Inf	-Inf	92.84	3	Horizontal	2	2.43	-	32.76	6.40	32.75
PK	5.3684G	65.63	74.00	-8.37	58.86	3	Horizontal	2	2.43	-	33.07	6.40	32.70
AV	5.35G	52.96	54.00	-1.04	46.26	3	Horizontal	2	2.43	-	33.00	6.40	32.70
PK	5.4964G	61.43	68.20	-6.77	53.87	3	Horizontal	2	2.43	-	33.70	6.50	32.64

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_4TX
Setting 14.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50302G	57.50	68.20	-10.70	42.01	3	Vertical	191	2.21	-	38.50	8.63	31.64
PK	15.7455G	62.02	74.00	-11.98	44.29	3	Vertical	268	1.52	-	37.97	10.42	30.66
AV	15.74634G	48.47	54.00	-5.53	30.73	3	Vertical	268	1.52	-	37.98	10.42	30.66

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_4TX
Setting 14.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49684G	56.88	68.20	-11.32	41.40	3	Horizontal	26	2.69	-	38.50	8.62	31.64
PK	15.7478G	61.89	74.00	-12.11	44.14	3	Horizontal	327	2.26	-	37.99	10.42	30.66
AV	15.75244G	48.59	54.00	-5.41	30.80	3	Horizontal	327	2.26	-	38.01	10.43	30.65

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 16.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2164G	60.19	68.20	-8.01	53.82	3	Vertical	263	2.40	-	32.73	6.40	32.76
PK	5.4148G	60.62	74.00	-13.38	53.54	3	Vertical	263	2.40	-	33.35	6.41	32.68
PK	5.4676G	60.49	68.20	-7.71	52.97	3	Vertical	263	2.40	-	33.70	6.47	32.65
AV	5.4532G	49.66	54.00	-4.34	42.17	3	Vertical	263	2.40	-	33.70	6.45	32.66
PK	5.5732G	106.33	Inf	-Inf	98.58	3	Vertical	263	2.40	-	33.85	6.57	32.67
AV	5.5732G	94.45	Inf	-Inf	86.70	3	Vertical	263	2.40	-	33.85	6.57	32.67
PK	5.8804G	62.00	68.20	-6.20	53.33	3	Vertical	263	2.40	-	34.86	6.60	32.79

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 16.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	59.28	68.20	-8.92	52.63	3	Horizontal	348	1.80	-	32.96	6.40	32.71
PK	5.4548G	66.36	74.00	-7.64	58.87	3	Horizontal	348	1.80	-	33.70	6.45	32.66
AV	5.4532G	53.95	54.00	-0.05	46.46	3	Horizontal	348	1.80	-	33.70	6.45	32.66
PK	5.4692G	63.12	68.20	-5.08	55.60	3	Horizontal	348	1.80	-	33.70	6.47	32.65
PK	5.5316G	111.92	Inf	-Inf	104.21	3	Horizontal	348	1.80	-	33.83	6.53	32.65
AV	5.5524G	100.00	Inf	-Inf	92.21	3	Horizontal	348	1.80	-	33.90	6.55	32.66
PK	5.7332G	65.22	68.20	-2.98	57.08	3	Horizontal	348	1.80	-	34.27	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 16.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13702G	56.21	74.00	-17.79	41.03	3	Vertical	338	2.77	-	38.36	8.78	31.96
AV	11.13786G	42.64	54.00	-11.36	27.46	3	Vertical	338	2.77	-	38.36	8.78	31.96
PK	16.71228G	65.65	68.20	-2.55	43.84	3	Vertical	247	1.35	-	40.41	10.71	29.31

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT X_4TX
Setting 16.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1383G	56.35	74.00	-17.65	41.17	3	Horizontal	160	2.81	-	38.36	8.78	31.96
AV	11.1358G	42.72	54.00	-11.28	27.54	3	Horizontal	160	2.81	-	38.36	8.78	31.96
PK	16.70808G	65.99	68.20	-2.21	44.17	3	Horizontal	170	1.29	-	40.41	10.71	29.30



**RSE TX above 1GHz_R3 + Antenna set 1 for UNII 2A +
Antenna set 2 for UNII 2C_Beamforming mode**


Appendix D.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	16.50132G	67.57	68.20	-0.63	3	Horizontal	60	1.26	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1214G	59.17	74.00	-14.83	52.85	3	Vertical	101	3.00	-	32.76	6.36	32.80
AV	5.1106G	46.79	54.00	-7.21	40.45	3	Vertical	101	3.00	-	32.78	6.36	32.80
PK	5.266G	104.12	Inf	-Inf	97.63	3	Vertical	101	3.00	-	32.83	6.40	32.74
AV	5.2564G	91.17	Inf	-Inf	84.70	3	Vertical	101	3.00	-	32.81	6.40	32.74
PK	5.3938G	60.25	74.00	-13.75	53.35	3	Vertical	101	3.00	-	33.18	6.40	32.68
AV	5.41G	47.63	54.00	-6.37	40.60	3	Vertical	101	3.00	-	33.30	6.41	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	60.24	74.00	-13.76	53.93	3	Horizontal	4	1.80	-	32.73	6.37	32.79
AV	5.113G	47.21	54.00	-6.79	40.88	3	Horizontal	4	1.80	-	32.77	6.36	32.80
PK	5.257G	113.98	Inf	-Inf	107.51	3	Horizontal	4	1.80	-	32.81	6.40	32.74
AV	5.2618G	104.84	Inf	-Inf	98.36	3	Horizontal	4	1.80	-	32.82	6.40	32.74
PK	5.3914G	59.88	74.00	-14.12	53.00	3	Horizontal	4	1.80	-	33.17	6.40	32.69
AV	5.4064G	48.13	54.00	-5.87	41.14	3	Horizontal	4	1.80	-	33.26	6.41	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52042G	57.01	68.20	-11.19	41.52	3	Vertical	95	2.85	-	38.52	8.63	31.66
PK	15.78034G	61.76	74.00	-12.24	43.80	3	Vertical	205	1.81	-	38.18	10.43	30.65
AV	15.77906G	49.13	54.00	-4.87	31.18	3	Vertical	205	1.81	-	38.17	10.43	30.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51578G	57.00	68.20	-11.20	41.50	3	Horizontal	83	1.08	-	38.52	8.63	31.65
PK	15.78108G	62.19	74.00	-11.81	44.22	3	Horizontal	276	1.03	-	38.19	10.43	30.65
AV	15.78038G	48.98	54.00	-5.02	31.02	3	Horizontal	276	1.03	-	38.18	10.43	30.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	106.85	Inf	-Inf	100.26	3	Vertical	100	3.00	-	32.91	6.40	32.72
AV	5.2964G	91.45	Inf	-Inf	84.89	3	Vertical	100	3.00	-	32.89	6.40	32.73
PK	5.3836G	59.85	74.00	-14.15	53.01	3	Vertical	100	3.00	-	33.13	6.40	32.69
AV	5.3932G	47.68	54.00	-6.32	40.79	3	Vertical	100	3.00	-	33.17	6.40	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	116.45	Inf	-Inf	109.87	3	Horizontal	7	1.80	-	32.90	6.40	32.72
AV	5.302G	105.65	Inf	-Inf	99.07	3	Horizontal	7	1.80	-	32.90	6.40	32.72
PK	5.3792G	60.28	74.00	-13.72	53.45	3	Horizontal	7	1.80	-	33.12	6.40	32.69
AV	5.3944G	47.94	54.00	-6.06	41.04	3	Horizontal	7	1.80	-	33.18	6.40	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59536G	56.76	68.20	-11.44	41.23	3	Vertical	241	2.01	-	38.60	8.65	31.72
PK	15.8984G	62.43	74.00	-11.57	44.17	3	Vertical	257	1.65	-	38.40	10.47	30.61
AV	15.89808G	49.05	54.00	-4.95	30.79	3	Vertical	257	1.65	-	38.40	10.47	30.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59732G	57.96	68.20	-10.24	42.43	3	Horizontal	326	2.19	-	38.60	8.65	31.72
PK	15.89722G	62.35	74.00	-11.65	44.09	3	Horizontal	51	2.71	-	38.40	10.47	30.61
AV	15.90464G	49.16	54.00	-4.84	30.90	3	Horizontal	51	2.71	-	38.40	10.47	30.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	100.28	Inf	-Inf	93.64	3	Vertical	101	1.79	-	32.95	6.40	32.71
AV	5.325G	89.57	Inf	-Inf	82.93	3	Vertical	101	1.79	-	32.95	6.40	32.71
PK	5.359G	59.43	74.00	-14.57	52.69	3	Vertical	101	1.79	-	33.04	6.40	32.70
AV	5.3666G	47.12	54.00	-6.88	40.35	3	Vertical	101	1.79	-	33.07	6.40	32.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	116.68	Inf	-Inf	110.05	3	Horizontal	1	1.80	-	32.94	6.40	32.71
AV	5.3228G	103.65	Inf	-Inf	97.01	3	Horizontal	1	1.80	-	32.95	6.40	32.71
PK	5.3532G	63.29	74.00	-10.71	56.58	3	Horizontal	1	1.80	-	33.01	6.40	32.70
AV	5.3544G	48.01	54.00	-5.99	41.29	3	Horizontal	1	1.80	-	33.02	6.40	32.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64222G	57.29	74.00	-16.71	41.78	3	Vertical	46	2.29	-	38.60	8.66	31.75
AV	10.63628G	43.14	54.00	-10.86	27.63	3	Vertical	46	2.29	-	38.60	8.66	31.75
PK	15.9603G	61.76	74.00	-12.24	43.46	3	Vertical	101	2.90	-	38.40	10.49	30.59
AV	15.95536G	48.97	54.00	-5.03	30.67	3	Vertical	101	2.90	-	38.40	10.49	30.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64344G	56.82	74.00	-17.18	41.31	3	Horizontal	175	1.72	-	38.60	8.66	31.75
AV	10.63576G	43.18	54.00	-10.82	27.67	3	Horizontal	175	1.72	-	38.60	8.66	31.75
PK	15.95806G	62.68	74.00	-11.32	44.38	3	Horizontal	205	1.60	-	38.40	10.49	30.59
AV	15.95804G	49.20	54.00	-4.80	30.90	3	Horizontal	205	1.60	-	38.40	10.49	30.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.00	74.00	-14.00	52.51	3	Vertical	91	2.04	-	33.70	6.45	32.66
AV	5.4526G	47.81	54.00	-6.19	40.32	3	Vertical	91	2.04	-	33.70	6.45	32.66
PK	5.4632G	59.49	68.20	-8.71	51.99	3	Vertical	91	2.04	-	33.70	6.46	32.66
PK	5.5024G	107.90	Inf	-Inf	100.33	3	Vertical	91	2.04	-	33.71	6.50	32.64
AV	5.491G	95.89	Inf	-Inf	88.34	3	Vertical	91	2.04	-	33.70	6.49	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.68	74.00	-13.32	53.18	3	Horizontal	360	2.72	-	33.70	6.46	32.66
AV	5.4558G	48.57	54.00	-5.43	41.07	3	Horizontal	360	2.72	-	33.70	6.46	32.66
PK	5.4694G	61.66	68.20	-6.54	54.14	3	Horizontal	360	2.72	-	33.70	6.47	32.65
PK	5.5048G	117.92	Inf	-Inf	110.34	3	Horizontal	360	2.72	-	33.72	6.50	32.64
AV	5.491G	106.60	Inf	-Inf	99.05	3	Horizontal	360	2.72	-	33.70	6.49	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99914G	56.85	74.00	-17.15	41.64	3	Vertical	252	2.25	-	38.50	8.75	32.04
AV	10.99752G	43.63	54.00	-10.37	28.42	3	Vertical	252	2.25	-	38.50	8.75	32.04
PK	16.50134G	66.54	68.20	-1.66	44.53	3	Vertical	94	2.62	-	40.30	10.65	28.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00468G	56.70	74.00	-17.30	41.49	3	Horizontal	321	1.75	-	38.50	8.75	32.04
AV	11.00408G	43.66	54.00	-10.34	28.45	3	Horizontal	321	1.75	-	38.50	8.75	32.04
PK	16.50132G	67.57	68.20	-0.63	45.56	3	Horizontal	60	1.26	-	40.30	10.65	28.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4522G	59.98	74.00	-14.02	52.49	3	Vertical	81	1.04	-	33.70	6.45	32.66
PK	5.463G	60.67	68.20	-7.53	53.17	3	Vertical	81	1.04	-	33.70	6.46	32.66
AV	5.4594G	47.71	54.00	-6.29	40.21	3	Vertical	81	1.04	-	33.70	6.46	32.66
PK	5.5848G	111.03	Inf	-Inf	103.29	3	Vertical	81	1.04	-	33.83	6.58	32.67
AV	5.589G	99.14	Inf	-Inf	91.41	3	Vertical	81	1.04	-	33.82	6.59	32.68
PK	5.727G	60.15	68.20	-8.05	52.06	3	Vertical	81	1.04	-	34.22	6.60	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 20
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	62.07	74.00	-11.93	54.81	3	Horizontal	170	1.78	-	33.50	6.43	32.67
PK	5.4606G	60.47	68.20	-7.73	52.97	3	Horizontal	170	1.78	-	33.70	6.46	32.66
AV	5.4492G	48.00	54.00	-6.00	40.52	3	Horizontal	170	1.78	-	33.69	6.45	32.66
PK	5.5866G	117.58	Inf	-Inf	109.83	3	Horizontal	170	1.78	-	33.83	6.59	32.67
AV	5.5884G	106.20	Inf	-Inf	98.47	3	Horizontal	170	1.78	-	33.82	6.59	32.68
PK	5.7288G	60.48	68.20	-7.72	52.38	3	Horizontal	170	1.78	-	34.23	6.60	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15876G	56.09	74.00	-17.91	40.90	3	Vertical	283	1.66	-	38.34	8.79	31.94
AV	11.16118G	43.10	54.00	-10.90	27.91	3	Vertical	283	1.66	-	38.34	8.79	31.94
PK	16.73668G	65.45	68.20	-2.75	43.64	3	Vertical	32	1.97	-	40.44	10.72	29.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16466G	56.49	74.00	-17.51	41.30	3	Horizontal	275	1.92	-	38.34	8.79	31.94
AV	11.15742G	43.11	54.00	-10.89	27.93	3	Horizontal	275	1.92	-	38.34	8.79	31.95
PK	16.73762G	65.60	68.20	-2.60	43.79	3	Horizontal	299	2.36	-	40.44	10.72	29.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7054G	108.28	Inf	-Inf	100.36	3	Vertical	37	2.22	-	34.04	6.60	32.72
AV	5.7084G	95.24	Inf	-Inf	87.29	3	Vertical	37	2.22	-	34.07	6.60	32.72
PK	5.73G	60.98	68.20	-7.22	52.87	3	Vertical	37	2.22	-	34.24	6.60	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.703G	117.63	Inf	-Inf	109.73	3	Horizontal	5	1.80	-	34.02	6.60	32.72
AV	5.691G	105.31	Inf	-Inf	97.41	3	Horizontal	5	1.80	-	34.02	6.60	32.72
PK	5.725G	63.01	68.20	-5.19	54.94	3	Horizontal	5	1.80	-	34.20	6.60	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40256G	57.46	74.00	-16.54	42.01	3	Vertical	353	1.13	-	38.40	8.85	31.80
AV	11.39654G	44.55	54.00	-9.45	29.10	3	Vertical	353	1.13	-	38.40	8.85	31.80
PK	17.09696G	66.55	68.20	-1.65	44.29	3	Vertical	195	1.20	-	41.39	10.83	29.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT X_4TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.405G	57.74	74.00	-16.26	42.29	3	Horizontal	173	1.91	-	38.40	8.85	31.80
AV	11.39978G	44.36	54.00	-9.64	28.91	3	Horizontal	173	1.91	-	38.40	8.85	31.80
PK	17.10226G	66.48	68.20	-1.72	44.22	3	Horizontal	329	1.58	-	41.40	10.83	29.97


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	106.65	Inf	-Inf	98.65	3	Vertical	118	3.00	-	34.13	6.60	32.73
AV	5.7288G	95.21	Inf	-Inf	87.11	3	Vertical	118	3.00	-	34.23	6.60	32.73
PK	5.8808G	61.14	68.20	-7.06	52.47	3	Vertical	118	3.00	-	34.86	6.60	32.79


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	117.78	Inf	-Inf	109.70	3	Horizontal	0	2.47	-	34.21	6.60	32.73
AV	5.7112G	105.04	Inf	-Inf	97.07	3	Horizontal	0	2.47	-	34.09	6.60	32.72
PK	5.9128G	61.24	68.20	-6.96	52.50	3	Horizontal	0	2.47	-	34.95	6.60	32.81


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44342G	57.54	74.00	-16.46	42.05	3	Vertical	173	1.56	-	38.40	8.86	31.77
AV	11.44202G	44.24	54.00	-9.76	28.75	3	Vertical	173	1.56	-	38.40	8.86	31.77
PK	17.16176G	66.23	68.20	-1.97	43.92	3	Vertical	315	1.36	-	41.52	10.85	30.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43916G	57.04	74.00	-16.96	41.56	3	Horizontal	230	1.84	-	38.40	8.86	31.78
AV	11.44434G	44.12	54.00	-9.88	28.63	3	Horizontal	230	1.84	-	38.40	8.86	31.77
PK	17.15588G	67.03	68.20	-1.17	44.72	3	Horizontal	37	1.40	-	41.51	10.85	30.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.46	74.00	-15.54	52.16	3	Vertical	172	1.80	-	32.72	6.37	32.79
AV	5.1248G	46.28	54.00	-7.72	39.97	3	Vertical	172	1.80	-	32.75	6.36	32.80
PK	5.2742G	98.56	Inf	-Inf	92.04	3	Vertical	172	1.80	-	32.85	6.40	32.73
AV	5.2712G	86.20	Inf	-Inf	79.70	3	Vertical	172	1.80	-	32.84	6.40	32.74
PK	5.3912G	60.34	74.00	-13.66	53.47	3	Vertical	172	1.80	-	33.16	6.40	32.69
AV	5.4092G	47.32	54.00	-6.68	40.30	3	Vertical	172	1.80	-	33.29	6.41	32.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	60.17	74.00	-13.83	53.85	3	Horizontal	167	2.68	-	32.74	6.37	32.79
AV	5.1236G	47.80	54.00	-6.20	41.49	3	Horizontal	167	2.68	-	32.75	6.36	32.80
PK	5.2676G	116.15	Inf	-Inf	109.65	3	Horizontal	167	2.68	-	32.84	6.40	32.74
AV	5.2748G	103.30	Inf	-Inf	96.78	3	Horizontal	167	2.68	-	32.85	6.40	32.73
PK	5.4194G	60.54	74.00	-13.46	53.40	3	Horizontal	167	2.68	-	33.39	6.42	32.67
AV	5.3948G	48.59	54.00	-5.41	41.69	3	Horizontal	167	2.68	-	33.18	6.40	32.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54118G	56.95	68.20	-11.25	41.44	3	Vertical	83	2.61	-	38.54	8.64	31.67
PK	15.81372G	62.01	74.00	-11.99	43.90	3	Vertical	51	1.12	-	38.31	10.44	30.64
AV	15.80512G	49.11	54.00	-4.89	31.00	3	Vertical	51	1.12	-	38.31	10.44	30.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5437G	57.06	68.20	-11.14	41.55	3	Horizontal	336	1.44	-	38.54	8.64	31.67
PK	15.81438G	63.22	74.00	-10.78	45.11	3	Horizontal	318	2.77	-	38.31	10.44	30.64
AV	15.80864G	49.06	54.00	-4.94	30.95	3	Horizontal	318	2.77	-	38.31	10.44	30.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3152G	99.07	Inf	-Inf	92.46	3	Vertical	0	1.80	-	32.93	6.40	32.72
AV	5.2924G	88.89	Inf	-Inf	82.34	3	Vertical	0	1.80	-	32.88	6.40	32.73
PK	5.3512G	61.01	74.00	-12.99	54.31	3	Vertical	0	1.80	-	33.00	6.40	32.70
AV	5.3776G	47.28	54.00	-6.72	40.46	3	Vertical	0	1.80	-	33.11	6.40	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	114.99	Inf	-Inf	108.38	3	Horizontal	3	2.05	-	32.93	6.40	32.72
AV	5.3088G	103.04	Inf	-Inf	96.44	3	Horizontal	3	2.05	-	32.92	6.40	32.72
PK	5.35G	64.87	74.00	-9.13	58.17	3	Horizontal	3	2.05	-	33.00	6.40	32.70
AV	5.3504G	51.81	54.00	-2.19	45.11	3	Horizontal	3	2.05	-	33.00	6.40	32.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61628G	57.09	74.00	-16.91	41.57	3	Vertical	317	2.52	-	38.60	8.65	31.73
AV	10.61732G	43.41	54.00	-10.59	27.89	3	Vertical	317	2.52	-	38.60	8.65	31.73
PK	15.9313G	62.23	74.00	-11.77	43.95	3	Vertical	212	1.73	-	38.40	10.48	30.60
AV	15.93474G	49.07	54.00	-4.93	30.79	3	Vertical	212	1.73	-	38.40	10.48	30.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6225G	56.96	74.00	-17.04	41.44	3	Horizontal	310	1.02	-	38.60	8.66	31.74
AV	10.61764G	43.27	54.00	-10.73	27.75	3	Horizontal	310	1.02	-	38.60	8.65	31.73
PK	15.93416G	62.97	74.00	-11.03	44.69	3	Horizontal	104	2.38	-	38.40	10.48	30.60
AV	15.93338G	49.00	54.00	-5.00	30.72	3	Horizontal	104	2.38	-	38.40	10.48	30.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	60.05	74.00	-13.95	52.56	3	Vertical	78	2.36	-	33.70	6.45	32.66
AV	5.4456G	47.74	54.00	-6.26	40.29	3	Vertical	78	2.36	-	33.66	6.45	32.66
PK	5.4692G	59.95	68.20	-8.25	52.43	3	Vertical	78	2.36	-	33.70	6.47	32.65
PK	5.5084G	105.16	Inf	-Inf	97.56	3	Vertical	78	2.36	-	33.73	6.51	32.64
AV	5.502G	94.55	Inf	-Inf	86.98	3	Vertical	78	2.36	-	33.71	6.50	32.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	67.26	74.00	-6.74	59.77	3	Horizontal	175	2.95	-	33.70	6.45	32.66
AV	5.46G	50.13	54.00	-3.87	42.63	3	Horizontal	175	2.95	-	33.70	6.46	32.66
PK	5.4696G	67.50	68.20	-0.70	59.98	3	Horizontal	175	2.95	-	33.70	6.47	32.65
PK	5.502G	115.15	Inf	-Inf	107.58	3	Horizontal	175	2.95	-	33.71	6.50	32.64
AV	5.502G	103.09	Inf	-Inf	95.52	3	Horizontal	175	2.95	-	33.71	6.50	32.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01674G	57.04	74.00	-16.96	41.84	3	Vertical	12	1.89	-	38.48	8.75	32.03
AV	11.01542G	43.67	54.00	-10.33	28.47	3	Vertical	12	1.89	-	38.48	8.75	32.03
PK	16.53006G	67.50	68.20	-0.70	45.53	3	Vertical	65	2.11	-	40.30	10.66	28.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01612G	57.05	74.00	-16.95	41.85	3	Horizontal	145	2.01	-	38.48	8.75	32.03
AV	11.01504G	43.62	54.00	-10.38	28.42	3	Horizontal	145	2.01	-	38.48	8.75	32.03
PK	16.52578G	66.55	68.20	-1.65	44.57	3	Horizontal	307	2.01	-	40.30	10.66	28.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4354G	59.69	74.00	-14.31	52.37	3	Vertical	90	2.28	-	33.55	6.44	32.67
AV	5.4276G	47.61	54.00	-6.39	40.37	3	Vertical	90	2.28	-	33.48	6.43	32.67
PK	5.4618G	60.12	68.20	-8.08	52.62	3	Vertical	90	2.28	-	33.70	6.46	32.66
PK	5.5548G	107.83	Inf	-Inf	100.05	3	Vertical	90	2.28	-	33.89	6.55	32.66
AV	5.5542G	94.66	Inf	-Inf	86.88	3	Vertical	90	2.28	-	33.89	6.55	32.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4138G	61.19	74.00	-12.81	54.12	3	Horizontal	166	2.99	-	33.34	6.41	32.68
AV	5.4054G	48.45	54.00	-5.55	41.47	3	Horizontal	166	2.99	-	33.25	6.41	32.68
PK	5.4696G	59.91	68.20	-8.29	52.39	3	Horizontal	166	2.99	-	33.70	6.47	32.65
PK	5.5404G	113.72	Inf	-Inf	105.98	3	Horizontal	166	2.99	-	33.86	6.54	32.66
AV	5.547G	101.60	Inf	-Inf	93.82	3	Horizontal	166	2.99	-	33.89	6.55	32.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1003G	56.59	74.00	-17.41	41.39	3	Vertical	15	1.68	-	38.40	8.78	31.98
AV	11.0989G	43.74	54.00	-10.26	28.55	3	Vertical	15	1.68	-	38.40	8.77	31.98
PK	16.64956G	65.99	68.20	-2.21	44.15	3	Vertical	340	2.58	-	40.35	10.69	29.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1009G	57.75	74.00	-16.25	42.55	3	Horizontal	209	1.50	-	38.40	8.78	31.98
AV	11.10022G	43.49	54.00	-10.51	28.29	3	Horizontal	209	1.50	-	38.40	8.78	31.98
PK	16.6461G	66.48	68.20	-1.72	44.63	3	Horizontal	237	1.44	-	40.35	10.69	29.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6596G	105.58	Inf	-Inf	97.60	3	Vertical	88	2.02	-	34.08	6.60	32.70
AV	5.6588G	93.93	Inf	-Inf	85.95	3	Vertical	88	2.02	-	34.08	6.60	32.70
PK	5.732G	61.18	68.20	-7.02	53.05	3	Vertical	88	2.02	-	34.26	6.60	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6664G	113.90	Inf	-Inf	105.94	3	Horizontal	0	1.80	-	34.07	6.60	32.71
AV	5.6652G	101.57	Inf	-Inf	93.61	3	Horizontal	0	1.80	-	34.07	6.60	32.71
PK	5.7312G	63.88	68.20	-4.32	55.76	3	Horizontal	0	1.80	-	34.25	6.60	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34238G	57.91	74.00	-16.09	42.50	3	Vertical	276	2.72	-	38.40	8.84	31.83
AV	11.34456G	44.15	54.00	-9.85	28.74	3	Vertical	276	2.72	-	38.40	8.84	31.83
PK	17.0081G	67.38	68.20	-0.82	45.28	3	Vertical	117	2.57	-	41.12	10.80	29.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34282G	57.62	74.00	-16.38	42.21	3	Horizontal	195	1.68	-	38.40	8.84	31.83
AV	11.34258G	44.32	54.00	-9.68	28.91	3	Horizontal	195	1.68	-	38.40	8.84	31.83
PK	17.0094G	66.63	68.20	-1.57	44.52	3	Horizontal	85	1.20	-	41.13	10.80	29.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	102.39	Inf	-Inf	94.35	3	Vertical	36	2.30	-	34.17	6.60	32.73
AV	5.714G	91.34	Inf	-Inf	83.36	3	Vertical	36	2.30	-	34.11	6.60	32.73
PK	5.8852G	60.61	68.20	-7.59	51.93	3	Vertical	36	2.30	-	34.87	6.60	32.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	115.52	Inf	-Inf	107.57	3	Horizontal	175	1.44	-	34.07	6.60	32.72
AV	5.7076G	103.87	Inf	-Inf	95.93	3	Horizontal	175	1.44	-	34.06	6.60	32.72
PK	5.8612G	61.92	68.20	-6.28	53.28	3	Horizontal	175	1.44	-	34.82	6.60	32.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4233G	57.34	74.00	-16.66	41.87	3	Vertical	143	2.14	-	38.40	8.86	31.79
AV	11.41716G	44.29	54.00	-9.71	28.83	3	Vertical	143	2.14	-	38.40	8.85	31.79
PK	17.13206G	66.67	68.20	-1.53	44.39	3	Vertical	106	1.41	-	41.46	10.84	30.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4238G	57.43	74.00	-16.57	41.96	3	Horizontal	53	1.92	-	38.40	8.86	31.79
AV	11.4213G	44.39	54.00	-9.61	28.92	3	Horizontal	53	1.92	-	38.40	8.86	31.79
PK	17.13288G	67.04	68.20	-1.16	44.75	3	Horizontal	259	1.47	-	41.47	10.84	30.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.071G	58.59	74.00	-15.41	52.27	3	Vertical	0	1.80	-	32.80	6.34	32.82
AV	5.084G	46.62	54.00	-7.38	40.29	3	Vertical	0	1.80	-	32.80	6.34	32.81
PK	5.253G	94.94	Inf	-Inf	88.47	3	Vertical	0	1.80	-	32.81	6.40	32.74
AV	5.306G	81.26	Inf	-Inf	74.67	3	Vertical	0	1.80	-	32.91	6.40	32.72
PK	5.416G	59.75	74.00	-14.25	52.65	3	Vertical	0	1.80	-	33.36	6.42	32.68
AV	5.439G	47.83	54.00	-6.17	40.47	3	Vertical	0	1.80	-	33.59	6.44	32.67
PK	5.527G	60.84	68.20	-7.36	53.15	3	Vertical	0	1.80	-	33.81	6.53	32.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.104G	60.30	74.00	-13.70	53.97	3	Horizontal	3	2.20	-	32.79	6.35	32.81
AV	5.109G	47.68	54.00	-6.32	41.35	3	Horizontal	3	2.20	-	32.78	6.35	32.80
PK	5.257G	113.95	Inf	-Inf	107.48	3	Horizontal	3	2.20	-	32.81	6.40	32.74
AV	5.28G	98.60	Inf	-Inf	92.07	3	Horizontal	3	2.20	-	32.86	6.40	32.73
PK	5.361G	63.67	74.00	-10.33	56.93	3	Horizontal	3	2.20	-	33.04	6.40	32.70
AV	5.351G	52.38	54.00	-1.62	45.68	3	Horizontal	3	2.20	-	33.00	6.40	32.70
PK	5.535G	60.89	68.20	-7.31	53.16	3	Horizontal	3	2.20	-	33.84	6.54	32.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58226G	57.22	68.20	-10.98	41.70	3	Vertical	292	2.31	-	38.58	8.65	31.71
PK	15.8711G	62.26	74.00	-11.74	44.05	3	Vertical	86	2.21	-	38.37	10.46	30.62
AV	15.87406G	49.03	54.00	-4.97	30.82	3	Vertical	86	2.21	-	38.37	10.46	30.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5818G	57.37	68.20	-10.83	41.85	3	Horizontal	81	2.96	-	38.58	8.65	31.71
PK	15.86934G	62.44	74.00	-11.56	44.23	3	Horizontal	177	1.10	-	38.37	10.46	30.62
AV	15.87278G	49.25	54.00	-4.75	31.04	3	Horizontal	177	1.10	-	38.37	10.46	30.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.309G	58.93	68.20	-9.27	52.33	3	Vertical	72	2.76	-	32.92	6.40	32.72
AV	5.35G	46.52	54.00	-7.48	39.82	3	Vertical	72	2.76	-	33.00	6.40	32.70
PK	5.452G	60.90	74.00	-13.10	53.41	3	Vertical	72	2.76	-	33.70	6.45	32.66
AV	5.457G	48.22	54.00	-5.78	40.72	3	Vertical	72	2.76	-	33.70	6.46	32.66
PK	5.464G	60.76	68.20	-7.44	53.26	3	Vertical	72	2.76	-	33.70	6.46	32.66
PK	5.497G	101.03	Inf	-Inf	93.47	3	Vertical	72	2.76	-	33.70	6.50	32.64
AV	5.512G	88.75	Inf	-Inf	81.13	3	Vertical	72	2.76	-	33.75	6.51	32.64
PK	5.767G	60.27	68.20	-7.93	52.02	3	Vertical	72	2.76	-	34.40	6.60	32.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom



EUT_X_4TX
Setting 25
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	60.23	68.20	-7.97	53.59	3	Horizontal	0.3	2.52	-	32.95	6.40	32.71
AV	5.35G	48.09	54.00	-5.91	41.39	3	Horizontal	0.3	2.52	-	33.00	6.40	32.70
PK	5.457G	64.97	74.00	-9.03	57.47	3	Horizontal	0.3	2.52	-	33.70	6.46	32.66
AV	5.459G	53.01	54.00	-0.99	45.51	3	Horizontal	0.3	2.52	-	33.70	6.46	32.66
PK	5.465G	67.27	68.20	-0.93	59.76	3	Horizontal	0.3	2.52	-	33.70	6.46	32.65
PK	5.506G	113.48	Inf	-Inf	105.89	3	Horizontal	0.3	2.52	-	33.72	6.51	32.64
AV	5.521G	100.52	Inf	-Inf	92.87	3	Horizontal	0.3	2.52	-	33.78	6.52	32.65
PK	5.75G	62.25	68.20	-5.95	53.99	3	Horizontal	0.3	2.52	-	34.40	6.60	32.74