


### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 5690MHz Straddle 5.47-5.725GHz

12/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.72	-5.72	-11.23	-12.15	-11.67	-11.34

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

#### 5690MHz Straddle 5.725-5.85GHz

12/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.22	-9.22	-14.86	-15.58	-15.12	-15.10

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**PSD**

**5250MHz Straddle 5.15-5.25GHz**

12/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.84	-5.84	-11.58	-11.89	-11.46	-11.53

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**PSD**

**5250MHz Straddle 5.25-5.35GHz**

12/09/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.44	-5.44	-11.46	-12.09	-11.03	-10.73

802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

5570MHz

12/09/2022

CF  
5.57GHz


Span  
240MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.82	-8.82	-15.18	-14.37	-14.54	-14.55



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-8.70
5.25-5.35GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-3.01
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-5.57
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-8.43
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-8.72
5.47-5.725GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-2.77
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-5.13
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-8.62
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-11.94
5.725-5.85GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-4.26
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-7.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-12.66

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	19.56	-9.22	-8.34	-9.07	-8.74	-3.01	-2.56
5300MHz	Pass	19.56	-9.86	-8.58	-9.12	-8.76	-3.21	-2.56
5320MHz	Pass	19.56	-9.62	-8.45	-9.29	-8.63	-3.15	-2.56
5500MHz	Pass	19.41	-8.53	-9.00	-9.99	-9.29	-3.25	-2.41
5580MHz	Pass	19.41	-9.46	-8.59	-10.03	-9.55	-3.72	-2.41
5700MHz	Pass	19.41	-8.07	-8.10	-9.86	-8.73	-2.80	-2.41
5720MHz Straddle 5.47-5.725GHz	Pass	19.41	-8.50	-8.19	-9.19	-8.57	-2.77	-2.41
5720MHz Straddle 5.725-5.85GHz	Pass	19.41	-10.12	-9.65	-10.94	-10.25	-4.26	16.59
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	19.56	-11.41	-11.13	-10.75	-10.68	-5.57	-2.56
5310MHz	Pass	19.56	-11.88	-11.17	-11.09	-12.27	-5.77	-2.56
5510MHz	Pass	19.41	-11.25	-10.46	-10.92	-11.03	-5.18	-2.41
5550MHz	Pass	19.41	-11.03	-11.02	-10.72	-11.41	-5.13	-2.41
5670MHz	Pass	19.41	-11.23	-11.32	-12.80	-11.98	-5.90	-2.41
5710MHz Straddle 5.47-5.725GHz	Pass	19.41	-12.24	-11.49	-13.12	-12.10	-6.46	-2.41
5710MHz Straddle 5.725-5.85GHz	Pass	19.41	-14.90	-12.44	-14.70	-14.16	-7.98	16.59
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	19.56	-14.21	-12.96	-14.03	-14.65	-8.43	-2.56
5530MHz	Pass	19.41	-14.44	-14.54	-14.68	-15.08	-8.92	-2.41
5610MHz	Pass	19.41	-14.05	-14.00	-15.03	-14.95	-8.62	-2.41
5690MHz Straddle 5.47-5.725GHz	Pass	19.41	-14.36	-14.37	-15.56	-14.76	-8.85	-2.41
5690MHz Straddle 5.725-5.85GHz	Pass	19.41	-18.49	-17.34	-20.24	-18.63	-12.66	16.59
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	19.56	-14.90	-13.46	-14.55	-14.91	-8.70	3.44
5250MHz Straddle 5.25-5.35GHz	Pass	19.56	-15.10	-13.97	-14.42	-14.95	-8.72	-2.56
5570MHz	Pass	19.41	-18.00	-17.05	-18.16	-17.55	-11.94	-2.41


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5260MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.01	-3.01	-9.22	-8.34	-9.07	-8.74

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5300MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.21	-3.21	-9.86	-8.58	-9.12	-8.76

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### PSD

#### 5320MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.15	-3.15	-9.62	-8.45	-9.29	-8.63

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### PSD

#### 5500MHz

15/09/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.25	-3.25	-8.53	-9.00	-9.99	-9.29




802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5580MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.72	-3.72	-9.46	-8.59	-10.03	-9.55

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5700MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.80	-2.80	-8.07	-8.10	-9.86	-8.73

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5720MHz Straddle 5.47-5.725GHz**

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.77	-2.77	-8.50	-8.19	-9.19	-8.57

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5720MHz Straddle 5.725-5.85GHz**

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.26	-4.26	-10.12	-9.65	-10.94	-10.25

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### PSD

#### 5270MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.57	-5.57	-11.41	-11.13	-10.75	-10.68

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### PSD

#### 5310MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.77	-5.77	-11.88	-11.17	-11.09	-12.27

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5510MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.18	-5.18	-11.25	-10.46	-10.92	-11.03

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5550MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.13	-5.13	-11.03	-11.02	-10.72	-11.41

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5670MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.90	-5.90	-11.23	-11.32	-12.80	-11.98

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.46	-6.46	-12.24	-11.49	-13.12	-12.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5710MHz Straddle 5.725-5.85GHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.98	-7.98	-14.90	-12.44	-14.70	-14.16

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5290MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.43	-8.43	-14.21	-12.96	-14.03	-14.65

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5530MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.92	-8.92	-14.44	-14.54	-14.68	-15.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5610MHz

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.62	-8.62	-14.05	-14.00	-15.03	-14.95

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5690MHz Straddle 5.47-5.725GHz**

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.85	-8.85	-14.36	-14.37	-15.56	-14.76

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5690MHz Straddle 5.725-5.85GHz**

15/09/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.66	-12.66	-18.49	-17.34	-20.24	-18.63




**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5250MHz Straddle 5.15-5.25GHz**

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.70	-8.70	-14.90	-13.46	-14.55	-14.91

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5250MHz Straddle 5.25-5.35GHz**

15/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.72	-8.72	-15.10	-13.97	-14.42	-14.95

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz

15/09/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.94	-11.94	-18.00	-17.05	-18.16	-17.55



**RSE TX above 1GHz\_R2 + Antenna set 1 for UNII 2A +  
Antenna set 2 for UNII 2C\_Non beamforming mode**


**Appendix D.1**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7272G	68.18	68.20	-0.02	3	Horizontal	173	2.95	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 29  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	58.13	74.00	-15.87	51.82	3	Vertical	311	2.73	-	32.75	6.36	32.80
AV	5.15G	45.61	54.00	-8.39	39.33	3	Vertical	311	2.73	-	32.70	6.37	32.79
PK	5.2588G	117.78	Inf	-Inf	111.30	3	Vertical	311	2.73	-	32.82	6.40	32.74
AV	5.2588G	107.31	Inf	-Inf	100.83	3	Vertical	311	2.73	-	32.82	6.40	32.74
PK	5.3554G	58.76	74.00	-15.24	52.04	3	Vertical	311	2.73	-	33.02	6.40	32.70
AV	5.3506G	46.56	54.00	-7.44	39.86	3	Vertical	311	2.73	-	33.00	6.40	32.70

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 29  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	62.05	74.00	-11.95	55.77	3	Horizontal	10	2.62	-	32.70	6.37	32.79
AV	5.15G	49.30	54.00	-4.70	43.02	3	Horizontal	10	2.62	-	32.70	6.37	32.79
PK	5.2642G	125.74	Inf	-Inf	119.25	3	Horizontal	10	2.62	-	32.83	6.40	32.74
AV	5.2594G	115.31	Inf	-Inf	108.83	3	Horizontal	10	2.62	-	32.82	6.40	32.74
PK	5.3518G	65.90	74.00	-8.10	59.19	3	Horizontal	10	2.62	-	33.01	6.40	32.70
AV	5.3506G	52.29	54.00	-1.71	45.59	3	Horizontal	10	2.62	-	33.00	6.40	32.70

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52014G	56.69	68.20	-11.51	41.20	3	Vertical	22	2.65	-	38.52	8.63	31.66
PK	15.7836G	58.65	74.00	-15.35	40.65	3	Vertical	30	1.80	-	38.20	10.44	30.64
AV	15.77364G	44.96	54.00	-9.04	27.04	3	Vertical	30	1.80	-	38.14	10.43	30.65

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52272G	56.42	68.20	-11.78	40.93	3	Horizontal	360	1.26	-	38.52	8.63	31.66
PK	15.78276G	60.24	74.00	-13.76	42.26	3	Horizontal	146	1.80	-	38.20	10.43	30.65
AV	15.78348G	46.72	54.00	-7.28	28.72	3	Horizontal	146	1.80	-	38.20	10.44	30.64

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	114.02	Inf	-Inf	107.43	3	Vertical	312	2.12	-	32.91	6.40	32.72
AV	5.3024G	104.07	Inf	-Inf	97.49	3	Vertical	312	2.12	-	32.90	6.40	32.72
PK	5.3512G	58.36	74.00	-15.64	51.66	3	Vertical	312	2.12	-	33.00	6.40	32.70
AV	5.352G	46.37	54.00	-7.63	39.66	3	Vertical	312	2.12	-	33.01	6.40	32.70



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	123.52	Inf	-Inf	116.93	3	Horizontal	8	2.39	-	32.91	6.40	32.72
AV	5.3032G	113.60	Inf	-Inf	107.01	3	Horizontal	8	2.39	-	32.91	6.40	32.72
PK	5.3528G	66.18	74.00	-7.82	59.47	3	Horizontal	8	2.39	-	33.01	6.40	32.70
AV	5.3524G	53.53	54.00	-0.47	46.82	3	Horizontal	8	2.39	-	33.01	6.40	32.70

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59852G	56.42	68.20	-11.78	40.89	3	Vertical	153	1.42	-	38.60	8.65	31.72
PK	15.90058G	58.35	74.00	-15.65	40.09	3	Vertical	68	2.73	-	38.40	10.47	30.61
AV	15.9009G	45.21	54.00	-8.79	26.95	3	Vertical	68	2.73	-	38.40	10.47	30.61

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59948G	56.38	68.20	-11.82	40.85	3	Horizontal	199	1.52	-	38.60	8.65	31.72
PK	15.89914G	58.61	74.00	-15.39	40.35	3	Horizontal	141	2.03	-	38.40	10.47	30.61
AV	15.90042G	45.12	54.00	-8.88	26.86	3	Horizontal	141	2.03	-	38.40	10.47	30.61

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	111.86	Inf	-Inf	105.24	3	Vertical	314	2.25	-	32.94	6.40	32.72
AV	5.3226G	101.60	Inf	-Inf	94.96	3	Vertical	314	2.25	-	32.95	6.40	32.71
PK	5.3518G	59.38	74.00	-14.62	52.67	3	Vertical	314	2.25	-	33.01	6.40	32.70
AV	5.3526G	46.81	54.00	-7.19	40.10	3	Vertical	314	2.25	-	33.01	6.40	32.70

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	121.33	Inf	-Inf	114.72	3	Horizontal	8	2.06	-	32.93	6.40	32.72
AV	5.322G	110.58	Inf	-Inf	103.95	3	Horizontal	8	2.06	-	32.94	6.40	32.71
PK	5.357G	66.25	74.00	-7.75	59.52	3	Horizontal	8	2.06	-	33.03	6.40	32.70
AV	5.3518G	53.26	54.00	-0.74	46.55	3	Horizontal	8	2.06	-	33.01	6.40	32.70

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64386G	56.60	74.00	-17.40	41.10	3	Vertical	294	1.42	-	38.60	8.66	31.76
AV	10.63774G	43.37	54.00	-10.63	27.86	3	Vertical	294	1.42	-	38.60	8.66	31.75
PK	15.9588G	58.96	74.00	-15.04	40.66	3	Vertical	191	2.77	-	38.40	10.49	30.59
AV	15.95742G	45.93	54.00	-8.07	27.63	3	Vertical	191	2.77	-	38.40	10.49	30.59

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64488G	57.07	74.00	-16.93	41.57	3	Horizontal	138	2.16	-	38.60	8.66	31.76
AV	10.6424G	43.23	54.00	-10.77	27.72	3	Horizontal	138	2.16	-	38.60	8.66	31.75
PK	15.95648G	59.16	74.00	-14.84	40.86	3	Horizontal	152	1.55	-	38.40	10.49	30.59
AV	15.96316G	45.88	54.00	-8.12	27.58	3	Horizontal	152	1.55	-	38.40	10.49	30.59

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 25  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	60.04	74.00	-13.96	52.63	3	Vertical	83	1.85	-	33.63	6.44	32.66
PK	5.4636G	60.83	68.20	-7.37	53.33	3	Vertical	83	1.85	-	33.70	6.46	32.66
AV	5.4596G	48.26	54.00	-5.74	40.76	3	Vertical	83	1.85	-	33.70	6.46	32.66
PK	5.4936G	113.26	Inf	-Inf	105.71	3	Vertical	83	1.85	-	33.70	6.49	32.64
AV	5.4992G	103.50	Inf	-Inf	95.94	3	Vertical	83	1.85	-	33.70	6.50	32.64



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 25  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.35	74.00	-8.65	57.85	3	Horizontal	169	2.96	-	33.70	6.46	32.66
AV	5.4568G	51.84	54.00	-2.16	44.34	3	Horizontal	169	2.96	-	33.70	6.46	32.66
PK	5.4672G	67.92	68.20	-0.28	60.40	3	Horizontal	169	2.96	-	33.70	6.47	32.65
PK	5.4968G	122.90	Inf	-Inf	115.34	3	Horizontal	169	2.96	-	33.70	6.50	32.64
AV	5.4968G	113.12	Inf	-Inf	105.56	3	Horizontal	169	2.96	-	33.70	6.50	32.64

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 25  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00294G	59.89	74.00	-14.11	44.68	3	Vertical	138	1.77	-	38.50	8.75	32.04
AV	10.99838G	46.93	54.00	-7.07	31.72	3	Vertical	138	1.77	-	38.50	8.75	32.04
PK	16.49112G	67.06	68.20	-1.14	45.12	3	Vertical	234	1.80	-	40.26	10.65	28.97

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 25  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00258G	60.35	74.00	-13.65	45.14	3	Horizontal	166	1.78	-	38.50	8.75	32.04
AV	10.9982G	46.98	54.00	-7.02	31.77	3	Horizontal	166	1.78	-	38.50	8.75	32.04
PK	16.49886G	67.78	68.20	-0.42	45.78	3	Horizontal	313	1.89	-	40.29	10.65	28.94

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	59.91	74.00	-14.09	52.65	3	Vertical	84	1.80	-	33.50	6.43	32.67
PK	5.4648G	59.01	68.20	-9.19	51.50	3	Vertical	84	1.80	-	33.70	6.46	32.65
AV	5.4592G	47.55	54.00	-6.45	40.05	3	Vertical	84	1.80	-	33.70	6.46	32.66
PK	5.5808G	121.35	Inf	-Inf	113.60	3	Vertical	84	1.80	-	33.84	6.58	32.67
AV	5.576G	111.23	Inf	-Inf	103.47	3	Vertical	84	1.80	-	33.85	6.58	32.67
PK	5.7592G	60.59	68.20	-7.61	52.33	3	Vertical	84	1.80	-	34.40	6.60	32.74

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3872G	63.13	74.00	-10.87	56.27	3	Horizontal	171	2.92	-	33.15	6.40	32.69
AV	5.3824G	51.96	54.00	-2.04	45.12	3	Horizontal	171	2.92	-	33.13	6.40	32.69
PK	5.4688G	63.42	68.20	-4.78	55.90	3	Horizontal	171	2.92	-	33.70	6.47	32.65
PK	5.5792G	127.81	Inf	-Inf	120.06	3	Horizontal	171	2.92	-	33.84	6.58	32.67
AV	5.5792G	118.07	Inf	-Inf	110.32	3	Horizontal	171	2.92	-	33.84	6.58	32.67
PK	5.7648G	62.76	68.20	-5.44	54.51	3	Horizontal	171	2.92	-	34.40	6.60	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15448G	63.55	74.00	-10.45	48.36	3	Vertical	212	2.03	-	38.35	8.79	31.95
AV	11.15838G	50.78	54.00	-3.22	35.59	3	Vertical	212	2.03	-	38.34	8.79	31.94
PK	16.73502G	67.45	68.20	-0.75	45.64	3	Vertical	124	1.78	-	40.44	10.72	29.35

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15436G	65.15	74.00	-8.85	49.96	3	Horizontal	303	2.11	-	38.35	8.79	31.95
AV	11.15856G	52.41	54.00	-1.59	37.22	3	Horizontal	303	2.11	-	38.34	8.79	31.94
PK	16.73964G	67.93	68.20	-0.27	46.13	3	Horizontal	318	1.80	-	40.44	10.72	29.36

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6938G	112.47	Inf	-Inf	104.58	3	Vertical	88	1.89	-	34.01	6.60	32.72
AV	5.7034G	102.26	Inf	-Inf	94.35	3	Vertical	88	1.89	-	34.03	6.60	32.72
PK	5.7282G	62.34	68.20	-5.86	54.24	3	Vertical	88	1.89	-	34.23	6.60	32.73



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	121.23	Inf	-Inf	113.34	3	Horizontal	173	2.95	-	34.01	6.60	32.72
AV	5.6966G	110.44	Inf	-Inf	102.55	3	Horizontal	173	2.95	-	34.01	6.60	32.72
PK	5.7272G	68.18	68.20	-0.02	60.09	3	Horizontal	173	2.95	-	34.22	6.60	32.73

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4027G	57.85	74.00	-16.15	42.40	3	Vertical	13	1.61	-	38.40	8.85	31.80
AV	11.40374G	44.62	54.00	-9.38	29.17	3	Vertical	13	1.61	-	38.40	8.85	31.80
PK	17.09698G	67.34	68.20	-0.86	45.08	3	Vertical	216	1.17	-	41.39	10.83	29.96

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40046G	57.85	74.00	-16.15	42.40	3	Horizontal	220	2.58	-	38.40	8.85	31.80
AV	11.3976G	44.65	54.00	-9.35	29.20	3	Horizontal	220	2.58	-	38.40	8.85	31.80
PK	17.0964G	67.77	68.20	-0.43	45.51	3	Horizontal	329	1.97	-	41.39	10.83	29.96

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
Setting 28.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7136G	117.09	Inf	-Inf	109.11	3	Vertical	82	2.12	-	34.11	6.60	32.73
AV	5.7192G	107.25	Inf	-Inf	99.23	3	Vertical	82	2.12	-	34.15	6.60	32.73
PK	5.8712G	61.01	68.20	-7.19	52.36	3	Vertical	82	2.12	-	34.84	6.60	32.79

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	127.38	Inf	-Inf	119.38	3	Horizontal	172	2.79	-	34.13	6.60	32.73
AV	5.7208G	116.98	Inf	-Inf	108.94	3	Horizontal	172	2.79	-	34.17	6.60	32.73
PK	5.8672G	63.32	68.20	-4.88	54.68	3	Horizontal	172	2.79	-	34.83	6.60	32.79

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4388G	59.93	74.00	-14.07	44.45	3	Vertical	196	1.77	-	38.40	8.86	31.78
AV	11.43844G	46.99	54.00	-7.01	31.51	3	Vertical	196	1.77	-	38.40	8.86	31.78
PK	17.1711G	66.61	68.20	-1.59	44.30	3	Vertical	350	1.80	-	41.54	10.85	30.08

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44294G	59.76	74.00	-14.24	44.27	3	Horizontal	341	1.80	-	38.40	8.86	31.77
AV	11.43838G	47.14	54.00	-6.86	31.66	3	Horizontal	341	1.80	-	38.40	8.86	31.78
PK	17.15742G	68.10	68.20	-0.10	45.80	3	Horizontal	66	1.81	-	41.51	10.85	30.06

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1298G	59.37	74.00	-14.63	53.07	3	Vertical	305	2.89	-	32.74	6.36	32.80
AV	5.1484G	46.20	54.00	-7.80	39.92	3	Vertical	305	2.89	-	32.70	6.37	32.79
PK	5.2522G	118.15	Inf	-Inf	111.69	3	Vertical	305	2.89	-	32.80	6.40	32.74
AV	5.2534G	106.40	Inf	-Inf	99.93	3	Vertical	305	2.89	-	32.81	6.40	32.74
PK	5.3608G	60.00	74.00	-14.00	53.26	3	Vertical	305	2.89	-	33.04	6.40	32.70
AV	5.3518G	47.33	54.00	-6.67	40.62	3	Vertical	305	2.89	-	33.01	6.40	32.70



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	62.13	74.00	-11.87	55.81	3	Horizontal	3	2.75	-	32.74	6.37	32.79
AV	5.1448G	49.17	54.00	-4.83	42.88	3	Horizontal	3	2.75	-	32.71	6.37	32.79
PK	5.2528G	128.33	Inf	-Inf	121.86	3	Horizontal	3	2.75	-	32.81	6.40	32.74
AV	5.263G	116.24	Inf	-Inf	109.75	3	Horizontal	3	2.75	-	32.83	6.40	32.74
PK	5.3524G	66.57	74.00	-7.43	59.86	3	Horizontal	3	2.75	-	33.01	6.40	32.70
AV	5.3506G	52.46	54.00	-1.54	45.76	3	Horizontal	3	2.75	-	33.00	6.40	32.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 28.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52088G	57.69	68.20	-10.51	42.20	3	Vertical	326	1.60	-	38.52	8.63	31.66
PK	15.78248G	62.41	74.00	-11.59	44.44	3	Vertical	106	2.63	-	38.19	10.43	30.65
AV	15.77528G	48.53	54.00	-5.47	30.60	3	Vertical	106	2.63	-	38.15	10.43	30.65

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 28.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51664G	58.10	68.20	-10.10	42.60	3	Horizontal	202	1.96	-	38.52	8.63	31.65
PK	15.7754G	62.12	74.00	-11.88	44.17	3	Horizontal	283	2.69	-	38.17	10.43	30.65
AV	15.77818G	48.52	54.00	-5.48	30.57	3	Horizontal	283	2.69	-	38.17	10.43	30.65

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	116.56	Inf	-Inf	109.98	3	Vertical	310	2.25	-	32.90	6.40	32.72
AV	5.2988G	104.23	Inf	-Inf	97.65	3	Vertical	310	2.25	-	32.90	6.40	32.72
PK	5.4026G	60.09	74.00	-13.91	53.14	3	Vertical	310	2.25	-	33.23	6.40	32.68
AV	5.35G	47.65	54.00	-6.35	40.95	3	Vertical	310	2.25	-	33.00	6.40	32.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	125.49	Inf	-Inf	118.90	3	Horizontal	5	2.82	-	32.91	6.40	32.72
AV	5.303G	114.21	Inf	-Inf	107.62	3	Horizontal	5	2.82	-	32.91	6.40	32.72
PK	5.3522G	68.89	74.00	-5.11	62.18	3	Horizontal	5	2.82	-	33.01	6.40	32.70
AV	5.3528G	53.45	54.00	-0.55	46.74	3	Horizontal	5	2.82	-	33.01	6.40	32.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59694G	57.27	68.20	-10.93	41.74	3	Vertical	282	2.12	-	38.60	8.65	31.72
AV	10.60348G	43.31	54.00	-10.69	27.78	3	Vertical	282	2.12	-	38.60	8.65	31.72
PK	15.89926G	61.72	74.00	-12.28	43.46	3	Vertical	359	1.54	-	38.40	10.47	30.61
AV	15.89502G	48.78	54.00	-5.22	30.52	3	Vertical	359	1.54	-	38.40	10.47	30.61

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59544G	56.80	68.20	-11.40	41.27	3	Horizontal	317	1.65	-	38.60	8.65	31.72
PK	15.90292G	62.41	74.00	-11.59	44.15	3	Horizontal	41	2.16	-	38.40	10.47	30.61
AV	15.89796G	48.70	54.00	-5.30	30.44	3	Horizontal	41	2.16	-	38.40	10.47	30.61

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3222G	116.29	Inf	-Inf	109.66	3	Vertical	315	2.69	-	32.94	6.40	32.71
AV	5.3218G	102.23	Inf	-Inf	95.60	3	Vertical	315	2.69	-	32.94	6.40	32.71
PK	5.3522G	60.18	74.00	-13.82	53.47	3	Vertical	315	2.69	-	33.01	6.40	32.70
AV	5.3512G	47.81	54.00	-6.19	41.11	3	Vertical	315	2.69	-	33.00	6.40	32.70



802.11ax HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	125.12	Inf	-Inf	118.48	3	Horizontal	4	2.71	-	32.95	6.40	32.71
AV	5.3226G	111.79	Inf	-Inf	105.15	3	Horizontal	4	2.71	-	32.95	6.40	32.71
PK	5.3508G	67.09	74.00	-6.91	60.39	3	Horizontal	4	2.71	-	33.00	6.40	32.70
AV	5.3524G	53.41	54.00	-0.59	46.70	3	Horizontal	4	2.71	-	33.01	6.40	32.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63788G	56.65	74.00	-17.35	41.14	3	Vertical	81	2.97	-	38.60	8.66	31.75
AV	10.64434G	42.89	54.00	-11.11	27.39	3	Vertical	81	2.97	-	38.60	8.66	31.76
PK	15.95692G	62.70	74.00	-11.30	44.40	3	Vertical	335	2.58	-	38.40	10.49	30.59
AV	15.95874G	48.88	54.00	-5.12	30.58	3	Vertical	335	2.58	-	38.40	10.49	30.59

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64066G	57.28	74.00	-16.72	41.77	3	Horizontal	302	1.39	-	38.60	8.66	31.75
AV	10.64154G	42.91	54.00	-11.09	27.40	3	Horizontal	302	1.39	-	38.60	8.66	31.75
PK	15.96426G	62.66	74.00	-11.34	44.36	3	Horizontal	289	1.23	-	38.40	10.49	30.59
AV	15.95844G	48.95	54.00	-5.05	30.65	3	Horizontal	289	1.23	-	38.40	10.49	30.59

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	60.09	74.00	-13.91	52.83	3	Vertical	83	1.78	-	33.50	6.43	32.67
PK	5.4696G	59.71	68.20	-8.49	52.19	3	Vertical	83	1.78	-	33.70	6.47	32.65
AV	5.4536G	47.14	54.00	-6.86	39.65	3	Vertical	83	1.78	-	33.70	6.45	32.66
PK	5.5024G	113.26	Inf	-Inf	105.69	3	Vertical	83	1.78	-	33.71	6.50	32.64
AV	5.5028G	100.39	Inf	-Inf	92.82	3	Vertical	83	1.78	-	33.71	6.50	32.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.90	74.00	-10.10	56.40	3	Horizontal	171	2.94	-	33.70	6.46	32.66
AV	5.4592G	51.52	54.00	-2.48	44.02	3	Horizontal	171	2.94	-	33.70	6.46	32.66
PK	5.4692G	68.12	68.20	-0.08	60.60	3	Horizontal	171	2.94	-	33.70	6.47	32.65
PK	5.4984G	124.11	Inf	-Inf	116.55	3	Horizontal	171	2.94	-	33.70	6.50	32.64
AV	5.498G	110.70	Inf	-Inf	103.14	3	Horizontal	171	2.94	-	33.70	6.50	32.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99916G	57.53	74.00	-16.47	42.32	3	Vertical	233	2.73	-	38.50	8.75	32.04
AV	10.99868G	43.12	54.00	-10.88	27.91	3	Vertical	233	2.73	-	38.50	8.75	32.04
PK	16.49784G	66.86	68.20	-1.34	44.87	3	Vertical	182	1.89	-	40.29	10.65	28.95

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9993G	57.03	74.00	-16.97	41.82	3	Horizontal	71	1.35	-	38.50	8.75	32.04
AV	11.0016G	43.03	54.00	-10.97	27.82	3	Horizontal	71	1.35	-	38.50	8.75	32.04
PK	16.50274G	66.97	68.20	-1.23	44.96	3	Horizontal	312	1.11	-	40.30	10.65	28.94

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 30  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	59.50	74.00	-14.50	52.07	3	Vertical	86	2.12	-	33.65	6.44	32.66
AV	5.456G	46.97	54.00	-7.03	39.47	3	Vertical	86	2.12	-	33.70	6.46	32.66
PK	5.4672G	59.13	68.20	-9.07	51.61	3	Vertical	86	2.12	-	33.70	6.47	32.65
PK	5.5824G	122.62	Inf	-Inf	114.87	3	Vertical	86	2.12	-	33.84	6.58	32.67
AV	5.5832G	110.38	Inf	-Inf	102.64	3	Vertical	86	2.12	-	33.83	6.58	32.67
PK	5.728G	60.09	68.20	-8.11	52.00	3	Vertical	86	2.12	-	34.22	6.60	32.73



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 30  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.396G	64.52	74.00	-9.48	57.62	3	Horizontal	171	2.92	-	33.18	6.40	32.68
AV	5.3864G	51.16	54.00	-2.84	44.30	3	Horizontal	171	2.92	-	33.15	6.40	32.69
PK	5.4696G	64.19	68.20	-4.01	56.67	3	Horizontal	171	2.92	-	33.70	6.47	32.65
PK	5.5776G	129.63	Inf	-Inf	121.88	3	Horizontal	171	2.92	-	33.84	6.58	32.67
AV	5.5784G	117.06	Inf	-Inf	109.31	3	Horizontal	171	2.92	-	33.84	6.58	32.67
PK	5.7272G	63.71	68.20	-4.49	55.62	3	Horizontal	171	2.92	-	34.22	6.60	32.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 30  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15598G	56.17	74.00	-17.83	40.99	3	Vertical	58	2.86	-	38.34	8.79	31.95
AV	11.16398G	42.69	54.00	-11.31	27.50	3	Vertical	58	2.86	-	38.34	8.79	31.94
PK	16.7382G	66.34	68.20	-1.86	44.53	3	Vertical	128	2.33	-	40.44	10.72	29.35

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 30  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16442G	56.92	74.00	-17.08	41.73	3	Horizontal	158	1.99	-	38.34	8.79	31.94
AV	11.16274G	42.54	54.00	-11.46	27.35	3	Horizontal	158	1.99	-	38.34	8.79	31.94
PK	16.72806G	65.74	68.20	-2.46	43.93	3	Horizontal	20	1.80	-	40.43	10.72	29.34

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	113.73	Inf	-Inf	105.84	3	Vertical	89	2.13	-	34.01	6.60	32.72
AV	5.6974G	101.07	Inf	-Inf	93.18	3	Vertical	89	2.13	-	34.01	6.60	32.72
PK	5.7284G	61.71	68.20	-6.49	53.61	3	Vertical	89	2.13	-	34.23	6.60	32.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	123.00	Inf	-Inf	115.10	3	Horizontal	170	2.80	-	34.02	6.60	32.72
AV	5.7028G	109.90	Inf	-Inf	102.00	3	Horizontal	170	2.80	-	34.02	6.60	32.72
PK	5.7254G	68.10	68.20	-0.10	60.03	3	Horizontal	170	2.80	-	34.20	6.60	32.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39968G	57.57	74.00	-16.43	42.12	3	Vertical	27	2.19	-	38.40	8.85	31.80
AV	11.40078G	43.86	54.00	-10.14	28.41	3	Vertical	27	2.19	-	38.40	8.85	31.80
PK	17.10092G	67.99	68.20	-0.21	45.73	3	Vertical	347	2.62	-	41.40	10.83	29.97

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39576G	58.00	74.00	-16.00	42.55	3	Horizontal	244	1.04	-	38.40	8.85	31.80
AV	11.40378G	43.92	54.00	-10.08	28.47	3	Horizontal	244	1.04	-	38.40	8.85	31.80
PK	17.09912G	67.49	68.20	-0.71	45.22	3	Horizontal	209	2.12	-	41.40	10.83	29.96

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
Setting 29  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	118.54	Inf	-Inf	110.52	3	Vertical	84	2.23	-	34.15	6.60	32.73
AV	5.7184G	106.70	Inf	-Inf	98.68	3	Vertical	84	2.23	-	34.15	6.60	32.73
PK	5.8608G	60.98	68.20	-7.22	52.34	3	Vertical	84	2.23	-	34.82	6.60	32.78



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	127.08	Inf	-Inf	119.03	3	Horizontal	174	2.82	-	34.18	6.60	32.73
AV	5.7224G	115.73	Inf	-Inf	107.68	3	Horizontal	174	2.82	-	34.18	6.60	32.73
PK	5.9144G	63.90	68.20	-4.30	55.15	3	Horizontal	174	2.82	-	34.96	6.60	32.81

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4448G	57.31	74.00	-16.69	41.82	3	Vertical	356	1.36	-	38.40	8.86	31.77
AV	11.43868G	43.80	54.00	-10.20	28.32	3	Vertical	356	1.36	-	38.40	8.86	31.78
PK	17.16232G	66.30	68.20	-1.90	43.99	3	Vertical	272	2.12	-	41.52	10.85	30.06

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44214G	58.11	74.00	-15.89	42.62	3	Horizontal	70	1.08	-	38.40	8.86	31.77
AV	11.43812G	43.74	54.00	-10.26	28.26	3	Horizontal	70	1.08	-	38.40	8.86	31.78
PK	17.1613G	67.01	68.20	-1.19	44.70	3	Horizontal	293	1.90	-	41.52	10.85	30.06

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1326G	58.71	74.00	-15.29	52.40	3	Vertical	315	2.73	-	32.73	6.37	32.79
AV	5.1206G	45.78	54.00	-8.22	39.46	3	Vertical	315	2.73	-	32.76	6.36	32.80
PK	5.2628G	112.17	Inf	-Inf	105.68	3	Vertical	315	2.73	-	32.83	6.40	32.74
AV	5.2718G	100.22	Inf	-Inf	93.72	3	Vertical	315	2.73	-	32.84	6.40	32.74
PK	5.3726G	59.87	74.00	-14.13	53.07	3	Vertical	315	2.73	-	33.09	6.40	32.69
AV	5.3522G	47.20	54.00	-6.80	40.49	3	Vertical	315	2.73	-	33.01	6.40	32.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	60.09	74.00	-13.91	53.77	3	Horizontal	5	2.78	-	32.76	6.36	32.80
AV	5.1434G	47.36	54.00	-6.64	41.07	3	Horizontal	5	2.78	-	32.71	6.37	32.79
PK	5.2832G	121.48	Inf	-Inf	114.94	3	Horizontal	5	2.78	-	32.87	6.40	32.73
AV	5.2634G	109.44	Inf	-Inf	102.95	3	Horizontal	5	2.78	-	32.83	6.40	32.74
PK	5.3558G	67.03	74.00	-6.97	60.31	3	Horizontal	5	2.78	-	33.02	6.40	32.70
AV	5.3522G	53.29	54.00	-0.71	46.58	3	Horizontal	5	2.78	-	33.01	6.40	32.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 24.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54122G	57.71	68.20	-10.49	42.20	3	Vertical	240	2.57	-	38.54	8.64	31.67
PK	15.806G	62.02	74.00	-11.98	43.91	3	Vertical	213	2.15	-	38.31	10.44	30.64
AV	15.81428G	48.45	54.00	-5.55	30.34	3	Vertical	213	2.15	-	38.31	10.44	30.64

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 24.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53672G	56.97	68.20	-11.23	41.47	3	Horizontal	245	2.79	-	38.54	8.63	31.67
PK	15.81092G	62.77	74.00	-11.23	44.66	3	Horizontal	64	2.45	-	38.31	10.44	30.64
AV	15.80716G	48.44	54.00	-5.56	30.33	3	Horizontal	64	2.45	-	38.31	10.44	30.64

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 22  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	111.74	Inf	-Inf	105.14	3	Vertical	297	2.95	-	32.92	6.40	32.72
AV	5.3084G	98.79	Inf	-Inf	92.19	3	Vertical	297	2.95	-	32.92	6.40	32.72
PK	5.4012G	60.23	74.00	-13.77	53.30	3	Vertical	297	2.95	-	33.21	6.40	32.68
AV	5.35G	47.47	54.00	-6.53	40.77	3	Vertical	297	2.95	-	33.00	6.40	32.70



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 22  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	120.63	Inf	-Inf	114.04	3	Horizontal	5	2.68	-	32.91	6.40	32.72
AV	5.3076G	107.86	Inf	-Inf	101.26	3	Horizontal	5	2.68	-	32.92	6.40	32.72
PK	5.3568G	66.50	74.00	-7.50	59.77	3	Horizontal	5	2.68	-	33.03	6.40	32.70
AV	5.3584G	53.17	54.00	-0.83	46.44	3	Horizontal	5	2.68	-	33.03	6.40	32.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 22  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61938G	56.41	74.00	-17.59	40.90	3	Vertical	116	2.82	-	38.60	8.65	31.74
AV	10.615G	42.78	54.00	-11.22	27.26	3	Vertical	116	2.82	-	38.60	8.65	31.73
PK	15.92582G	61.77	74.00	-12.23	43.49	3	Vertical	200	2.63	-	38.40	10.48	30.60
AV	15.9254G	48.77	54.00	-5.23	30.49	3	Vertical	200	2.63	-	38.40	10.48	30.60

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 22  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61918G	57.01	74.00	-16.99	41.50	3	Horizontal	344	1.99	-	38.60	8.65	31.74
AV	10.62144G	42.75	54.00	-11.25	27.23	3	Horizontal	344	1.99	-	38.60	8.66	31.74
PK	15.9339G	62.35	74.00	-11.65	44.07	3	Horizontal	140	1.49	-	38.40	10.48	30.60
AV	15.92778G	48.74	54.00	-5.26	30.46	3	Horizontal	140	1.49	-	38.40	10.48	30.60

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4268G	59.89	74.00	-14.11	52.66	3	Vertical	84	1.80	-	33.47	6.43	32.67
PK	5.464G	59.84	68.20	-8.36	52.34	3	Vertical	84	1.80	-	33.70	6.46	32.66
AV	5.4544G	47.03	54.00	-6.97	39.54	3	Vertical	84	1.80	-	33.70	6.45	32.66
PK	5.5136G	108.15	Inf	-Inf	100.54	3	Vertical	84	1.80	-	33.75	6.51	32.65
AV	5.5224G	95.48	Inf	-Inf	87.82	3	Vertical	84	1.80	-	33.79	6.52	32.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.93	74.00	-11.07	55.43	3	Horizontal	169	2.96	-	33.70	6.46	32.66
AV	5.4592G	51.14	54.00	-2.86	43.64	3	Horizontal	169	2.96	-	33.70	6.46	32.66
PK	5.4696G	68.17	68.20	-0.03	60.65	3	Horizontal	169	2.96	-	33.70	6.47	32.65
PK	5.4992G	117.94	Inf	-Inf	110.38	3	Horizontal	169	2.96	-	33.70	6.50	32.64
AV	5.5088G	104.87	Inf	-Inf	97.26	3	Horizontal	169	2.96	-	33.74	6.51	32.64

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0197G	56.96	74.00	-17.04	41.76	3	Vertical	306	2.37	-	38.48	8.75	32.03
AV	11.01818G	43.09	54.00	-10.91	27.89	3	Vertical	306	2.37	-	38.48	8.75	32.03
PK	16.53006G	66.70	68.20	-1.50	44.73	3	Vertical	142	2.90	-	40.30	10.66	28.99

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0232G	57.71	74.00	-16.29	42.50	3	Horizontal	306	1.55	-	38.48	8.76	32.03
AV	11.02102G	43.08	54.00	-10.92	27.87	3	Horizontal	306	1.55	-	38.48	8.76	32.03
PK	16.532G	66.95	68.20	-1.25	44.99	3	Horizontal	89	1.20	-	40.30	10.66	29.00

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	61.58	74.00	-12.42	54.08	3	Vertical	85	1.97	-	33.70	6.46	32.66
AV	5.4576G	47.80	54.00	-6.20	40.30	3	Vertical	85	1.97	-	33.70	6.46	32.66
PK	5.4684G	61.17	68.20	-7.03	53.65	3	Vertical	85	1.97	-	33.70	6.47	32.65
PK	5.5578G	116.26	Inf	-Inf	108.48	3	Vertical	85	1.97	-	33.88	6.56	32.66
AV	5.5578G	103.70	Inf	-Inf	95.92	3	Vertical	85	1.97	-	33.88	6.56	32.66



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	65.58	74.00	-8.42	58.09	3	Horizontal	170	2.87	-	33.70	6.45	32.66
AV	5.454G	53.21	54.00	-0.79	45.72	3	Horizontal	170	2.87	-	33.70	6.45	32.66
PK	5.4606G	67.41	68.20	-0.79	59.91	3	Horizontal	170	2.87	-	33.70	6.46	32.66
PK	5.5524G	124.57	Inf	-Inf	116.78	3	Horizontal	170	2.87	-	33.90	6.55	32.66
AV	5.553G	111.46	Inf	-Inf	103.68	3	Horizontal	170	2.87	-	33.89	6.55	32.66

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
Setting 26.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0992G	56.88	74.00	-17.12	41.69	3	Vertical	280	1.25	-	38.40	8.77	31.98
AV	11.1038G	43.01	54.00	-10.99	27.81	3	Vertical	280	1.25	-	38.40	8.78	31.98
PK	16.65352G	66.66	68.20	-1.54	44.82	3	Vertical	208	1.85	-	40.35	10.70	29.21

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
Setting 26.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09798G	57.14	74.00	-16.86	41.95	3	Horizontal	285	3.00	-	38.40	8.77	31.98
AV	11.10362G	43.05	54.00	-10.95	27.85	3	Horizontal	285	3.00	-	38.40	8.78	31.98
PK	16.64794G	66.31	68.20	-1.89	44.47	3	Horizontal	157	1.75	-	40.35	10.69	29.20

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 22.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6692G	112.51	Inf	-Inf	104.56	3	Vertical	89	2.16	-	34.06	6.60	32.71
AV	5.668G	100.01	Inf	-Inf	92.06	3	Vertical	89	2.16	-	34.06	6.60	32.71
PK	5.7656G	61.40	68.20	-6.80	53.15	3	Vertical	89	2.16	-	34.40	6.60	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 22.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6716G	118.84	Inf	-Inf	110.89	3	Horizontal	173	1.28	-	34.06	6.60	32.71
AV	5.662G	106.78	Inf	-Inf	98.80	3	Horizontal	173	1.28	-	34.08	6.60	32.70
PK	5.7256G	67.68	68.20	-0.52	59.61	3	Horizontal	173	1.28	-	34.20	6.60	32.73

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 22.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33912G	57.35	74.00	-16.65	41.96	3	Vertical	250	1.23	-	38.40	8.83	31.84
AV	11.3364G	43.51	54.00	-10.49	28.12	3	Vertical	250	1.23	-	38.40	8.83	31.84
PK	17.00528G	67.04	68.20	-1.16	44.94	3	Vertical	302	2.41	-	41.12	10.80	29.82

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 22.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3353G	57.66	74.00	-16.34	42.27	3	Horizontal	73	2.48	-	38.40	8.83	31.84
AV	11.33638G	43.44	54.00	-10.56	28.05	3	Horizontal	73	2.48	-	38.40	8.83	31.84
PK	17.01264G	67.02	68.20	-1.18	44.91	3	Horizontal	124	1.74	-	41.14	10.80	29.83

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 27.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	117.04	Inf	-Inf	109.14	3	Vertical	84	2.11	-	34.02	6.60	32.72
AV	5.7124G	103.07	Inf	-Inf	95.09	3	Vertical	84	2.11	-	34.10	6.60	32.72
PK	5.8548G	61.84	68.20	-6.36	53.21	3	Vertical	84	2.11	-	34.81	6.60	32.78



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 27.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	124.32	Inf	-Inf	116.37	3	Horizontal	172	2.80	-	34.07	6.60	32.72
AV	5.7172G	111.92	Inf	-Inf	103.91	3	Horizontal	172	2.80	-	34.14	6.60	32.73
PK	5.8564G	67.29	68.20	-0.91	58.66	3	Horizontal	172	2.80	-	34.81	6.60	32.78

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 27.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42428G	57.44	74.00	-16.56	41.97	3	Vertical	117	1.92	-	38.40	8.86	31.79
AV	11.4164G	43.71	54.00	-10.29	28.25	3	Vertical	117	1.92	-	38.40	8.85	31.79
PK	17.12858G	66.63	68.20	-1.57	44.34	3	Vertical	37	2.55	-	41.46	10.84	30.01

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 27.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41956G	57.09	74.00	-16.91	41.63	3	Horizontal	144	1.07	-	38.40	8.85	31.79
AV	11.42302G	43.74	54.00	-10.26	28.27	3	Horizontal	144	1.07	-	38.40	8.86	31.79
PK	17.13118G	67.37	68.20	-0.83	45.08	3	Horizontal	239	1.02	-	41.46	10.84	30.01

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.77	74.00	-15.23	52.49	3	Vertical	313	3.00	-	32.70	6.37	32.79
AV	5.1436G	45.83	54.00	-8.17	39.54	3	Vertical	313	3.00	-	32.71	6.37	32.79
PK	5.3004G	106.16	Inf	-Inf	99.58	3	Vertical	313	3.00	-	32.90	6.40	32.72
AV	5.2788G	93.89	Inf	-Inf	87.36	3	Vertical	313	3.00	-	32.86	6.40	32.73
PK	5.3692G	60.41	74.00	-13.59	53.62	3	Vertical	313	3.00	-	33.08	6.40	32.69
AV	5.3988G	47.34	54.00	-6.66	40.42	3	Vertical	313	3.00	-	33.20	6.40	32.68
PK	5.4644G	60.44	68.20	-7.76	52.93	3	Vertical	313	3.00	-	33.70	6.46	32.65

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21.5  
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	60.75	74.00	-13.25	54.45	3	Horizontal	6	2.75	-	32.72	6.37	32.79
AV	5.1476G	48.09	54.00	-5.91	41.81	3	Horizontal	6	2.75	-	32.70	6.37	32.79
PK	5.2876G	116.05	Inf	-Inf	109.50	3	Horizontal	6	2.75	-	32.88	6.40	32.73
AV	5.2884G	103.44	Inf	-Inf	96.89	3	Horizontal	6	2.75	-	32.88	6.40	32.73
PK	5.3596G	69.26	74.00	-4.74	62.52	3	Horizontal	6	2.75	-	33.04	6.40	32.70
AV	5.3572G	53.10	54.00	-0.90	46.37	3	Horizontal	6	2.75	-	33.03	6.40	32.70
PK	5.462G	60.89	68.20	-7.31	53.39	3	Horizontal	6	2.75	-	33.70	6.46	32.66

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 21.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58326G	57.05	68.20	-11.15	41.53	3	Vertical	77	1.84	-	38.58	8.65	31.71
PK	15.87132G	62.00	74.00	-12.00	43.79	3	Vertical	89	1.60	-	38.37	10.46	30.62
AV	15.86684G	48.60	54.00	-5.40	30.39	3	Vertical	89	1.60	-	38.37	10.46	30.62

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 21.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5756G	57.41	68.20	-10.79	41.89	3	Horizontal	89	1.29	-	38.58	8.64	31.70
PK	15.87272G	62.20	74.00	-11.80	43.99	3	Horizontal	124	2.78	-	38.37	10.46	30.62
AV	15.86996G	48.65	54.00	-5.35	30.44	3	Horizontal	124	2.78	-	38.37	10.46	30.62

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
Setting 19.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	58.53	68.20	-9.67	51.95	3	Vertical	85	1.85	-	32.90	6.40	32.72
PK	5.456G	60.46	74.00	-13.54	52.96	3	Vertical	85	1.85	-	33.70	6.46	32.66
AV	5.453G	47.46	54.00	-6.54	39.97	3	Vertical	85	1.85	-	33.70	6.45	32.66
PK	5.463G	59.35	68.20	-8.85	51.85	3	Vertical	85	1.85	-	33.70	6.46	32.66
PK	5.522G	104.71	Inf	-Inf	97.05	3	Vertical	85	1.85	-	33.79	6.52	32.65
AV	5.532G	92.59	Inf	-Inf	84.88	3	Vertical	85	1.85	-	33.83	6.53	32.65
PK	5.753G	60.83	68.20	-7.37	52.57	3	Vertical	85	1.85	-	34.40	6.60	32.74



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
Setting 19.5  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.283G	59.22	68.20	-8.98	52.68	3	Horizontal	171	2.94	-	32.87	6.40	32.73
PK	5.46G	65.08	74.00	-8.92	57.58	3	Horizontal	171	2.94	-	33.70	6.46	32.66
AV	5.459G	52.94	54.00	-1.06	45.44	3	Horizontal	171	2.94	-	33.70	6.46	32.66
PK	5.469G	65.73	68.20	-2.47	58.21	3	Horizontal	171	2.94	-	33.70	6.47	32.65
PK	5.529G	113.19	Inf	-Inf	105.49	3	Horizontal	171	2.94	-	33.82	6.53	32.65
AV	5.529G	101.09	Inf	-Inf	93.39	3	Horizontal	171	2.94	-	33.82	6.53	32.65
PK	5.743G	61.10	68.20	-7.10	52.90	3	Horizontal	171	2.94	-	34.34	6.60	32.74

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 19.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05692G	57.30	74.00	-16.70	42.11	3	Vertical	221	1.06	-	38.44	8.76	32.01
AV	11.06314G	43.08	54.00	-10.92	27.87	3	Vertical	221	1.06	-	38.44	8.77	32.00
PK	16.59158G	66.51	68.20	-1.69	44.63	3	Vertical	330	2.43	-	40.30	10.68	29.10

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 19.5  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05988G	57.01	74.00	-16.99	41.81	3	Horizontal	298	1.87	-	38.44	8.76	32.00
AV	11.0646G	43.10	54.00	-10.90	27.89	3	Horizontal	298	1.87	-	38.44	8.77	32.00
PK	16.5934G	66.11	68.20	-2.09	44.23	3	Horizontal	94	1.22	-	40.30	10.68	29.10

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	59.46	74.00	-14.54	51.96	3	Vertical	87	1.94	-	33.70	6.46	32.66
AV	5.4556G	47.08	54.00	-6.92	39.58	3	Vertical	87	1.94	-	33.70	6.46	32.66
PK	5.4644G	59.21	68.20	-8.99	51.70	3	Vertical	87	1.94	-	33.70	6.46	32.65
PK	5.618G	112.40	Inf	-Inf	104.58	3	Vertical	87	1.94	-	33.91	6.60	32.69
AV	5.598G	98.92	Inf	-Inf	91.20	3	Vertical	87	1.94	-	33.80	6.60	32.68
PK	5.758G	60.87	68.20	-7.33	52.61	3	Vertical	87	1.94	-	34.40	6.60	32.74

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	62.35	74.00	-11.65	54.86	3	Horizontal	170	2.79	-	33.70	6.45	32.66
AV	5.4524G	49.92	54.00	-4.08	42.43	3	Horizontal	170	2.79	-	33.70	6.45	32.66
PK	5.4628G	62.67	68.20	-5.53	55.17	3	Horizontal	170	2.79	-	33.70	6.46	32.66
PK	5.5828G	117.62	Inf	-Inf	109.88	3	Horizontal	170	2.79	-	33.83	6.58	32.67
AV	5.6116G	105.28	Inf	-Inf	97.49	3	Horizontal	170	2.79	-	33.87	6.60	32.68
PK	5.7436G	67.53	68.20	-0.67	59.32	3	Horizontal	170	2.79	-	34.35	6.60	32.74

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21608G	56.37	74.00	-17.63	41.16	3	Vertical	321	2.58	-	38.32	8.80	31.91
AV	11.21928G	42.70	54.00	-11.30	27.49	3	Vertical	321	2.58	-	38.32	8.80	31.91
PK	16.82556G	65.65	68.20	-2.55	43.78	3	Vertical	222	1.61	-	40.63	10.75	29.51

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21812G	56.35	74.00	-17.65	41.14	3	Horizontal	240	2.25	-	38.32	8.80	31.91
AV	11.21642G	42.72	54.00	-11.28	27.51	3	Horizontal	240	2.25	-	38.32	8.80	31.91
PK	16.83008G	65.41	68.20	-2.79	43.52	3	Horizontal	72	2.51	-	40.65	10.75	29.51

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 25  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6884G	110.01	Inf	-Inf	102.11	3	Vertical	82	2.16	-	34.02	6.60	32.72
AV	5.6884G	97.95	Inf	-Inf	90.00	3	Vertical	82	2.16	-	34.06	6.60	32.71
PK	5.8764G	61.15	68.20	-7.05	52.49	3	Vertical	82	2.16	-	34.85	6.60	32.79



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 25  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	118.68	Inf	-Inf	110.79	3	Horizontal	174	2.81	-	34.01	6.60	32.72
AV	5.7028G	105.77	Inf	-Inf	97.87	3	Horizontal	174	2.81	-	34.02	6.60	32.72
PK	5.8508G	68.17	68.20	-0.03	59.55	3	Horizontal	174	2.81	-	34.80	6.60	32.78

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 25  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37798G	57.61	74.00	-16.39	42.18	3	Vertical	321	2.80	-	38.40	8.84	31.81
AV	11.38464G	43.71	54.00	-10.29	28.27	3	Vertical	321	2.80	-	38.40	8.85	31.81
PK	17.07294G	66.60	68.20	-1.60	44.38	3	Vertical	234	2.14	-	41.32	10.82	29.92

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT X\_2TX  
Setting 25  
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38186G	57.53	74.00	-16.47	42.09	3	Horizontal	81	1.92	-	38.40	8.85	31.81
AV	11.38478G	43.67	54.00	-10.33	28.23	3	Horizontal	81	1.92	-	38.40	8.85	31.81
PK	17.07052G	66.57	68.20	-1.63	44.36	3	Horizontal	184	2.41	-	41.31	10.82	29.92



**RSE TX above 1GHz\_R2 + Antenna set 1 for UNII 2A +  
Antenna set 2 for UNII 2C\_Beamforming mode**


**Appendix D.2**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.03	54.00	-0.97	3	Horizontal	171.8	2.84	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1154G	58.73	74.00	-15.27	52.30	3	Vertical	235	2.86	-	32.77	6.46	32.80
AV	5.1478G	45.78	54.00	-8.22	39.40	3	Vertical	235	2.86	-	32.70	6.47	32.79
PK	5.257G	113.61	Inf	-Inf	107.01	3	Vertical	235	2.86	-	32.81	6.53	32.74
AV	5.2564G	102.16	Inf	-Inf	95.56	3	Vertical	235	2.86	-	32.81	6.53	32.74
PK	5.3554G	59.29	74.00	-14.71	52.39	3	Vertical	235	2.86	-	33.02	6.58	32.70
AV	5.3992G	46.74	54.00	-7.26	39.62	3	Vertical	235	2.86	-	33.20	6.60	32.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1166G	59.58	74.00	-14.42	53.15	3	Horizontal	350	2.96	-	32.77	6.46	32.80
AV	5.1484G	47.16	54.00	-6.84	40.78	3	Horizontal	350	2.96	-	32.70	6.47	32.79
PK	5.2546G	125.58	Inf	-Inf	118.98	3	Horizontal	350	2.96	-	32.81	6.53	32.74
AV	5.2576G	113.23	Inf	-Inf	106.62	3	Horizontal	350	2.96	-	32.82	6.53	32.74
PK	5.3518G	61.09	74.00	-12.91	54.20	3	Horizontal	350	2.96	-	33.01	6.58	32.70
AV	5.3512G	49.12	54.00	-4.88	42.24	3	Horizontal	350	2.96	-	33.00	6.58	32.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51828G	56.80	68.20	-11.40	40.95	3	Vertical	224	2.25	-	38.52	8.98	31.65
PK	15.77584G	61.25	74.00	-12.75	42.92	3	Vertical	323	2.99	-	38.16	10.82	30.65
AV	15.77996G	47.74	54.00	-6.26	29.39	3	Vertical	323	2.99	-	38.18	10.82	30.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51688G	57.21	68.20	-10.99	41.36	3	Horizontal	262	1.11	-	38.52	8.98	31.65
PK	15.77636G	61.27	74.00	-12.73	42.94	3	Horizontal	297	1.13	-	38.16	10.82	30.65
AV	15.785G	47.82	54.00	-6.18	29.43	3	Horizontal	297	1.13	-	38.21	10.82	30.64



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	113.52	Inf	-Inf	106.79	3	Vertical	265	2.28	-	32.90	6.55	32.72
AV	5.3016G	102.31	Inf	-Inf	95.58	3	Vertical	265	2.28	-	32.90	6.55	32.72
PK	5.382G	59.49	74.00	-14.51	52.46	3	Vertical	265	2.28	-	33.13	6.59	32.69
AV	5.3964G	46.76	54.00	-7.24	39.65	3	Vertical	265	2.28	-	33.19	6.60	32.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	126.29	Inf	-Inf	119.58	3	Horizontal	189	2.92	-	32.89	6.55	32.73
AV	5.302G	113.53	Inf	-Inf	106.80	3	Horizontal	189	2.92	-	32.90	6.55	32.72
PK	5.3528G	64.06	74.00	-9.94	57.17	3	Horizontal	189	2.92	-	33.01	6.58	32.70
AV	5.35G	50.26	54.00	-3.74	43.38	3	Horizontal	189	2.92	-	33.00	6.58	32.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59674G	56.62	68.20	-11.58	40.73	3	Vertical	73	1.19	-	38.60	9.01	31.72
PK	15.90256G	61.73	74.00	-12.27	43.07	3	Vertical	132	2.89	-	38.40	10.87	30.61
AV	15.90024G	48.57	54.00	-5.43	29.91	3	Vertical	132	2.89	-	38.40	10.87	30.61

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5953G	57.32	68.20	-10.88	41.43	3	Horizontal	199	1.85	-	38.60	9.01	31.72
PK	15.90298G	61.88	74.00	-12.12	43.22	3	Horizontal	177	1.72	-	38.40	10.87	30.61
AV	15.89982G	48.37	54.00	-5.63	29.72	3	Horizontal	177	1.72	-	38.40	10.86	30.61

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	110.07	Inf	-Inf	103.30	3	Vertical	273	2.42	-	32.93	6.56	32.72
AV	5.3138G	97.41	Inf	-Inf	90.64	3	Vertical	273	2.42	-	32.93	6.56	32.72
PK	5.3506G	59.41	74.00	-14.59	52.53	3	Vertical	273	2.42	-	33.00	6.58	32.70
AV	5.3504G	46.77	54.00	-7.23	39.89	3	Vertical	273	2.42	-	33.00	6.58	32.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	120.87	Inf	-Inf	114.10	3	Horizontal	187	2.93	-	32.93	6.56	32.72
AV	5.322G	108.00	Inf	-Inf	101.21	3	Horizontal	187	2.93	-	32.94	6.56	32.71
PK	5.35G	65.54	74.00	-8.46	58.66	3	Horizontal	187	2.93	-	33.00	6.58	32.70
AV	5.3504G	51.20	54.00	-2.80	44.32	3	Horizontal	187	2.93	-	33.00	6.58	32.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63858G	56.82	74.00	-17.18	40.95	3	Vertical	163	1.01	-	38.60	9.02	31.75
AV	10.6374G	43.31	54.00	-10.69	27.44	3	Vertical	163	1.01	-	38.60	9.02	31.75
PK	15.96078G	61.61	74.00	-12.39	42.91	3	Vertical	100	1.87	-	38.40	10.89	30.59
AV	15.96128G	48.31	54.00	-5.69	29.61	3	Vertical	100	1.87	-	38.40	10.89	30.59

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6412G	57.53	74.00	-16.47	41.66	3	Horizontal	186	1.86	-	38.60	9.02	31.75
AV	10.64388G	43.49	54.00	-10.51	27.62	3	Horizontal	186	1.86	-	38.60	9.03	31.76
PK	15.95996G	61.05	74.00	-12.95	42.35	3	Horizontal	101	2.08	-	38.40	10.89	30.59
AV	15.958G	48.09	54.00	-5.91	29.39	3	Horizontal	101	2.08	-	38.40	10.89	30.59



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4228G	60.10	74.00	-13.90	52.73	3	Vertical	88	2.16	-	33.43	6.61	32.67
PK	5.4632G	60.44	68.20	-7.76	52.77	3	Vertical	88	2.16	-	33.70	6.63	32.66
AV	5.4532G	47.28	54.00	-6.72	39.61	3	Vertical	88	2.16	-	33.70	6.63	32.66
PK	5.5048G	113.30	Inf	-Inf	105.57	3	Vertical	88	2.16	-	33.72	6.65	32.64
AV	5.5052G	101.68	Inf	-Inf	93.95	3	Vertical	88	2.16	-	33.72	6.65	32.64

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	62.94	74.00	-11.06	55.51	3	Horizontal	177	2.10	-	33.49	6.61	32.67
PK	5.4696G	63.41	68.20	-4.79	55.73	3	Horizontal	177	2.10	-	33.70	6.63	32.65
AV	5.4596G	49.46	54.00	-4.54	41.79	3	Horizontal	177	2.10	-	33.70	6.63	32.66
PK	5.4992G	120.97	Inf	-Inf	113.26	3	Horizontal	177	2.10	-	33.70	6.65	32.64
AV	5.5028G	108.36	Inf	-Inf	100.64	3	Horizontal	177	2.10	-	33.71	6.65	32.64

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99884G	56.40	74.00	-17.60	40.79	3	Vertical	38	2.44	-	38.50	9.15	32.04
AV	10.99662G	43.11	54.00	-10.89	27.50	3	Vertical	38	2.44	-	38.50	9.15	32.04
PK	16.4971G	65.52	68.20	-2.68	43.16	3	Vertical	99	2.37	-	40.29	11.02	28.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99684G	56.75	74.00	-17.25	41.14	3	Horizontal	110	1.45	-	38.50	9.15	32.04
AV	10.9997G	43.28	54.00	-10.72	27.67	3	Horizontal	110	1.45	-	38.50	9.15	32.04
PK	16.50098G	65.23	68.20	-2.97	42.84	3	Horizontal	209	2.10	-	40.30	11.03	28.94

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4248G	60.74	74.00	-13.26	53.35	3	Vertical	89	2.10	-	33.45	6.61	32.67
PK	5.4632G	59.44	68.20	-8.76	51.77	3	Vertical	89	2.10	-	33.70	6.63	32.66
AV	5.46G	46.97	54.00	-7.03	39.30	3	Vertical	89	2.10	-	33.70	6.63	32.66
PK	5.5856G	115.72	Inf	-Inf	107.87	3	Vertical	89	2.10	-	33.83	6.69	32.67
AV	5.584G	104.72	Inf	-Inf	96.87	3	Vertical	89	2.10	-	33.83	6.69	32.67
PK	5.748G	60.01	68.20	-8.19	51.60	3	Vertical	89	2.10	-	34.38	6.77	32.74

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3848G	60.10	74.00	-13.90	53.06	3	Horizontal	169	1.42	-	33.14	6.59	32.69
AV	5.3864G	48.32	54.00	-5.68	41.27	3	Horizontal	169	1.42	-	33.15	6.59	32.69
PK	5.4632G	59.14	68.20	-9.06	51.47	3	Horizontal	169	1.42	-	33.70	6.63	32.66
PK	5.5848G	121.49	Inf	-Inf	113.64	3	Horizontal	169	1.42	-	33.83	6.69	32.67
AV	5.5776G	109.41	Inf	-Inf	101.55	3	Horizontal	169	1.42	-	33.84	6.69	32.67
PK	5.76G	61.25	68.20	-6.95	52.81	3	Horizontal	169	1.42	-	34.40	6.78	32.74

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1624G	56.75	74.00	-17.25	41.14	3	Vertical	48	2.32	-	38.34	9.21	31.94
AV	11.16002G	43.39	54.00	-10.61	27.78	3	Vertical	48	2.32	-	38.34	9.21	31.94
PK	16.74442G	64.23	68.20	-3.97	42.07	3	Vertical	43	2.23	-	40.44	11.09	29.37

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15806G	57.07	74.00	-16.93	41.47	3	Horizontal	32	2.15	-	38.34	9.21	31.95
AV	11.16376G	43.36	54.00	-10.64	27.75	3	Horizontal	32	2.15	-	38.34	9.21	31.94
PK	16.73796G	64.02	68.20	-4.18	41.85	3	Horizontal	298	2.52	-	40.44	11.08	29.35



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 27  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	112.27	Inf	-Inf	104.21	3	Vertical	84	1.80	-	34.03	6.75	32.72
AV	5.7054G	99.01	Inf	-Inf	90.94	3	Vertical	84	1.80	-	34.04	6.75	32.72
PK	5.7252G	61.52	68.20	-6.68	53.29	3	Vertical	84	1.80	-	34.20	6.76	32.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 27  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	120.58	Inf	-Inf	112.52	3	Horizontal	173	1.00	-	34.03	6.75	32.72
AV	5.7036G	107.97	Inf	-Inf	99.91	3	Horizontal	173	1.00	-	34.03	6.75	32.72
PK	5.7262G	66.58	68.20	-1.62	58.34	3	Horizontal	173	1.00	-	34.21	6.76	32.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 27  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4011G	57.81	74.00	-16.19	41.92	3	Vertical	266	1.16	-	38.40	9.29	31.80
AV	11.3981G	44.40	54.00	-9.60	28.51	3	Vertical	266	1.16	-	38.40	9.29	31.80
PK	17.09578G	65.14	68.20	-3.06	42.54	3	Vertical	74	1.45	-	41.39	11.17	29.96

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


#### 5700MHz\_TnomVnom



EUT X\_2TX  
Setting 27  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39586G	57.67	74.00	-16.33	41.78	3	Horizontal	346	1.54	-	38.40	9.29	31.80
AV	11.39692G	44.49	54.00	-9.51	28.60	3	Horizontal	346	1.54	-	38.40	9.29	31.80
PK	17.09744G	64.96	68.20	-3.24	42.36	3	Horizontal	72	1.14	-	41.39	11.17	29.96


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	112.97	Inf	-Inf	104.79	3	Vertical	89	2.05	-	34.15	6.76	32.73
AV	5.7216G	100.60	Inf	-Inf	92.40	3	Vertical	89	2.05	-	34.17	6.76	32.73
PK	5.8832G	60.31	68.20	-7.89	51.39	3	Vertical	89	2.05	-	34.87	6.84	32.79

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	120.71	Inf	-Inf	112.48	3	Horizontal	178	1.00	-	34.20	6.76	32.73
AV	5.7256G	109.11	Inf	-Inf	100.88	3	Horizontal	178	1.00	-	34.20	6.76	32.73
PK	5.9088G	62.11	68.20	-6.09	53.12	3	Horizontal	178	1.00	-	34.94	6.85	32.80

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44412G	58.34	74.00	-15.66	42.40	3	Vertical	67	1.55	-	38.40	9.31	31.77
AV	11.43726G	44.31	54.00	-9.69	28.39	3	Vertical	67	1.55	-	38.40	9.30	31.78
PK	17.16316G	65.70	68.20	-2.50	43.04	3	Vertical	8	1.53	-	41.53	11.19	30.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43718G	57.78	74.00	-16.22	41.86	3	Horizontal	272	2.20	-	38.40	9.30	31.78
AV	11.43578G	44.41	54.00	-9.59	28.49	3	Horizontal	272	2.20	-	38.40	9.30	31.78
PK	17.1584G	65.90	68.20	-2.30	43.25	3	Horizontal	227	1.27	-	41.52	11.19	30.06



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1272G	58.64	74.00	-15.36	52.23	3	Vertical	122	3.00	-	32.75	6.46	32.80
AV	5.132G	45.66	54.00	-8.34	39.24	3	Vertical	122	3.00	-	32.74	6.47	32.79
PK	5.2742G	110.99	Inf	-Inf	104.33	3	Vertical	122	3.00	-	32.85	6.54	32.73
AV	5.2634G	100.36	Inf	-Inf	93.74	3	Vertical	122	3.00	-	32.83	6.53	32.74
PK	5.417G	59.07	74.00	-14.93	51.76	3	Vertical	122	3.00	-	33.37	6.61	32.67
AV	5.4158G	46.78	54.00	-7.22	39.49	3	Vertical	122	3.00	-	33.36	6.61	32.68

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	59.62	74.00	-14.38	53.23	3	Horizontal	175	3.00	-	32.71	6.47	32.79
AV	5.1476G	47.26	54.00	-6.74	40.88	3	Horizontal	175	3.00	-	32.70	6.47	32.79
PK	5.2712G	120.26	Inf	-Inf	113.62	3	Horizontal	175	3.00	-	32.84	6.54	32.74
AV	5.2718G	105.76	Inf	-Inf	99.12	3	Horizontal	175	3.00	-	32.84	6.54	32.74
PK	5.35G	65.46	74.00	-8.54	58.58	3	Horizontal	175	3.00	-	33.00	6.58	32.70
AV	5.35G	50.41	54.00	-3.59	43.53	3	Horizontal	175	3.00	-	33.00	6.58	32.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53522G	56.76	68.20	-11.44	40.90	3	Vertical	57	1.53	-	38.54	8.99	31.67
PK	15.80886G	60.49	74.00	-13.51	41.99	3	Vertical	168	2.15	-	38.31	10.83	30.64
AV	15.8113G	47.60	54.00	-6.40	29.10	3	Vertical	168	2.15	-	38.31	10.83	30.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5354G	57.15	68.20	-11.05	41.29	3	Horizontal	69	1.46	-	38.54	8.99	31.67
PK	15.81316G	60.38	74.00	-13.62	41.88	3	Horizontal	303	1.70	-	38.31	10.83	30.64
AV	15.80842G	47.44	54.00	-6.56	28.94	3	Horizontal	303	1.70	-	38.31	10.83	30.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	103.59	Inf	-Inf	96.86	3	Vertical	174	1.80	-	32.90	6.55	32.72
AV	5.310G	90.22	Inf	-Inf	83.46	3	Vertical	174	1.80	-	32.92	6.56	32.72
PK	5.4036G	59.64	74.00	-14.36	52.48	3	Vertical	174	1.80	-	33.24	6.60	32.68
AV	5.3988G	46.60	54.00	-7.40	39.48	3	Vertical	174	1.80	-	33.20	6.60	32.68

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	118.54	Inf	-Inf	111.81	3	Horizontal	0	1.00	-	32.90	6.55	32.72
AV	5.3048G	103.75	Inf	-Inf	97.01	3	Horizontal	0	1.00	-	32.91	6.55	32.72
PK	5.3524G	63.52	74.00	-10.48	56.63	3	Horizontal	0	1.00	-	33.01	6.58	32.70
AV	5.35G	51.62	54.00	-2.38	44.74	3	Horizontal	0	1.00	-	33.00	6.58	32.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61972G	56.81	74.00	-17.19	40.93	3	Vertical	155	1.57	-	38.60	9.02	31.74
AV	10.62128G	43.43	54.00	-10.57	27.55	3	Vertical	155	1.57	-	38.60	9.02	31.74
PK	15.92702G	61.82	74.00	-12.18	43.15	3	Vertical	272	1.84	-	38.40	10.87	30.60
AV	15.93166G	48.46	54.00	-5.54	29.78	3	Vertical	272	1.84	-	38.40	10.88	30.60

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61614G	57.24	74.00	-16.76	41.35	3	Horizontal	105	1.07	-	38.60	9.02	31.73
AV	10.61828G	43.38	54.00	-10.62	27.49	3	Horizontal	105	1.07	-	38.60	9.02	31.73
PK	15.9288G	61.80	74.00	-12.20	43.12	3	Horizontal	255	1.16	-	38.40	10.88	30.60
AV	15.92896G	48.33	54.00	-5.67	29.65	3	Horizontal	255	1.16	-	38.40	10.88	30.60



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	59.36	74.00	-14.64	51.69	3	Vertical	88	2.04	-	33.70	6.63	32.66
PK	5.462G	60.68	68.20	-7.52	53.01	3	Vertical	88	2.04	-	33.70	6.63	32.66
AV	5.4588G	48.09	54.00	-5.91	40.42	3	Vertical	88	2.04	-	33.70	6.63	32.66
PK	5.5056G	110.83	Inf	-Inf	103.10	3	Vertical	88	2.04	-	33.72	6.65	32.64
AV	5.4928G	99.79	Inf	-Inf	92.08	3	Vertical	88	2.04	-	33.70	6.65	32.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.76	74.00	-9.24	57.09	3	Horizontal	7	3.00	-	33.70	6.63	32.66
AV	5.46G	51.42	54.00	-2.58	43.75	3	Horizontal	7	3.00	-	33.70	6.63	32.66
PK	5.4688G	65.93	68.20	-2.27	58.25	3	Horizontal	7	3.00	-	33.70	6.63	32.65
PK	5.5004G	118.42	Inf	-Inf	110.71	3	Horizontal	7	3.00	-	33.70	6.65	32.64
AV	5.5064G	105.23	Inf	-Inf	97.49	3	Horizontal	7	3.00	-	33.73	6.65	32.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02082G	56.77	74.00	-17.23	41.16	3	Vertical	169	2.04	-	38.48	9.16	32.03
AV	11.01538G	43.16	54.00	-10.84	27.55	3	Vertical	169	2.04	-	38.48	9.16	32.03
PK	16.5265G	65.37	68.20	-2.83	43.03	3	Vertical	94	1.60	-	40.30	11.03	28.99

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5510MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01566G	56.78	74.00	-17.22	41.17	3	Horizontal	32	2.72	-	38.48	9.16	32.03
AV	11.01552G	43.05	54.00	-10.95	27.44	3	Horizontal	32	2.72	-	38.48	9.16	32.03
PK	16.52822G	65.36	68.20	-2.84	43.02	3	Horizontal	124	1.60	-	40.30	11.03	28.99

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4102G	59.57	74.00	-14.43	52.34	3	Vertical	81	1.96	-	33.30	6.61	32.68
PK	5.47G	59.49	68.20	-8.71	51.81	3	Vertical	81	1.96	-	33.70	6.63	32.65
AV	5.4456G	46.93	54.00	-7.07	39.31	3	Vertical	81	1.96	-	33.66	6.62	32.66
PK	5.5548G	110.96	Inf	-Inf	103.05	3	Vertical	81	1.96	-	33.89	6.68	32.66
AV	5.5416G	99.29	Inf	-Inf	91.41	3	Vertical	81	1.96	-	33.87	6.67	32.66

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	61.98	74.00	-12.02	54.40	3	Horizontal	4	1.80	-	33.62	6.62	32.66
PK	5.466G	63.08	68.20	-5.12	55.40	3	Horizontal	4	1.80	-	33.70	6.63	32.65
AV	5.4594G	48.88	54.00	-5.12	41.21	3	Horizontal	4	1.80	-	33.70	6.63	32.66
PK	5.541G	118.22	Inf	-Inf	110.35	3	Horizontal	4	1.80	-	33.86	6.67	32.66
AV	5.547G	109.84	Inf	-Inf	101.94	3	Horizontal	4	1.80	-	33.89	6.67	32.66

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5550MHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09752G	56.36	74.00	-17.64	40.76	3	Vertical	63	2.74	-	38.40	9.18	31.98
AV	11.10358G	43.38	54.00	-10.62	27.77	3	Vertical	63	2.74	-	38.40	9.19	31.98
PK	16.65222G	65.32	68.20	-2.88	43.11	3	Vertical	277	1.99	-	40.35	11.06	29.20

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10172G	56.57	74.00	-17.43	40.96	3	Horizontal	73	1.47	-	38.40	9.19	31.98
AV	11.10096G	43.39	54.00	-10.61	27.78	3	Horizontal	73	1.47	-	38.40	9.19	31.98
PK	16.64674G	65.36	68.20	-2.84	43.15	3	Horizontal	198	2.38	-	40.35	11.06	29.20



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT\_X\_2TX  
Setting 25  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6616G	110.64	Inf	-Inf	102.53	3	Vertical	81	2.02	-	34.08	6.73	32.70
AV	5.6586G	95.74	Inf	-Inf	87.63	3	Vertical	81	2.02	-	34.08	6.73	32.70
PK	5.745G	60.27	68.20	-7.93	51.88	3	Vertical	81	2.02	-	34.36	6.77	32.74

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 25  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	117.55	Inf	-Inf	109.42	3	Horizontal	175	1.00	-	34.10	6.73	32.70
AV	5.662G	108.08	Inf	-Inf	99.97	3	Horizontal	175	1.00	-	34.08	6.73	32.70
PK	5.752G	63.58	68.20	-4.62	55.14	3	Horizontal	175	1.00	-	34.40	6.78	32.74

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 25  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34152G	57.48	74.00	-16.52	41.65	3	Vertical	17	1.83	-	38.40	9.27	31.84
AV	11.3353G	44.12	54.00	-9.88	28.29	3	Vertical	17	1.83	-	38.40	9.27	31.84
PK	17.01456G	65.24	68.20	-2.96	42.78	3	Vertical	132	1.01	-	41.14	11.15	29.83

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 25  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34002G	57.64	74.00	-16.36	41.81	3	Horizontal	161	1.80	-	38.40	9.27	31.84
AV	11.33592G	44.12	54.00	-9.88	28.29	3	Horizontal	161	1.80	-	38.40	9.27	31.84
PK	17.01468G	65.74	68.20	-2.46	43.28	3	Horizontal	204	2.66	-	41.14	11.15	29.83

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	109.64	Inf	-Inf	101.60	3	Vertical	83	2.08	-	34.01	6.75	32.72
AV	5.7132G	97.73	Inf	-Inf	89.59	3	Vertical	83	2.08	-	34.11	6.76	32.73
PK	5.8876G	59.66	68.20	-8.54	50.74	3	Vertical	83	2.08	-	34.88	6.84	32.80

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	117.34	Inf	-Inf	109.24	3	Horizontal	172	2.94	-	34.07	6.75	32.72
AV	5.7148G	105.56	Inf	-Inf	97.41	3	Horizontal	172	2.94	-	34.12	6.76	32.73
PK	5.8572G	62.18	68.20	-6.02	53.32	3	Horizontal	172	2.94	-	34.81	6.83	32.78

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42424G	57.51	74.00	-16.49	41.60	3	Vertical	271	2.39	-	38.40	9.30	31.79
AV	11.42366G	44.31	54.00	-9.69	28.40	3	Vertical	271	2.39	-	38.40	9.30	31.79
PK	17.13066G	66.18	68.20	-2.02	43.55	3	Vertical	213	2.73	-	41.46	11.18	30.01

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4208G	57.53	74.00	-16.47	41.62	3	Horizontal	234	2.63	-	38.40	9.30	31.79
AV	11.41542G	44.24	54.00	-9.76	28.33	3	Horizontal	234	2.63	-	38.40	9.30	31.79
PK	17.1274G	65.25	68.20	-2.95	42.63	3	Horizontal	62	1.07	-	41.45	11.18	30.01



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	57.77	74.00	-16.23	51.36	3	Vertical	162	1.80	-	32.73	6.47	32.79
AV	5.1324G	45.44	54.00	-8.56	39.02	3	Vertical	162	1.80	-	32.74	6.47	32.79
PK	5.3012G	99.27	Inf	-Inf	92.54	3	Vertical	162	1.80	-	32.90	6.55	32.72
AV	5.2724G	87.24	Inf	-Inf	80.60	3	Vertical	162	1.80	-	32.84	6.54	32.74
PK	5.458G	59.12	74.00	-14.88	51.45	3	Vertical	162	1.80	-	33.70	6.63	32.66
AV	5.43G	46.66	54.00	-7.34	39.22	3	Vertical	162	1.80	-	33.50	6.61	32.67
PK	5.4676G	59.63	68.20	-8.57	51.95	3	Vertical	162	1.80	-	33.70	6.63	32.65

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	61.35	74.00	-12.65	54.93	3	Horizontal	360	1.00	-	32.74	6.47	32.79
AV	5.1468G	47.85	54.00	-6.15	41.46	3	Horizontal	360	1.00	-	32.71	6.47	32.79
PK	5.2596G	116.52	Inf	-Inf	109.91	3	Horizontal	360	1.00	-	32.82	6.53	32.74
AV	5.2956G	100.61	Inf	-Inf	93.90	3	Horizontal	360	1.00	-	32.89	6.55	32.73
PK	5.3668G	68.69	74.00	-5.31	61.74	3	Horizontal	360	1.00	-	33.07	6.58	32.70
AV	5.3508G	52.47	54.00	-1.53	45.59	3	Horizontal	360	1.00	-	33.00	6.58	32.70
PK	5.4636G	59.88	68.20	-8.32	52.21	3	Horizontal	360	1.00	-	33.70	6.63	32.66

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5824G	56.79	68.20	-11.41	40.92	3	Vertical	170	1.37	-	38.58	9.00	31.71
PK	15.86952G	61.59	74.00	-12.41	42.99	3	Vertical	261	2.19	-	38.37	10.85	30.62
AV	15.87148G	48.27	54.00	-5.73	29.66	3	Vertical	261	2.19	-	38.37	10.86	30.62

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57846G	56.76	68.20	-11.44	40.88	3	Horizontal	309	1.00	-	38.58	9.00	31.70
PK	15.86588G	61.48	74.00	-12.52	42.88	3	Horizontal	235	2.98	-	38.37	10.85	30.62
AV	15.865G	48.16	54.00	-5.84	29.56	3	Horizontal	235	2.98	-	38.37	10.85	30.62

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	58.71	68.20	-9.49	51.97	3	Vertical	84	1.80	-	32.91	6.55	32.72
PK	5.455G	59.91	74.00	-14.09	52.24	3	Vertical	84	1.80	-	33.70	6.63	32.66
AV	5.455G	47.75	54.00	-6.25	40.08	3	Vertical	84	1.80	-	33.70	6.63	32.66
PK	5.462G	59.57	68.20	-8.63	51.90	3	Vertical	84	1.80	-	33.70	6.63	32.66
PK	5.501G	108.26	Inf	-Inf	100.55	3	Vertical	84	1.80	-	33.70	6.65	32.64
AV	5.551G	93.18	Inf	-Inf	85.26	3	Vertical	84	1.80	-	33.90	6.68	32.66
PK	5.764G	59.80	68.20	-8.40	51.37	3	Vertical	84	1.80	-	34.40	6.78	32.75

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	60.53	68.20	-7.67	53.75	3	Horizontal	171.8	2.84	-	32.94	6.56	32.72
PK	5.454G	67.85	74.00	-6.15	60.18	3	Horizontal	171.8	2.84	-	33.70	6.63	32.66
PK	5.464G	66.96	68.20	-1.24	59.29	3	Horizontal	171.8	2.84	-	33.70	6.63	32.66
AV	5.46G	53.03	54.00	-0.97	45.36	3	Horizontal	171.8	2.84	-	33.70	6.63	32.66
PK	5.514G	115.34	Inf	-Inf	107.57	3	Horizontal	171.8	2.84	-	33.76	6.66	32.65
AV	5.532G	102.02	Inf	-Inf	94.17	3	Horizontal	171.8	2.84	-	33.83	6.67	32.65
PK	5.749G	60.73	68.20	-7.47	52.31	3	Horizontal	171.8	2.84	-	34.39	6.77	32.74

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0552G	56.25	74.00	-17.75	40.65	3	Vertical	45	2.17	-	38.44	9.17	32.01
AV	11.05538G	43.22	54.00	-10.78	27.62	3	Vertical	45	2.17	-	38.44	9.17	32.01
PK	16.58516G	65.44	68.20	-2.76	43.18	3	Vertical	186	2.25	-	40.30	11.05	29.09

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05534G	56.60	74.00	-17.40	41.00	3	Horizontal	274	2.02	-	38.44	9.17	32.01
AV	11.06036G	43.12	54.00	-10.88	27.51	3	Horizontal	274	2.02	-	38.44	9.17	32.00
PK	16.59232G	65.37	68.20	-2.83	43.12	3	Horizontal	240	1.18	-	40.30	11.05	29.10



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.21	74.00	-14.79	51.54	3	Vertical	87	2.10	-	33.70	6.63	32.66
AV	5.4476G	47.05	54.00	-6.95	39.41	3	Vertical	87	2.10	-	33.68	6.62	32.66
PK	5.4628G	59.13	68.20	-9.07	51.46	3	Vertical	87	2.10	-	33.70	6.63	32.66
PK	5.5908G	107.17	Inf	-Inf	99.33	3	Vertical	87	2.10	-	33.82	6.70	32.68
AV	5.6084G	94.90	Inf	-Inf	87.03	3	Vertical	87	2.10	-	33.85	6.70	32.68
PK	5.7428G	60.91	68.20	-7.29	52.54	3	Vertical	87	2.10	-	34.34	6.77	32.74

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	61.23	74.00	-12.77	53.63	3	Horizontal	179	2.23	-	33.64	6.62	32.66
AV	5.4532G	48.58	54.00	-5.42	40.91	3	Horizontal	179	2.23	-	33.70	6.63	32.66
PK	5.462G	60.51	68.20	-7.69	52.84	3	Horizontal	179	2.23	-	33.70	6.63	32.66
PK	5.5996G	113.96	Inf	-Inf	106.14	3	Horizontal	179	2.23	-	33.80	6.70	32.68
AV	5.6028G	101.60	Inf	-Inf	93.76	3	Horizontal	179	2.23	-	33.82	6.70	32.68
PK	5.7284G	66.87	68.20	-1.33	58.61	3	Horizontal	179	2.23	-	34.23	6.76	32.73

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22076G	57.11	74.00	-16.89	41.47	3	Vertical	284	2.24	-	38.32	9.23	31.91
AV	11.21682G	43.56	54.00	-10.44	27.92	3	Vertical	284	2.24	-	38.32	9.23	31.91
PK	16.82994G	64.59	68.20	-3.61	42.34	3	Vertical	203	1.73	-	40.65	11.11	29.51

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2226G	57.76	74.00	-16.24	42.12	3	Horizontal	298	2.65	-	38.32	9.23	31.91
AV	11.22374G	43.53	54.00	-10.47	27.89	3	Horizontal	298	2.65	-	38.32	9.23	31.91
PK	16.8338G	64.02	68.20	-4.18	41.76	3	Horizontal	184	2.61	-	40.67	11.11	29.52

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6604G	112.17	Inf	-Inf	104.06	3	Vertical	87	2.15	-	34.08	6.73	32.70
AV	5.6524G	102.95	Inf	-Inf	94.82	3	Vertical	87	2.15	-	34.10	6.73	32.70
PK	5.8692G	62.25	68.20	-5.95	53.37	3	Vertical	87	2.15	-	34.84	6.83	32.79

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_2TX  
Setting 28  
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6564G	120.14	Inf	-Inf	112.02	3	Horizontal	0	1.00	-	34.09	6.73	32.70
AV	5.6908G	101.51	Inf	-Inf	93.46	3	Horizontal	0	1.00	-	34.02	6.75	32.72
PK	5.854G	66.85	68.20	-1.35	57.99	3	Horizontal	0	1.00	-	34.81	6.83	32.78

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37816G	57.67	74.00	-16.33	41.80	3	Vertical	272	1.87	-	38.40	9.28	31.81
AV	11.37938G	44.27	54.00	-9.73	28.40	3	Vertical	272	1.87	-	38.40	9.28	31.81
PK	17.07296G	65.51	68.20	-2.69	42.94	3	Vertical	184	1.21	-	41.32	11.17	29.92

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT X\_2TX  
Setting 28  
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37856G	57.35	74.00	-16.65	41.48	3	Horizontal	102	2.79	-	38.40	9.28	31.81
AV	11.38286G	44.24	54.00	-9.76	28.37	3	Horizontal	102	2.79	-	38.40	9.28	31.81
PK	17.07296G	65.00	68.20	-3.20	42.43	3	Horizontal	312	1.06	-	41.32	11.17	29.92






**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.376G	53.99	54.00	-0.01	3	Horizontal	185	1.72	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_V\_2TX  
Setting 22.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	63.97	74.00	-10.03	55.93	3	Vertical	191	1.64	-	33.55	5.22	30.73
AV	5.1448G	51.70	54.00	-2.30	43.60	3	Vertical	191	1.64	-	33.59	5.24	30.73
PK	5.257G	127.44	Inf	-Inf	119.12	3	Vertical	191	1.64	-	33.71	5.33	30.72
AV	5.257G	116.50	Inf	-Inf	108.18	3	Vertical	191	1.64	-	33.71	5.33	30.72
PK	5.3602G	66.54	74.00	-7.46	57.96	3	Vertical	191	1.64	-	33.92	5.38	30.72
AV	5.3512G	53.52	54.00	-0.48	44.96	3	Vertical	191	1.64	-	33.90	5.38	30.72

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_V\_2TX  
Setting 22.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	64.75	74.00	-9.25	56.70	3	Horizontal	186	1.67	-	33.55	5.23	30.73
AV	5.146G	52.05	54.00	-1.95	43.94	3	Horizontal	186	1.67	-	33.59	5.25	30.73
PK	5.2564G	125.41	Inf	-Inf	117.09	3	Horizontal	186	1.67	-	33.71	5.33	30.72
AV	5.2552G	115.19	Inf	-Inf	106.87	3	Horizontal	186	1.67	-	33.71	5.33	30.72
PK	5.3602G	65.76	74.00	-8.24	57.18	3	Horizontal	186	1.67	-	33.92	5.38	30.72
AV	5.3764G	53.98	54.00	-0.02	45.36	3	Horizontal	186	1.67	-	33.95	5.39	30.72



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT Y\_2TX  
Setting 22.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51876G	53.89	68.20	-14.31	39.65	3	Vertical	257	2.05	-	38.58	7.51	31.85
PK	15.77492G	57.52	74.00	-16.48	41.59	3	Vertical	69	1.91	-	37.50	9.90	31.47
AV	15.77948G	44.74	54.00	-9.26	28.82	3	Vertical	69	1.91	-	37.50	9.90	31.48

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT Y\_2TX  
Setting 22.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5112G	53.28	68.20	-14.92	39.04	3	Horizontal	93	1.17	-	38.59	7.50	31.85
PK	15.78264G	57.69	74.00	-16.31	41.77	3	Horizontal	245	2.64	-	37.50	9.90	31.48
AV	15.78024G	44.76	54.00	-9.24	28.84	3	Horizontal	245	2.64	-	37.50	9.90	31.48

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_V\_2TX  
Setting 24.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	65.33	74.00	-8.67	57.36	3	Vertical	190	1.61	-	33.50	5.20	30.73
AV	5.102G	53.30	54.00	-0.70	45.33	3	Vertical	190	1.61	-	33.50	5.20	30.73
PK	5.302G	128.81	Inf	-Inf	120.38	3	Vertical	190	1.61	-	33.80	5.35	30.72
AV	5.299G	117.91	Inf	-Inf	109.48	3	Vertical	190	1.61	-	33.80	5.35	30.72
PK	5.399G	64.91	74.00	-9.09	56.23	3	Vertical	190	1.61	-	34.00	5.40	30.72
AV	5.402G	53.55	54.00	-0.45	44.87	3	Vertical	190	1.61	-	34.00	5.40	30.72
PK	5.491G	64.27	68.20	-3.93	55.50	3	Vertical	190	1.61	-	34.00	5.49	30.72

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_V\_2TX  
Setting 24.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.103G	65.41	74.00	-8.59	57.43	3	Horizontal	185	1.72	-	33.51	5.20	30.73
AV	5.11G	53.29	54.00	-0.71	45.29	3	Horizontal	185	1.72	-	33.52	5.21	30.73
PK	5.296G	127.60	Inf	-Inf	119.18	3	Horizontal	185	1.72	-	33.79	5.35	30.72
AV	5.297G	117.27	Inf	-Inf	108.85	3	Horizontal	185	1.72	-	33.79	5.35	30.72
PK	5.396G	66.71	74.00	-7.29	58.04	3	Horizontal	185	1.72	-	33.99	5.40	30.72
AV	5.376G	53.99	54.00	-0.01	45.37	3	Horizontal	185	1.72	-	33.95	5.39	30.72
PK	5.488G	65.24	68.20	-2.96	56.47	3	Horizontal	185	1.72	-	34.00	5.49	30.72

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT Y\_2TX  
Setting 24.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5928G	52.92	68.20	-15.28	38.73	3	Vertical	348	1.98	-	38.51	7.54	31.86
AV	10.60896G	39.92	54.00	-14.08	25.75	3	Vertical	348	1.98	-	38.50	7.54	31.87
PK	15.90612G	57.52	74.00	-16.48	41.80	3	Vertical	294	1.47	-	37.30	9.96	31.54
AV	15.90596G	43.88	54.00	-10.12	28.16	3	Vertical	294	1.47	-	37.30	9.96	31.54



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT Y\_2TX  
Setting 24.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6022G	53.27	74.00	-20.73	39.09	3	Horizontal	200	2.82	-	38.50	7.54	31.86
AV	10.60724G	39.81	54.00	-14.19	25.64	3	Horizontal	200	2.82	-	38.50	7.54	31.87
PK	15.9084G	56.85	74.00	-17.15	41.13	3	Horizontal	334	1.64	-	37.30	9.96	31.54
AV	15.90076G	43.94	54.00	-10.06	28.22	3	Horizontal	334	1.64	-	37.30	9.96	31.54

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	125.29	Inf	-Inf	116.81	3	Vertical	192	1.70	-	33.84	5.36	30.72
AV	5.3192G	114.08	Inf	-Inf	105.60	3	Vertical	192	1.70	-	33.84	5.36	30.72
PK	5.35G	66.64	74.00	-7.36	58.08	3	Vertical	192	1.70	-	33.90	5.38	30.72
AV	5.3502G	53.97	54.00	-0.03	45.41	3	Vertical	192	1.70	-	33.90	5.38	30.72

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT V\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3162G	124.30	Inf	-Inf	115.83	3	Horizontal	185	1.72	-	33.83	5.36	30.72
AV	5.3226G	114.10	Inf	-Inf	105.61	3	Horizontal	185	1.72	-	33.85	5.36	30.72
PK	5.3502G	65.83	74.00	-8.17	57.27	3	Horizontal	185	1.72	-	33.90	5.38	30.72
AV	5.35G	53.60	54.00	-0.40	45.04	3	Horizontal	185	1.72	-	33.90	5.38	30.72

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64972G	52.54	74.00	-21.46	38.35	3	Vertical	85	2.71	-	38.50	7.56	31.87
AV	10.6488G	39.65	54.00	-14.35	25.46	3	Vertical	85	2.71	-	38.50	7.56	31.87
PK	15.96464G	56.96	74.00	-17.04	41.25	3	Vertical	174	2.54	-	37.30	9.98	31.57
AV	15.95932G	43.77	54.00	-10.23	28.06	3	Vertical	174	2.54	-	37.30	9.98	31.57

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6398G	53.27	74.00	-20.73	39.08	3	Horizontal	242	1.33	-	38.50	7.56	31.87
AV	10.63136G	39.76	54.00	-14.24	25.58	3	Horizontal	242	1.33	-	38.50	7.55	31.87
PK	15.95612G	57.11	74.00	-16.89	41.40	3	Horizontal	308	1.77	-	37.30	9.98	31.57
AV	15.9548G	43.76	54.00	-10.24	28.05	3	Horizontal	308	1.77	-	37.30	9.98	31.57

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_V\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	64.85	74.00	-9.15	56.12	3	Vertical	193	1.80	-	34.00	5.45	30.72
AV	5.4588G	51.87	54.00	-2.13	43.13	3	Vertical	193	1.80	-	34.00	5.46	30.72
PK	5.4696G	68.07	68.20	-0.13	59.32	3	Vertical	193	1.80	-	34.00	5.47	30.72
PK	5.502G	124.46	Inf	-Inf	115.68	3	Vertical	193	1.80	-	34.00	5.50	30.72
AV	5.5034G	113.09	Inf	-Inf	104.31	3	Vertical	193	1.80	-	34.00	5.50	30.72

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_V\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.89	74.00	-9.11	56.15	3	Horizontal	182	1.77	-	34.00	5.46	30.72
AV	5.4596G	52.11	54.00	-1.89	43.37	3	Horizontal	182	1.77	-	34.00	5.46	30.72
PK	5.4696G	67.74	68.20	-0.46	58.99	3	Horizontal	182	1.77	-	34.00	5.47	30.72
PK	5.4994G	123.32	Inf	-Inf	114.54	3	Horizontal	182	1.77	-	34.00	5.50	30.72
AV	5.5032G	113.40	Inf	-Inf	104.62	3	Horizontal	182	1.77	-	34.00	5.50	30.72

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00484G	53.81	74.00	-20.19	39.43	3	Vertical	333	1.02	-	38.60	7.70	31.92
AV	11.00288G	40.36	54.00	-13.64	25.98	3	Vertical	333	1.02	-	38.60	7.70	31.92
PK	16.49168G	59.93	68.20	-8.27	41.64	3	Vertical	48	2.03	-	39.03	10.25	30.99



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00136G	53.58	74.00	-20.42	39.20	3	Horizontal	71	1.91	-	38.60	7.70	31.92
AV	10.99336G	40.32	54.00	-13.68	25.95	3	Horizontal	71	1.91	-	38.59	7.70	31.92
PK	16.49992G	59.98	68.20	-8.22	41.61	3	Horizontal	188	2.58	-	39.10	10.25	30.98

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
Setting 21.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	64.02	68.20	-4.18	55.49	3	Vertical	188	1.75	-	33.88	5.37	30.72
AV	5.35G	50.90	54.00	-3.10	42.35	3	Vertical	188	1.75	-	33.90	5.37	30.72
AV	5.383G	52.17	54.00	-1.83	43.53	3	Vertical	188	1.75	-	33.97	5.39	30.72
PK	5.434G	64.47	74.00	-9.53	55.76	3	Vertical	188	1.75	-	34.00	5.43	30.72
PK	5.466G	62.58	68.20	-5.62	53.83	3	Vertical	188	1.75	-	34.00	5.47	30.72
PK	5.583G	125.97	Inf	-Inf	117.24	3	Vertical	188	1.75	-	33.93	5.58	30.78
AV	5.583G	114.92	Inf	-Inf	106.19	3	Vertical	188	1.75	-	33.93	5.58	30.78
PK	5.78G	64.46	68.20	-3.74	55.99	3	Vertical	188	1.75	-	33.80	5.60	30.93



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
Setting 21.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	62.49	68.20	-5.71	53.97	3	Horizontal	181	1.72	-	33.87	5.37	30.72
AV	5.35G	50.95	54.00	-3.05	42.40	3	Horizontal	181	1.72	-	33.90	5.37	30.72
PK	5.381G	65.41	74.00	-8.59	56.78	3	Horizontal	181	1.72	-	33.96	5.39	30.72
AV	5.385G	53.29	54.00	-0.71	44.65	3	Horizontal	181	1.72	-	33.97	5.39	30.72
PK	5.47G	63.60	68.20	-4.60	54.85	3	Horizontal	181	1.72	-	34.00	5.47	30.72
PK	5.583G	125.22	Inf	-Inf	116.49	3	Horizontal	181	1.72	-	33.93	5.58	30.78
AV	5.583G	115.39	Inf	-Inf	106.66	3	Horizontal	181	1.72	-	33.93	5.58	30.78
PK	5.761G	64.75	68.20	-3.45	56.27	3	Horizontal	181	1.72	-	33.80	5.60	30.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT Y\_2TX  
Setting 21.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15412G	53.66	74.00	-20.34	39.13	3	Vertical	154	1.64	-	38.75	7.76	31.98
AV	11.16272G	40.63	54.00	-13.37	26.09	3	Vertical	154	1.64	-	38.76	7.77	31.99
PK	16.74308G	62.32	68.20	-5.88	42.64	3	Vertical	91	1.53	-	39.94	10.37	30.63

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT Y\_2TX  
Setting 21.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16288G	53.96	74.00	-20.04	39.42	3	Horizontal	80	2.86	-	38.76	7.77	31.99
AV	11.1572G	40.42	54.00	-13.58	25.88	3	Horizontal	80	2.86	-	38.76	7.76	31.98
PK	16.74828G	61.55	68.20	-6.65	41.81	3	Horizontal	149	2.17	-	39.99	10.37	30.62

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_V\_2TX  
Setting 18.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6976G	124.44	Inf	-Inf	115.81	3	Vertical	186	1.70	-	33.90	5.60	30.87
AV	5.6964G	113.88	Inf	-Inf	105.26	3	Vertical	186	1.70	-	33.89	5.60	30.87
PK	5.7252G	67.62	68.20	-0.58	59.06	3	Vertical	186	1.70	-	33.85	5.60	30.89

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_V\_2TX  
Setting 18.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	120.44	Inf	-Inf	111.81	3	Horizontal	176	1.68	-	33.90	5.60	30.87
AV	5.703G	110.34	Inf	-Inf	101.72	3	Horizontal	176	1.68	-	33.89	5.60	30.87
PK	5.7264G	65.24	68.20	-2.96	56.68	3	Horizontal	176	1.68	-	33.85	5.60	30.89

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT Y\_2TX  
Setting 18.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4026G	53.53	74.00	-20.47	38.94	3	Vertical	218	2.26	-	38.81	7.86	32.08
AV	11.40688G	40.04	54.00	-13.96	25.45	3	Vertical	218	2.26	-	38.81	7.86	32.08
PK	17.10528G	62.66	68.20	-5.54	40.93	3	Vertical	177	1.52	-	41.43	10.55	30.25



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT Y\_2TX  
Setting 18.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40612G	53.46	74.00	-20.54	38.87	3	Horizontal	235	3.00	-	38.81	7.86	32.08
AV	11.39184G	39.91	54.00	-14.09	25.33	3	Horizontal	235	3.00	-	38.80	7.86	32.08
PK	17.09888G	63.00	68.20	-5.20	41.30	3	Horizontal	164	2.89	-	41.40	10.55	30.25

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_2TX  
Setting 28.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.717G	131.50	Inf	-Inf	122.91	3	Vertical	185	1.75	-	33.87	5.60	30.88
AV	5.723G	122.98	Inf	-Inf	114.42	3	Vertical	185	1.75	-	33.85	5.60	30.89
PK	5.915G	65.87	68.20	-2.33	57.07	3	Vertical	185	1.75	-	34.13	5.71	31.04

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_2TX  
Setting 28.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.718G	131.17	Inf	-Inf	122.60	3	Horizontal	176	1.79	-	33.86	5.60	30.89
AV	5.721G	121.01	Inf	-Inf	112.44	3	Horizontal	176	1.79	-	33.86	5.60	30.89
PK	5.862G	66.28	68.20	-1.92	57.75	3	Horizontal	176	1.79	-	33.87	5.66	31.00

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_2TX  
Setting 28.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44808G	53.14	74.00	-20.86	38.46	3	Vertical	82	2.24	-	38.90	7.88	32.10
AV	11.44648G	40.03	54.00	-13.97	25.36	3	Vertical	82	2.24	-	38.89	7.88	32.10
PK	17.16612G	63.78	68.20	-4.42	41.64	3	Vertical	180	2.38	-	41.80	10.58	30.24

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_2TX  
Setting 28.5  
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43404G	53.29	74.00	-20.71	38.64	3	Horizontal	357	1.27	-	38.87	7.87	32.09
AV	11.44908G	40.10	54.00	-13.90	25.42	3	Horizontal	357	1.27	-	38.90	7.88	32.10
PK	17.15G	63.72	68.20	-4.48	41.69	3	Horizontal	233	1.52	-	41.70	10.58	30.25

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_V\_2TX  
Setting 26  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.04	74.00	-9.96	55.92	3	Vertical	190	1.65	-	33.60	5.25	30.73
AV	5.149G	51.23	54.00	-2.77	43.11	3	Vertical	190	1.65	-	33.60	5.25	30.73
PK	5.254G	130.86	Inf	-Inf	122.54	3	Vertical	190	1.65	-	33.71	5.33	30.72
AV	5.2564G	118.51	Inf	-Inf	110.19	3	Vertical	190	1.65	-	33.71	5.33	30.72
PK	5.3542G	65.91	74.00	-8.09	57.34	3	Vertical	190	1.65	-	33.91	5.38	30.72
AV	5.3506G	53.60	54.00	-0.40	45.04	3	Vertical	190	1.65	-	33.90	5.38	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_V\_2TX  
Setting 26  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	63.94	74.00	-10.06	55.84	3	Horizontal	185	1.74	-	33.59	5.24	30.73
AV	5.1436G	51.12	54.00	-2.88	43.02	3	Horizontal	185	1.74	-	33.59	5.24	30.73
PK	5.2576G	129.58	Inf	-Inf	121.25	3	Horizontal	185	1.74	-	33.72	5.33	30.72
AV	5.2588G	116.61	Inf	-Inf	108.28	3	Horizontal	185	1.74	-	33.72	5.33	30.72
PK	5.3536G	65.31	74.00	-8.69	56.74	3	Horizontal	185	1.74	-	33.91	5.38	30.72
AV	5.3764G	53.41	54.00	-0.59	44.79	3	Horizontal	185	1.74	-	33.95	5.39	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT Y\_2TX  
Setting 26  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5074G	54.22	68.20	-13.98	39.98	3	Vertical	69	2.94	-	38.59	7.50	31.85
PK	15.78448G	58.09	74.00	-15.91	42.17	3	Vertical	322	2.68	-	37.50	9.90	31.48
AV	15.77638G	44.37	54.00	-9.63	28.44	3	Vertical	322	2.68	-	37.50	9.90	31.47



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT Y\_2TX  
Setting 26  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51466G	56.01	68.20	-12.19	41.76	3	Horizontal	43	1.80	-	38.59	7.51	31.85
PK	15.77532G	58.08	74.00	-15.92	42.15	3	Horizontal	223	2.47	-	37.50	9.90	31.47
AV	15.777G	44.42	54.00	-9.58	28.49	3	Horizontal	223	2.47	-	37.50	9.90	31.47

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_V\_2TX  
Setting 24  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.111G	64.58	74.00	-9.42	56.58	3	Vertical	191	1.71	-	33.52	5.21	30.73
AV	5.106G	52.56	54.00	-1.44	44.57	3	Vertical	191	1.71	-	33.51	5.21	30.73
PK	5.295G	128.65	Inf	-Inf	120.23	3	Vertical	191	1.71	-	33.79	5.35	30.72
AV	5.303G	116.10	Inf	-Inf	107.66	3	Vertical	191	1.71	-	33.81	5.35	30.72
PK	5.352G	65.38	74.00	-8.62	56.82	3	Vertical	191	1.71	-	33.90	5.38	30.72
AV	5.402G	53.04	54.00	-0.96	44.36	3	Vertical	191	1.71	-	34.00	5.40	30.72
PK	5.47G	64.27	68.20	-3.93	55.52	3	Vertical	191	1.71	-	34.00	5.47	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_V\_2TX  
Setting 24  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.82	74.00	-9.18	56.70	3	Horizontal	187	1.72	-	33.60	5.25	30.73
AV	5.108G	52.42	54.00	-1.58	44.42	3	Horizontal	187	1.72	-	33.52	5.21	30.73
PK	5.301G	128.21	Inf	-Inf	119.78	3	Horizontal	187	1.72	-	33.80	5.35	30.72
AV	5.299G	115.17	Inf	-Inf	106.74	3	Horizontal	187	1.72	-	33.80	5.35	30.72
PK	5.391G	65.06	74.00	-8.94	56.40	3	Horizontal	187	1.72	-	33.98	5.40	30.72
AV	5.376G	53.39	54.00	-0.61	44.77	3	Horizontal	187	1.72	-	33.95	5.39	30.72
PK	5.502G	64.02	68.20	-4.18	55.24	3	Horizontal	187	1.72	-	34.00	5.50	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT Y\_2TX  
Setting 24  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59766G	53.99	68.20	-14.21	39.81	3	Vertical	301	2.16	-	38.50	7.54	31.86
PK	15.89964G	57.56	74.00	-16.44	41.85	3	Vertical	54	1.73	-	37.30	9.95	31.54
AV	15.9042G	43.67	54.00	-10.33	27.95	3	Vertical	54	1.73	-	37.30	9.96	31.54

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT Y\_2TX  
Setting 24  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6075G	54.23	74.00	-19.77	40.06	3	Horizontal	294	2.23	-	38.50	7.54	31.87
PK	15.901G	56.71	74.00	-17.29	40.99	3	Horizontal	338	1.23	-	37.30	9.96	31.54
AV	15.89574G	43.64	54.00	-10.36	27.92	3	Horizontal	338	1.23	-	37.31	9.95	31.54

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3238G	126.15	Inf	-Inf	117.66	3	Vertical	190	1.61	-	33.85	5.36	30.72
AV	5.3186G	112.81	Inf	-Inf	104.33	3	Vertical	190	1.61	-	33.84	5.36	30.72
PK	5.3514G	66.59	74.00	-7.41	58.03	3	Vertical	190	1.61	-	33.90	5.38	30.72
AV	5.3504G	53.42	54.00	-0.58	44.86	3	Vertical	190	1.61	-	33.90	5.38	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	126.17	Inf	-Inf	117.68	3	Horizontal	182	1.80	-	33.85	5.36	30.72
AV	5.3226G	112.39	Inf	-Inf	103.90	3	Horizontal	182	1.80	-	33.85	5.36	30.72
PK	5.3504G	66.02	74.00	-7.98	57.46	3	Horizontal	182	1.80	-	33.90	5.38	30.72
AV	5.35G	53.22	54.00	-0.78	44.66	3	Horizontal	182	1.80	-	33.90	5.38	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63592G	53.32	74.00	-20.68	39.14	3	Vertical	313	2.39	-	38.50	7.55	31.87
AV	10.63532G	40.27	54.00	-13.73	26.09	3	Vertical	313	2.39	-	38.50	7.55	31.87
PK	15.96348G	56.87	74.00	-17.13	41.16	3	Vertical	181	2.21	-	37.30	9.98	31.57
AV	15.95822G	43.58	54.00	-10.42	27.87	3	Vertical	181	2.21	-	37.30	9.98	31.57



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63544G	54.34	74.00	-19.66	40.16	3	Horizontal	87	1.35	-	38.50	7.55	31.87
AV	10.63616G	40.13	54.00	-13.87	25.95	3	Horizontal	87	1.35	-	38.50	7.55	31.87
PK	15.96082G	57.03	74.00	-16.97	41.32	3	Horizontal	66	1.40	-	37.30	9.98	31.57
AV	15.95582G	43.46	54.00	-10.54	27.75	3	Horizontal	66	1.40	-	37.30	9.98	31.57

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	64.01	74.00	-9.99	55.27	3	Vertical	194	1.80	-	34.00	5.46	30.72
AV	5.46G	51.48	54.00	-2.52	42.74	3	Vertical	194	1.80	-	34.00	5.46	30.72
PK	5.4698G	67.58	68.20	-0.62	58.83	3	Vertical	194	1.80	-	34.00	5.47	30.72
PK	5.4982G	125.61	Inf	-Inf	116.83	3	Vertical	194	1.80	-	34.00	5.50	30.72
AV	5.4976G	111.67	Inf	-Inf	102.89	3	Vertical	194	1.80	-	34.00	5.50	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_V\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	64.67	74.00	-9.33	55.93	3	Horizontal	180	1.61	-	34.00	5.46	30.72
AV	5.4598G	51.92	54.00	-2.08	43.18	3	Horizontal	180	1.61	-	34.00	5.46	30.72
PK	5.4698G	68.08	68.20	-0.12	59.33	3	Horizontal	180	1.61	-	34.00	5.47	30.72
PK	5.5006G	126.14	Inf	-Inf	117.36	3	Horizontal	180	1.61	-	34.00	5.50	30.72
AV	5.5014G	111.82	Inf	-Inf	103.04	3	Horizontal	180	1.61	-	34.00	5.50	30.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00756G	54.67	74.00	-19.33	40.28	3	Vertical	67	1.97	-	38.61	7.70	31.92
AV	10.99622G	41.53	54.00	-12.47	27.15	3	Vertical	67	1.97	-	38.60	7.70	31.92
PK	16.50124G	60.50	68.20	-7.70	42.13	3	Vertical	32	1.74	-	39.10	10.25	30.98

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9982G	56.41	74.00	-17.59	42.03	3	Horizontal	40	2.50	-	38.60	7.70	31.92
AV	10.99808G	43.10	54.00	-10.90	28.72	3	Horizontal	40	2.50	-	38.60	7.70	31.92
PK	16.4961G	60.22	68.20	-7.98	41.88	3	Horizontal	68	2.26	-	39.07	10.25	30.98

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
Setting 25  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3816G	65.40	74.00	-8.60	56.77	3	Vertical	188	1.74	-	33.96	5.39	30.72
AV	5.3824G	52.81	54.00	-1.19	44.18	3	Vertical	188	1.74	-	33.96	5.39	30.72
PK	5.4672G	62.80	68.20	-5.40	54.05	3	Vertical	188	1.74	-	34.00	5.47	30.72
PK	5.5808G	129.43	Inf	-Inf	120.69	3	Vertical	188	1.74	-	33.94	5.58	30.78
AV	5.5784G	116.69	Inf	-Inf	107.95	3	Vertical	188	1.74	-	33.94	5.58	30.78
PK	5.7552G	65.24	68.20	-2.96	56.75	3	Vertical	188	1.74	-	33.80	5.60	30.91

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_V\_2TX  
Setting 25  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3928G	66.16	74.00	-7.84	57.49	3	Horizontal	178	1.67	-	33.99	5.40	30.72
AV	5.3824G	53.68	54.00	-0.32	45.05	3	Horizontal	178	1.67	-	33.96	5.39	30.72
PK	5.4632G	63.12	68.20	-5.08	54.38	3	Horizontal	178	1.67	-	34.00	5.46	30.72
PK	5.58G	129.72	Inf	-Inf	120.98	3	Horizontal	178	1.67	-	33.94	5.58	30.78
AV	5.5824G	116.83	Inf	-Inf	108.09	3	Horizontal	178	1.67	-	33.94	5.58	30.78
PK	5.7608G	66.43	68.20	-1.77	57.95	3	Horizontal	178	1.67	-	33.80	5.60	30.92

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15904G	56.86	74.00	-17.14	42.32	3	Vertical	272	2.06	-	38.76	7.76	31.98
AV	11.1585G	43.75	54.00	-10.25	29.21	3	Vertical	272	2.06	-	38.76	7.76	31.98
PK	16.74476G	62.11	68.20	-6.09	42.41	3	Vertical	345	2.90	-	39.96	10.37	30.63



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT Y\_2TX  
Setting 25  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15856G	57.73	74.00	-16.27	43.19	3	Horizontal	27	2.05	-	38.76	7.76	31.98
AV	11.15808G	43.75	54.00	-10.25	29.21	3	Horizontal	27	2.05	-	38.76	7.76	31.98
PK	16.73518G	61.98	68.20	-6.22	42.37	3	Horizontal	340	1.76	-	39.88	10.37	30.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT Y\_2TX  
Setting 18.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	125.32	Inf	-Inf	116.70	3	Vertical	187	1.63	-	33.89	5.60	30.87
AV	5.6964G	112.24	Inf	-Inf	103.62	3	Vertical	187	1.63	-	33.89	5.60	30.87
PK	5.7258G	68.06	68.20	-0.14	59.50	3	Vertical	187	1.63	-	33.85	5.60	30.89

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT\_V\_2TX  
Setting 18.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6966G	122.02	Inf	-Inf	113.40	3	Horizontal	174	1.76	-	33.89	5.60	30.87
AV	5.6972G	108.55	Inf	-Inf	99.93	3	Horizontal	174	1.76	-	33.89	5.60	30.87
PK	5.7256G	67.78	68.20	-0.42	59.22	3	Horizontal	174	1.76	-	33.85	5.60	30.89

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT Y\_2TX  
Setting 18.5  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39958G	54.60	74.00	-19.40	40.02	3	Vertical	338	1.24	-	38.80	7.86	32.08
AV	11.3997G	41.32	54.00	-12.68	26.74	3	Vertical	338	1.24	-	38.80	7.86	32.08
PK	17.10008G	63.25	68.20	-4.95	41.55	3	Vertical	90	2.04	-	41.40	10.55	30.25

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 5700MHz\_TnomVnom



EUT Y\_2TX  
Setting 18.5  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3973G	54.11	74.00	-19.89	39.53	3	Horizontal	50	2.53	-	38.80	7.86	32.08
AV	11.39736G	40.79	54.00	-13.21	26.21	3	Horizontal	50	2.53	-	38.80	7.86	32.08
PK	17.09738G	63.37	68.20	-4.83	41.68	3	Horizontal	236	1.84	-	41.39	10.55	30.25

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_2TX  
 Setting 28.5  
 02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.725G	134.19	Inf	-Inf	125.63	3	Vertical	187	1.68	-	33.85	5.60	30.89
AV	5.723G	122.23	Inf	-Inf	113.67	3	Vertical	187	1.68	-	33.85	5.60	30.89
PK	5.915G	66.80	68.20	-1.40	58.00	3	Vertical	187	1.68	-	34.13	5.71	31.04

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_2TX  
Setting 28.5  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.717G	131.29	Inf	-Inf	122.70	3	Horizontal	178	1.65	-	33.87	5.60	30.88
AV	5.717G	119.25	Inf	-Inf	110.66	3	Horizontal	178	1.65	-	33.87	5.60	30.88
PK	5.851G	66.63	68.20	-1.57	58.16	3	Horizontal	178	1.65	-	33.81	5.65	30.99

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_2TX  
Setting 28.5  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43358G	57.95	74.00	-16.05	43.30	3	Vertical	80	1.68	-	38.87	7.87	32.09
AV	11.44786G	44.72	54.00	-9.28	30.04	3	Vertical	80	1.68	-	38.90	7.88	32.10
PK	17.15976G	64.02	68.20	-4.18	41.92	3	Vertical	126	1.70	-	41.76	10.58	30.24



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_2TX  
Setting 28.5  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44756G	58.83	74.00	-15.17	44.15	3	Horizontal	12	1.78	-	38.90	7.88	32.10
AV	11.44744G	45.36	54.00	-8.64	30.69	3	Horizontal	12	1.78	-	38.89	7.88	32.10
PK	17.15834G	64.34	68.20	-3.86	42.25	3	Horizontal	117	1.09	-	41.75	10.58	30.24

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




06/09/2022

EUT V\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1326G	63.44	74.00	-10.56	55.37	3	Vertical	189	1.63	-	33.57	5.23	30.73
AV	5.1308G	50.59	54.00	-3.41	42.53	3	Vertical	189	1.63	-	33.56	5.23	30.73
PK	5.2766G	123.00	Inf	-Inf	114.63	3	Vertical	189	1.63	-	33.75	5.34	30.72
AV	5.2742G	110.29	Inf	-Inf	101.92	3	Vertical	189	1.63	-	33.75	5.34	30.72
PK	5.366G	64.82	74.00	-9.18	56.23	3	Vertical	189	1.63	-	33.93	5.38	30.72
AV	5.3642G	51.71	54.00	-2.29	43.12	3	Vertical	189	1.63	-	33.93	5.38	30.72

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_V\_2TX  
Setting 21  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	63.35	74.00	-10.65	55.27	3	Horizontal	183	1.80	-	33.57	5.24	30.73
AV	5.1452G	50.50	54.00	-3.50	42.39	3	Horizontal	183	1.80	-	33.59	5.25	30.73
PK	5.279G	123.25	Inf	-Inf	114.87	3	Horizontal	183	1.80	-	33.76	5.34	30.72
AV	5.2688G	109.40	Inf	-Inf	101.05	3	Horizontal	183	1.80	-	33.74	5.33	30.72
PK	5.3516G	64.25	74.00	-9.75	55.69	3	Horizontal	183	1.80	-	33.90	5.38	30.72
AV	5.3762G	52.14	54.00	-1.86	43.52	3	Horizontal	183	1.80	-	33.95	5.39	30.72

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52626G	53.63	68.20	-14.57	39.40	3	Vertical	266	1.14	-	38.57	7.51	31.85
PK	15.80172G	57.39	74.00	-16.61	41.47	3	Vertical	14	2.08	-	37.50	9.91	31.49
AV	15.79572G	44.33	54.00	-9.67	28.40	3	Vertical	14	2.08	-	37.50	9.91	31.48

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT Y\_2TX  
Setting 21  
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.528G	53.17	68.20	-15.03	38.94	3	Horizontal	176	2.35	-	38.57	7.51	31.85
PK	15.80826G	57.29	74.00	-16.71	41.39	3	Horizontal	182	2.09	-	37.48	9.91	31.49
AV	15.81648G	44.29	54.00	-9.71	28.39	3	Horizontal	182	2.09	-	37.47	9.92	31.49

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	119.59	Inf	-Inf	111.16	3	Vertical	192	1.63	-	33.80	5.35	30.72
AV	5.3076G	106.99	Inf	-Inf	98.54	3	Vertical	192	1.63	-	33.82	5.35	30.72
PK	5.3516G	64.64	74.00	-9.36	56.08	3	Vertical	192	1.63	-	33.90	5.38	30.72
AV	5.35G	52.39	54.00	-1.61	43.83	3	Vertical	192	1.63	-	33.90	5.38	30.72

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	119.33	Inf	-Inf	110.85	3	Horizontal	185	1.76	-	33.84	5.36	30.72
AV	5.3128G	106.20	Inf	-Inf	97.73	3	Horizontal	185	1.76	-	33.83	5.36	30.72
PK	5.3516G	66.32	74.00	-7.68	57.76	3	Horizontal	185	1.76	-	33.90	5.38	30.72
AV	5.35G	53.59	54.00	-0.41	45.03	3	Horizontal	185	1.76	-	33.90	5.38	30.72

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60728G	53.71	74.00	-20.29	39.54	3	Vertical	201	1.65	-	38.50	7.54	31.87
AV	10.60818G	39.80	54.00	-14.20	25.63	3	Vertical	201	1.65	-	38.50	7.54	31.87
PK	15.92478G	56.75	74.00	-17.25	41.03	3	Vertical	173	2.38	-	37.30	9.97	31.55
AV	15.91512G	43.85	54.00	-10.15	28.14	3	Vertical	173	2.38	-	37.30	9.96	31.55



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61778G	53.00	74.00	-21.00	38.82	3	Horizontal	36	2.43	-	38.50	7.55	31.87
AV	10.60908G	39.74	54.00	-14.26	25.57	3	Horizontal	36	2.43	-	38.50	7.54	31.87
PK	15.93306G	57.28	74.00	-16.72	41.57	3	Horizontal	154	2.49	-	37.30	9.97	31.56
AV	15.91686G	43.81	54.00	-10.19	28.10	3	Horizontal	154	2.49	-	37.30	9.96	31.55

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	65.95	74.00	-8.05	57.22	3	Vertical	193	1.80	-	34.00	5.45	30.72
PK	5.4684G	66.89	68.20	-1.31	58.14	3	Vertical	193	1.80	-	34.00	5.47	30.72
AV	5.4596G	52.55	54.00	-1.45	43.81	3	Vertical	193	1.80	-	34.00	5.46	30.72
PK	5.518G	121.22	Inf	-Inf	112.43	3	Vertical	193	1.80	-	34.00	5.52	30.73
AV	5.5084G	107.86	Inf	-Inf	99.08	3	Vertical	193	1.80	-	34.00	5.51	30.73

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.87	74.00	-9.13	56.13	3	Horizontal	182	1.55	-	34.00	5.46	30.72
AV	5.46G	53.32	54.00	-0.68	44.58	3	Horizontal	182	1.55	-	34.00	5.46	30.72
PK	5.4692G	67.87	68.20	-0.33	59.12	3	Horizontal	182	1.55	-	34.00	5.47	30.72
PK	5.5108G	121.42	Inf	-Inf	112.64	3	Horizontal	182	1.55	-	34.00	5.51	30.73
AV	5.5108G	109.00	Inf	-Inf	100.22	3	Horizontal	182	1.55	-	34.00	5.51	30.73

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0053G	54.36	74.00	-19.64	39.97	3	Vertical	21	1.89	-	38.61	7.70	31.92
AV	11.01706G	41.07	54.00	-12.93	26.67	3	Vertical	21	1.89	-	38.62	7.71	31.93
PK	16.52562G	60.81	68.20	-7.39	42.31	3	Vertical	76	1.80	-	39.18	10.26	30.94

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01688G	55.08	74.00	-18.92	40.68	3	Horizontal	334	2.52	-	38.62	7.71	31.93
AV	11.01838G	41.23	54.00	-12.77	26.83	3	Horizontal	334	2.52	-	38.62	7.71	31.93
PK	16.52744G	60.87	68.20	-7.33	42.37	3	Horizontal	187	1.63	-	39.18	10.26	30.94

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom



EUT\_V\_2TX  
Setting 21.5  
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	65.22	68.20	-2.98	56.68	3	Vertical	189	1.78	-	33.89	5.37	30.72
AV	5.35G	52.47	54.00	-1.53	43.92	3	Vertical	189	1.78	-	33.90	5.37	30.72
PK	5.365G	65.54	74.00	-8.46	56.95	3	Vertical	189	1.78	-	33.93	5.38	30.72
AV	5.364G	52.86	54.00	-1.14	44.27	3	Vertical	189	1.78	-	33.93	5.38	30.72
PK	5.464G	65.89	68.20	-2.31	57.15	3	Vertical	189	1.78	-	34.00	5.46	30.72
PK	5.559G	121.54	Inf	-Inf	112.76	3	Vertical	189	1.78	-	33.98	5.56	30.76
AV	5.545G	110.04	Inf	-Inf	101.25	3	Vertical	189	1.78	-	34.00	5.54	30.75
PK	5.76G	65.76	68.20	-2.44	57.28	3	Vertical	189	1.78	-	33.80	5.60	30.92