


5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5200MHz\_TX




EUT\_V\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.14	74.00	-9.86	55.45	3	Vertical	338	1.51	-	33.60	5.77	30.68
AV	5.1164G	51.46	54.00	-2.54	42.82	3	Vertical	338	1.51	-	33.53	5.76	30.65
PK	5.2024G	131.98	Inf	-Inf	123.10	3	Vertical	338	1.51	-	33.80	5.80	30.72
AV	5.2024G	117.62	Inf	-Inf	108.74	3	Vertical	338	1.51	-	33.80	5.80	30.72

5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5200MHz\_TX




EUT\_V\_2TX  
 Setting -6 (6/0)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1144G	63.86	74.00	-10.14	55.22	3	Horizontal	8	1.54	-	33.53	5.76	30.65
AV	5.1468G	50.73	54.00	-3.27	42.05	3	Horizontal	8	1.54	-	33.59	5.77	30.68
PK	5.2024G	131.65	Inf	-Inf	122.77	3	Horizontal	8	1.54	-	33.80	5.80	30.72
AV	5.2032G	117.21	Inf	-Inf	108.33	3	Horizontal	8	1.54	-	33.80	5.80	30.72

5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39996G	50.70	68.20	-17.50	46.89	3	Vertical	342	2.29	-	38.40	8.44	43.03
PK	15.59004G	52.29	74.00	-21.71	46.74	3	Vertical	45	1.80	-	37.72	10.34	42.51
AV	15.59864G	40.41	54.00	-13.59	34.87	3	Vertical	45	1.80	-	37.70	10.34	42.50

5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40924G	50.95	68.20	-17.25	47.14	3	Horizontal	35	2.24	-	38.40	8.44	43.03
PK	15.59292G	52.77	74.00	-21.23	47.22	3	Horizontal	24	2.45	-	37.71	10.34	42.50
AV	15.59228G	40.37	54.00	-13.63	34.81	3	Horizontal	24	2.45	-	37.72	10.34	42.50

5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5242MHz\_TX




EUT\_V\_2TX  
 Setting -6 (6/0)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	63.22	74.00	-10.78	54.55	3	Vertical	334	1.50	-	33.57	5.77	30.67
AV	5.1154G	50.94	54.00	-3.06	42.30	3	Vertical	334	1.50	-	33.53	5.76	30.65
PK	5.2408G	129.21	Inf	-Inf	120.34	3	Vertical	334	1.50	-	33.80	5.82	30.75
AV	5.239G	115.39	Inf	-Inf	106.52	3	Vertical	334	1.50	-	33.80	5.82	30.75
PK	5.3524G	62.22	74.00	-11.78	53.18	3	Vertical	334	1.50	-	34.00	5.88	30.84
AV	5.35G	50.26	54.00	-3.74	41.22	3	Vertical	334	1.50	-	34.00	5.88	30.84

5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5242MHz\_TX




EUT\_Y\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	63.36	74.00	-10.64	54.68	3	Horizontal	7	1.52	-	33.58	5.77	30.67
AV	5.1082G	50.73	54.00	-3.27	42.11	3	Horizontal	7	1.52	-	33.52	5.75	30.65
PK	5.2378G	128.86	Inf	-Inf	119.99	3	Horizontal	7	1.52	-	33.80	5.82	30.75
AV	5.2396G	114.65	Inf	-Inf	105.78	3	Horizontal	7	1.52	-	33.80	5.82	30.75
PK	5.3536G	61.58	74.00	-12.42	52.54	3	Horizontal	7	1.52	-	34.00	5.88	30.84
AV	5.35G	49.41	54.00	-4.59	40.37	3	Horizontal	7	1.52	-	34.00	5.88	30.84

5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5242MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48632G	51.05	68.20	-17.15	47.22	3	Vertical	343	1.80	-	38.40	8.47	43.04
PK	15.73168G	51.53	74.00	-22.47	45.81	3	Vertical	97	1.80	-	37.67	10.39	42.34
AV	15.71956G	39.41	54.00	-14.59	33.66	3	Vertical	97	1.80	-	37.72	10.39	42.36

5.15-5.25GHz\_QPSK15\_15MHz\_Nss1\_2TX

5242MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47988G	50.77	68.20	-17.43	46.94	3	Horizontal	198	2.40	-	38.40	8.47	43.04
PK	15.73236G	51.70	74.00	-22.30	45.98	3	Horizontal	272	1.80	-	37.67	10.39	42.34
AV	15.72556G	39.55	54.00	-14.45	33.81	3	Horizontal	272	1.80	-	37.70	10.39	42.35



5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5733MHz\_TX




EUT Y\_2TX  
 Setting -4.5(0/4500)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.285G	66.41	68.20	-1.79	60.23	3	Vertical	353	1.74	-	34.21	6.84	34.87
AV	5.375G	53.96	54.00	-0.04	47.50	3	Vertical	353	1.74	-	34.45	6.89	34.88
PK	5.73G	130.24	Inf	-Inf	123.88	3	Vertical	353	1.74	-	34.20	7.17	35.01
AV	5.73G	116.83	Inf	-Inf	110.47	3	Vertical	353	1.74	-	34.20	7.17	35.01
PK	6.189G	62.22	68.20	-5.98	54.81	3	Vertical	353	1.74	-	34.90	7.58	35.07

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5733MHz\_TX



Legend for plot lines:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Green line)
- AV (Yellow line)


07/09/2023

EUT Y\_2TX  
Setting -4.5(0/4500)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	67.86	68.20	-0.34	61.56	3	Horizontal	348	1.76	-	34.32	6.85	34.87
AV	5.46G	53.92	54.00	-0.08	47.25	3	Horizontal	348	1.76	-	34.60	6.96	34.89
PK	5.733G	132.63	Inf	-Inf	126.27	3	Horizontal	348	1.76	-	34.20	7.17	35.01
AV	5.73G	119.12	Inf	-Inf	112.76	3	Horizontal	348	1.76	-	34.20	7.17	35.01
PK	5.984G	63.36	68.20	-4.84	56.53	3	Horizontal	348	1.76	-	34.67	7.29	35.13

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5733MHz\_TX




EUT Y\_2TX  
 Setting -4.5(0/4500)  
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47647G	56.83	74.00	-17.17	70.09	3	Vertical	308	1.24	-	38.93	12.81	65.00
AV	11.47208G	44.59	54.00	-9.41	57.87	3	Vertical	308	1.24	-	38.92	12.81	65.01
PK	17.20227G	63.01	68.20	-5.19	67.38	3	Vertical	226	2.29	-	40.51	17.42	62.30

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5733MHz\_TX




EUT Y\_2TX  
 Setting -4.5(0/4500)  
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47647G	56.72	74.00	-17.28	69.98	3	Horizontal	241	1.29	-	38.93	12.81	65.00
AV	11.47472G	44.57	54.00	-9.43	57.85	3	Horizontal	241	1.29	-	38.92	12.81	65.01
PK	17.2125G	62.59	68.20	-5.61	66.91	3	Horizontal	91	1.77	-	40.56	17.43	62.31

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5787MHz\_TX




07/09/2023

EUT\_Y\_2TX  
Setting -6(6/0)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	65.32	68.20	-2.88	58.95	3	Vertical	0	1.74	-	34.39	6.86	34.88
AV	5.35G	53.20	54.00	-0.80	46.70	3	Vertical	0	1.74	-	34.50	6.88	34.88
PK	5.784G	127.04	Inf	-Inf	120.62	3	Vertical	0	1.74	-	34.27	7.19	35.04
AV	5.784G	113.87	Inf	-Inf	107.45	3	Vertical	0	1.74	-	34.27	7.19	35.04
PK	6.142G	62.90	68.20	-5.30	55.56	3	Vertical	0	1.74	-	34.92	7.51	35.09

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5787MHz\_TX




EUT Y\_2TX  
 Setting -6(6/0)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	65.14	68.20	-3.06	58.81	3	Horizontal	356	1.75	-	34.34	6.86	34.87
AV	5.359G	53.78	54.00	-0.22	47.30	3	Horizontal	356	1.75	-	34.48	6.88	34.88
PK	5.791G	130.20	Inf	-Inf	123.76	3	Horizontal	356	1.75	-	34.28	7.20	35.04
AV	5.784G	116.76	Inf	-Inf	110.34	3	Horizontal	356	1.75	-	34.27	7.19	35.04
PK	5.978G	62.92	68.20	-5.28	56.10	3	Horizontal	356	1.75	-	34.66	7.29	35.13

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5787MHz\_TX




EUT Y\_2TX  
Setting -6(6/0)  
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56212G	57.75	74.00	-16.25	70.69	3	Vertical	245	2.09	-	39.19	12.86	64.99
AV	11.56935G	45.67	54.00	-8.33	58.59	3	Vertical	245	2.09	-	39.21	12.86	64.99
PK	17.37051G	64.55	68.20	-3.65	67.92	3	Vertical	141	1.78	-	41.49	17.52	62.38

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5787MHz\_TX




EUT Y\_2TX  
 Setting -6(6/0)  
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58285G	57.27	74.00	-16.73	70.15	3	Horizontal	323	1.82	-	39.25	12.87	65.00
AV	11.56608G	45.57	54.00	-8.43	58.50	3	Horizontal	323	1.82	-	39.20	12.86	64.99
PK	17.36169G	64.96	68.20	-3.24	68.38	3	Horizontal	309	1.11	-	41.43	17.52	62.37



5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5842MHz\_TX




EUT\_V\_2TX  
 Setting -7.5 (6/1500)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	66.26	68.20	-1.94	57.24	3	Vertical	0	1.53	-	33.94	6.10	31.02
PK	5.846G	126.15	Inf	-Inf	117.13	3	Vertical	0	1.53	-	34.00	6.14	31.12
AV	5.837G	111.83	Inf	-Inf	102.82	3	Vertical	0	1.53	-	34.00	6.13	31.12
PK	5.94G	63.11	68.20	-5.09	53.75	3	Vertical	0	1.53	-	34.28	6.24	31.16

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5842MHz\_TX




EUT\_V\_2TX  
 Setting -7.5 (6/1500)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	67.96	68.20	-0.24	58.94	3	Horizontal	356	1.48	-	33.94	6.10	31.02
PK	5.846G	128.96	Inf	-Inf	119.94	3	Horizontal	356	1.48	-	34.00	6.14	31.12
AV	5.838G	114.74	Inf	-Inf	105.73	3	Horizontal	356	1.48	-	34.00	6.13	31.12
PK	5.953G	63.10	68.20	-5.10	53.72	3	Horizontal	356	1.48	-	34.30	6.25	31.17

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5842MHz\_TX




EUT Y\_2TX  
 Setting -7.5 (6/1500)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6902G	52.37	74.00	-21.63	47.37	3	Vertical	227	1.80	-	39.38	8.89	43.27
AV	11.67524G	40.04	54.00	-13.96	35.07	3	Vertical	227	1.80	-	39.35	8.89	43.27
PK	17.52624G	58.60	68.20	-9.60	45.39	3	Vertical	101	1.62	-	44.11	11.03	41.93

5.725-5.85GHz\_QPSK15\_15MHz\_Nss1\_2TX

5842MHz\_TX




EUT Y\_2TX  
 Setting -7.5 (6/1500)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68796G	51.86	74.00	-22.14	46.86	3	Horizontal	275	2.13	-	39.38	8.89	43.27
AV	11.68464G	39.94	54.00	-14.06	34.95	3	Horizontal	275	2.13	-	39.37	8.89	43.27
PK	17.5306G	58.16	68.20	-10.04	44.90	3	Horizontal	1	1.11	-	44.14	11.04	41.92

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5160MHz\_TX




EUT Y\_2TX  
Setting -34.5 (18/16500)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	67.51	74.00	-6.49	58.82	3	Vertical	29	1.66	BP 1MHz	33.60	5.77	30.68
RMS	5.1495G	53.61	54.00	-0.39	44.92	3	Vertical	29	1.66	BP 1MHz	33.60	5.77	30.68
PK	5.16155G	89.81	Inf	-Inf	81.07	3	Vertical	29	1.66	-	33.65	5.78	30.69
RMS	5.16855G	81.30	Inf	-Inf	72.54	3	Vertical	29	1.66	-	33.67	5.78	30.69

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5160MHz\_TX




EUT Y\_2TX  
 Setting -34.5 (18/16500)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	67.59	74.00	-6.41	58.90	3	Horizontal	6	1.65	BP 1MHz	33.60	5.77	30.68
RMS	5.1495G	53.85	54.00	-0.15	45.16	3	Horizontal	6	1.65	BP 1MHz	33.60	5.77	30.68
PK	5.16788G	91.63	Inf	-Inf	82.87	3	Horizontal	6	1.65	-	33.67	5.78	30.69
RMS	5.16858G	82.49	Inf	-Inf	73.73	3	Horizontal	6	1.65	-	33.67	5.78	30.69

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5160MHz\_TX




EUT Y\_2TX  
 Setting -34.5 (18/16500)  
 02-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32324G	50.69	68.20	-17.51	46.75	3	Vertical	302	2.85	-	38.55	8.41	43.02
PK	15.47276G	52.14	74.00	-21.86	46.29	3	Vertical	32	1.38	-	38.16	10.29	42.60
AV	15.47724G	40.80	54.00	-13.20	34.97	3	Vertical	32	1.38	-	38.14	10.29	42.60

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5160MHz\_TX




EUT Y\_2TX  
Setting -34.5 (18/16500)  
02-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3282G	50.39	68.20	-17.81	46.46	3	Horizontal	359	2.78	-	38.54	8.41	43.02
PK	15.47544G	52.76	74.00	-21.24	46.92	3	Horizontal	281	2.95	-	38.15	10.29	42.60
AV	15.47164G	40.77	54.00	-13.23	34.91	3	Horizontal	281	2.95	-	38.17	10.29	42.60



5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -9 (6/3000)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	71.26	74.00	-2.74	62.57	3	Vertical	335	1.65	-	33.60	5.77	30.68
AV	5.1488G	53.45	54.00	-0.55	44.76	3	Vertical	335	1.65	-	33.60	5.77	30.68
PK	5.2056G	131.19	Inf	-Inf	122.31	3	Vertical	335	1.65	-	33.80	5.80	30.72
AV	5.2076G	116.13	Inf	-Inf	107.26	3	Vertical	335	1.65	-	33.80	5.80	30.73

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
Setting -9 (6/3000)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.40	74.00	-7.60	57.71	3	Horizontal	7	1.64	-	33.60	5.77	30.68
AV	5.1464G	51.91	54.00	-2.09	43.23	3	Horizontal	7	1.64	-	33.59	5.77	30.68
PK	5.1944G	130.81	Inf	-Inf	121.95	3	Horizontal	7	1.64	-	33.78	5.80	30.72
AV	5.1952G	116.17	Inf	-Inf	107.31	3	Horizontal	7	1.64	-	33.78	5.80	30.72

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -9 (6/3000)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40524G	50.75	68.20	-17.45	46.94	3	Vertical	162	1.88	-	38.40	8.44	43.03
PK	15.59248G	52.20	74.00	-21.80	46.64	3	Vertical	59	2.99	-	37.72	10.34	42.50
AV	15.59308G	40.22	54.00	-13.78	34.67	3	Vertical	59	2.99	-	37.71	10.34	42.50

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -9 (6/3000)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39472G	50.36	68.20	-17.84	46.54	3	Horizontal	336	2.33	-	38.41	8.44	43.03
PK	15.60248G	52.12	74.00	-21.88	46.57	3	Horizontal	300	1.94	-	37.70	10.34	42.49
AV	15.59332G	40.34	54.00	-13.66	34.79	3	Horizontal	300	1.94	-	37.71	10.34	42.50

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5240MHz\_TX




EUT Y\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	65.73	74.00	-8.27	57.05	3	Vertical	25	1.65	-	33.59	5.77	30.68
AV	5.1146G	52.53	54.00	-1.47	43.89	3	Vertical	25	1.65	-	33.53	5.76	30.65
PK	5.2328G	131.73	Inf	-Inf	122.86	3	Vertical	25	1.65	-	33.80	5.82	30.75
AV	5.231G	116.67	Inf	-Inf	107.79	3	Vertical	25	1.65	-	33.80	5.82	30.74
PK	5.3828G	65.77	74.00	-8.23	56.75	3	Vertical	25	1.65	-	34.00	5.89	30.87
AV	5.35G	52.54	54.00	-1.46	43.51	3	Vertical	25	1.65	-	34.00	5.87	30.84

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5240MHz\_TX




EUT\_Y\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0978G	63.42	74.00	-10.58	54.81	3	Horizontal	8	1.62	-	33.50	5.75	30.64
AV	5.1068G	51.39	54.00	-2.61	42.78	3	Horizontal	8	1.62	-	33.51	5.75	30.65
PK	5.2346G	130.96	Inf	-Inf	122.09	3	Horizontal	8	1.62	-	33.80	5.82	30.75
AV	5.2322G	116.14	Inf	-Inf	107.27	3	Horizontal	8	1.62	-	33.80	5.82	30.75
PK	5.3504G	62.26	74.00	-11.74	53.22	3	Horizontal	8	1.62	-	34.00	5.88	30.84
AV	5.3504G	50.02	54.00	-3.98	40.98	3	Horizontal	8	1.62	-	34.00	5.88	30.84

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5240MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47416G	50.58	68.20	-17.62	46.75	3	Vertical	348	1.18	-	38.40	8.47	43.04
PK	15.71636G	51.54	74.00	-22.46	45.78	3	Vertical	34	1.50	-	37.73	10.39	42.36
AV	15.71012G	39.46	54.00	-14.54	33.69	3	Vertical	34	1.50	-	37.76	10.38	42.37

5.15-5.25GHz\_QPSK20\_20MHz\_Nss1\_2TX

5240MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4886G	51.17	68.20	-17.03	47.34	3	Horizontal	156	1.80	-	38.40	8.47	43.04
PK	15.72732G	52.02	74.00	-21.98	46.29	3	Horizontal	115	1.80	-	37.69	10.39	42.35
AV	15.71032G	39.45	54.00	-14.55	33.68	3	Horizontal	115	1.80	-	37.76	10.38	42.37



5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5735MHz\_TX




EUT Y\_2TX  
 Setting -6.5(0/6500)  
 05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.725G	119.32	122.20	-2.88	113.37	3	Vertical	37	1.71	-	33.55	7.91	35.51
AV	5.726G	115.80	Inf	-Inf	109.84	3	Vertical	37	1.71	-	33.56	7.91	35.51
PK	5.73G	130.99	Inf	-Inf	125.00	3	Vertical	37	1.71	-	33.58	7.92	35.51
PK	5.929G	61.81	68.20	-6.39	55.08	3	Vertical	37	1.71	-	34.20	8.11	35.58

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5735MHz\_TX




EUT Y\_2TX  
 Setting -6.5(0/6500)  
 05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.725G	121.11	122.20	-1.09	115.16	3	Horizontal	13	1.66	-	33.55	7.91	35.51
AV	5.727G	118.23	Inf	-Inf	112.27	3	Horizontal	13	1.66	-	33.56	7.91	35.51
PK	5.73G	133.61	Inf	-Inf	127.62	3	Horizontal	13	1.66	-	33.58	7.92	35.51
PK	5.937G	62.79	68.20	-5.41	56.06	3	Horizontal	13	1.66	-	34.20	8.12	35.59

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5735MHz\_TX




EUT Y\_2TX  
 Setting -6.5(0/6500)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47764G	56.54	74.00	-17.46	39.72	3	Vertical	302	1.80	-	39.01	10.84	33.03
AV	11.47888G	43.40	54.00	-10.60	26.57	3	Vertical	302	1.80	-	39.02	10.84	33.03
PK	17.206G	59.16	68.20	-9.04	40.60	3	Vertical	3	1.58	-	38.52	12.99	32.95

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5735MHz\_TX




EUT Y\_2TX  
 Setting -6.5(0/6500)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46792G	56.24	74.00	-17.76	39.47	3	Horizontal	67	1.80	-	38.97	10.84	33.04
AV	11.47324G	43.95	54.00	-10.05	27.15	3	Horizontal	67	1.80	-	38.99	10.84	33.03
PK	17.19612G	59.45	68.20	-8.75	40.91	3	Horizontal	1	2.55	-	38.49	12.99	32.94

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5785MHz\_TX




EUT\_V\_2TX  
 Setting -6 (6/0)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.541G	65.29	68.20	-2.91	56.13	3	Vertical	360	1.62	-	34.10	6.04	30.98
PK	5.778G	129.77	Inf	-Inf	120.76	3	Vertical	360	1.62	-	34.00	6.10	31.09
AV	5.777G	115.13	Inf	-Inf	106.12	3	Vertical	360	1.62	-	34.00	6.10	31.09
PK	5.945G	64.41	68.20	-3.79	55.04	3	Vertical	360	1.62	-	34.29	6.24	31.16

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5785MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	64.79	68.20	-3.41	55.78	3	Horizontal	343	1.66	-	33.93	6.10	31.02
PK	5.782G	133.67	Inf	-Inf	124.66	3	Horizontal	343	1.66	-	34.00	6.10	31.09
AV	5.78G	118.07	Inf	-Inf	109.06	3	Horizontal	343	1.66	-	34.00	6.10	31.09
PK	5.942G	64.35	68.20	-3.85	54.99	3	Horizontal	343	1.66	-	34.28	6.24	31.16

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5785MHz\_TX




EUT Y\_2TX  
Setting -6 (6/0)  
02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5718G	52.60	74.00	-21.40	47.85	3	Vertical	90	1.80	-	39.19	8.85	43.29
AV	11.56192G	40.10	54.00	-13.90	35.39	3	Vertical	90	1.80	-	39.15	8.85	43.29
PK	17.35248G	57.12	68.20	-11.08	45.35	3	Vertical	306	1.00	-	42.81	10.97	42.01

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5785MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56288G	51.57	74.00	-22.43	46.86	3	Horizontal	-0	1.80	-	39.15	8.85	43.29
AV	11.56388G	40.12	54.00	-13.88	35.40	3	Horizontal	-0	1.80	-	39.16	8.85	43.29
PK	17.35088G	57.59	68.20	-10.61	45.82	3	Horizontal	1	1.80	-	42.81	10.97	42.01



5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5840MHz\_TX




EUT Y\_2TX  
 Setting -8.5(6/2500)  
 05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	66.91	68.20	-1.29	61.76	3	Vertical	30.1	1.63	-	32.86	7.76	35.47
PK	5.837G	128.19	Inf	-Inf	121.72	3	Vertical	30.1	1.63	-	33.97	8.05	35.55
AV	5.834G	113.66	Inf	-Inf	107.19	3	Vertical	30.1	1.63	-	33.97	8.05	35.55
PK	5.85G	116.19	122.20	-6.01	109.68	3	Vertical	30.1	1.63	-	34.00	8.06	35.55

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5840MHz\_TX




EUT Y\_2TX  
 Setting -8.5(6/2500)  
 05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	68.15	68.20	-0.05	63.00	3	Horizontal	-0	1.58	-	32.86	7.76	35.47
PK	5.843G	131.18	Inf	-Inf	124.68	3	Horizontal	-0	1.58	-	33.99	8.06	35.55
AV	5.835G	116.30	Inf	-Inf	109.83	3	Horizontal	-0	1.58	-	33.97	8.05	35.55
PK	5.85G	118.29	122.20	-3.91	111.78	3	Horizontal	-0	1.58	-	34.00	8.06	35.55

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5840MHz\_TX




EUT Y\_2TX  
 Setting -8.5(6/2500)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67436G	57.11	74.00	-16.89	40.89	3	Vertical	159	2.29	-	38.45	10.93	33.16
AV	11.68708G	43.35	54.00	-10.65	27.12	3	Vertical	159	2.29	-	38.47	10.93	33.17
PK	17.51364G	59.76	68.20	-8.44	40.76	3	Vertical	310	1.84	-	39.14	13.13	33.27

5.725-5.85GHz\_QPSK20\_20MHz\_Nss1\_2TX

5840MHz\_TX




EUT\_Y\_2TX  
 Setting -8.5(6/2500)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68612G	56.59	74.00	-17.41	40.36	3	Horizontal	347	2.15	-	38.47	10.93	33.17
AV	11.68352G	43.47	54.00	-10.53	27.24	3	Horizontal	347	2.15	-	38.47	10.93	33.17
PK	17.5276G	59.92	68.20	-8.28	40.78	3	Horizontal	67	1.36	-	39.28	13.14	33.28

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5165MHz\_TX




EUT Y\_2TX  
Setting -14 (12/2000)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.95	74.00	-3.05	62.25	3	Vertical	10	1.50	-	33.60	5.78	30.68
AV	5.15G	53.23	54.00	-0.77	44.53	3	Vertical	10	1.50	-	33.60	5.78	30.68
PK	5.173G	117.20	Inf	-Inf	108.42	3	Vertical	10	1.50	-	33.69	5.79	30.70
AV	5.1748G	103.65	Inf	-Inf	94.86	3	Vertical	10	1.50	-	33.70	5.79	30.70

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5165MHz\_TX




EUT Y\_2TX  
 Setting -14 (12/2000)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.66	74.00	-8.34	56.97	3	Horizontal	360	1.52	-	33.60	5.77	30.68
AV	5.15G	53.77	54.00	-0.23	45.07	3	Horizontal	360	1.52	-	33.60	5.78	30.68
PK	5.173G	118.88	Inf	-Inf	110.10	3	Horizontal	360	1.52	-	33.69	5.79	30.70
AV	5.1716G	105.34	Inf	-Inf	96.56	3	Horizontal	360	1.52	-	33.69	5.79	30.70

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5165MHz\_TX




EUT Y\_2TX  
 Setting -14 (12/2000)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32872G	51.02	68.20	-17.18	47.08	3	Vertical	314	1.80	-	38.54	8.42	43.02
PK	15.5026G	53.14	74.00	-20.86	47.46	3	Vertical	140	1.80	-	37.99	10.30	42.61
AV	15.4922G	40.78	54.00	-13.22	35.04	3	Vertical	140	1.80	-	38.05	10.30	42.61

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5165MHz\_TX




EUT Y\_2TX  
Setting -14 (12/2000)  
02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32652G	50.94	68.20	-17.26	47.00	3	Horizontal	33	1.80	-	38.55	8.41	43.02
PK	15.50448G	53.15	74.00	-20.85	47.47	3	Horizontal	62	1.04	-	37.98	10.30	42.60
AV	15.4914G	40.81	54.00	-13.19	35.07	3	Horizontal	62	1.04	-	38.05	10.30	42.61



5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -7.5 (6/1500)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	68.70	74.00	-5.30	60.02	3	Vertical	336	1.50	-	33.59	5.77	30.68
AV	5.15G	53.90	54.00	-0.10	45.20	3	Vertical	336	1.50	-	33.60	5.78	30.68
PK	5.1996G	127.35	Inf	-Inf	118.47	3	Vertical	336	1.50	-	33.80	5.80	30.72
AV	5.2088G	113.74	Inf	-Inf	104.87	3	Vertical	336	1.50	-	33.80	5.80	30.73

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -7.5 (6/1500)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.10	74.00	-4.90	60.40	3	Horizontal	360	1.49	-	33.60	5.78	30.68
AV	5.1488G	52.79	54.00	-1.21	44.10	3	Horizontal	360	1.49	-	33.60	5.77	30.68
PK	5.1996G	127.00	Inf	-Inf	118.12	3	Horizontal	360	1.49	-	33.80	5.80	30.72
AV	5.1992G	113.35	Inf	-Inf	104.47	3	Horizontal	360	1.49	-	33.80	5.80	30.72

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
Setting -7.5 (6/1500)  
02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39984G	50.82	68.20	-17.38	47.01	3	Vertical	312	3.00	-	38.40	8.44	43.03
PK	15.59476G	52.57	74.00	-21.43	47.02	3	Vertical	249	1.80	-	37.71	10.34	42.50
AV	15.5924G	40.63	54.00	-13.37	35.07	3	Vertical	249	1.80	-	37.72	10.34	42.50

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -7.5 (6/1500)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40568G	50.64	68.20	-17.56	46.83	3	Horizontal	124	1.80	-	38.40	8.44	43.03
PK	15.596G	52.89	74.00	-21.11	47.34	3	Horizontal	39	2.73	-	37.71	10.34	42.50
AV	15.5924G	40.63	54.00	-13.37	35.07	3	Horizontal	39	2.73	-	37.72	10.34	42.50

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5235MHz\_TX




EUT\_V\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	65.18	74.00	-8.82	56.53	3	Vertical	340	1.51	-	33.54	5.76	30.65
AV	5.115G	52.21	54.00	-1.79	43.57	3	Vertical	340	1.51	-	33.53	5.76	30.65
PK	5.226G	127.25	Inf	-Inf	118.38	3	Vertical	340	1.51	-	33.80	5.81	30.74
AV	5.226G	113.81	Inf	-Inf	104.94	3	Vertical	340	1.51	-	33.80	5.81	30.74
PK	5.3532G	62.12	74.00	-11.88	53.08	3	Vertical	340	1.51	-	34.00	5.88	30.84
AV	5.35G	50.86	54.00	-3.14	41.82	3	Vertical	340	1.51	-	34.00	5.88	30.84

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5235MHz\_TX




EUT\_V\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1018G	63.30	74.00	-10.70	54.69	3	Horizontal	9	1.51	-	33.50	5.75	30.64
AV	5.1084G	51.70	54.00	-2.30	43.08	3	Horizontal	9	1.51	-	33.52	5.75	30.65
PK	5.2266G	126.67	Inf	-Inf	117.80	3	Horizontal	9	1.51	-	33.80	5.81	30.74
AV	5.2248G	113.22	Inf	-Inf	104.35	3	Horizontal	9	1.51	-	33.80	5.81	30.74
PK	5.3586G	61.59	74.00	-12.41	52.56	3	Horizontal	9	1.51	-	34.00	5.88	30.85
AV	5.3514G	50.27	54.00	-3.73	41.23	3	Horizontal	9	1.51	-	34.00	5.88	30.84

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5235MHz\_TX




EUT\_Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46992G	51.32	68.20	-16.88	47.50	3	Vertical	305	2.74	-	38.40	8.46	43.04
PK	15.69584G	52.07	74.00	-21.93	46.28	3	Vertical	142	1.80	-	37.79	10.38	42.38
AV	15.69784G	39.98	54.00	-14.02	34.18	3	Vertical	142	1.80	-	37.80	10.38	42.38

5.15-5.25GHz\_QPSK30\_30MHz\_Nss1\_2TX

5235MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4778G	51.04	68.20	-17.16	47.21	3	Horizontal	188	1.22	-	38.40	8.47	43.04
PK	15.70236G	52.43	74.00	-21.57	46.64	3	Horizontal	92	2.27	-	37.79	10.38	42.38
AV	15.69808G	40.11	54.00	-13.89	34.31	3	Horizontal	92	2.27	-	37.80	10.38	42.38



5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5740MHz\_TX




EUT\_V\_2TX  
 Setting -6 (6/0)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	65.20	68.20	-3.00	56.04	3	Vertical	358	1.50	-	34.10	6.04	30.98
PK	5.732G	127.71	Inf	-Inf	118.68	3	Vertical	358	1.50	-	34.00	6.10	31.07
AV	5.731G	114.18	Inf	-Inf	105.15	3	Vertical	358	1.50	-	34.00	6.10	31.07
PK	5.94G	62.76	68.20	-5.44	53.40	3	Vertical	358	1.50	-	34.28	6.24	31.16

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5740MHz\_TX




EUT\_V\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	66.13	68.20	-2.07	57.08	3	Horizontal	356	1.51	-	33.96	6.10	31.01
PK	5.742G	129.23	Inf	-Inf	120.20	3	Horizontal	356	1.51	-	34.00	6.10	31.07
AV	5.742G	115.52	Inf	-Inf	106.49	3	Horizontal	356	1.51	-	34.00	6.10	31.07
PK	5.927G	63.77	68.20	-4.43	54.46	3	Horizontal	356	1.51	-	34.25	6.22	31.16

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5740MHz\_TX




EUT Y\_2TX  
Setting -6 (6/0)  
02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4752G	51.60	74.00	-22.40	47.22	3	Vertical	304	2.99	-	38.85	8.82	43.29
AV	11.47928G	39.19	54.00	-14.81	34.80	3	Vertical	304	2.99	-	38.86	8.82	43.29
PK	17.2276G	57.02	68.20	-11.18	46.17	3	Vertical	208	3.00	-	41.96	10.93	42.04

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5740MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48636G	50.65	74.00	-23.35	46.25	3	Horizontal	268	1.80	-	38.87	8.82	43.29
AV	11.4716G	39.09	54.00	-14.91	34.72	3	Horizontal	268	1.80	-	38.84	8.82	43.29
PK	17.21496G	55.88	68.20	-12.32	45.06	3	Horizontal	27	1.62	-	41.93	10.93	42.04

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5787MHz\_TX




07/09/2023

EUT\_V\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	64.20	68.20	-4.00	55.19	3	Vertical	358	1.50	-	33.93	6.10	31.02
PK	5.778G	125.74	Inf	-Inf	116.73	3	Vertical	358	1.50	-	34.00	6.10	31.09
AV	5.797G	112.28	Inf	-Inf	103.28	3	Vertical	358	1.50	-	34.00	6.10	31.10
PK	5.952G	64.27	68.20	-3.93	54.89	3	Vertical	358	1.50	-	34.30	6.25	31.17

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5787MHz\_TX




EUT\_V\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.544G	64.71	68.20	-3.49	55.55	3	Horizontal	356	1.54	-	34.10	6.04	30.98
PK	5.779G	129.27	Inf	-Inf	120.26	3	Horizontal	356	1.54	-	34.00	6.10	31.09
AV	5.779G	115.59	Inf	-Inf	106.58	3	Horizontal	356	1.54	-	34.00	6.10	31.09
PK	5.927G	63.77	68.20	-4.43	54.46	3	Horizontal	356	1.54	-	34.25	6.22	31.16

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5787MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56452G	52.20	74.00	-21.80	47.48	3	Vertical	170	2.18	-	39.16	8.85	43.29
AV	11.58076G	40.25	54.00	-13.75	35.47	3	Vertical	170	2.18	-	39.22	8.85	43.29
PK	17.3534G	57.03	68.20	-11.17	45.25	3	Vertical	75	1.84	-	42.82	10.97	42.01

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5787MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58052G	51.91	74.00	-22.09	47.13	3	Horizontal	171	2.98	-	39.22	8.85	43.29
AV	11.58136G	40.31	54.00	-13.69	35.52	3	Horizontal	171	2.98	-	39.23	8.85	43.29
PK	17.35544G	58.79	68.20	-9.41	46.99	3	Horizontal	14	2.25	-	42.83	10.97	42.00



5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5835MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


07/09/2023

EUT\_V\_2TX  
Setting -6 (6/0)  
02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	67.01	68.20	-1.19	57.99	3	Vertical	357	1.54	-	33.94	6.10	31.02
PK	5.837G	124.66	Inf	-Inf	115.65	3	Vertical	357	1.54	-	34.00	6.13	31.12
AV	5.845G	111.46	Inf	-Inf	102.44	3	Vertical	357	1.54	-	34.00	6.14	31.12
PK	5.96G	63.28	68.20	-4.92	53.89	3	Vertical	357	1.54	-	34.30	6.26	31.17

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5835MHz\_TX




EUT\_V\_2TX  
 Setting -6 (6/0)  
 02-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	67.30	68.20	-0.90	58.27	3	Horizontal	358	1.51	-	33.95	6.10	31.02
PK	5.826G	128.27	Inf	-Inf	119.26	3	Horizontal	358	1.51	-	34.00	6.12	31.11
AV	5.826G	114.63	Inf	-Inf	105.62	3	Horizontal	358	1.51	-	34.00	6.12	31.11
PK	5.942G	64.62	68.20	-3.58	55.26	3	Horizontal	358	1.51	-	34.28	6.24	31.16

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5835MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67732G	52.07	74.00	-21.93	47.10	3	Vertical	15	2.45	-	39.35	8.89	43.27
AV	11.67956G	40.09	54.00	-13.91	35.11	3	Vertical	15	2.45	-	39.36	8.89	43.27
PK	17.49816G	58.72	68.20	-9.48	45.78	3	Vertical	277	1.80	-	43.89	11.02	41.97

5.725-5.85GHz\_QPSK30\_30MHz\_Nss1\_2TX

5835MHz\_TX




EUT Y\_2TX  
 Setting -6 (6/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6704G	53.13	74.00	-20.87	48.18	3	Horizontal	97	1.80	-	39.34	8.88	43.27
AV	11.67804G	40.13	54.00	-13.87	35.15	3	Horizontal	97	1.80	-	39.36	8.89	43.27
PK	17.51104G	58.57	68.20	-9.63	45.50	3	Horizontal	231	1.41	-	43.99	11.03	41.95

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5170MHz\_TX




EUT Y\_2TX  
 Setting -31.5 (12/19500)  
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.29	74.00	-5.71	59.59	3	Vertical	334	1.62	-	33.60	5.78	30.68
AV	5.15G	53.19	54.00	-0.81	44.49	3	Vertical	334	1.62	-	33.60	5.78	30.68
PK	5.1812G	102.53	Inf	-Inf	93.72	3	Vertical	334	1.62	-	33.72	5.79	30.70
AV	5.1816G	89.01	Inf	-Inf	80.20	3	Vertical	334	1.62	-	33.73	5.79	30.71

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5170MHz\_TX




EUT Y\_2TX  
 Setting -31.5 (12/19500)  
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.22	74.00	-6.78	58.52	3	Horizontal	4	1.66	-	33.60	5.78	30.68
AV	5.15G	53.84	54.00	-0.16	45.14	3	Horizontal	4	1.66	-	33.60	5.78	30.68
PK	5.1824G	104.25	Inf	-Inf	95.44	3	Horizontal	4	1.66	-	33.73	5.79	30.71
AV	5.1816G	90.75	Inf	-Inf	81.94	3	Horizontal	4	1.66	-	33.73	5.79	30.71

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5170MHz\_TX




EUT Y\_2TX  
 Setting -31.5 (12/19500)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33304G	50.81	68.20	-17.39	46.88	3	Vertical	246	1.32	-	38.53	8.42	43.02
PK	15.5184G	52.38	74.00	-21.62	46.73	3	Vertical	194	2.92	-	37.93	10.31	42.59
AV	15.51632G	40.52	54.00	-13.48	34.87	3	Vertical	194	2.92	-	37.93	10.31	42.59

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5170MHz\_TX




EUT Y\_2TX  
 Setting -31.5 (12/19500)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3328G	51.80	68.20	-16.40	47.87	3	Horizontal	57	1.87	-	38.53	8.42	43.02
PK	15.5058G	53.11	74.00	-20.89	47.43	3	Horizontal	107	2.83	-	37.98	10.30	42.60
AV	15.50008G	40.70	54.00	-13.30	35.01	3	Horizontal	107	2.83	-	38.00	10.30	42.61



5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5200MHz\_TX




EUT\_V\_2TX  
Setting -12 (12/0)  
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.57	74.00	-6.43	58.88	3	Vertical	334	1.64	-	33.60	5.77	30.68
AV	5.1492G	51.68	54.00	-2.32	42.99	3	Vertical	334	1.64	-	33.60	5.77	30.68
PK	5.2108G	123.16	Inf	-Inf	114.28	3	Vertical	334	1.64	-	33.80	5.81	30.73
AV	5.2116G	109.52	Inf	-Inf	100.64	3	Vertical	334	1.64	-	33.80	5.81	30.73

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
 Setting -12 (12/0)  
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	67.25	74.00	-6.75	58.57	3	Horizontal	4	1.64	-	33.59	5.77	30.68
AV	5.1496G	51.94	54.00	-2.06	43.25	3	Horizontal	4	1.64	-	33.60	5.77	30.68
PK	5.1996G	123.86	Inf	-Inf	114.98	3	Horizontal	4	1.64	-	33.80	5.80	30.72
AV	5.1892G	110.29	Inf	-Inf	101.45	3	Horizontal	4	1.64	-	33.76	5.79	30.71

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5200MHz\_TX




EUT Y\_2TX  
Setting -12 (12/0)  
02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40024G	50.97	68.20	-17.23	47.16	3	Vertical	340	2.28	-	38.40	8.44	43.03
PK	15.59332G	52.73	74.00	-21.27	47.18	3	Vertical	136	2.50	-	37.71	10.34	42.50
AV	15.5924G	40.55	54.00	-13.45	34.99	3	Vertical	136	2.50	-	37.72	10.34	42.50

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5200MHz\_TX








EUT Y\_2TX  
 Setting -12 (12/0)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4032G	50.88	68.20	-17.32	47.07	3	Horizontal	194	1.80	-	38.40	8.44	43.03
PK	15.59964G	53.42	74.00	-20.58	47.87	3	Horizontal	213	1.80	-	37.70	10.34	42.49
AV	15.59588G	40.40	54.00	-13.60	34.85	3	Horizontal	213	1.80	-	37.71	10.34	42.50

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5230MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


06/09/2023

EUT\_Y\_2TX  
 Setting -9 (6/3000)  
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	72.77	74.00	-1.23	64.08	3	Vertical	335	1.66	-	33.60	5.77	30.68
AV	5.15G	53.77	54.00	-0.23	45.07	3	Vertical	335	1.66	-	33.60	5.78	30.68
PK	5.228G	127.10	Inf	-Inf	118.23	3	Vertical	335	1.66	-	33.80	5.81	30.74
AV	5.215G	113.45	Inf	-Inf	104.57	3	Vertical	335	1.66	-	33.80	5.81	30.73
PK	5.3716G	63.84	74.00	-10.16	54.81	3	Vertical	335	1.66	-	34.00	5.89	30.86
AV	5.3548G	51.59	54.00	-2.41	42.55	3	Vertical	335	1.66	-	34.00	5.88	30.84

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
 Setting -9 (6/3000)  
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.56	74.00	-8.44	56.86	3	Horizontal	5	1.62	-	33.60	5.78	30.68
AV	5.149G	51.98	54.00	-2.02	43.29	3	Horizontal	5	1.62	-	33.60	5.77	30.68
PK	5.2186G	126.22	Inf	-Inf	117.34	3	Horizontal	5	1.62	-	33.80	5.81	30.73
AV	5.215G	112.68	Inf	-Inf	103.80	3	Horizontal	5	1.62	-	33.80	5.81	30.73
PK	5.3572G	63.62	74.00	-10.38	54.59	3	Horizontal	5	1.62	-	34.00	5.88	30.85
AV	5.3536G	51.56	54.00	-2.44	42.52	3	Horizontal	5	1.62	-	34.00	5.88	30.84

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5230MHz\_TX




EUT Y\_2TX  
 Setting -9 (6/3000)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45596G	51.21	68.20	-16.99	47.38	3	Vertical	284	1.80	-	38.40	8.46	43.03
PK	15.68776G	52.11	74.00	-21.89	46.31	3	Vertical	360	3.00	-	37.80	10.38	42.38
AV	15.68776G	40.08	54.00	-13.92	34.31	3	Vertical	360	3.00	-	37.78	10.38	42.39

5.15-5.25GHz\_QPSK40\_40MHz\_Nss1\_2TX

5230MHz\_TX




EUT Y\_2TX  
Setting -9 (6/3000)  
02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45028G	51.25	68.20	-16.95	47.42	3	Horizontal	360	1.42	-	38.40	8.46	43.03
PK	15.68784G	52.06	74.00	-21.94	46.29	3	Horizontal	231	1.80	-	37.78	10.38	42.39
AV	15.68968G	40.04	54.00	-13.96	34.27	3	Horizontal	231	1.80	-	37.78	10.38	42.39



5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5745MHz\_TX








EUT Y\_2TX  
 Setting -10.5(6/4500)  
 05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.40	68.20	-5.80	57.20	3	Vertical	33	1.64	-	32.89	7.79	35.48
PK	5.731G	124.30	Inf	-Inf	118.30	3	Vertical	33	1.64	-	33.59	7.92	35.51
AV	5.734G	110.94	Inf	-Inf	104.93	3	Vertical	33	1.64	-	33.60	7.92	35.51
PK	5.971G	60.85	68.20	-7.35	54.15	3	Vertical	33	1.64	-	34.16	8.14	35.60

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5745MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


10/11/2023

EUT Y\_2TX  
 Setting -10.5(6/4500)  
 05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	69.01	70.42	-1.41	63.77	3	Horizontal	17	1.64	-	32.93	7.79	35.48
PK	5.734G	126.91	Inf	-Inf	120.90	3	Horizontal	17	1.64	-	33.60	7.92	35.51
AV	5.757G	113.15	Inf	-Inf	106.98	3	Horizontal	17	1.64	-	33.73	7.96	35.52
PK	5.978G	61.65	68.20	-6.55	54.96	3	Horizontal	17	1.64	-	34.14	8.15	35.60

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5745MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49316G	57.55	74.00	-16.45	40.65	3	Vertical	189	1.42	-	39.07	10.85	33.02
AV	11.48564G	44.14	54.00	-9.86	27.28	3	Vertical	189	1.42	-	39.04	10.84	33.02
PK	17.23392G	59.42	68.20	-8.78	40.76	3	Vertical	177	2.78	-	38.64	13.00	32.98

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5745MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4982G	57.31	74.00	-16.69	40.38	3	Horizontal	165	1.63	-	39.09	10.85	33.01
AV	11.49972G	44.20	54.00	-9.80	27.26	3	Horizontal	165	1.63	-	39.10	10.85	33.01
PK	17.23912G	58.68	68.20	-9.52	40.00	3	Horizontal	17	1.26	-	38.66	13.01	32.99

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5775MHz\_TX




EUT Y\_2TX  
 Setting -6.5 (6/500)  
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.18	68.20	-4.02	55.21	3	Vertical	354	1.65	-	33.90	6.10	31.03
PK	5.759G	124.67	Inf	-Inf	115.65	3	Vertical	354	1.65	-	34.00	6.10	31.08
AV	5.764G	109.53	Inf	-Inf	100.51	3	Vertical	354	1.65	-	34.00	6.10	31.08
PK	5.93G	64.73	68.20	-3.47	55.40	3	Vertical	354	1.65	-	34.26	6.23	31.16

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5775MHz\_TX




EUT Y\_2TX  
 Setting -6.5 (6/500)  
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.04	68.20	-0.16	59.07	3	Horizontal	353	1.65	-	33.90	6.10	31.03
PK	5.775G	125.31	Inf	-Inf	116.30	3	Horizontal	353	1.65	-	34.00	6.10	31.09
AV	5.76G	112.10	Inf	-Inf	103.08	3	Horizontal	353	1.65	-	34.00	6.10	31.08
PK	5.93G	65.23	68.20	-2.97	55.90	3	Horizontal	353	1.65	-	34.26	6.23	31.16

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5775MHz\_TX




EUT Y\_2TX  
 Setting -6.5 (6/500)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55348G	52.20	74.00	-21.80	47.54	3	Vertical	106	1.80	-	39.11	8.84	43.29
AV	11.5598G	40.28	54.00	-13.72	35.58	3	Vertical	106	1.80	-	39.14	8.85	43.29
PK	17.33064G	57.13	68.20	-11.07	45.56	3	Vertical	11	3.00	-	42.61	10.97	42.01

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5775MHz\_TX




EUT Y\_2TX  
 Setting -6.5 (6/500)  
 02-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55732G	51.91	74.00	-22.09	47.22	3	Horizontal	138	1.80	-	39.13	8.85	43.29
AV	11.55888G	40.31	54.00	-13.69	35.61	3	Horizontal	138	1.80	-	39.14	8.85	43.29
PK	17.32888G	57.31	68.20	-10.89	45.76	3	Horizontal	332	1.80	-	42.59	10.97	42.01



5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5830MHz\_TX




EUT Y\_2TX  
 Setting -10(6/4000)  
 05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	63.64	68.20	-4.56	58.47	3	Vertical	31	1.65	-	32.87	7.77	35.47
PK	5.818G	123.38	Inf	-Inf	116.94	3	Vertical	31	1.65	-	33.94	8.04	35.54
AV	5.815G	110.22	Inf	-Inf	103.79	3	Vertical	31	1.65	-	33.93	8.04	35.54
PK	5.946G	62.05	68.20	-6.15	55.32	3	Vertical	31	1.65	-	34.20	8.12	35.59

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5830MHz\_TX




10/11/2023

EUT\_Y\_2TX  
Setting -10(6/4000)  
05-M-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	63.93	68.20	-4.27	58.80	3	Horizontal	14	1.61	-	32.85	7.75	35.47
PK	5.819G	126.60	Inf	-Inf	120.16	3	Horizontal	14	1.61	-	33.94	8.04	35.54
AV	5.815G	113.01	Inf	-Inf	106.58	3	Horizontal	14	1.61	-	33.93	8.04	35.54
PK	5.923G	68.90	69.68	-0.78	62.17	3	Horizontal	14	1.61	-	34.20	8.11	35.58

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5830MHz\_TX




EUT Y\_2TX  
 Setting -10(6/4000)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66156G	56.59	74.00	-17.41	40.40	3	Vertical	300	1.49	-	38.42	10.92	33.15
AV	11.6542G	43.76	54.00	-10.24	27.58	3	Vertical	300	1.49	-	38.41	10.92	33.15
PK	17.49244G	60.28	68.20	-7.92	41.43	3	Vertical	139	1.05	-	38.98	13.12	33.25

5.725-5.85GHz\_QPSK40\_40MHz\_Nss1\_2TX

5830MHz\_TX



EUT Y\_2TX  
 Setting -10(6/4000)  
 05-M-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65052G	56.94	74.00	-17.06	40.76	3	Horizontal	0	2.50	-	38.40	10.92	33.14
AV	11.65364G	43.86	54.00	-10.14	27.68	3	Horizontal	0	2.50	-	38.41	10.92	33.15
PK	17.48952G	59.84	68.20	-8.36	40.99	3	Horizontal	360	2.73	-	38.98	13.12	33.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
QPSK30+30_30MHz_Nss1_2TX	Pass	AV	5.1488G	53.78	54.00	-0.22	3	Horizontal	1	1.69	-

5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	65.08	74.00	-8.92	59.12	3	Vertical	26	1.72	-	34.07	6.74	34.85
AV	5.1464G	53.19	54.00	-0.81	47.20	3	Vertical	26	1.72	-	34.09	6.75	34.85
PK	5.1852G	115.50	Inf	-Inf	109.54	3	Vertical	26	1.72	-	34.03	6.79	34.86
AV	5.1724G	101.71	Inf	-Inf	95.73	3	Vertical	26	1.72	-	34.06	6.77	34.85

5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	65.23	74.00	-8.77	59.28	3	Horizontal	0	1.68	-	34.07	6.73	34.85
AV	5.148G	53.67	54.00	-0.33	47.67	3	Horizontal	0	1.68	-	34.10	6.75	34.85
PK	5.1836G	115.85	Inf	-Inf	109.90	3	Horizontal	0	1.68	-	34.03	6.78	34.86
AV	5.1844G	101.90	Inf	-Inf	95.95	3	Horizontal	0	1.68	-	34.03	6.78	34.86

5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34782G	55.14	68.20	-13.06	70.91	3	Vertical	158	2.88	-	37.85	12.19	65.81
PK	15.53454G	62.07	74.00	-11.93	69.65	3	Vertical	11	1.77	-	38.26	16.23	62.07
AV	15.52854G	48.27	54.00	-5.73	55.82	3	Vertical	11	1.77	-	38.29	16.23	62.07



5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35868G	55.35	68.20	-12.85	71.07	3	Horizontal	137	1.55	-	37.86	12.20	65.78
PK	15.52518G	61.22	74.00	-12.78	68.75	3	Horizontal	161	2.49	-	38.30	16.23	62.06
AV	15.53106G	48.15	54.00	-5.85	55.71	3	Horizontal	161	2.49	-	38.28	16.23	62.07

5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	64.70	74.00	-9.30	58.72	3	Vertical	27	1.70	-	34.09	6.74	34.85
AV	5.1392G	52.83	54.00	-1.17	46.86	3	Vertical	27	1.70	-	34.08	6.74	34.85
PK	5.1744G	114.94	Inf	-Inf	108.97	3	Vertical	27	1.70	-	34.05	6.77	34.85
AV	5.1724G	101.08	Inf	-Inf	95.10	3	Vertical	27	1.70	-	34.06	6.77	34.85

5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




EUT Y\_2TX  
Setting -13(12/1000)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	65.34	74.00	-8.66	59.37	3	Horizontal	7	1.68	-	34.08	6.74	34.85
AV	5.1464G	53.66	54.00	-0.34	47.67	3	Horizontal	7	1.68	-	34.09	6.75	34.85
PK	5.2232G	115.17	Inf	-Inf	109.22	3	Horizontal	7	1.68	-	34.00	6.81	34.86
AV	5.2244G	101.19	Inf	-Inf	95.24	3	Horizontal	7	1.68	-	34.00	6.81	34.86

5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44678G	56.83	68.20	-11.37	72.17	3	Vertical	317	1.15	-	37.95	12.25	65.54
PK	15.66918G	61.74	74.00	-12.26	69.44	3	Vertical	230	2.54	-	38.07	16.37	62.14
AV	15.65784G	48.46	54.00	-5.54	56.18	3	Vertical	230	2.54	-	38.06	16.36	62.14

5.15-5.25GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42536G	55.81	68.20	-12.39	71.24	3	Horizontal	124	1.29	-	37.93	12.23	65.59
PK	15.67482G	61.19	74.00	-12.81	68.89	3	Horizontal	4	1.75	-	38.07	16.37	62.14
AV	15.65034G	48.33	54.00	-5.67	56.06	3	Horizontal	4	1.75	-	38.05	16.35	62.13

5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.755G	112.27	Inf	-Inf	105.90	3	Vertical	348	1.69	-	34.21	7.18	35.02
AV	5.764G	98.76	Inf	-Inf	92.38	3	Vertical	348	1.69	-	34.23	7.18	35.03
PK	5.975G	62.88	68.20	-5.32	56.07	3	Vertical	348	1.69	-	34.65	7.29	35.13

5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	63.32	68.20	-4.88	56.59	3	Horizontal	355	1.68	-	34.60	7.05	34.92
PK	5.76G	114.59	Inf	-Inf	108.21	3	Horizontal	355	1.68	-	34.22	7.18	35.02
AV	5.787G	100.97	Inf	-Inf	94.55	3	Horizontal	355	1.68	-	34.27	7.19	35.04
PK	5.963G	62.10	68.20	-6.10	55.31	3	Horizontal	355	1.68	-	34.63	7.28	35.12

5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51348G	57.26	74.00	-16.74	70.36	3	Vertical	119	2.06	-	39.04	12.83	64.97
AV	11.51786G	45.86	54.00	-8.14	58.95	3	Vertical	119	2.06	-	39.05	12.83	64.97
PK	17.26866G	62.54	68.20	-5.66	66.57	3	Vertical	302	1.94	-	40.84	17.46	62.33



5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51228G	57.38	74.00	-16.62	70.48	3	Horizontal	75	2.53	-	39.04	12.83	64.97
AV	11.51666G	45.91	54.00	-8.09	59.00	3	Horizontal	75	2.53	-	39.05	12.83	64.97
PK	17.27622G	62.26	68.20	-5.94	66.25	3	Horizontal	18	2.87	-	40.88	17.47	62.34

5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	63.52	68.20	-4.68	56.97	3	Vertical	345	1.68	-	34.40	7.10	34.95
PK	5.795G	112.54	Inf	-Inf	106.09	3	Vertical	345	1.68	-	34.29	7.20	35.04
AV	5.794G	98.70	Inf	-Inf	92.25	3	Vertical	345	1.68	-	34.29	7.20	35.04
PK	5.961G	62.40	68.20	-5.80	55.62	3	Vertical	345	1.68	-	34.62	7.28	35.12

5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
Setting -13(12/1000)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.527G	63.83	68.20	-4.37	57.11	3	Horizontal	352	1.72	-	34.60	7.03	34.91
PK	5.795G	114.39	Inf	-Inf	107.94	3	Horizontal	345	1.68	-	34.29	7.20	35.04
AV	5.787G	100.94	Inf	-Inf	94.52	3	Horizontal	345	1.68	-	34.27	7.19	35.04
PK	6.003G	62.29	68.20	-5.91	55.42	3	Horizontal	352	1.72	-	34.71	7.30	35.14

5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
 Setting -13(12/1000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5765G	57.17	74.00	-16.83	70.07	3	Vertical	272	1.46	-	39.23	12.87	65.00
AV	11.57548G	45.65	54.00	-8.35	58.54	3	Vertical	272	1.46	-	39.23	12.87	64.99
PK	17.38692G	63.01	68.20	-5.19	66.25	3	Vertical	229	2.12	-	41.61	17.53	62.38

5.725-5.85GHz\_QPSK20+20\_20MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
Setting -13(12/1000)  
03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60434G	57.52	74.00	-16.48	70.35	3	Horizontal	157	1.74	-	39.30	12.88	65.01
AV	11.58616G	45.75	54.00	-8.25	58.62	3	Horizontal	157	1.74	-	39.26	12.87	65.00
PK	17.38242G	62.60	68.20	-5.60	65.87	3	Horizontal	312	2.93	-	41.58	17.53	62.38

5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	66.41	74.00	-7.59	60.45	3	Vertical	333	1.69	-	34.07	6.74	34.85
AV	5.1332G	53.68	54.00	-0.32	47.73	3	Vertical	333	1.69	-	34.07	6.73	34.85
PK	5.1716G	114.54	Inf	-Inf	108.56	3	Vertical	333	1.69	-	34.06	6.77	34.85
AV	5.1716G	100.97	Inf	-Inf	94.99	3	Vertical	333	1.69	-	34.06	6.77	34.85

5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	65.19	74.00	-8.81	59.22	3	Horizontal	1	1.69	-	34.08	6.74	34.85
AV	5.1488G	53.78	54.00	-0.22	47.78	3	Horizontal	1	1.69	-	34.10	6.75	34.85
PK	5.1852G	114.52	Inf	-Inf	108.56	3	Horizontal	1	1.69	-	34.03	6.79	34.86
AV	5.1864G	100.85	Inf	-Inf	94.89	3	Horizontal	1	1.69	-	34.03	6.79	34.86

5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35412G	56.09	68.20	-12.11	71.84	3	Vertical	7	1.12	-	37.85	12.19	65.79
PK	15.5481G	60.94	74.00	-13.06	68.56	3	Vertical	99	2.12	-	38.21	16.25	62.08
AV	15.53784G	48.55	54.00	-5.45	56.13	3	Vertical	99	2.12	-	38.25	16.24	62.07



5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5180MHz,5220MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34788G	55.91	68.20	-12.29	71.68	3	Horizontal	44	1.94	-	37.85	12.19	65.81
PK	15.53076G	60.61	74.00	-13.39	68.17	3	Horizontal	166	1.86	-	38.28	16.23	62.07
AV	15.52974G	48.04	54.00	-5.96	55.60	3	Horizontal	166	1.86	-	38.28	16.23	62.07

5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.01	74.00	-8.99	59.02	3	Vertical	26	1.71	-	34.09	6.75	34.85
AV	5.132G	53.34	54.00	-0.66	47.40	3	Vertical	26	1.71	-	34.06	6.73	34.85
PK	5.22G	113.68	Inf	-Inf	107.73	3	Vertical	-0	1.68	-	34.00	6.81	34.86
AV	5.2216G	100.09	Inf	-Inf	94.14	3	Vertical	-0	1.68	-	34.00	6.81	34.86

5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




22/09/2023

EUT Y\_2TX  
Setting -10.5(6/4500)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	65.92	74.00	-8.08	59.98	3	Horizontal	-0	1.68	-	34.06	6.73	34.85
AV	5.1496G	53.66	54.00	-0.34	47.66	3	Horizontal	-0	1.68	-	34.10	6.75	34.85
PK	5.228G	114.06	Inf	-Inf	108.11	3	Horizontal	-0	1.68	-	34.00	6.81	34.86
AV	5.2264G	100.50	Inf	-Inf	94.55	3	Horizontal	-0	1.68	-	34.00	6.81	34.86

5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4412G	55.71	68.20	-12.49	71.08	3	Vertical	63	2.37	-	37.94	12.24	65.55
PK	15.66672G	61.61	74.00	-12.39	69.31	3	Vertical	147	2.33	-	38.07	16.37	62.14
AV	15.6639G	47.53	54.00	-6.47	55.25	3	Vertical	147	2.33	-	38.06	16.36	62.14

5.15-5.25GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5180MHz,#5220MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44426G	55.41	68.20	-12.79	70.77	3	Horizontal	117	1.00	-	37.94	12.24	65.54
PK	15.65016G	61.40	74.00	-12.60	69.13	3	Horizontal	228	1.92	-	38.05	16.35	62.13
AV	15.67392G	47.48	54.00	-6.52	55.18	3	Horizontal	228	1.92	-	38.07	16.37	62.14

5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
Setting -10.5(6/4500)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.556G	64.11	68.20	-4.09	57.40	3	Vertical	349	1.69	-	34.58	7.06	34.93
PK	5.764G	110.62	Inf	-Inf	104.24	3	Vertical	349	1.69	-	34.23	7.18	35.03
AV	5.746G	97.15	Inf	-Inf	90.80	3	Vertical	349	1.69	-	34.20	7.17	35.02
PK	5.947G	62.67	68.20	-5.53	55.92	3	Vertical	349	1.69	-	34.59	7.27	35.11

5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	65.40	68.20	-2.80	58.85	3	Horizontal	353	1.70	-	34.40	7.12	34.97
PK	5.786G	113.59	Inf	-Inf	107.17	3	Horizontal	353	1.70	-	34.27	7.19	35.04
AV	5.764G	100.16	Inf	-Inf	93.78	3	Horizontal	353	1.70	-	34.23	7.18	35.03
PK	5.943G	62.43	68.20	-5.77	55.68	3	Horizontal	353	1.70	-	34.59	7.27	35.11

5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
Setting -10.5(6/4500)  
03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52194G	58.09	74.00	-15.91	71.15	3	Vertical	160	1.53	-	39.07	12.84	64.97
AV	11.52032G	45.91	54.00	-8.09	58.98	3	Vertical	160	1.53	-	39.06	12.84	64.97
PK	17.26086G	62.85	68.20	-5.35	66.92	3	Vertical	244	1.71	-	40.80	17.46	62.33



5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

#5755MHz,5795MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50778G	57.94	74.00	-16.06	71.05	3	Horizontal	139	1.94	-	39.02	12.83	64.96
AV	11.52026G	45.97	54.00	-8.03	59.04	3	Horizontal	139	1.94	-	39.06	12.84	64.97
PK	17.27778G	62.75	68.20	-5.45	66.73	3	Horizontal	175	2.89	-	40.89	17.47	62.34

5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	63.98	68.20	-4.22	57.28	3	Vertical	344	1.68	-	34.57	7.06	34.93
PK	5.79G	110.47	Inf	-Inf	104.03	3	Vertical	344	1.68	-	34.28	7.20	35.04
AV	5.79G	96.84	Inf	-Inf	90.40	3	Vertical	344	1.68	-	34.28	7.20	35.04
PK	5.975G	62.69	68.20	-5.51	55.88	3	Vertical	344	1.68	-	34.65	7.29	35.13

5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	65.60	68.20	-2.60	59.05	3	Horizontal	350	1.71	-	34.40	7.11	34.96
PK	5.787G	113.69	Inf	-Inf	107.27	3	Horizontal	350	1.71	-	34.27	7.19	35.04
AV	5.787G	100.25	Inf	-Inf	93.83	3	Horizontal	350	1.71	-	34.27	7.19	35.04
PK	6.009G	62.71	68.20	-5.49	55.82	3	Horizontal	350	1.71	-	34.72	7.31	35.14

5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59936G	57.36	74.00	-16.64	70.19	3	Vertical	242	2.00	-	39.30	12.88	65.01
AV	11.57524G	46.11	54.00	-7.89	59.00	3	Vertical	242	2.00	-	39.23	12.87	64.99
PK	17.38392G	62.69	68.20	-5.51	65.95	3	Vertical	211	1.08	-	41.59	17.53	62.38

5.725-5.85GHz\_QPSK30+30\_30MHz\_Nss1\_2TX

5755MHz,#5795MHz\_TX




EUT Y\_2TX  
 Setting -10.5(6/4500)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58388G	57.04	74.00	-16.96	69.92	3	Horizontal	327	2.97	-	39.25	12.87	65.00
AV	11.57608G	46.03	54.00	-7.97	58.92	3	Horizontal	327	2.97	-	39.23	12.87	64.99
PK	17.37084G	63.11	68.20	-5.09	66.47	3	Horizontal	231	2.72	-	41.50	17.52	62.38

5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5175MHz,5225MHz\_TX




EUT Y\_2TX  
Setting -12(6/6000)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1106G	65.64	74.00	-8.36	59.76	3	Vertical	4	1.69	-	34.02	6.71	34.85
AV	5.1394G	53.43	54.00	-0.57	47.46	3	Vertical	4	1.69	-	34.08	6.74	34.85
PK	5.161G	113.71	Inf	-Inf	107.72	3	Vertical	4	1.69	-	34.08	6.76	34.85
AV	5.1598G	101.42	Inf	-Inf	95.43	3	Vertical	4	1.69	-	34.08	6.76	34.85
PK	5.35G	61.12	74.00	-12.88	54.63	3	Vertical	4	1.69	-	34.50	6.87	34.88
AV	5.35G	51.56	54.00	-2.44	45.07	3	Vertical	4	1.69	-	34.50	6.87	34.88

5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5175MHz,5225MHz\_TX




EUT\_Y\_2TX  
Setting -12(6/6000)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	65.31	74.00	-8.69	59.33	3	Horizontal	9	1.70	-	34.09	6.74	34.85
AV	5.1406G	53.66	54.00	-0.34	47.69	3	Horizontal	9	1.70	-	34.08	6.74	34.85
PK	5.161G	113.43	Inf	-Inf	107.44	3	Horizontal	9	1.70	-	34.08	6.76	34.85
AV	5.1598G	101.03	Inf	-Inf	95.04	3	Horizontal	9	1.70	-	34.08	6.76	34.85
PK	5.35G	62.49	74.00	-11.51	56.00	3	Horizontal	9	1.70	-	34.50	6.87	34.88
AV	5.35G	51.87	54.00	-2.13	45.38	3	Horizontal	9	1.70	-	34.50	6.87	34.88

5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5175MHz,5225MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33776G	55.42	68.20	-12.78	71.22	3	Vertical	65	1.38	-	37.84	12.19	65.83
PK	15.5256G	60.85	74.00	-13.15	68.38	3	Vertical	34	2.03	-	38.30	16.23	62.06
AV	15.53358G	48.84	54.00	-5.16	56.41	3	Vertical	34	2.03	-	38.27	16.23	62.07



5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5175MHz,5225MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34382G	56.17	68.20	-12.03	71.96	3	Horizontal	107	2.84	-	37.84	12.19	65.82
PK	15.52542G	60.86	74.00	-13.14	68.39	3	Horizontal	231	1.30	-	38.30	16.23	62.06
AV	15.52206G	48.57	54.00	-5.43	56.10	3	Horizontal	231	1.30	-	38.31	16.22	62.06

5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5175MHz,#5225MHz\_TX




EUT Y\_2TX  
Setting -12(6/6000)  
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	64.24	74.00	-9.76	58.27	3	Vertical	11	1.68	-	34.08	6.74	34.85
AV	5.1376G	53.44	54.00	-0.56	47.47	3	Vertical	11	1.68	-	34.08	6.74	34.85
PK	5.1604G	113.36	Inf	-Inf	107.37	3	Vertical	11	1.68	-	34.08	6.76	34.85
AV	5.1598G	101.02	Inf	-Inf	95.03	3	Vertical	11	1.68	-	34.08	6.76	34.85
PK	5.35G	62.14	74.00	-11.86	55.65	3	Vertical	11	1.68	-	34.50	6.87	34.88
AV	5.35G	51.71	54.00	-2.29	45.22	3	Vertical	11	1.68	-	34.50	6.87	34.88

5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5175MHz,#5225MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	64.98	74.00	-9.02	59.01	3	Horizontal	0	1.69	-	34.08	6.74	34.85
AV	5.1412G	53.66	54.00	-0.34	47.69	3	Horizontal	0	1.69	-	34.08	6.74	34.85
PK	5.1856G	113.55	Inf	-Inf	107.59	3	Horizontal	0	1.69	-	34.03	6.79	34.86
AV	5.1868G	100.96	Inf	-Inf	95.00	3	Horizontal	0	1.69	-	34.03	6.79	34.86
PK	5.35G	62.75	74.00	-11.25	56.26	3	Horizontal	0	1.69	-	34.50	6.87	34.88
AV	5.35G	52.16	54.00	-1.84	45.67	3	Horizontal	0	1.69	-	34.50	6.87	34.88

5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5175MHz,#5225MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45738G	55.64	68.20	-12.56	70.94	3	Vertical	233	2.85	-	37.96	12.25	65.51
PK	15.66438G	61.26	74.00	-12.74	68.98	3	Vertical	98	1.77	-	38.06	16.36	62.14
AV	15.68148G	48.48	54.00	-5.52	56.17	3	Vertical	98	1.77	-	38.08	16.38	62.15

5.15-5.25GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5175MHz,#5225MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4416G	55.66	68.20	-12.54	71.03	3	Horizontal	129	1.89	-	37.94	12.24	65.55
PK	15.66654G	60.81	74.00	-13.19	68.51	3	Horizontal	48	2.04	-	38.07	16.37	62.14
AV	15.68784G	48.37	54.00	-5.63	56.04	3	Horizontal	48	2.04	-	38.09	16.39	62.15

5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5750MHz,5800MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	64.15	68.20	-4.05	57.43	3	Vertical	360	1.67	-	34.60	7.04	34.92
PK	5.735G	110.11	Inf	-Inf	103.75	3	Vertical	360	1.67	-	34.20	7.17	35.01
AV	5.735G	98.09	Inf	-Inf	91.73	3	Vertical	360	1.67	-	34.20	7.17	35.01
PK	5.975G	62.17	68.20	-6.03	55.36	3	Vertical	360	1.67	-	34.65	7.29	35.13

5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5750MHz,5800MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.567G	64.26	68.20	-3.94	57.59	3	Horizontal	354	1.72	-	34.53	7.07	34.93
PK	5.762G	112.29	Inf	-Inf	105.92	3	Horizontal	354	1.72	-	34.22	7.18	35.03
AV	5.764G	100.15	Inf	-Inf	93.77	3	Horizontal	354	1.72	-	34.23	7.18	35.03
PK	5.968G	62.20	68.20	-6.00	55.40	3	Horizontal	354	1.72	-	34.64	7.28	35.12

5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5750MHz,5800MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49256G	57.51	74.00	-16.49	70.68	3	Vertical	349	1.25	-	38.98	12.82	64.97
AV	11.50636G	45.82	54.00	-8.18	58.93	3	Vertical	349	1.25	-	39.02	12.83	64.96
PK	17.24298G	62.51	68.20	-5.69	66.67	3	Vertical	94	1.80	-	40.71	17.45	62.32



5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

#5750MHz,5800MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51446G	57.47	74.00	-16.53	70.57	3	Horizontal	159	2.21	-	39.04	12.83	64.97
AV	11.51422G	45.75	54.00	-8.25	58.85	3	Horizontal	159	2.21	-	39.04	12.83	64.97
PK	17.2527G	62.55	68.20	-5.65	66.67	3	Horizontal	41	1.41	-	40.76	17.45	62.33

5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5750MHz,#5800MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	63.86	68.20	-4.34	57.31	3	Vertical	346	1.68	-	34.40	7.10	34.95
PK	5.789G	109.61	Inf	-Inf	103.18	3	Vertical	346	1.68	-	34.28	7.19	35.04
AV	5.789G	96.98	Inf	-Inf	90.55	3	Vertical	346	1.68	-	34.28	7.19	35.04
PK	6.005G	62.00	68.20	-6.20	55.12	3	Vertical	346	1.68	-	34.71	7.31	35.14

5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5750MHz,#5800MHz\_TX




EUT\_V\_2TX  
 Setting -12(6/6000)  
 03-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	64.28	68.20	-3.92	57.70	3	Horizontal	349	1.71	-	34.43	7.09	34.94
PK	5.789G	112.74	Inf	-Inf	106.31	3	Horizontal	349	1.71	-	34.28	7.19	35.04
AV	5.789G	100.26	Inf	-Inf	93.83	3	Horizontal	349	1.71	-	34.28	7.19	35.04
PK	5.939G	62.55	68.20	-5.65	55.81	3	Horizontal	349	1.71	-	34.58	7.27	35.11

5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5750MHz,#5800MHz\_TX




EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59646G	58.59	74.00	-15.41	71.42	3	Vertical	344	1.76	-	39.29	12.88	65.00
AV	11.5871G	45.66	54.00	-8.34	58.53	3	Vertical	344	1.76	-	39.26	12.87	65.00
PK	17.39418G	62.89	68.20	-5.31	66.08	3	Vertical	57	1.80	-	41.66	17.54	62.39

5.725-5.85GHz\_QPSK40+40\_40MHz\_Nss1\_2TX

5750MHz,#5800MHz\_TX



EUT Y\_2TX  
 Setting -12(6/6000)  
 03-L-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.61284G	57.49	74.00	-16.51	70.30	3	Horizontal	353	1.80	-	39.31	12.89	65.01
AV	11.58578G	45.81	54.00	-8.19	58.68	3	Horizontal	353	1.80	-	39.26	12.87	65.00
PK	17.4138G	62.60	68.20	-5.60	65.64	3	Horizontal	-0	1.79	-	41.80	17.55	62.39