


5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4006G	54.93	68.20	-13.27	70.47	3	Vertical	358	3.00	-	37.90	12.22	65.66
PK	15.58554G	60.43	74.00	-13.57	68.18	3	Vertical	67	1.01	-	38.06	16.29	62.10
AV	15.58884G	48.26	54.00	-5.74	56.03	3	Vertical	67	1.01	-	38.04	16.29	62.10

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39208G	55.22	68.20	-12.98	70.80	3	Horizontal	360	2.58	-	37.89	12.22	65.69
PK	15.60324G	61.24	74.00	-12.76	69.05	3	Horizontal	208	1.80	-	38.00	16.30	62.11
AV	15.60554G	48.55	54.00	-5.45	56.34	3	Horizontal	208	1.80	-	38.01	16.31	62.11

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT_Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1258G	60.63	74.00	-13.37	54.70	3	Vertical	340	1.80	-	34.05	6.73	34.85
AV	5.1036G	49.36	54.00	-4.64	43.49	3	Vertical	340	1.80	-	34.01	6.70	34.84
PK	5.244G	118.55	Inf	-Inf	112.59	3	Vertical	340	1.80	-	34.00	6.82	34.86
AV	5.2428G	109.16	Inf	-Inf	103.20	3	Vertical	340	1.80	-	34.00	6.82	34.86
PK	5.3544G	60.48	74.00	-13.52	53.99	3	Vertical	340	1.80	-	34.49	6.88	34.88
AV	5.3724G	49.81	54.00	-4.19	43.34	3	Vertical	340	1.80	-	34.46	6.89	34.88

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1174G	61.55	74.00	-12.45	55.65	3	Horizontal	340	1.99	-	34.03	6.72	34.85
AV	5.1126G	49.84	54.00	-4.16	43.95	3	Horizontal	340	1.99	-	34.03	6.71	34.85
PK	5.2434G	126.26	Inf	-Inf	120.30	3	Horizontal	340	1.99	-	34.00	6.82	34.86
AV	5.2428G	116.64	Inf	-Inf	110.68	3	Horizontal	340	1.99	-	34.00	6.82	34.86
PK	5.3772G	61.14	74.00	-12.86	54.68	3	Horizontal	340	1.99	-	34.45	6.89	34.88
AV	5.35G	49.95	54.00	-4.05	43.45	3	Horizontal	340	1.99	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5012G	55.41	68.20	-12.79	70.52	3	Vertical	108	2.48	-	38.00	12.28	65.39
PK	15.73878G	60.08	74.00	-13.92	67.95	3	Vertical	132	2.42	-	37.87	16.44	62.18
AV	15.73922G	48.14	54.00	-5.86	56.02	3	Vertical	132	2.42	-	37.86	16.44	62.18

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50222G	56.23	68.20	-11.97	71.34	3	Horizontal	30	2.20	-	38.00	12.28	65.39
PK	15.72654G	60.18	74.00	-13.82	67.98	3	Horizontal	44	1.72	-	37.94	16.43	62.17
AV	15.72066G	48.20	54.00	-5.80	55.97	3	Horizontal	44	1.72	-	37.98	16.42	62.17

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	61.26	68.20	-6.94	54.65	3	Vertical	4	1.82	-	34.46	7.09	34.94
PK	5.73G	123.24	Inf	-Inf	116.88	3	Vertical	4	1.82	-	34.20	7.17	35.01
AV	5.732G	113.79	Inf	-Inf	107.43	3	Vertical	4	1.82	-	34.20	7.17	35.01
PK	5.941G	61.23	68.20	-6.97	54.49	3	Vertical	4	1.82	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.82	68.20	-7.38	54.27	3	Horizontal	355	1.75	-	34.40	7.12	34.97
PK	5.733G	124.61	Inf	-Inf	118.25	3	Horizontal	355	1.75	-	34.20	7.17	35.01
AV	5.732G	114.97	Inf	-Inf	108.61	3	Horizontal	355	1.75	-	34.20	7.17	35.01
PK	5.938G	61.06	68.20	-7.14	54.32	3	Horizontal	355	1.75	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45666G	57.07	74.00	-16.93	70.44	3	Vertical	312	2.41	-	38.87	12.80	65.04
AV	11.447G	45.43	54.00	-8.57	58.85	3	Vertical	312	2.41	-	38.84	12.80	65.06
PK	17.1816G	63.47	68.20	-4.73	67.92	3	Vertical	25	1.80	-	40.44	17.41	62.30

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44994G	57.26	74.00	-16.74	70.67	3	Horizontal	180	1.00	-	38.85	12.80	65.06
AV	11.44838G	45.16	54.00	-8.84	58.57	3	Horizontal	180	1.00	-	38.85	12.80	65.06
PK	17.17872G	64.39	68.20	-3.81	68.84	3	Horizontal	16	1.80	-	40.44	17.41	62.30

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	60.98	68.20	-7.22	54.28	3	Vertical	7	1.61	-	34.58	7.05	34.93
PK	5.785G	122.19	Inf	-Inf	115.77	3	Vertical	7	1.61	-	34.27	7.19	35.04
AV	5.788G	112.98	Inf	-Inf	106.55	3	Vertical	7	1.61	-	34.28	7.19	35.04
PK	5.992G	61.59	68.20	-6.61	54.75	3	Vertical	7	1.61	-	34.68	7.30	35.14

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	61.17	68.20	-7.03	54.57	3	Horizontal	360	1.83	-	34.46	7.08	34.94
PK	5.789G	124.67	Inf	-Inf	118.24	3	Horizontal	360	1.83	-	34.28	7.19	35.04
AV	5.788G	114.99	Inf	-Inf	108.56	3	Horizontal	360	1.83	-	34.28	7.19	35.04
PK	6.021G	61.27	68.20	-6.93	54.33	3	Horizontal	360	1.83	-	34.74	7.33	35.13

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57262G	58.05	74.00	-15.95	70.96	3	Vertical	319	2.20	-	39.22	12.86	64.99
AV	11.5638G	46.25	54.00	-7.75	59.19	3	Vertical	319	2.20	-	39.19	12.86	64.99
PK	17.37366G	64.44	68.20	-3.76	67.78	3	Vertical	160	1.53	-	41.52	17.52	62.38

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56464G	58.29	74.00	-15.71	71.23	3	Horizontal	336	1.47	-	39.19	12.86	64.99
AV	11.5674G	46.35	54.00	-7.65	59.28	3	Horizontal	336	1.47	-	39.20	12.86	64.99
PK	17.37594G	64.14	68.20	-4.06	67.46	3	Horizontal	279	1.43	-	41.53	17.53	62.38

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	61.09	68.20	-7.11	54.54	3	Vertical	6	1.86	-	34.40	7.11	34.96
PK	5.843G	122.54	Inf	-Inf	116.08	3	Vertical	6	1.86	-	34.30	7.22	35.06
AV	5.845G	113.15	Inf	-Inf	106.70	3	Vertical	6	1.86	-	34.30	7.22	35.07
PK	6.064G	61.66	68.20	-6.54	54.52	3	Vertical	6	1.86	-	34.86	7.40	35.12

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	61.18	68.20	-7.02	54.63	3	Horizontal	357	1.80	-	34.40	7.11	34.96
PK	5.843G	123.91	Inf	-Inf	117.45	3	Horizontal	357	1.80	-	34.30	7.22	35.06
AV	5.845G	114.20	Inf	-Inf	107.75	3	Horizontal	357	1.80	-	34.30	7.22	35.07
PK	5.955G	63.36	68.20	-4.84	56.59	3	Horizontal	357	1.80	-	34.61	7.28	35.12

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67948G	58.41	74.00	-15.59	71.15	3	Vertical	256	1.80	-	39.38	12.92	65.04
AV	11.6955G	46.57	54.00	-7.43	59.29	3	Vertical	256	1.80	-	39.40	12.93	65.05
PK	17.54304G	66.99	68.20	-1.21	69.05	3	Vertical	356	1.80	-	42.79	17.63	62.48

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69766G	58.46	74.00	-15.54	71.18	3	Horizontal	83	1.80	-	39.40	12.93	65.05
AV	11.69118G	46.73	54.00	-7.27	59.46	3	Horizontal	83	1.80	-	39.39	12.93	65.05
PK	17.53236G	67.37	68.20	-0.83	69.53	3	Horizontal	225	1.00	-	42.69	17.62	62.47

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT Y_2TX
Setting -27(0/27000)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	64.58	74.00	-9.42	58.58	3	Vertical	350	1.44	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	51.94	54.00	-2.06	45.94	3	Vertical	350	1.44	BP 1MHz	34.10	6.75	34.85
PK	5.1591G	86.97	Inf	-Inf	80.98	3	Vertical	350	1.44	-	34.08	6.76	34.85
RMS	5.15928G	77.35	Inf	-Inf	71.36	3	Vertical	350	1.44	-	34.08	6.76	34.85

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT_Y_2TX
 Setting -27(0/27000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	69.39	74.00	-4.61	63.39	3	Horizontal	342	2.47	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.84	54.00	-0.16	47.84	3	Horizontal	342	2.47	BP 1MHz	34.10	6.75	34.85
PK	5.15088G	91.44	Inf	-Inf	85.44	3	Horizontal	342	2.47	-	34.10	6.75	34.85
RMS	5.15473G	81.60	Inf	-Inf	75.61	3	Horizontal	342	2.47	-	34.09	6.75	34.85

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT Y_2TX
 Setting -27(0/27000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32284G	55.76	68.20	-12.44	71.64	3	Vertical	0	1.80	-	37.82	12.18	65.88
PK	15.45492G	61.61	74.00	-12.39	69.03	3	Vertical	360	1.03	-	38.54	16.15	62.11
AV	15.4569G	49.28	54.00	-4.72	56.70	3	Vertical	360	1.03	-	38.53	16.16	62.11

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT Y_2TX
 Setting -27(0/27000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32164G	53.97	68.20	-14.23	69.85	3	Horizontal	213	1.30	-	37.82	12.18	65.88
PK	15.45636G	61.50	74.00	-12.50	68.92	3	Horizontal	8	1.44	-	38.53	16.16	62.11
AV	15.45108G	49.29	54.00	-4.71	56.71	3	Horizontal	8	1.44	-	38.55	16.15	62.12

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.17	74.00	-8.83	59.17	3	Vertical	343	1.73	-	34.10	6.75	34.85
AV	5.15G	51.01	54.00	-2.99	45.01	3	Vertical	343	1.73	-	34.10	6.75	34.85
PK	5.1964G	120.15	Inf	-Inf	114.20	3	Vertical	343	1.73	-	34.01	6.80	34.86
AV	5.2032G	108.07	Inf	-Inf	102.13	3	Vertical	343	1.73	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	62.61	74.00	-11.39	56.61	3	Horizontal	343	2.28	-	34.10	6.75	34.85
AV	5.1488G	50.35	54.00	-3.65	44.35	3	Horizontal	343	2.28	-	34.10	6.75	34.85
PK	5.2028G	125.56	Inf	-Inf	119.62	3	Horizontal	343	2.28	-	34.00	6.80	34.86
AV	5.2036G	113.14	Inf	-Inf	107.20	3	Horizontal	343	2.28	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39088G	54.09	68.20	-14.11	69.68	3	Vertical	202	1.58	-	37.89	12.21	65.69
PK	15.60756G	60.41	74.00	-13.59	68.20	3	Vertical	152	1.95	-	38.01	16.31	62.11
AV	15.60704G	48.49	54.00	-5.51	56.28	3	Vertical	152	1.95	-	38.01	16.31	62.11

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3898G	54.99	68.20	-13.21	70.58	3	Horizontal	286	1.69	-	37.89	12.21	65.69
PK	15.58794G	60.22	74.00	-13.78	67.98	3	Horizontal	265	1.14	-	38.05	16.29	62.10
AV	15.5898G	48.52	54.00	-5.48	56.29	3	Horizontal	265	1.14	-	38.04	16.29	62.10

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	60.37	74.00	-13.63	54.41	3	Vertical	341	1.80	-	34.07	6.74	34.85
AV	5.1376G	49.10	54.00	-4.90	43.13	3	Vertical	341	1.80	-	34.08	6.74	34.85
PK	5.2438G	118.29	Inf	-Inf	112.33	3	Vertical	341	1.80	-	34.00	6.82	34.86
AV	5.2414G	106.19	Inf	-Inf	100.23	3	Vertical	341	1.80	-	34.00	6.82	34.86
PK	5.3548G	60.08	74.00	-13.92	53.59	3	Vertical	341	1.80	-	34.49	6.88	34.88
AV	5.3608G	49.62	54.00	-4.38	43.14	3	Vertical	341	1.80	-	34.48	6.88	34.88

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	60.17	74.00	-13.83	54.20	3	Horizontal	341	1.80	-	34.08	6.74	34.85
AV	5.1286G	49.53	54.00	-4.47	43.59	3	Horizontal	341	1.80	-	34.06	6.73	34.85
PK	5.245G	125.06	Inf	-Inf	119.10	3	Horizontal	341	1.80	-	34.00	6.82	34.86
AV	5.245G	112.68	Inf	-Inf	106.72	3	Horizontal	341	1.80	-	34.00	6.82	34.86
PK	5.3674G	61.32	74.00	-12.68	54.85	3	Horizontal	341	1.80	-	34.47	6.88	34.88
AV	5.3536G	49.82	54.00	-4.18	43.33	3	Horizontal	341	1.80	-	34.49	6.88	34.88

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50374G	55.39	68.20	-12.81	70.50	3	Vertical	296	1.31	-	38.00	12.28	65.39
PK	15.74916G	59.58	74.00	-14.42	67.50	3	Vertical	129	1.11	-	37.81	16.45	62.18
AV	15.7412G	48.50	54.00	-5.50	56.39	3	Vertical	129	1.11	-	37.85	16.44	62.18

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49354G	55.65	68.20	-12.55	70.80	3	Horizontal	347	1.26	-	37.99	12.27	65.41
PK	15.73074G	60.56	74.00	-13.44	68.38	3	Horizontal	316	2.93	-	37.92	16.43	62.17
AV	15.73414G	48.43	54.00	-5.57	56.28	3	Horizontal	316	2.93	-	37.90	16.43	62.18

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.565G	62.24	68.20	-5.96	55.57	3	Vertical	3	2.06	-	34.54	7.06	34.93
PK	5.733G	122.74	Inf	-Inf	116.38	3	Vertical	3	2.06	-	34.20	7.17	35.01
AV	5.732G	110.46	Inf	-Inf	104.10	3	Vertical	3	2.06	-	34.20	7.17	35.01
PK	5.973G	61.44	68.20	-6.76	54.63	3	Vertical	3	2.06	-	34.65	7.29	35.13

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.517G	61.04	68.20	-7.16	54.33	3	Horizontal	356	1.77	-	34.60	7.02	34.91
PK	5.73G	123.75	Inf	-Inf	117.39	3	Horizontal	356	1.77	-	34.20	7.17	35.01
AV	5.73G	111.62	Inf	-Inf	105.26	3	Horizontal	356	1.77	-	34.20	7.17	35.01
PK	5.972G	60.71	68.20	-7.49	53.91	3	Horizontal	356	1.77	-	34.64	7.29	35.13

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44938G	56.26	74.00	-17.74	69.67	3	Vertical	286	1.19	-	38.85	12.80	65.06
AV	11.44776G	45.09	54.00	-8.91	58.51	3	Vertical	286	1.19	-	38.84	12.80	65.06
PK	17.19114G	63.52	68.20	-4.68	67.94	3	Vertical	335	1.80	-	40.47	17.41	62.30

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4468G	57.24	74.00	-16.76	70.66	3	Horizontal	65	2.91	-	38.84	12.80	65.06
AV	11.44674G	45.44	54.00	-8.56	58.86	3	Horizontal	65	2.91	-	38.84	12.80	65.06
PK	17.19798G	63.04	68.20	-5.16	67.43	3	Horizontal	199	1.68	-	40.49	17.42	62.30

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.559G	61.54	68.20	-6.66	54.85	3	Vertical	5	1.82	-	34.56	7.06	34.93
PK	5.788G	121.98	Inf	-Inf	115.55	3	Vertical	5	1.82	-	34.28	7.19	35.04
AV	5.787G	110.10	Inf	-Inf	103.68	3	Vertical	5	1.82	-	34.27	7.19	35.04
PK	5.925G	61.56	68.20	-6.64	54.85	3	Vertical	5	1.82	-	34.55	7.26	35.10

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




11/09/2023

EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.544G	62.16	68.20	-6.04	55.44	3	Horizontal	360	1.84	-	34.60	7.04	34.92
PK	5.791G	124.60	Inf	-Inf	118.16	3	Horizontal	360	1.84	-	34.28	7.20	35.04
AV	5.79G	112.33	Inf	-Inf	105.89	3	Horizontal	360	1.84	-	34.28	7.20	35.04
PK	6G	61.75	68.20	-6.45	54.89	3	Horizontal	360	1.84	-	34.70	7.30	35.14

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57262G	57.99	74.00	-16.01	70.90	3	Vertical	173	2.48	-	39.22	12.86	64.99
AV	11.56698G	46.41	54.00	-7.59	59.34	3	Vertical	173	2.48	-	39.20	12.86	64.99
PK	17.36754G	64.08	68.20	-4.12	67.46	3	Vertical	46	2.57	-	41.47	17.52	62.37

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5719G	57.81	74.00	-16.19	70.72	3	Horizontal	237	1.38	-	39.22	12.86	64.99
AV	11.56674G	46.31	54.00	-7.69	59.24	3	Horizontal	237	1.38	-	39.20	12.86	64.99
PK	17.35176G	63.90	68.20	-4.30	67.40	3	Horizontal	192	1.99	-	41.36	17.51	62.37

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	61.01	68.20	-7.19	54.46	3	Vertical	5	1.79	-	34.40	7.11	34.96
PK	5.844G	121.44	Inf	-Inf	114.99	3	Vertical	5	1.79	-	34.30	7.22	35.07
AV	5.845G	109.45	Inf	-Inf	103.00	3	Vertical	5	1.79	-	34.30	7.22	35.07
PK	5.85G	117.06	122.20	-5.14	110.61	3	Vertical	5	1.79	-	34.30	7.22	35.07

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	61.01	68.20	-7.19	54.46	3	Horizontal	356	1.75	-	34.40	7.12	34.97
PK	5.843G	122.83	Inf	-Inf	116.37	3	Horizontal	356	1.75	-	34.30	7.22	35.06
AV	5.843G	110.63	Inf	-Inf	104.17	3	Horizontal	356	1.75	-	34.30	7.22	35.06
PK	5.85G	118.01	122.20	-4.19	111.56	3	Horizontal	356	1.75	-	34.30	7.22	35.07

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69738G	58.83	74.00	-15.17	71.55	3	Vertical	174	2.01	-	39.40	12.93	65.05
AV	11.69372G	46.76	54.00	-7.24	59.49	3	Vertical	174	2.01	-	39.39	12.93	65.05
PK	17.53494G	67.11	68.20	-1.09	69.25	3	Vertical	348	1.84	-	42.71	17.62	62.47

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68826G	58.77	74.00	-15.23	71.50	3	Horizontal	88	1.80	-	39.39	12.93	65.05
AV	11.69216G	46.69	54.00	-7.31	59.42	3	Horizontal	88	1.80	-	39.39	12.93	65.05
PK	17.52198G	67.10	68.20	-1.10	69.34	3	Horizontal	-0	1.80	-	42.60	17.61	62.45

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	69.22	74.00	-4.78	63.22	3	Vertical	350	1.43	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	52.40	54.00	-1.60	46.40	3	Vertical	350	1.43	BP 1MHz	34.10	6.75	34.85
PK	5.15388G	99.75	Inf	-Inf	93.76	3	Vertical	350	1.43	-	34.09	6.75	34.85
RMS	5.16128G	90.91	Inf	-Inf	84.92	3	Vertical	350	1.43	-	34.08	6.76	34.85

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	67.31	74.00	-6.69	61.31	3	Horizontal	342	2.48	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.51	54.00	-0.49	47.51	3	Horizontal	342	2.48	BP 1MHz	34.10	6.75	34.85
PK	5.15285G	102.52	Inf	-Inf	96.53	3	Horizontal	342	2.48	-	34.09	6.75	34.85
RMS	5.15548G	94.76	Inf	-Inf	88.76	3	Horizontal	342	2.48	-	34.09	6.76	34.85

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.30808G	54.63	68.20	-13.57	70.57	3	Vertical	19	1.90	-	37.81	12.17	65.92
PK	15.46434G	60.64	74.00	-13.36	68.07	3	Vertical	19	2.86	-	38.51	16.16	62.10
AV	15.46158G	49.27	54.00	-4.73	56.69	3	Vertical	19	2.86	-	38.52	16.16	62.10

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.31402G	54.96	68.20	-13.24	70.88	3	Horizontal	96	1.85	-	37.81	12.17	65.90
PK	15.46038G	60.84	74.00	-13.16	68.26	3	Horizontal	224	1.86	-	38.52	16.16	62.10
AV	15.46092G	49.21	54.00	-4.79	56.63	3	Horizontal	224	1.86	-	38.52	16.16	62.10

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	66.38	74.00	-7.62	60.40	3	Vertical	346	1.66	-	34.09	6.74	34.85
AV	5.1496G	52.59	54.00	-1.41	46.59	3	Vertical	346	1.66	-	34.10	6.75	34.85
PK	5.1948G	119.91	Inf	-Inf	113.97	3	Vertical	346	1.66	-	34.01	6.79	34.86
AV	5.2036G	106.59	Inf	-Inf	100.65	3	Vertical	346	1.66	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.65	74.00	-10.35	57.65	3	Horizontal	341	2.08	-	34.10	6.75	34.85
AV	5.1496G	50.90	54.00	-3.10	44.90	3	Horizontal	341	2.08	-	34.10	6.75	34.85
PK	5.2048G	124.44	Inf	-Inf	118.50	3	Horizontal	341	2.08	-	34.00	6.80	34.86
AV	5.2048G	111.22	Inf	-Inf	105.28	3	Horizontal	341	2.08	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39628G	54.43	68.20	-13.77	69.98	3	Vertical	194	1.92	-	37.90	12.22	65.67
PK	15.606G	60.22	74.00	-13.78	68.01	3	Vertical	98	1.00	-	38.01	16.31	62.11
AV	15.6065G	48.64	54.00	-5.36	56.43	3	Vertical	98	1.00	-	38.01	16.31	62.11

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39334G	54.50	68.20	-13.70	70.07	3	Horizontal	272	1.56	-	37.89	12.22	65.68
PK	15.60072G	60.16	74.00	-13.84	67.96	3	Horizontal	315	1.69	-	38.00	16.30	62.10
AV	15.58626G	48.59	54.00	-5.41	56.35	3	Horizontal	315	1.69	-	38.05	16.29	62.10

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	60.14	74.00	-13.86	54.22	3	Vertical	342	1.80	-	34.05	6.72	34.85
AV	5.1112G	49.19	54.00	-4.81	43.31	3	Vertical	342	1.80	-	34.02	6.71	34.85
PK	5.2426G	117.08	Inf	-Inf	111.12	3	Vertical	342	1.80	-	34.00	6.82	34.86
AV	5.2372G	104.01	Inf	-Inf	98.05	3	Vertical	342	1.80	-	34.00	6.82	34.86
PK	5.3506G	60.20	74.00	-13.80	53.70	3	Vertical	342	1.80	-	34.50	6.88	34.88
AV	5.3674G	49.55	54.00	-4.45	43.08	3	Vertical	342	1.80	-	34.47	6.88	34.88

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	60.62	74.00	-13.38	54.71	3	Horizontal	342	2.31	-	34.04	6.72	34.85
AV	5.122G	49.60	54.00	-4.40	43.69	3	Horizontal	342	2.31	-	34.04	6.72	34.85
PK	5.2396G	124.32	Inf	-Inf	118.36	3	Horizontal	342	2.31	-	34.00	6.82	34.86
AV	5.2366G	110.89	Inf	-Inf	104.93	3	Horizontal	342	2.31	-	34.00	6.82	34.86
PK	5.3752G	61.20	74.00	-12.80	54.74	3	Horizontal	342	2.31	-	34.45	6.89	34.88
AV	5.359G	49.99	54.00	-4.01	43.51	3	Horizontal	342	2.31	-	34.48	6.88	34.88

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49528G	56.20	68.20	-12.00	71.33	3	Vertical	281	2.23	-	38.00	12.27	65.40
PK	15.711G	59.72	74.00	-14.28	67.44	3	Vertical	292	2.61	-	38.03	16.41	62.16
AV	15.71574G	48.53	54.00	-5.47	56.27	3	Vertical	292	2.61	-	38.01	16.42	62.17

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49876G	54.55	68.20	-13.65	69.67	3	Horizontal	83	1.13	-	38.00	12.27	65.39
PK	15.71814G	60.90	74.00	-13.10	68.66	3	Horizontal	175	2.11	-	37.99	16.42	62.17
AV	15.7113G	48.60	54.00	-5.40	56.32	3	Horizontal	175	2.11	-	38.03	16.41	62.16

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.567G	61.33	68.20	-6.87	54.66	3	Vertical	2	2.07	-	34.53	7.07	34.93
PK	5.734G	121.73	Inf	-Inf	115.37	3	Vertical	2	2.07	-	34.20	7.17	35.01
AV	5.73G	108.47	Inf	-Inf	102.11	3	Vertical	2	2.07	-	34.20	7.17	35.01
PK	5.972G	61.78	68.20	-6.42	54.98	3	Vertical	2	2.07	-	34.64	7.29	35.13

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	61.12	68.20	-7.08	54.49	3	Horizontal	357	1.77	-	34.49	7.08	34.94
PK	5.731G	122.65	Inf	-Inf	116.29	3	Horizontal	357	1.77	-	34.20	7.17	35.01
AV	5.73G	109.54	Inf	-Inf	103.18	3	Horizontal	357	1.77	-	34.20	7.17	35.01
PK	5.941G	61.23	68.20	-6.97	54.49	3	Horizontal	357	1.77	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45874G	56.88	74.00	-17.12	70.24	3	Vertical	88	2.17	-	38.88	12.80	65.04
AV	11.45244G	45.07	54.00	-8.93	58.46	3	Vertical	88	2.17	-	38.86	12.80	65.05
PK	17.20074G	62.28	68.20	-5.92	66.66	3	Vertical	90	2.78	-	40.50	17.42	62.30

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4747G	56.19	74.00	-17.81	69.47	3	Horizontal	338	1.16	-	38.92	12.81	65.01
AV	11.47112G	44.95	54.00	-9.05	58.24	3	Horizontal	338	1.16	-	38.91	12.81	65.01
PK	17.2089G	62.69	68.20	-5.51	67.03	3	Horizontal	311	1.66	-	40.54	17.43	62.31

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.542G	61.59	68.20	-6.61	54.87	3	Vertical	6	1.80	-	34.60	7.04	34.92
PK	5.783G	121.44	Inf	-Inf	115.02	3	Vertical	6	1.80	-	34.27	7.19	35.04
AV	5.784G	108.57	Inf	-Inf	102.15	3	Vertical	6	1.80	-	34.27	7.19	35.04
PK	5.969G	62.45	68.20	-5.75	55.66	3	Vertical	6	1.80	-	34.64	7.28	35.13

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT_Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.59	68.20	-6.61	55.04	3	Horizontal	358	1.77	-	34.40	7.12	34.97
PK	5.788G	123.44	Inf	-Inf	117.01	3	Horizontal	358	1.77	-	34.28	7.19	35.04
AV	5.791G	110.42	Inf	-Inf	103.98	3	Horizontal	358	1.77	-	34.28	7.20	35.04
PK	5.976G	62.29	68.20	-5.91	55.48	3	Horizontal	358	1.77	-	34.65	7.29	35.13

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.568G	58.16	74.00	-15.84	71.09	3	Vertical	202	1.29	-	39.20	12.86	64.99
AV	11.5638G	46.06	54.00	-7.94	59.00	3	Vertical	202	1.29	-	39.19	12.86	64.99
PK	17.36988G	64.72	68.20	-3.48	68.09	3	Vertical	188	2.44	-	41.49	17.52	62.38

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5623G	57.84	74.00	-16.16	70.78	3	Horizontal	162	1.37	-	39.19	12.86	64.99
AV	11.56692G	46.44	54.00	-7.56	59.37	3	Horizontal	162	1.37	-	39.20	12.86	64.99
PK	17.35134G	63.96	68.20	-4.24	67.46	3	Horizontal	193	1.85	-	41.36	17.51	62.37

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	61.04	68.20	-7.16	54.49	3	Vertical	4	1.77	-	34.40	7.11	34.96
PK	5.842G	120.38	Inf	-Inf	113.92	3	Vertical	4	1.77	-	34.30	7.22	35.06
AV	5.837G	107.43	Inf	-Inf	100.97	3	Vertical	4	1.77	-	34.30	7.22	35.06
PK	6.079G	61.67	68.20	-6.53	54.44	3	Vertical	4	1.77	-	34.92	7.42	35.11

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	61.30	68.20	-6.90	54.74	3	Horizontal	356	1.74	-	34.40	7.11	34.95
PK	5.846G	121.82	Inf	-Inf	115.37	3	Horizontal	356	1.74	-	34.30	7.22	35.07
AV	5.845G	108.55	Inf	-Inf	102.10	3	Horizontal	356	1.74	-	34.30	7.22	35.07
PK	6.024G	62.45	68.20	-5.75	55.49	3	Horizontal	356	1.74	-	34.75	7.34	35.13

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6882G	58.76	74.00	-15.24	71.49	3	Vertical	34	2.28	-	39.39	12.93	65.05
AV	11.69162G	46.75	54.00	-7.25	59.48	3	Vertical	34	2.28	-	39.39	12.93	65.05
PK	17.52774G	66.99	68.20	-1.21	69.18	3	Vertical	261	2.53	-	42.65	17.62	62.46

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69858G	58.17	74.00	-15.83	70.89	3	Horizontal	96	2.49	-	39.40	12.93	65.05
AV	11.69282G	46.57	54.00	-7.43	59.30	3	Horizontal	96	2.49	-	39.39	12.93	65.05
PK	17.53734G	67.13	68.20	-1.07	69.24	3	Horizontal	270	1.80	-	42.74	17.62	62.47

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX




EUT Y_2TX
 Setting -25.5(0/25500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	63.29	74.00	-10.71	57.29	3	Vertical	352	1.39	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	51.71	54.00	-2.29	45.71	3	Vertical	352	1.39	BP 1MHz	34.10	6.75	34.85
PK	5.16785G	84.76	Inf	-Inf	78.78	3	Vertical	352	1.39	-	34.06	6.77	34.85
RMS	5.16788G	77.09	Inf	-Inf	71.11	3	Vertical	352	1.39	-	34.06	6.77	34.85

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX




EUT Y_2TX
Setting -25.5(0/25500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	66.47	74.00	-7.53	60.47	3	Horizontal	341	2.49	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.80	54.00	-0.20	47.80	3	Horizontal	341	2.49	BP 1MHz	34.10	6.75	34.85
PK	5.15663G	89.26	Inf	-Inf	83.26	3	Horizontal	341	2.49	-	34.09	6.76	34.85
RMS	5.15105G	80.73	Inf	-Inf	74.73	3	Horizontal	341	2.49	-	34.10	6.75	34.85

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX




EUT Y_2TX
 Setting -25.5(0/25500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.31316G	54.26	68.20	-13.94	70.18	3	Vertical	85	2.99	-	37.81	12.17	65.90
PK	15.47256G	60.37	74.00	-13.63	67.81	3	Vertical	323	2.86	-	38.48	16.17	62.09
AV	15.46764G	48.99	54.00	-5.01	56.41	3	Vertical	323	2.86	-	38.50	16.17	62.09

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX




EUT Y_2TX
 Setting -25.5(0/25500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32954G	54.58	68.20	-13.62	70.43	3	Horizontal	317	2.90	-	37.83	12.18	65.86
PK	15.4719G	60.17	74.00	-13.83	67.61	3	Horizontal	59	1.69	-	38.48	16.17	62.09
AV	15.46548G	48.89	54.00	-5.11	56.32	3	Horizontal	59	1.69	-	38.50	16.17	62.10

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -6(0/6000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.36	74.00	-6.64	61.36	3	Vertical	346	1.49	-	34.10	6.75	34.85
AV	5.15G	53.67	54.00	-0.33	47.67	3	Vertical	346	1.49	-	34.10	6.75	34.85
PK	5.2G	118.58	Inf	-Inf	112.64	3	Vertical	346	1.49	-	34.00	6.80	34.86
AV	5.1992G	104.15	Inf	-Inf	98.21	3	Vertical	346	1.49	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -6(0/6000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	64.10	74.00	-9.90	58.11	3	Horizontal	341	2.26	-	34.09	6.75	34.85
AV	5.1496G	51.06	54.00	-2.94	45.06	3	Horizontal	341	2.26	-	34.10	6.75	34.85
PK	5.2G	121.23	Inf	-Inf	115.29	3	Horizontal	341	2.26	-	34.00	6.80	34.86
AV	5.1992G	107.29	Inf	-Inf	101.35	3	Horizontal	341	2.26	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -6(0/6000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38836G	54.30	68.20	-13.90	69.90	3	Vertical	47	2.11	-	37.89	12.21	65.70
PK	15.61254G	59.92	74.00	-14.08	67.71	3	Vertical	28	2.08	-	38.01	16.31	62.11
AV	15.61022G	48.51	54.00	-5.49	56.30	3	Vertical	28	2.08	-	38.01	16.31	62.11

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -6(0/6000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40324G	54.72	68.20	-13.48	70.26	3	Horizontal	208	1.56	-	37.90	12.22	65.66
PK	15.5919G	60.49	74.00	-13.51	68.27	3	Horizontal	287	2.18	-	38.03	16.29	62.10
AV	15.58554G	48.53	54.00	-5.47	56.28	3	Horizontal	287	2.18	-	38.06	16.29	62.10

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.70	74.00	-11.30	56.70	3	Vertical	343	1.78	-	34.10	6.75	34.85
AV	5.15G	50.45	54.00	-3.55	44.45	3	Vertical	343	1.78	-	34.10	6.75	34.85
PK	5.2322G	117.43	Inf	-Inf	111.47	3	Vertical	343	1.78	-	34.00	6.82	34.86
AV	5.2316G	103.81	Inf	-Inf	97.85	3	Vertical	343	1.78	-	34.00	6.82	34.86
PK	5.366G	61.34	74.00	-12.66	54.87	3	Vertical	343	1.78	-	34.47	6.88	34.88
AV	5.3504G	49.65	54.00	-4.35	43.15	3	Vertical	343	1.78	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	62.66	74.00	-11.34	56.69	3	Horizontal	342	2.30	-	34.08	6.74	34.85
AV	5.15G	50.45	54.00	-3.55	44.45	3	Horizontal	342	2.30	-	34.10	6.75	34.85
PK	5.2346G	124.36	Inf	-Inf	118.40	3	Horizontal	342	2.30	-	34.00	6.82	34.86
AV	5.2322G	110.38	Inf	-Inf	104.42	3	Horizontal	342	2.30	-	34.00	6.82	34.86
PK	5.3516G	63.77	74.00	-10.23	57.27	3	Horizontal	342	2.30	-	34.50	6.88	34.88
AV	5.3516G	50.19	54.00	-3.81	43.69	3	Horizontal	342	2.30	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.495G	54.70	68.20	-13.50	69.84	3	Vertical	29	1.38	-	37.99	12.27	65.40
PK	15.72264G	60.26	74.00	-13.74	68.05	3	Vertical	262	1.04	-	37.96	16.42	62.17
AV	15.71118G	48.55	54.00	-5.45	56.27	3	Vertical	262	1.04	-	38.03	16.41	62.16

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4863G	54.65	68.20	-13.55	69.82	3	Horizontal	346	1.31	-	37.99	12.27	65.43
PK	15.71526G	61.20	74.00	-12.80	68.94	3	Horizontal	40	1.79	-	38.01	16.42	62.17
AV	15.71526G	48.55	54.00	-5.45	56.29	3	Horizontal	40	1.79	-	38.01	16.42	62.17

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.87	68.20	-2.33	57.31	3	Vertical	12	1.80	-	33.90	7.54	32.88
PK	5.727G	121.71	Inf	-Inf	112.95	3	Vertical	12	1.80	-	34.11	7.56	32.91
AV	5.7335G	108.16	Inf	-Inf	99.38	3	Vertical	12	1.80	-	34.13	7.56	32.91
PK	5.9525G	63.42	68.20	-4.78	53.44	3	Vertical	12	1.80	-	35.30	7.66	32.98

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	67.59	68.20	-0.61	59.04	3	Horizontal	0	1.80	-	33.90	7.53	32.88
PK	5.735G	123.68	Inf	-Inf	114.89	3	Horizontal	0	1.80	-	34.14	7.56	32.91
AV	5.7395G	109.68	Inf	-Inf	100.87	3	Horizontal	0	1.80	-	34.16	7.56	32.91
PK	5.9255G	63.18	68.20	-5.02	53.36	3	Horizontal	0	1.80	-	35.15	7.64	32.97

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47888G	58.48	74.00	-15.52	41.77	3	Vertical	290	1.80	-	38.40	10.83	32.52
AV	11.46598G	46.58	54.00	-7.42	29.87	3	Vertical	290	1.80	-	38.40	10.83	32.52
PK	17.20032G	65.70	68.20	-2.50	42.12	3	Vertical	118	1.80	-	41.70	13.19	31.31

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46799G	57.81	74.00	-16.19	41.10	3	Horizontal	266	1.80	-	38.40	10.83	32.52
AV	11.45608G	46.54	54.00	-7.46	29.84	3	Horizontal	266	1.80	-	38.40	10.82	32.52
PK	17.21364G	65.45	68.20	-2.75	41.79	3	Horizontal	170	1.67	-	41.78	13.19	31.31

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




EUT_Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.547G	61.90	68.20	-6.30	55.17	3	Vertical	8	1.48	-	34.60	7.05	34.92
PK	5.786G	120.26	Inf	-Inf	113.84	3	Vertical	8	1.48	-	34.27	7.19	35.04
AV	5.789G	106.83	Inf	-Inf	100.40	3	Vertical	8	1.48	-	34.28	7.19	35.04
PK	5.928G	61.91	68.20	-6.29	55.20	3	Vertical	8	1.48	-	34.56	7.26	35.11

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




11/09/2023

EUT_Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	61.75	68.20	-6.45	55.20	3	Horizontal	360	1.76	-	34.40	7.10	34.95
PK	5.793G	123.46	Inf	-Inf	117.01	3	Horizontal	360	1.76	-	34.29	7.20	35.04
AV	5.789G	109.52	Inf	-Inf	103.09	3	Horizontal	360	1.76	-	34.28	7.19	35.04
PK	5.977G	61.57	68.20	-6.63	54.76	3	Horizontal	360	1.76	-	34.65	7.29	35.13

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57474G	57.95	74.00	-16.05	70.85	3	Vertical	61	2.16	-	39.22	12.87	64.99
AV	11.56802G	45.97	54.00	-8.03	58.90	3	Vertical	61	2.16	-	39.20	12.86	64.99
PK	17.36418G	64.57	68.20	-3.63	67.97	3	Vertical	305	2.81	-	41.45	17.52	62.37

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56454G	57.84	74.00	-16.16	70.78	3	Horizontal	58	2.32	-	39.19	12.86	64.99
AV	11.56724G	46.21	54.00	-7.79	59.14	3	Horizontal	58	2.32	-	39.20	12.86	64.99
PK	17.34264G	64.03	68.20	-4.17	67.58	3	Horizontal	36	2.60	-	41.30	17.51	62.36

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX




EUT Y_2TX
Setting -0.5(0/500)
01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6095G	61.42	68.20	-6.78	52.79	3	Vertical	11	1.80	-	33.98	7.52	32.87
PK	5.8455G	121.65	Inf	-Inf	112.43	3	Vertical	11	1.80	-	34.57	7.60	32.95
AV	5.8445G	107.80	Inf	-Inf	98.58	3	Vertical	11	1.80	-	34.57	7.60	32.95
PK	5.926G	68.05	68.20	-0.15	58.22	3	Vertical	11	1.80	-	35.16	7.64	32.97

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX




EUT Y_2TX
Setting -0.5(0/500)
01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	61.71	68.20	-6.49	53.14	3	Horizontal	0	1.80	-	33.92	7.53	32.88
PK	5.841G	122.42	Inf	-Inf	113.22	3	Horizontal	0	1.80	-	34.55	7.60	32.95
AV	5.832G	108.93	Inf	-Inf	99.78	3	Horizontal	0	1.80	-	34.49	7.60	32.94
PK	5.929G	66.37	68.20	-1.83	56.54	3	Horizontal	0	1.80	-	35.17	7.64	32.98

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX




EUT Y_2TX
 Setting -0.5(0/500)
 01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68765G	58.59	74.00	-15.41	41.71	3	Vertical	152	1.80	-	38.42	10.95	32.49
AV	11.6947G	46.37	54.00	-7.63	29.50	3	Vertical	152	1.80	-	38.41	10.95	32.49
PK	17.51157G	65.92	68.20	-2.28	41.34	3	Vertical	227	1.80	-	42.40	13.29	31.11

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX




EUT Y_2TX
Setting -0.5(0/500)
01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6665G	59.36	74.00	-14.64	42.45	3	Horizontal	42	1.79	-	38.47	10.94	32.50
AV	11.69485G	46.37	54.00	-7.63	29.50	3	Horizontal	42	1.79	-	38.41	10.95	32.49
PK	17.51397G	65.63	68.20	-2.57	41.05	3	Horizontal	95	1.80	-	42.40	13.29	31.11

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT Y_2TX
 Setting -8.5(0/8500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	59.76	74.00	-14.24	53.76	3	Vertical	347	1.62	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	51.60	54.00	-2.40	45.60	3	Vertical	347	1.62	BP 1MHz	34.10	6.75	34.85
PK	5.17468G	97.36	Inf	-Inf	91.39	3	Vertical	347	1.62	-	34.05	6.77	34.85
RMS	5.17365G	91.09	Inf	-Inf	85.12	3	Vertical	347	1.62	-	34.05	6.77	34.85

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT_Y_2TX
 Setting -8.5(0/8500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	62.59	74.00	-11.41	56.59	3	Horizontal	343	2.27	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.50	54.00	-0.50	47.50	3	Horizontal	343	2.27	BP 1MHz	34.10	6.75	34.85
PK	5.17155G	101.32	Inf	-Inf	95.34	3	Horizontal	343	2.27	-	34.06	6.77	34.85
RMS	5.17365G	94.65	Inf	-Inf	88.68	3	Horizontal	343	2.27	-	34.05	6.77	34.85

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT Y_2TX
 Setting -8.5(0/8500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3288G	55.51	68.20	-12.69	71.36	3	Vertical	319	2.34	-	37.83	12.18	65.86
PK	15.48108G	59.53	74.00	-14.47	66.97	3	Vertical	206	1.19	-	38.46	16.18	62.08
AV	15.4881G	48.08	54.00	-5.92	55.52	3	Vertical	206	1.19	-	38.44	16.19	62.07

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT Y_2TX
Setting -8.5(0/8500)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33414G	54.25	68.20	-13.95	70.08	3	Horizontal	131	1.51	-	37.83	12.18	65.84
PK	15.49944G	59.69	74.00	-14.31	67.14	3	Horizontal	269	1.13	-	38.40	16.20	62.05
AV	15.48102G	48.37	54.00	-5.63	55.81	3	Horizontal	269	1.13	-	38.46	16.18	62.08

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.92	74.00	-6.08	61.93	3	Vertical	343	1.74	-	34.09	6.75	34.85
AV	5.15G	53.35	54.00	-0.65	47.35	3	Vertical	343	1.74	-	34.10	6.75	34.85
PK	5.2052G	115.16	Inf	-Inf	109.22	3	Vertical	343	1.74	-	34.00	6.80	34.86
AV	5.2064G	101.40	Inf	-Inf	95.46	3	Vertical	343	1.74	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.92	74.00	-9.08	58.92	3	Horizontal	342	2.23	-	34.10	6.75	34.85
AV	5.15G	52.05	54.00	-1.95	46.05	3	Horizontal	342	2.23	-	34.10	6.75	34.85
PK	5.2088G	118.71	Inf	-Inf	112.77	3	Horizontal	342	2.23	-	34.00	6.80	34.86
AV	5.2064G	105.63	Inf	-Inf	99.69	3	Horizontal	342	2.23	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38992G	54.85	68.20	-13.35	70.44	3	Vertical	115	1.37	-	37.89	12.21	65.69
PK	15.59094G	59.60	74.00	-14.40	67.37	3	Vertical	320	2.10	-	38.04	16.29	62.10
AV	15.5919G	48.46	54.00	-5.54	56.24	3	Vertical	320	2.10	-	38.03	16.29	62.10

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38608G	54.29	68.20	-13.91	69.89	3	Horizontal	141	1.56	-	37.89	12.21	65.70
PK	15.60756G	59.57	74.00	-14.43	67.36	3	Horizontal	144	1.01	-	38.01	16.31	62.11
AV	15.60872G	48.40	54.00	-5.60	56.19	3	Horizontal	144	1.01	-	38.01	16.31	62.11

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT_Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1438G	63.54	74.00	-10.46	57.56	3	Vertical	342	1.78	-	34.09	6.74	34.85
AV	5.1498G	51.46	54.00	-2.54	45.46	3	Vertical	342	1.78	-	34.10	6.75	34.85
PK	5.2272G	116.21	Inf	-Inf	110.26	3	Vertical	342	1.78	-	34.00	6.81	34.86
AV	5.226G	103.34	Inf	-Inf	97.39	3	Vertical	342	1.78	-	34.00	6.81	34.86
PK	5.3712G	61.16	74.00	-12.84	54.69	3	Vertical	342	1.78	-	34.46	6.89	34.88
AV	5.3514G	49.95	54.00	-4.05	43.45	3	Vertical	342	1.78	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT_Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.47	74.00	-10.53	57.47	3	Horizontal	343	2.31	-	34.10	6.75	34.85
AV	5.1498G	51.46	54.00	-2.54	45.46	3	Horizontal	343	2.31	-	34.10	6.75	34.85
PK	5.2272G	122.89	Inf	-Inf	116.94	3	Horizontal	343	2.31	-	34.00	6.81	34.86
AV	5.226G	109.52	Inf	-Inf	103.57	3	Horizontal	343	2.31	-	34.00	6.81	34.86
PK	5.385G	61.35	74.00	-12.65	54.91	3	Horizontal	343	2.31	-	34.43	6.89	34.88
AV	5.3508G	50.30	54.00	-3.70	43.80	3	Horizontal	343	2.31	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46394G	54.98	68.20	-13.22	70.25	3	Vertical	106	2.37	-	37.96	12.26	65.49
PK	15.70602G	59.96	74.00	-14.04	67.65	3	Vertical	200	1.56	-	38.06	16.41	62.16
AV	15.69384G	48.75	54.00	-5.25	56.42	3	Vertical	200	1.56	-	38.09	16.39	62.15

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45596G	54.99	68.20	-13.21	70.29	3	Horizontal	195	1.11	-	37.96	12.25	65.51
PK	15.69702G	59.88	74.00	-14.12	67.54	3	Horizontal	44	2.61	-	38.10	16.40	62.16
AV	15.69564G	48.42	54.00	-5.58	56.08	3	Horizontal	44	2.61	-	38.10	16.40	62.16

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.46	68.20	-3.74	57.91	3	Vertical	4	2.07	-	34.40	7.12	34.97
PK	5.732G	118.75	Inf	-Inf	112.39	3	Vertical	4	2.07	-	34.20	7.17	35.01
AV	5.732G	105.73	Inf	-Inf	99.37	3	Vertical	4	2.07	-	34.20	7.17	35.01
PK	5.987G	61.20	68.20	-7.00	54.37	3	Vertical	4	2.07	-	34.67	7.29	35.13

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	66.47	68.94	-2.47	59.91	3	Horizontal	355	1.76	-	34.40	7.13	34.97
PK	5.732G	120.00	Inf	-Inf	113.64	3	Horizontal	355	1.76	-	34.20	7.17	35.01
AV	5.731G	107.15	Inf	-Inf	100.79	3	Horizontal	355	1.76	-	34.20	7.17	35.01
PK	5.957G	62.03	68.20	-6.17	55.26	3	Horizontal	355	1.76	-	34.61	7.28	35.12

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48348G	56.50	74.00	-17.50	69.72	3	Vertical	259	2.49	-	38.95	12.82	64.99
AV	11.48348G	44.96	54.00	-9.04	58.18	3	Vertical	259	2.49	-	38.95	12.82	64.99
PK	17.2176G	63.10	68.20	-5.10	67.39	3	Vertical	344	2.97	-	40.59	17.43	62.31

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46608G	56.13	74.00	-17.87	69.44	3	Horizontal	116	2.14	-	38.90	12.81	65.02
AV	11.49476G	44.84	54.00	-9.16	58.01	3	Horizontal	116	2.14	-	38.98	12.82	64.97
PK	17.2065G	62.84	68.20	-5.36	67.20	3	Horizontal	347	2.85	-	40.53	17.42	62.31

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT_Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	60.84	68.20	-7.36	54.29	3	Vertical	7	1.78	-	34.40	7.10	34.95
PK	5.792G	118.85	Inf	-Inf	112.41	3	Vertical	7	1.78	-	34.28	7.20	35.04
AV	5.794G	106.21	Inf	-Inf	99.76	3	Vertical	7	1.78	-	34.29	7.20	35.04
PK	5.964G	62.11	68.20	-6.09	55.32	3	Vertical	7	1.78	-	34.63	7.28	35.12

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	62.53	68.20	-5.67	55.87	3	Horizontal	358	1.76	-	34.52	7.07	34.93
PK	5.792G	120.70	Inf	-Inf	114.26	3	Horizontal	358	1.76	-	34.28	7.20	35.04
AV	5.794G	107.87	Inf	-Inf	101.42	3	Horizontal	358	1.76	-	34.29	7.20	35.04
PK	6.008G	61.64	68.20	-6.56	54.75	3	Horizontal	358	1.76	-	34.72	7.31	35.14

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56566G	57.79	74.00	-16.21	70.72	3	Vertical	43	2.19	-	39.20	12.86	64.99
AV	11.56668G	46.00	54.00	-8.00	58.93	3	Vertical	43	2.19	-	39.20	12.86	64.99
PK	17.34606G	64.75	68.20	-3.45	68.29	3	Vertical	337	1.85	-	41.32	17.51	62.37

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56116G	58.75	74.00	-15.25	71.70	3	Horizontal	277	1.20	-	39.18	12.86	64.99
AV	11.56704G	46.38	54.00	-7.62	59.31	3	Horizontal	277	1.20	-	39.20	12.86	64.99
PK	17.34894G	63.74	68.20	-4.46	67.26	3	Horizontal	242	1.31	-	41.34	17.51	62.37

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	61.19	68.20	-7.01	54.64	3	Vertical	6	1.84	-	34.40	7.12	34.97
PK	5.828G	117.86	Inf	-Inf	111.41	3	Vertical	6	1.84	-	34.30	7.21	35.06
AV	5.826G	105.43	Inf	-Inf	98.98	3	Vertical	6	1.84	-	34.30	7.21	35.06
PK	5.932G	66.98	68.20	-1.22	60.26	3	Vertical	6	1.84	-	34.56	7.27	35.11

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	61.57	68.20	-6.63	55.01	3	Horizontal	357	1.78	-	34.40	7.12	34.96
PK	5.827G	119.59	Inf	-Inf	113.14	3	Horizontal	357	1.78	-	34.30	7.21	35.06
AV	5.826G	106.67	Inf	-Inf	100.22	3	Horizontal	357	1.78	-	34.30	7.21	35.06
PK	5.929G	65.48	68.20	-2.72	58.77	3	Horizontal	357	1.78	-	34.56	7.26	35.11

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66514G	58.42	74.00	-15.58	71.17	3	Vertical	237	1.44	-	39.37	12.92	65.04
AV	11.66406G	46.53	54.00	-7.47	59.29	3	Vertical	237	1.44	-	39.36	12.92	65.04
PK	17.5146G	67.08	68.20	-1.12	69.39	3	Vertical	3	1.78	-	42.53	17.61	62.45

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
Setting 0(0/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67252G	57.87	74.00	-16.13	70.62	3	Horizontal	78	1.28	-	39.37	12.92	65.04
AV	11.66388G	46.53	54.00	-7.47	59.29	3	Horizontal	78	1.28	-	39.36	12.92	65.04
PK	17.51706G	66.86	68.20	-1.34	69.15	3	Horizontal	114	1.55	-	42.55	17.61	62.45

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
 Setting -11.5(0/11500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	61.28	74.00	-12.72	55.28	3	Vertical	348	1.54	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	52.06	54.00	-1.94	46.06	3	Vertical	348	1.54	BP 1MHz	34.10	6.75	34.85
PK	5.18148G	98.27	Inf	-Inf	92.31	3	Vertical	348	1.54	-	34.04	6.78	34.86
RMS	5.18433G	91.93	Inf	-Inf	85.98	3	Vertical	348	1.54	-	34.03	6.78	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
Setting -11.5(0/11500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	63.06	74.00	-10.94	57.06	3	Horizontal	341	2.26	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.66	54.00	-0.34	47.66	3	Horizontal	341	2.26	BP 1MHz	34.10	6.75	34.85
PK	5.1843G	101.02	Inf	-Inf	95.07	3	Horizontal	341	2.26	-	34.03	6.78	34.86
RMS	5.18433G	94.62	Inf	-Inf	88.67	3	Horizontal	341	2.26	-	34.03	6.78	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
 Setting -11.5(0/11500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33304G	55.29	68.20	-12.91	71.13	3	Vertical	332	2.86	-	37.83	12.18	65.85
PK	15.51984G	59.62	74.00	-14.38	67.14	3	Vertical	103	2.42	-	38.32	16.22	62.06
AV	15.52476G	48.25	54.00	-5.75	55.79	3	Vertical	103	2.42	-	38.30	16.22	62.06

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
 Setting -11.5(0/11500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.343G	54.57	68.20	-13.63	70.36	3	Horizontal	232	2.21	-	37.84	12.19	65.82
PK	15.5178G	59.77	74.00	-14.23	67.28	3	Horizontal	258	2.84	-	38.33	16.22	62.06
AV	15.51756G	48.25	54.00	-5.75	55.76	3	Horizontal	258	2.84	-	38.33	16.22	62.06

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
Setting -10.5(0/10500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.61	74.00	-6.39	61.61	3	Vertical	343	1.77	-	34.10	6.75	34.85
AV	5.15G	53.32	54.00	-0.68	47.32	3	Vertical	343	1.77	-	34.10	6.75	34.85
PK	5.2072G	110.40	Inf	-Inf	104.46	3	Vertical	343	1.77	-	34.00	6.80	34.86
AV	5.2116G	98.05	Inf	-Inf	92.10	3	Vertical	343	1.77	-	34.00	6.81	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -10.5(0/10500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	65.39	74.00	-8.61	59.39	3	Horizontal	341	2.04	-	34.10	6.75	34.85
AV	5.15G	51.79	54.00	-2.21	45.79	3	Horizontal	341	2.04	-	34.10	6.75	34.85
PK	5.2148G	113.15	Inf	-Inf	107.20	3	Horizontal	341	2.04	-	34.00	6.81	34.86
AV	5.2144G	101.56	Inf	-Inf	95.61	3	Horizontal	341	2.04	-	34.00	6.81	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -10.5(0/10500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3976G	53.99	68.20	-14.21	69.54	3	Vertical	194	2.39	-	37.90	12.22	65.67
PK	15.5979G	59.41	74.00	-14.59	67.20	3	Vertical	188	1.32	-	38.01	16.30	62.10
AV	15.5895G	48.42	54.00	-5.58	56.19	3	Vertical	188	1.32	-	38.04	16.29	62.10

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -10.5(0/10500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38938G	55.28	68.20	-12.92	70.87	3	Horizontal	157	2.93	-	37.89	12.21	65.69
PK	15.58566G	59.92	74.00	-14.08	67.67	3	Horizontal	175	2.05	-	38.06	16.29	62.10
AV	15.58548G	48.29	54.00	-5.71	56.04	3	Horizontal	175	2.05	-	38.06	16.29	62.10

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT Y_2TX
 Setting -6(0/6000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.48	74.00	-7.52	60.48	3	Vertical	350	1.60	-	34.10	6.75	34.85
AV	5.15G	53.82	54.00	-0.18	47.82	3	Vertical	350	1.60	-	34.10	6.75	34.85
PK	5.2174G	113.15	Inf	-Inf	107.20	3	Vertical	350	1.60	-	34.00	6.81	34.86
AV	5.215G	101.28	Inf	-Inf	95.33	3	Vertical	350	1.60	-	34.00	6.81	34.86
PK	5.3524G	60.94	74.00	-13.06	54.44	3	Vertical	350	1.60	-	34.50	6.88	34.88
AV	5.3536G	49.75	54.00	-4.25	43.26	3	Vertical	350	1.60	-	34.49	6.88	34.88

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT_Y_2TX
 Setting -6(0/6000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	65.46	74.00	-8.54	59.47	3	Horizontal	343	1.74	-	34.09	6.75	34.85
AV	5.15G	52.53	54.00	-1.47	46.53	3	Horizontal	343	1.74	-	34.10	6.75	34.85
PK	5.2192G	118.13	Inf	-Inf	112.18	3	Horizontal	343	1.74	-	34.00	6.81	34.86
AV	5.2192G	105.63	Inf	-Inf	99.68	3	Horizontal	343	1.74	-	34.00	6.81	34.86
PK	5.3578G	60.87	74.00	-13.13	54.39	3	Horizontal	343	1.74	-	34.48	6.88	34.88
AV	5.3506G	49.76	54.00	-4.24	43.26	3	Horizontal	343	1.74	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT Y_2TX
Setting -6(0/6000)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44716G	55.34	68.20	-12.86	70.67	3	Vertical	312	2.83	-	37.95	12.25	65.53
PK	15.68484G	60.07	74.00	-13.93	67.76	3	Vertical	306	2.21	-	38.08	16.38	62.15
AV	15.6897G	48.47	54.00	-5.53	56.14	3	Vertical	306	2.21	-	38.09	16.39	62.15

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT Y_2TX
 Setting -6(0/6000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46282G	55.17	68.20	-13.03	70.45	3	Horizontal	127	2.62	-	37.96	12.25	65.49
PK	15.68538G	60.35	74.00	-13.65	68.02	3	Horizontal	2	1.92	-	38.09	16.39	62.15
AV	15.67524G	48.49	54.00	-5.51	56.17	3	Horizontal	2	1.92	-	38.08	16.38	62.14

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




EUT Y_2TX
 Setting -4(0/4000)
 01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	68.02	68.20	-0.18	59.47	3	Vertical	6	1.80	-	33.90	7.53	32.88
PK	5.745G	117.05	Inf	-Inf	108.22	3	Vertical	6	1.80	-	34.18	7.56	32.91
AV	5.7565G	104.82	Inf	-Inf	95.96	3	Vertical	6	1.80	-	34.21	7.57	32.92
PK	5.9425G	62.64	68.20	-5.56	52.71	3	Vertical	6	1.80	-	35.26	7.65	32.98

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




EUT Y_2TX
 Setting -4(0/4000)
 01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	66.22	68.20	-1.98	57.66	3	Horizontal	360	1.80	-	33.91	7.53	32.88
PK	5.7385G	117.63	Inf	-Inf	108.83	3	Horizontal	360	1.80	-	34.15	7.56	32.91
AV	5.7565G	105.85	Inf	-Inf	96.99	3	Horizontal	360	1.80	-	34.21	7.57	32.92
PK	5.976G	62.93	68.20	-5.27	52.95	3	Horizontal	360	1.80	-	35.30	7.67	32.99

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




EUT Y_2TX
Setting -4(0/4000)
01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48253G	57.41	74.00	-16.59	40.69	3	Vertical	104	1.80	-	38.40	10.84	32.52
AV	11.50173G	46.02	54.00	-7.98	29.29	3	Vertical	104	1.80	-	38.40	10.85	32.52
PK	17.23407G	66.25	68.20	-1.95	42.44	3	Vertical	218	1.80	-	41.90	13.20	31.29

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




EUT Y_2TX
 Setting -4(0/4000)
 01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4888G	58.08	74.00	-15.92	41.36	3	Horizontal	130	1.03	-	38.40	10.84	32.52
AV	11.50461G	45.93	54.00	-8.07	29.19	3	Horizontal	130	1.03	-	38.41	10.85	32.52
PK	17.22171G	66.12	68.20	-2.08	42.39	3	Horizontal	37	1.80	-	41.83	13.20	31.30

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




11/09/2023

EUT Y_2TX
Setting -1.5(0/1500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.94	68.20	-0.26	61.39	3	Vertical	6	1.80	-	34.40	7.12	34.97
PK	5.788G	116.39	Inf	-Inf	109.96	3	Vertical	6	1.80	-	34.28	7.19	35.04
AV	5.784G	104.42	Inf	-Inf	98.00	3	Vertical	6	1.80	-	34.27	7.19	35.04
PK	5.929G	65.08	68.20	-3.12	58.37	3	Vertical	6	1.80	-	34.56	7.26	35.11

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




EUT Y_2TX
Setting -1.5(0/1500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.69	68.20	-0.51	61.14	3	Horizontal	360	1.74	-	34.40	7.12	34.97
PK	5.791G	118.92	Inf	-Inf	112.48	3	Horizontal	360	1.74	-	34.28	7.20	35.04
AV	5.789G	106.55	Inf	-Inf	100.12	3	Horizontal	360	1.74	-	34.28	7.19	35.04
PK	5.926G	63.62	68.20	-4.58	56.91	3	Horizontal	360	1.74	-	34.55	7.26	35.10

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




EUT Y_2TX
 Setting -1.5(0/1500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54448G	57.59	74.00	-16.41	70.59	3	Vertical	305	2.78	-	39.13	12.85	64.98
AV	11.55966G	46.02	54.00	-7.98	58.97	3	Vertical	305	2.78	-	39.18	12.86	64.99
PK	17.33718G	63.55	68.20	-4.65	67.15	3	Vertical	199	2.31	-	41.26	17.50	62.36

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




EUT Y_2TX
 Setting -1.5(0/1500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55552G	57.48	74.00	-16.52	70.44	3	Horizontal	335	1.64	-	39.17	12.86	64.99
AV	11.56452G	46.01	54.00	-7.99	58.95	3	Horizontal	335	1.64	-	39.19	12.86	64.99
PK	17.33934G	63.47	68.20	-4.73	67.05	3	Horizontal	340	2.84	-	41.28	17.50	62.36

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX




10/11/2023

EUT Y_2TX
Setting -5.5(0/5500)
01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	61.35	68.20	-6.85	52.75	3	Vertical	12	1.80	-	33.94	7.53	32.87
PK	5.843G	115.55	Inf	-Inf	106.34	3	Vertical	12	1.80	-	34.56	7.60	32.95
AV	5.819G	103.83	Inf	-Inf	94.77	3	Vertical	12	1.80	-	34.41	7.59	32.94
PK	5.931G	67.78	68.20	-0.42	57.92	3	Vertical	12	1.80	-	35.19	7.65	32.98

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX




EUT Y_2TX
 Setting -5.5(0/5500)
 01-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	61.17	68.20	-7.03	52.52	3	Horizontal	0	1.80	-	34.00	7.51	32.86
PK	5.8235G	115.47	Inf	-Inf	106.38	3	Horizontal	0	1.80	-	34.44	7.59	32.94
AV	5.815G	103.98	Inf	-Inf	94.94	3	Horizontal	0	1.80	-	34.39	7.59	32.94
PK	5.9305G	65.37	68.20	-2.83	55.52	3	Horizontal	0	1.80	-	35.18	7.65	32.98

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX




EUT Y_2TX
 Setting -5,5(0/5500)
 01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66867G	57.53	74.00	-16.47	40.63	3	Vertical	266	1.80	-	38.46	10.94	32.50
AV	11.64944G	46.28	54.00	-7.72	29.35	3	Vertical	266	1.80	-	38.50	10.93	32.50
PK	17.48145G	65.51	68.20	-2.69	40.94	3	Vertical	19	1.79	-	42.44	13.28	31.15

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX



EUT Y_2TX
 Setting -5,5(0/5500)
 01-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6651G	57.93	74.00	-16.07	41.02	3	Horizontal	236	1.93	-	38.47	10.94	32.50
AV	11.65211G	46.37	54.00	-7.63	29.44	3	Horizontal	236	1.93	-	38.50	10.93	32.50
PK	17.47512G	65.44	68.20	-2.76	40.86	3	Horizontal	13	1.80	-	42.45	13.28	31.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
QPSK30+30_30MHz_Nss1_2TX	Pass	AV	5.1488G	53.69	54.00	-0.31	3	Vertical	344	1.66	-

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	68.99	74.00	-5.01	63.02	3	Vertical	348	1.54	-	34.08	6.74	34.85
AV	5.1324G	53.11	54.00	-0.89	47.17	3	Vertical	348	1.54	-	34.06	6.73	34.85
PK	5.1856G	107.67	Inf	-Inf	101.71	3	Vertical	4	2.24	-	34.03	6.79	34.86
AV	5.188G	94.22	Inf	-Inf	88.27	3	Vertical	4	2.24	-	34.02	6.79	34.86

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	67.52	74.00	-6.48	61.55	3	Horizontal	340	2.28	-	34.08	6.74	34.85
AV	5.138G	52.60	54.00	-1.40	46.63	3	Horizontal	340	2.28	-	34.08	6.74	34.85
PK	5.1816G	110.78	Inf	-Inf	104.82	3	Horizontal	4	2.24	-	34.04	6.78	34.86
AV	5.1844G	97.37	Inf	-Inf	91.42	3	Horizontal	4	2.24	-	34.03	6.78	34.86

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4064G	54.78	68.20	-13.42	70.30	3	Vertical	10	1.80	-	37.91	12.22	65.65
PK	15.51552G	59.50	74.00	-14.50	67.00	3	Vertical	291	2.51	-	38.34	16.22	62.06
AV	15.52224G	48.38	54.00	-5.62	55.91	3	Vertical	291	2.51	-	38.31	16.22	62.06

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3958G	54.19	68.20	-14.01	69.75	3	Horizontal	343	2.23	-	37.90	12.22	65.68
PK	15.5278G	59.89	74.00	-14.11	67.44	3	Horizontal	189	1.07	-	38.29	16.23	62.07
AV	15.5204G	48.14	54.00	-5.86	55.66	3	Horizontal	189	1.07	-	38.32	16.22	62.06

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
Setting -6(6/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	70.55	74.00	-3.45	64.57	3	Vertical	346	1.60	-	34.09	6.74	34.85
AV	5.1444G	53.20	54.00	-0.80	47.22	3	Vertical	346	1.60	-	34.09	6.74	34.85
PK	5.2148G	107.31	Inf	-Inf	101.36	3	Vertical	346	1.60	-	34.00	6.81	34.86
AV	5.2144G	93.98	Inf	-Inf	88.03	3	Vertical	346	1.60	-	34.00	6.81	34.86

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	65.99	74.00	-8.01	60.02	3	Horizontal	340	2.34	-	34.08	6.74	34.85
AV	5.1376G	52.47	54.00	-1.53	46.50	3	Horizontal	340	2.34	-	34.08	6.74	34.85
PK	5.2256G	111.55	Inf	-Inf	105.60	3	Horizontal	340	2.34	-	34.00	6.81	34.86
AV	5.2288G	98.21	Inf	-Inf	92.26	3	Horizontal	340	2.34	-	34.00	6.81	34.86

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3996G	54.87	68.20	-13.33	70.42	3	Vertical	278	2.03	-	37.90	12.22	65.67
PK	15.6696G	59.07	74.00	-14.93	66.77	3	Vertical	328	1.98	-	38.07	16.37	62.14
AV	15.6654G	48.19	54.00	-5.81	55.89	3	Vertical	328	1.98	-	38.07	16.37	62.14

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
Setting -6(6/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.449G	55.07	68.20	-13.13	70.40	3	Horizontal	161	2.42	-	37.95	12.25	65.53
PK	15.636G	59.33	74.00	-14.67	67.07	3	Horizontal	24	2.91	-	38.04	16.34	62.12
AV	15.6346G	48.24	54.00	-5.76	56.00	3	Horizontal	24	2.91	-	38.03	16.33	62.12

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.532G	61.01	68.20	-7.19	54.30	3	Vertical	4	2.12	-	34.60	7.03	34.92
PK	5.761G	108.64	Inf	-Inf	102.27	3	Vertical	4	2.12	-	34.22	7.18	35.03
AV	5.763G	95.88	Inf	-Inf	89.50	3	Vertical	4	2.12	-	34.23	7.18	35.03
PK	5.985G	61.40	68.20	-6.80	54.57	3	Vertical	4	2.12	-	34.67	7.29	35.13

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	61.24	68.20	-6.96	54.69	3	Horizontal	357	1.80	-	34.40	7.11	34.96
PK	5.756G	106.68	Inf	-Inf	100.31	3	Horizontal	357	1.80	-	34.21	7.18	35.02
AV	5.763G	94.00	Inf	-Inf	87.62	3	Horizontal	357	1.80	-	34.23	7.18	35.03
PK	5.98G	61.72	68.20	-6.48	54.90	3	Horizontal	357	1.80	-	34.66	7.29	35.13

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5027G	57.09	74.00	-16.91	70.21	3	Vertical	100	2.17	-	39.01	12.83	64.96
AV	11.5037G	45.14	54.00	-8.86	58.26	3	Vertical	100	2.17	-	39.01	12.83	64.96
PK	17.2581G	63.10	68.20	-5.10	67.19	3	Vertical	68	1.10	-	40.79	17.45	62.33

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5193G	56.28	74.00	-17.72	69.35	3	Horizontal	357	1.86	-	39.06	12.84	64.97
AV	11.5022G	45.14	54.00	-8.86	58.26	3	Horizontal	357	1.86	-	39.01	12.83	64.96
PK	17.2525G	63.06	68.20	-5.14	67.18	3	Horizontal	328	1.50	-	40.76	17.45	62.33

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.527G	61.99	68.20	-6.21	55.27	3	Vertical	4	2.03	-	34.60	7.03	34.91
PK	5.788G	108.85	Inf	-Inf	102.42	3	Vertical	4	2.03	-	34.28	7.19	35.04
AV	5.787G	96.05	Inf	-Inf	89.63	3	Vertical	4	2.03	-	34.27	7.19	35.04
PK	5.982G	61.63	68.20	-6.57	54.81	3	Vertical	4	2.03	-	34.66	7.29	35.13

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	61.85	68.20	-6.35	55.30	3	Horizontal	356	1.71	-	34.40	7.11	34.96
PK	5.787G	107.30	Inf	-Inf	100.88	3	Horizontal	356	1.71	-	34.27	7.19	35.04
AV	5.787G	94.69	Inf	-Inf	88.27	3	Horizontal	356	1.71	-	34.27	7.19	35.04
PK	6.021G	61.18	68.20	-7.02	54.24	3	Horizontal	356	1.71	-	34.74	7.33	35.13

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5842G	57.34	74.00	-16.66	70.22	3	Vertical	43	1.88	-	39.25	12.87	65.00
AV	11.5849G	44.81	54.00	-9.19	57.69	3	Vertical	43	1.88	-	39.25	12.87	65.00
PK	17.3634G	63.67	68.20	-4.53	67.08	3	Vertical	145	1.84	-	41.44	17.52	62.37

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -6(6/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56147G	57.92	74.00	-16.08	70.87	3	Horizontal	9	2.16	-	39.18	12.86	64.99
AV	11.5657G	44.73	54.00	-9.27	57.66	3	Horizontal	9	2.16	-	39.20	12.86	64.99
PK	17.3871G	63.50	68.20	-4.70	66.74	3	Horizontal	111	1.26	-	41.61	17.53	62.38

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.92	74.00	-4.08	63.92	3	Vertical	344	1.66	-	34.10	6.75	34.85
AV	5.1488G	53.69	54.00	-0.31	47.69	3	Vertical	344	1.66	-	34.10	6.75	34.85
PK	5.188G	106.44	Inf	-Inf	100.49	3	Vertical	344	1.66	-	34.02	6.79	34.86
AV	5.1896G	93.44	Inf	-Inf	87.49	3	Vertical	344	1.66	-	34.02	6.79	34.86

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.36	74.00	-7.64	60.36	3	Horizontal	342	2.19	-	34.10	6.75	34.85
AV	5.1464G	52.76	54.00	-1.24	46.77	3	Horizontal	342	2.19	-	34.09	6.75	34.85
PK	5.188G	110.02	Inf	-Inf	104.07	3	Horizontal	342	2.19	-	34.02	6.79	34.86
AV	5.1864G	96.90	Inf	-Inf	90.94	3	Horizontal	342	2.19	-	34.03	6.79	34.86

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3422G	54.70	68.20	-13.50	70.49	3	Vertical	151	1.40	-	37.84	12.19	65.82
PK	15.5166G	58.85	74.00	-15.15	66.36	3	Vertical	165	1.65	-	38.33	16.22	62.06
AV	15.5227G	48.23	54.00	-5.77	55.76	3	Vertical	165	1.65	-	38.31	16.22	62.06

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3499G	55.16	68.20	-13.04	70.92	3	Horizontal	215	1.47	-	37.85	12.19	65.80
PK	15.5261G	59.70	74.00	-14.30	67.23	3	Horizontal	153	1.81	-	38.30	16.23	62.06
AV	15.5165G	48.39	54.00	-5.61	55.90	3	Horizontal	153	1.81	-	38.33	16.22	62.06

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	70.83	74.00	-3.17	64.86	3	Vertical	342	1.80	-	34.08	6.74	34.85
AV	5.146G	52.64	54.00	-1.36	46.65	3	Vertical	342	1.80	-	34.09	6.75	34.85
PK	5.2252G	105.04	Inf	-Inf	99.09	3	Vertical	342	1.80	-	34.00	6.81	34.86
AV	5.2192G	92.12	Inf	-Inf	86.17	3	Vertical	342	1.80	-	34.00	6.81	34.86

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.61	74.00	-7.39	60.61	3	Horizontal	341	2.22	-	34.10	6.75	34.85
AV	5.1392G	52.52	54.00	-1.48	46.55	3	Horizontal	341	2.22	-	34.08	6.74	34.85
PK	5.2284G	110.31	Inf	-Inf	104.36	3	Horizontal	341	2.22	-	34.00	6.81	34.86
AV	5.23G	97.34	Inf	-Inf	91.39	3	Horizontal	341	2.22	-	34.00	6.81	34.86

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4575G	55.09	68.20	-13.11	70.39	3	Vertical	335	1.13	-	37.96	12.25	65.51
PK	15.6524G	59.58	74.00	-14.42	67.31	3	Vertical	114	1.75	-	38.05	16.35	62.13
AV	15.6354G	48.09	54.00	-5.91	55.83	3	Vertical	114	1.75	-	38.04	16.34	62.12

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4216G	55.29	68.20	-12.91	70.74	3	Horizontal	221	2.48	-	37.92	12.23	65.60
PK	15.6737G	59.51	74.00	-14.49	67.21	3	Horizontal	17	1.56	-	38.07	16.37	62.14
AV	15.6707G	48.25	54.00	-5.75	55.95	3	Horizontal	17	1.56	-	38.07	16.37	62.14

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	60.96	68.20	-7.24	54.24	3	Vertical	6	1.72	-	34.60	7.04	34.92
PK	5.76G	105.12	Inf	-Inf	98.74	3	Vertical	360	1.80	-	34.22	7.18	35.02
AV	5.761G	93.54	Inf	-Inf	87.17	3	Vertical	360	1.80	-	34.22	7.18	35.03
PK	5.97G	60.87	68.20	-7.33	54.07	3	Vertical	6	1.72	-	34.64	7.29	35.13

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	61.52	68.20	-6.68	54.96	3	Horizontal	360	1.80	-	34.40	7.12	34.96
PK	5.763G	105.83	Inf	-Inf	99.45	3	Horizontal	360	1.80	-	34.23	7.18	35.03
AV	5.761G	93.41	Inf	-Inf	87.04	3	Horizontal	360	1.80	-	34.22	7.18	35.03
PK	5.956G	61.52	68.20	-6.68	54.75	3	Horizontal	360	1.80	-	34.61	7.28	35.12

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5084G	57.02	74.00	-16.98	70.12	3	Vertical	245	2.23	-	39.03	12.83	64.96
AV	11.5095G	45.16	54.00	-8.84	58.26	3	Vertical	245	2.23	-	39.03	12.83	64.96
PK	17.272G	62.73	68.20	-5.47	66.74	3	Vertical	74	2.21	-	40.86	17.46	62.33

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4993G	56.05	74.00	-17.95	69.19	3	Horizontal	152	1.72	-	39.00	12.82	64.96
AV	11.5059G	45.04	54.00	-8.96	58.15	3	Horizontal	152	1.72	-	39.02	12.83	64.96
PK	17.2454G	64.79	68.20	-3.41	68.93	3	Horizontal	93	2.95	-	40.73	17.45	62.32

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	60.90	68.20	-7.30	54.35	3	Vertical	8	1.80	-	34.40	7.10	34.95
PK	5.787G	106.33	Inf	-Inf	99.91	3	Vertical	8	1.80	-	34.27	7.19	35.04
AV	5.786G	93.93	Inf	-Inf	87.51	3	Vertical	8	1.80	-	34.27	7.19	35.04
PK	5.937G	61.00	68.20	-7.20	54.27	3	Vertical	8	1.80	-	34.57	7.27	35.11

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	61.15	68.20	-7.05	54.59	3	Horizontal	360	1.80	-	34.40	7.12	34.96
PK	5.786G	105.83	Inf	-Inf	99.41	3	Horizontal	360	1.80	-	34.27	7.19	35.04
AV	5.786G	93.61	Inf	-Inf	87.19	3	Horizontal	360	1.80	-	34.27	7.19	35.04
PK	5.969G	60.96	68.20	-7.24	54.17	3	Horizontal	360	1.80	-	34.64	7.28	35.13

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5917G	56.77	74.00	-17.23	69.61	3	Vertical	106	2.55	-	39.28	12.88	65.00
AV	11.5914G	44.72	54.00	-9.28	57.57	3	Vertical	106	2.55	-	39.27	12.88	65.00
PK	17.4047G	64.06	68.20	-4.14	67.18	3	Vertical	3	2.89	-	41.73	17.54	62.39

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -3/(3000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5999G	56.59	74.00	-17.41	69.42	3	Horizontal	318	2.72	-	39.30	12.88	65.01
AV	11.5995G	44.79	54.00	-9.21	57.62	3	Horizontal	318	2.72	-	39.30	12.88	65.01
PK	17.3763G	63.50	68.20	-4.70	66.82	3	Horizontal	254	1.96	-	41.53	17.53	62.38

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	67.58	74.00	-6.42	61.61	3	Vertical	347	1.48	-	34.08	6.74	34.85
AV	5.1424G	52.25	54.00	-1.75	46.28	3	Vertical	347	1.48	-	34.08	6.74	34.85
PK	5.1868G	104.94	Inf	-Inf	98.98	3	Vertical	347	1.48	-	34.03	6.79	34.86
AV	5.1862G	93.36	Inf	-Inf	87.40	3	Vertical	347	1.48	-	34.03	6.79	34.86
PK	5.35G	59.65	74.00	-14.35	53.16	3	Vertical	347	1.48	-	34.50	6.87	34.88
AV	5.35G	49.35	54.00	-4.65	42.86	3	Vertical	347	1.48	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1322G	65.18	74.00	-8.82	59.24	3	Horizontal	343	2.27	-	34.06	6.73	34.85
AV	5.143G	52.13	54.00	-1.87	46.15	3	Horizontal	343	2.27	-	34.09	6.74	34.85
PK	5.236G	109.03	Inf	-Inf	103.07	3	Horizontal	343	2.27	-	34.00	6.82	34.86
AV	5.2396G	97.13	Inf	-Inf	91.17	3	Horizontal	343	2.27	-	34.00	6.82	34.86
PK	5.35G	60.06	74.00	-13.94	53.57	3	Horizontal	343	2.27	-	34.50	6.87	34.88
AV	5.35G	49.91	54.00	-4.09	43.42	3	Horizontal	343	2.27	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35777G	54.56	68.20	-13.64	70.28	3	Vertical	0	1.51	-	37.86	12.20	65.78
PK	15.524G	59.31	74.00	-14.69	66.85	3	Vertical	278	2.10	-	38.30	16.22	62.06
AV	15.5244G	48.21	54.00	-5.79	55.75	3	Vertical	278	2.10	-	38.30	16.22	62.06

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
Setting -4.5(0/4500)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3383G	54.01	68.20	-14.19	69.81	3	Horizontal	225	1.84	-	37.84	12.19	65.83
PK	15.5245G	59.07	74.00	-14.93	66.61	3	Horizontal	196	1.84	-	38.30	16.22	62.06
AV	15.5134G	48.23	54.00	-5.77	55.73	3	Horizontal	196	1.84	-	38.35	16.21	62.06

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	67.51	74.00	-6.49	61.57	3	Vertical	343	1.71	-	34.06	6.73	34.85
AV	5.1328G	51.75	54.00	-2.25	45.80	3	Vertical	343	1.71	-	34.07	6.73	34.85
PK	5.2186G	104.23	Inf	-Inf	98.28	3	Vertical	343	1.71	-	34.00	6.81	34.86
AV	5.2138G	92.32	Inf	-Inf	86.37	3	Vertical	343	1.71	-	34.00	6.81	34.86
PK	5.35G	60.06	74.00	-13.94	53.57	3	Vertical	343	1.71	-	34.50	6.87	34.88
AV	5.35G	49.35	54.00	-4.65	42.86	3	Vertical	343	1.71	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
Setting -4.5(0/4500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.85	74.00	-9.15	58.86	3	Horizontal	344	2.23	-	34.09	6.75	34.85
AV	5.1118G	52.14	54.00	-1.86	46.26	3	Horizontal	344	2.23	-	34.02	6.71	34.85
PK	5.236G	109.11	Inf	-Inf	103.15	3	Horizontal	344	2.23	-	34.00	6.82	34.86
AV	5.2396G	97.32	Inf	-Inf	91.36	3	Horizontal	344	2.23	-	34.00	6.82	34.86
PK	5.35G	60.70	74.00	-13.30	54.21	3	Horizontal	344	2.23	-	34.50	6.87	34.88
AV	5.35G	49.91	54.00	-4.09	43.42	3	Horizontal	344	2.23	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4379G	55.51	68.20	-12.69	70.89	3	Vertical	47	2.47	-	37.94	12.24	65.56
PK	15.6539G	59.20	74.00	-14.80	66.93	3	Vertical	313	1.08	-	38.05	16.35	62.13
AV	15.6532G	47.90	54.00	-6.10	55.63	3	Vertical	313	1.08	-	38.05	16.35	62.13

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
Setting -4.5(0/4500)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4514G	54.73	68.20	-13.47	70.05	3	Horizontal	200	1.82	-	37.95	12.25	65.52
PK	15.6895G	59.48	74.00	-14.52	67.15	3	Horizontal	319	1.92	-	38.09	16.39	62.15
AV	15.6813G	48.16	54.00	-5.84	55.85	3	Horizontal	319	1.92	-	38.08	16.38	62.15

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	61.31	68.20	-6.89	54.75	3	Vertical	8	1.80	-	34.40	7.12	34.96
PK	5.743G	104.10	Inf	-Inf	97.75	3	Vertical	8	1.80	-	34.20	7.17	35.02
AV	5.761G	93.48	Inf	-Inf	87.11	3	Vertical	8	1.80	-	34.22	7.18	35.03
PK	5.94G	60.48	68.20	-7.72	53.74	3	Vertical	8	1.80	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	61.09	68.20	-7.11	54.54	3	Horizontal	360	1.80	-	34.40	7.11	34.96
PK	5.763G	104.27	Inf	-Inf	97.89	3	Horizontal	360	1.80	-	34.23	7.18	35.03
AV	5.762G	93.27	Inf	-Inf	86.90	3	Horizontal	360	1.80	-	34.22	7.18	35.03
PK	5.94G	61.02	68.20	-7.18	54.28	3	Horizontal	360	1.80	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5198G	56.53	74.00	-17.47	69.60	3	Vertical	170	2.67	-	39.06	12.84	64.97
AV	11.5034G	45.01	54.00	-8.99	58.13	3	Vertical	170	2.67	-	39.01	12.83	64.96
PK	17.2393G	62.92	68.20	-5.28	67.10	3	Vertical	318	1.14	-	40.70	17.44	62.32

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5181G	56.81	74.00	-17.19	69.90	3	Horizontal	51	2.85	-	39.05	12.83	64.97
AV	11.503G	45.12	54.00	-8.88	58.24	3	Horizontal	51	2.85	-	39.01	12.83	64.96
PK	17.2659G	62.77	68.20	-5.43	66.81	3	Horizontal	111	1.43	-	40.83	17.46	62.33

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	61.46	68.20	-6.74	54.91	3	Vertical	6	1.80	-	34.40	7.11	34.96
PK	5.786G	104.67	Inf	-Inf	98.25	3	Vertical	6	1.80	-	34.27	7.19	35.04
AV	5.785G	93.40	Inf	-Inf	86.98	3	Vertical	6	1.80	-	34.27	7.19	35.04
PK	5.995G	60.65	68.20	-7.55	53.80	3	Vertical	6	1.80	-	34.69	7.30	35.14

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	61.00	68.20	-7.20	54.45	3	Horizontal	-0	1.77	-	34.40	7.11	34.96
PK	5.786G	104.69	Inf	-Inf	98.27	3	Horizontal	-0	1.77	-	34.27	7.19	35.04
AV	5.785G	93.66	Inf	-Inf	87.24	3	Horizontal	-0	1.77	-	34.27	7.19	35.04
PK	5.982G	61.68	68.20	-6.52	54.86	3	Horizontal	-0	1.77	-	34.66	7.29	35.13

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX




EUT Y_2TX
 Setting -4.5(0/4500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6201G	56.49	74.00	-17.51	69.30	3	Vertical	329	1.83	-	39.32	12.89	65.02
AV	11.6174G	44.72	54.00	-9.28	57.52	3	Vertical	329	1.83	-	39.32	12.89	65.01
PK	17.3936G	63.81	68.20	-4.39	67.00	3	Vertical	241	2.10	-	41.66	17.54	62.39

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX



EUT Y_2TX
Setting -4.5(0/4500)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6084G	56.39	74.00	-17.61	69.21	3	Horizontal	272	1.61	-	39.31	12.88	65.01
AV	11.6052G	44.70	54.00	-9.30	57.52	3	Horizontal	272	1.61	-	39.31	12.88	65.01
PK	17.4124G	64.07	68.20	-4.13	67.12	3	Horizontal	328	2.26	-	41.79	17.55	62.39