



Summary



Mode	PD (dBm/RBW)
5.15-5.25GHz	-
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port1&Port2)	-4.15
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port1&Port2)	-6.75
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port1&Port2)	-5.99
5.725-5.85GHz	-
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port3&Port4)	-4.23
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port3&Port4)	-6.42
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port3&Port4)	-5.87


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port1&Port2)	-	-	-	-	-	-	-	-
P#5180MHz,#5220MHz,5755MHz,5795MHz	Pass	21.893	-6.79	-7.44	-	-	-4.15	17.00
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port3&Port4)	-	-	-	-	-	-	-	-
P5180MHz,5220MHz,#5755MHz,#5795MHz	Pass	21.922	-	-	-7.54	-6.54	-4.23	14.08
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port1&Port2)	-	-	-	-	-	-	-	-
P#5180MHz,#5220MHz,5755MHz,5795MHz	Pass	21.893	-8.84	-9.74	-	-	-6.75	17.00
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port3&Port4)	-	-	-	-	-	-	-	-
P5180MHz,5220MHz,#5755MHz,#5795MHz	Pass	21.922	-	-	-9.80	-8.34	-6.42	14.08
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port1&Port2)	-	-	-	-	-	-	-	-
P#5175MHz,#5225MHz,5750MHz,5800MHz	Pass	21.893	-8.09	-8.75	-	-	-5.99	17.00
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port3&Port4)	-	-	-	-	-	-	-	-
P5175MHz,5225MHz,#5750MHz,#5800MHz	Pass	21.922	-	-	-8.81	-7.85	-5.87	14.08

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;









Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
QPSK5_5MHz_Nss1_2TX	16.99
QPSK10_10MHz_Nss1_2TX	16.98
QPSK15_15MHz_Nss1_2TX	16.98
QPSK20_20MHz_Nss1_2TX	16.85
QPSK30_30MHz_Nss1_2TX	16.55
QPSK40_40MHz_Nss1_2TX	14.64
5.725-5.85GHz	-
QPSK5_5MHz_Nss1_2TX	21.04
QPSK10_10MHz_Nss1_2TX	18.12
QPSK15_15MHz_Nss1_2TX	16.72
QPSK20_20MHz_Nss1_2TX	15.41
QPSK30_30MHz_Nss1_2TX	14.89
QPSK40_40MHz_Nss1_2TX	13.65



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
QPSK5_5MHz_Nss1_2TX	-	-	-	-	-	-
5156MHz	Pass	4.70	14.13	13.84	16.90	17.00
5200MHz	Pass	4.70	14.24	13.89	16.99	17.00
5244MHz	Pass	4.70	14.20	13.44	16.82	17.00
5731MHz	Pass	3.20	17.48	18.13	20.78	30.00
5787MHz	Pass	3.20	18.17	17.96	20.99	30.00
5844MHz	Pass	3.20	18.42	17.88	21.04	30.00
QPSK10_10MHz_Nss1_2TX	-	-	-	-	-	-
5155MHz	Pass	4.70	-4.76	-4.94	-1.93	17.00
5200MHz	Pass	4.70	14.10	13.94	16.98	17.00
5245MHz	Pass	4.70	14.27	13.49	16.86	17.00
5730MHz	Pass	3.20	14.69	15.06	17.86	30.00
5787MHz	Pass	3.20	14.90	14.81	17.81	30.00
5845MHz	Pass	3.20	15.45	14.91	18.12	30.00
QPSK15_15MHz_Nss1_2TX	-	-	-	-	-	-
5158MHz	Pass	4.70	8.81	8.71	11.74	17.00
5200MHz	Pass	4.70	14.20	13.98	16.98	17.00
5242MHz	Pass	4.70	14.34	13.65	16.90	17.00
5733MHz	Pass	3.20	13.40	13.95	16.68	30.00
5787MHz	Pass	3.20	13.77	13.74	16.70	30.00
5842MHz	Pass	3.20	14.06	13.48	16.72	30.00
QPSK20_20MHz_Nss1_2TX	-	-	-	-	-	-
5160MHz	Pass	4.70	-5.25	-5.25	-2.31	17.00
5200MHz	Pass	4.70	13.77	13.60	16.62	17.00
5240MHz	Pass	4.70	14.18	13.62	16.85	17.00
5735MHz	Pass	3.20	10.90	10.98	13.92	30.00
5785MHz	Pass	3.20	12.34	12.54	15.41	30.00
5840MHz	Pass	3.20	11.19	10.86	14.00	30.00
QPSK30_30MHz_Nss1_2TX	-	-	-	-	-	-
5165MHz	Pass	4.70	7.70	7.89	10.79	17.00
5200MHz	Pass	4.70	12.17	12.11	15.05	17.00
5235MHz	Pass	4.70	13.82	13.38	16.55	17.00
5740MHz	Pass	3.20	11.47	11.96	14.68	30.00
5787MHz	Pass	3.20	11.70	11.77	14.69	30.00
5835MHz	Pass	3.20	12.16	11.57	14.89	30.00
QPSK40_40MHz_Nss1_2TX	-	-	-	-	-	-
5170MHz	Pass	4.70	7.49	7.69	10.52	17.00
5200MHz	Pass	4.70	8.50	8.45	11.41	17.00
5230MHz	Pass	4.70	11.92	11.47	14.64	17.00
5745MHz	Pass	3.20	9.12	9.24	12.19	30.00
5775MHz	Pass	3.20	10.42	10.94	13.65	30.00
5830MHz	Pass	3.20	9.11	8.92	11.97	30.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


































5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

PSD

5735MHz

13/11/2023

CF (Hz)
5.735G

Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
25.022

Detector Type
RMS







Sum 


Port 1 


Port 2 



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.92	13.92	10.90	10.98



















Summary



Mode	PD (dBm/RBW)
5.15-5.25GHz	-
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port1&Port2)	5.95
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port1&Port2)	5.63
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port1&Port2)	5.69
5.725-5.85GHz	-
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port3&Port4)	5.04
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port3&Port4)	4.32
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port3&Port4)	4.68


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port1&Port2)	-	-	-	-	-	-	-	-
P#5180MHz,#5220MHz,5755MHz,5795MHz	Pass	4.70	3.55	2.60	-	-	5.95	17.00
QPSK20+20_20MHz+20MHz_Nss1_2TX(Port3&Port4)	-	-	-	-	-	-	-	-
P5180MHz,5220MHz,#5755MHz,#5795MHz	Pass	3.20	-	-	2.37	2.18	5.04	30.00
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port1&Port2)	-	-	-	-	-	-	-	-
P#5180MHz,#5220MHz,5755MHz,5795MHz	Pass	4.70	2.86	2.61	-	-	5.63	17.00
QPSK30+30_30MHz+30MHz_Nss1_2TX(Port3&Port4)	-	-	-	-	-	-	-	-
P5180MHz,5220MHz,#5755MHz,#5795MHz	Pass	3.20	-	-	1.39	2.12	4.32	30.00
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port1&Port2)	-	-	-	-	-	-	-	-
P#5175MHz,#5225MHz,5750MHz,5800MHz	Pass	4.70	2.90	2.63	-	-	5.69	17.00
QPSK40+40_40MHz+40MHz_Nss1_2TX(Port3&Port4)	-	-	-	-	-	-	-	-
P5175MHz,5225MHz,#5750MHz,#5800MHz	Pass	3.20	-	-	1.80	2.53	4.68	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;










Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	39.7M	36.78	40.00	-3.22	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
QP	39.7M	36.78	40.00	-3.22	-12.32	3	Vertical	153	1.00	"Worst"	49.10	18.69	0.40	31.41
PK	48.43M	32.19	40.00	-7.81	-16.57	3	Vertical	2	1.00	-	48.76	14.45	0.51	31.53
PK	119.24M	39.32	43.50	-4.18	-12.22	3	Vertical	188	1.00	-	51.54	18.48	0.94	31.64
PK	140.58M	31.41	43.50	-12.09	-13.16	3	Vertical	224	1.00	-	44.57	17.58	1.09	31.83
PK	177.44M	30.88	43.50	-12.62	-14.90	3	Vertical	215	1.00	-	45.78	15.58	1.18	31.66
PK	250.19M	35.01	46.00	-10.99	-12.08	3	Vertical	242	2.00	-	47.09	18.26	1.46	31.80

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
QP	31.94M	33.28	40.00	-6.72	-8.22	3	Horizontal	356	2.00	-	41.50	22.65	0.35	31.22
PK	65.89M	27.58	40.00	-12.42	-18.78	3	Horizontal	295	3.00	-	46.36	12.34	0.63	31.75
PK	122.15M	39.59	43.50	-3.91	-12.27	3	Horizontal	259	3.00	"Worst"	51.86	18.43	0.96	31.66
PK	159.01M	31.75	43.50	-11.75	-14.21	3	Horizontal	82	1.25	-	45.96	16.40	1.12	31.73
PK	250.19M	30.06	46.00	-15.94	-12.08	3	Horizontal	281	1.25	-	42.14	18.26	1.46	31.80
PK	375.32M	30.45	46.00	-15.55	-9.24	3	Horizontal	248	1.25	-	39.69	20.78	1.87	31.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
QPSK20_20MHz_Nss1_2TX	Pass	RMS	5.1495G	53.99	54.00	-0.01	3	Horizontal	360	1.80	BP 1MHz

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
Setting -21.5(12/9500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	70.57	74.00	-3.43	64.57	3	Vertical	360	1.80	-	34.10	6.75	34.85
AV	5.15G	53.12	54.00	-0.88	47.12	3	Vertical	360	1.80	-	34.10	6.75	34.85
PK	5.1566G	125.29	Inf	-Inf	119.29	3	Vertical	360	1.80	-	34.09	6.76	34.85
AV	5.1544G	113.72	Inf	-Inf	107.73	3	Vertical	360	1.80	-	34.09	6.75	34.85

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
 Setting -21.5(12/9500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	73.47	74.00	-0.53	67.48	3	Horizontal	360	1.78	-	34.09	6.75	34.85
AV	5.15G	53.59	54.00	-0.41	47.59	3	Horizontal	360	1.78	-	34.10	6.75	34.85
PK	5.1572G	125.01	Inf	-Inf	119.01	3	Horizontal	360	1.78	-	34.09	6.76	34.85
AV	5.1546G	113.93	Inf	-Inf	107.94	3	Horizontal	360	1.78	-	34.09	6.75	34.85

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
 Setting -21.5(12/9500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32172G	51.59	68.20	-16.61	67.47	3	Vertical	93	1.02	-	37.82	12.18	65.88
PK	15.46194G	60.34	74.00	-13.66	67.77	3	Vertical	168	1.64	-	38.51	16.16	62.10
AV	15.45516G	49.27	54.00	-4.73	56.69	3	Vertical	168	1.64	-	38.53	16.16	62.11

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
 Setting -21.5(12/9500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32142G	52.60	68.20	-15.60	68.48	3	Horizontal	15	2.82	-	37.82	12.18	65.88
PK	15.45426G	61.58	74.00	-12.42	69.00	3	Horizontal	56	1.18	-	38.54	16.15	62.11
AV	15.46116G	49.24	54.00	-4.76	56.66	3	Horizontal	56	1.18	-	38.52	16.16	62.10

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX




EUT_Y_2TX
Setting -12(12/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	65.40	74.00	-8.60	59.51	3	Vertical	358	1.79	-	34.03	6.71	34.85
AV	5.1118G	53.52	54.00	-0.48	47.64	3	Vertical	358	1.79	-	34.02	6.71	34.85
PK	5.2018G	135.01	Inf	-Inf	129.07	3	Vertical	358	1.79	-	34.00	6.80	34.86
AV	5.2018G	125.44	Inf	-Inf	119.50	3	Vertical	358	1.79	-	34.00	6.80	34.86
PK	5.35G	60.72	74.00	-13.28	54.23	3	Vertical	358	1.79	-	34.50	6.87	34.88
AV	5.35G	51.97	54.00	-2.03	45.48	3	Vertical	358	1.79	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX




EUT_Y_2TX
Setting -12(12/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	65.00	74.00	-9.00	59.08	3	Horizontal	360	1.81	-	34.05	6.72	34.85
AV	5.1124G	53.86	54.00	-0.14	47.98	3	Horizontal	360	1.81	-	34.02	6.71	34.85
PK	5.2018G	135.59	Inf	-Inf	129.65	3	Horizontal	360	1.81	-	34.00	6.80	34.86
AV	5.2012G	125.90	Inf	-Inf	119.96	3	Horizontal	360	1.81	-	34.00	6.80	34.86
PK	5.35G	60.88	74.00	-13.12	54.39	3	Horizontal	360	1.81	-	34.50	6.87	34.88
AV	5.35G	52.12	54.00	-1.88	45.63	3	Horizontal	360	1.81	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39598G	54.38	68.20	-13.82	69.94	3	Vertical	325	1.80	-	37.90	12.22	65.68
PK	15.58572G	60.72	74.00	-13.28	68.47	3	Vertical	328	1.80	-	38.06	16.29	62.10
AV	15.5913G	48.64	54.00	-5.36	56.42	3	Vertical	328	1.80	-	38.03	16.29	62.10

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40294G	54.81	68.20	-13.39	70.35	3	Horizontal	357	1.80	-	37.90	12.22	65.66
PK	15.59784G	59.97	74.00	-14.03	67.76	3	Horizontal	20	1.80	-	38.01	16.30	62.10
AV	15.58692G	48.64	54.00	-5.36	56.40	3	Horizontal	20	1.80	-	38.05	16.29	62.10

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT_Y_2TX
Setting -12(12/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	63.70	74.00	-10.30	57.78	3	Vertical	357	1.80	-	34.05	6.72	34.85
AV	5.1112G	53.17	54.00	-0.83	47.29	3	Vertical	357	1.80	-	34.02	6.71	34.85
PK	5.2432G	132.58	Inf	-Inf	126.62	3	Vertical	357	1.80	-	34.00	6.82	34.86
AV	5.2456G	122.51	Inf	-Inf	116.55	3	Vertical	357	1.80	-	34.00	6.82	34.86
PK	5.36G	62.81	74.00	-11.19	56.33	3	Vertical	357	1.80	-	34.48	6.88	34.88
AV	5.35G	51.54	54.00	-2.46	45.04	3	Vertical	357	1.80	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT Y_2TX
Setting -12(12/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	64.97	74.00	-9.03	59.05	3	Horizontal	359	1.75	-	34.05	6.72	34.85
AV	5.1104G	53.89	54.00	-0.11	48.01	3	Horizontal	359	1.75	-	34.02	6.71	34.85
PK	5.2448G	132.07	Inf	-Inf	126.11	3	Horizontal	359	1.75	-	34.00	6.82	34.86
AV	5.2456G	121.85	Inf	-Inf	115.89	3	Horizontal	359	1.75	-	34.00	6.82	34.86
PK	5.3544G	62.57	74.00	-11.43	56.08	3	Horizontal	359	1.75	-	34.49	6.88	34.88
AV	5.376G	52.36	54.00	-1.64	45.90	3	Horizontal	359	1.75	-	34.45	6.89	34.88

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT Y_2TX
Setting -12(12/0)
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50174G	54.31	68.20	-13.89	69.42	3	Vertical	357	3.00	-	38.00	12.28	65.39
PK	10.50204G	54.66	68.20	-13.54	69.77	3	Vertical	135	1.80	-	38.00	12.28	65.39
PK	15.72684G	60.65	74.00	-13.35	68.45	3	Vertical	207	2.57	-	37.94	16.43	62.17
AV	15.71928G	48.85	54.00	-5.15	56.62	3	Vertical	207	2.57	-	37.98	16.42	62.17

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5244MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50126G	54.71	68.20	-13.49	69.82	3	Horizontal	184	1.57	-	38.00	12.28	65.39
PK	15.71832G	60.09	74.00	-13.91	67.85	3	Horizontal	168	2.04	-	37.99	16.42	62.17
AV	15.71856G	48.79	54.00	-5.21	56.55	3	Horizontal	168	2.04	-	37.99	16.42	62.17

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.495G	64.01	68.20	-4.19	57.31	3	Vertical	3	1.76	-	34.60	7.00	34.90
AV	5.375G	52.08	54.00	-1.92	45.62	3	Vertical	3	1.76	-	34.45	6.89	34.88
PK	5.733G	133.11	Inf	-Inf	126.75	3	Vertical	3	1.76	-	34.20	7.17	35.01
AV	5.731G	122.07	Inf	-Inf	115.71	3	Vertical	3	1.76	-	34.20	7.17	35.01
PK	5.939G	63.10	68.20	-5.10	56.36	3	Vertical	3	1.76	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT_Y_2TX
 Setting -18(18/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.287G	64.59	68.20	-3.61	58.40	3	Horizontal	4	1.77	-	34.22	6.84	34.87
AV	5.375G	52.88	54.00	-1.12	46.42	3	Horizontal	4	1.77	-	34.45	6.89	34.88
PK	5.729G	126.98	Inf	-Inf	120.63	3	Horizontal	4	1.77	-	34.20	7.16	35.01
AV	5.733G	116.31	Inf	-Inf	109.95	3	Horizontal	4	1.77	-	34.20	7.17	35.01
PK	6.035G	62.79	68.20	-5.41	55.80	3	Horizontal	4	1.77	-	34.77	7.35	35.13

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45006G	56.91	74.00	-17.09	70.31	3	Vertical	305	1.76	-	38.85	12.80	65.05
AV	11.44766G	44.75	54.00	-9.25	58.17	3	Vertical	305	1.76	-	38.84	12.80	65.06
PK	17.18058G	63.81	68.20	-4.39	68.26	3	Vertical	266	1.80	-	40.44	17.41	62.30

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5731MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45462G	56.18	74.00	-17.82	69.57	3	Horizontal	216	1.93	-	38.86	12.80	65.05
AV	11.45456G	44.86	54.00	-9.14	58.25	3	Horizontal	216	1.93	-	38.86	12.80	65.05
PK	17.2029G	63.03	68.20	-5.17	67.41	3	Horizontal	170	1.87	-	40.51	17.42	62.31

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.299G	65.04	68.20	-3.16	58.77	3	Vertical	4	1.74	-	34.29	6.85	34.87
AV	5.375G	52.49	54.00	-1.51	46.03	3	Vertical	4	1.74	-	34.45	6.89	34.88
PK	5.787G	133.17	Inf	-Inf	126.75	3	Vertical	4	1.74	-	34.27	7.19	35.04
AV	5.789G	122.50	Inf	-Inf	116.07	3	Vertical	4	1.74	-	34.28	7.19	35.04
PK	5.939G	63.43	68.20	-4.77	56.69	3	Vertical	4	1.74	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT_Y_2TX
 Setting -18(18/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.311G	63.68	68.20	-4.52	57.35	3	Horizontal	4	1.79	-	34.34	6.86	34.87
AV	5.375G	53.50	54.00	-0.50	47.04	3	Horizontal	4	1.79	-	34.45	6.89	34.88
PK	5.787G	127.16	Inf	-Inf	120.74	3	Horizontal	4	1.79	-	34.27	7.19	35.04
AV	5.789G	117.29	Inf	-Inf	110.86	3	Horizontal	4	1.79	-	34.28	7.19	35.04
PK	6.203G	63.48	68.20	-4.72	56.04	3	Horizontal	4	1.79	-	34.90	7.60	35.06

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56146G	57.23	74.00	-16.77	70.18	3	Vertical	121	2.37	-	39.18	12.86	64.99
AV	11.56254G	45.46	54.00	-8.54	58.40	3	Vertical	121	2.37	-	39.19	12.86	64.99
PK	17.3469G	64.05	68.20	-4.15	67.58	3	Vertical	52	2.52	-	41.33	17.51	62.37

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56128G	57.27	74.00	-16.73	70.22	3	Horizontal	187	1.55	-	39.18	12.86	64.99
AV	11.56548G	45.87	54.00	-8.13	58.80	3	Horizontal	187	1.55	-	39.20	12.86	64.99
PK	17.35914G	64.47	68.20	-3.73	67.91	3	Horizontal	119	2.31	-	41.41	17.52	62.37

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.376G	52.35	54.00	-1.65	45.89	3	Vertical	5	1.80	-	34.45	6.89	34.88
PK	5.626G	66.06	68.20	-2.14	59.51	3	Vertical	5	1.80	-	34.40	7.11	34.96
PK	5.844G	131.96	Inf	-Inf	125.51	3	Vertical	5	1.80	-	34.30	7.22	35.07
AV	5.846G	121.33	Inf	-Inf	114.88	3	Vertical	5	1.80	-	34.30	7.22	35.07
PK	5.94G	63.55	68.20	-4.65	56.81	3	Vertical	5	1.80	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.374G	52.76	54.00	-1.24	46.30	3	Horizontal	4	1.80	-	34.45	6.89	34.88
PK	5.622G	66.65	68.20	-1.55	60.10	3	Horizontal	4	1.80	-	34.40	7.11	34.96
PK	5.844G	126.46	Inf	-Inf	120.01	3	Horizontal	4	1.80	-	34.30	7.22	35.07
AV	5.844G	115.72	Inf	-Inf	109.27	3	Horizontal	4	1.80	-	34.30	7.22	35.07
PK	6.172G	62.93	68.20	-5.27	55.54	3	Horizontal	4	1.80	-	34.90	7.56	35.07

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6793G	58.10	74.00	-15.90	70.84	3	Vertical	54	1.27	-	39.38	12.92	65.04
AV	11.67732G	45.72	54.00	-8.28	58.46	3	Vertical	54	1.27	-	39.38	12.92	65.04
PK	17.53788G	67.39	68.20	-0.81	69.50	3	Vertical	87	1.80	-	42.74	17.62	62.47

5.725-5.85GHz_QPSK5_5MHz_Nss1_2TX

5844MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69118G	57.00	74.00	-17.00	69.73	3	Horizontal	292	1.12	-	39.39	12.93	65.05
AV	11.68182G	45.80	54.00	-8.20	58.53	3	Horizontal	292	1.12	-	39.38	12.93	65.04
PK	17.5254G	67.13	68.20	-1.07	69.34	3	Horizontal	172	1.80	-	42.63	17.62	62.46

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT Y_2TX
Setting -48(18/30000)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	62.26	74.00	-11.74	56.26	3	Vertical	358	1.80	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	52.95	54.00	-1.05	46.95	3	Vertical	358	1.80	BP 1MHz	34.10	6.75	34.85
PK	5.1555G	93.09	Inf	-Inf	87.09	3	Vertical	358	1.80	BP 1MHz	34.09	6.76	34.85
RMS	5.1515G	85.30	Inf	-Inf	79.30	3	Vertical	358	1.80	BP 1MHz	34.10	6.75	34.85

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT Y_2TX
Setting -48(18/30000)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	63.13	74.00	-10.87	57.13	3	Horizontal	360	1.77	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.71	54.00	-0.29	47.71	3	Horizontal	360	1.77	BP 1MHz	34.10	6.75	34.85
PK	5.1535G	93.87	Inf	-Inf	87.88	3	Horizontal	360	1.77	BP 1MHz	34.09	6.75	34.85
RMS	5.1585G	86.24	Inf	-Inf	80.25	3	Horizontal	360	1.77	BP 1MHz	34.08	6.76	34.85

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT Y_2TX
 Setting -12(18/30000)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.30574G	52.07	68.20	-16.13	68.01	3	Vertical	221	2.52	-	37.81	12.17	65.92
PK	15.46926G	60.39	74.00	-13.61	67.82	3	Vertical	303	2.14	-	38.49	16.17	62.09
AV	15.45588G	49.24	54.00	-4.76	56.66	3	Vertical	303	2.14	-	38.53	16.16	62.11

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5155MHz_TX




EUT Y_2TX
 Setting -12(18/30000)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.31564G	52.03	68.20	-16.17	67.94	3	Horizontal	230	1.31	-	37.82	12.17	65.90
PK	15.46656G	61.24	74.00	-12.76	68.67	3	Horizontal	195	1.03	-	38.50	16.17	62.10
AV	15.4566G	49.51	54.00	-4.49	56.93	3	Horizontal	195	1.03	-	38.53	16.16	62.11

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT_Y_2TX
Setting -19.5(12/7500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	64.84	74.00	-9.16	58.98	3	Vertical	358	1.77	-	34.00	6.70	34.84
AV	5.1094G	53.44	54.00	-0.56	47.56	3	Vertical	358	1.77	-	34.02	6.71	34.85
PK	5.2018G	133.99	Inf	-Inf	128.05	3	Vertical	358	1.77	-	34.00	6.80	34.86
AV	5.2036G	122.10	Inf	-Inf	116.16	3	Vertical	358	1.77	-	34.00	6.80	34.86
PK	5.35G	61.08	74.00	-12.92	54.59	3	Vertical	358	1.77	-	34.50	6.87	34.88
AV	5.35G	51.83	54.00	-2.17	45.34	3	Vertical	358	1.77	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
Setting -19.5(12/7500)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.107G	65.55	74.00	-8.45	59.67	3	Horizontal	360	1.79	-	34.01	6.71	34.84
AV	5.15G	53.92	54.00	-0.08	47.92	3	Horizontal	360	1.79	-	34.10	6.75	34.85
PK	5.203G	133.98	Inf	-Inf	128.04	3	Horizontal	360	1.79	-	34.00	6.80	34.86
AV	5.2012G	121.99	Inf	-Inf	116.05	3	Horizontal	360	1.79	-	34.00	6.80	34.86
PK	5.35G	61.23	74.00	-12.77	54.74	3	Horizontal	360	1.79	-	34.50	6.87	34.88
AV	5.35G	52.12	54.00	-1.88	45.63	3	Horizontal	360	1.79	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -19.5(12/7500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39562G	53.42	68.20	-14.78	68.98	3	Vertical	154	2.67	-	37.90	12.22	65.68
PK	15.59838G	60.14	74.00	-13.86	67.93	3	Vertical	43	2.64	-	38.01	16.30	62.10
AV	15.58548G	49.10	54.00	-4.90	56.85	3	Vertical	43	2.64	-	38.06	16.29	62.10

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -19.5(12/7500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39862G	53.89	68.20	-14.31	69.44	3	Horizontal	241	2.92	-	37.90	12.22	65.67
PK	15.59016G	60.41	74.00	-13.59	68.18	3	Horizontal	202	2.74	-	38.04	16.29	62.10
AV	15.59376G	48.70	54.00	-5.30	56.49	3	Horizontal	202	2.74	-	38.02	16.29	62.10

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT_Y_2TX
Setting -18(18/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1154G	62.30	74.00	-11.70	56.40	3	Vertical	357	1.80	-	34.03	6.72	34.85
AV	5.1066G	51.46	54.00	-2.54	45.58	3	Vertical	357	1.80	-	34.01	6.71	34.84
PK	5.245G	125.11	Inf	-Inf	119.15	3	Vertical	357	1.80	-	34.00	6.82	34.86
AV	5.2458G	113.41	Inf	-Inf	107.45	3	Vertical	357	1.80	-	34.00	6.82	34.86
PK	5.3538G	61.43	74.00	-12.57	54.94	3	Vertical	357	1.80	-	34.49	6.88	34.88
AV	5.35G	50.57	54.00	-3.43	44.07	3	Vertical	357	1.80	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT_Y_2TX
Setting -18(18/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	63.57	74.00	-10.43	57.67	3	Horizontal	360	1.78	-	34.03	6.72	34.85
AV	5.1114G	52.26	54.00	-1.74	46.38	3	Horizontal	360	1.78	-	34.02	6.71	34.85
PK	5.2458G	124.39	Inf	-Inf	118.43	3	Horizontal	360	1.78	-	34.00	6.82	34.86
AV	5.2442G	112.63	Inf	-Inf	106.67	3	Horizontal	360	1.78	-	34.00	6.82	34.86
PK	5.361G	61.70	74.00	-12.30	55.22	3	Horizontal	360	1.78	-	34.48	6.88	34.88
AV	5.3762G	51.20	54.00	-2.80	44.74	3	Horizontal	360	1.78	-	34.45	6.89	34.88

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50176G	54.60	68.20	-13.60	69.71	3	Vertical	259	2.27	-	38.00	12.28	65.39
PK	15.72132G	60.38	74.00	-13.62	68.16	3	Vertical	358	2.24	-	37.97	16.42	62.17
AV	15.72072G	48.88	54.00	-5.12	56.65	3	Vertical	358	2.24	-	37.98	16.42	62.17

5.15-5.25GHz_QPSK10_10MHz_Nss1_2TX

5245MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50008G	54.09	68.20	-14.11	69.20	3	Horizontal	269	1.01	-	38.00	12.28	65.39
PK	15.74904G	60.49	74.00	-13.51	68.41	3	Horizontal	301	1.90	-	37.81	16.45	62.18
AV	15.74306G	48.84	54.00	-5.16	56.74	3	Horizontal	301	1.90	-	37.84	16.44	62.18

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5316G	63.59	68.20	-4.61	56.88	3	Vertical	3	1.80	-	34.60	7.03	34.92
AV	5.458G	52.59	54.00	-1.41	45.92	3	Vertical	3	1.80	-	34.60	6.96	34.89
PK	5.7284G	129.68	Inf	-Inf	123.33	3	Vertical	3	1.80	-	34.20	7.16	35.01
AV	5.73G	118.52	Inf	-Inf	112.16	3	Vertical	3	1.80	-	34.20	7.17	35.01
PK	5.9652G	63.36	68.20	-4.84	56.57	3	Vertical	3	1.80	-	34.63	7.28	35.12

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3748G	53.01	54.00	-0.99	46.55	3	Horizontal	3	1.80	-	34.45	6.89	34.88
PK	5.6404G	62.78	68.20	-5.42	56.23	3	Horizontal	3	1.80	-	34.40	7.12	34.97
PK	5.7268G	125.31	Inf	-Inf	118.96	3	Horizontal	3	1.80	-	34.20	7.16	35.01
AV	5.73G	113.77	Inf	-Inf	107.41	3	Horizontal	3	1.80	-	34.20	7.17	35.01
PK	5.9908G	62.12	68.20	-6.08	55.28	3	Horizontal	3	1.80	-	34.68	7.30	35.14

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4657G	56.43	74.00	-17.57	69.75	3	Vertical	227	2.69	-	38.90	12.81	65.03
AV	11.45442G	44.88	54.00	-9.12	58.27	3	Vertical	227	2.69	-	38.86	12.80	65.05
PK	17.18274G	62.35	68.20	-5.85	66.79	3	Vertical	317	2.05	-	40.45	17.41	62.30

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5730MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46174G	56.46	74.00	-17.54	69.80	3	Horizontal	114	1.54	-	38.89	12.80	65.03
AV	11.44602G	44.85	54.00	-9.15	58.27	3	Horizontal	114	1.54	-	38.84	12.80	65.06
PK	17.17938G	63.40	68.20	-4.80	67.85	3	Horizontal	338	1.95	-	40.44	17.41	62.30

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting -13.5(12/1500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4926G	65.70	68.20	-2.50	59.01	3	Vertical	4	1.80	-	34.60	6.99	34.90
AV	5.46G	53.82	54.00	-0.18	47.15	3	Vertical	4	1.80	-	34.60	6.96	34.89
PK	5.787G	135.30	Inf	-Inf	128.88	3	Vertical	4	1.80	-	34.27	7.19	35.04
AV	5.7902G	123.78	Inf	-Inf	117.34	3	Vertical	4	1.80	-	34.28	7.20	35.04
PK	6.0942G	63.36	68.20	-4.84	56.04	3	Vertical	4	1.80	-	34.98	7.44	35.10

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting -13.5(12/1500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.387G	52.63	54.00	-1.37	46.19	3	Horizontal	4	1.80	-	34.43	6.89	34.88
PK	5.6414G	64.07	68.20	-4.13	57.52	3	Horizontal	4	1.80	-	34.40	7.12	34.97
PK	5.7902G	130.98	Inf	-Inf	124.54	3	Horizontal	4	1.80	-	34.28	7.20	35.04
AV	5.7902G	119.38	Inf	-Inf	112.94	3	Horizontal	4	1.80	-	34.28	7.20	35.04
PK	5.925G	62.90	68.20	-5.30	56.19	3	Horizontal	4	1.80	-	34.55	7.26	35.10

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57112G	57.15	74.00	-16.85	70.07	3	Vertical	273	2.15	-	39.21	12.86	64.99
AV	11.56848G	45.84	54.00	-8.16	58.76	3	Vertical	273	2.15	-	39.21	12.86	64.99
PK	17.35836G	63.43	68.20	-4.77	66.87	3	Vertical	174	1.17	-	41.41	17.52	62.37

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting -13.5(12/1500)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56524G	57.86	74.00	-16.14	70.79	3	Horizontal	235	1.70	-	39.20	12.86	64.99
AV	11.56842G	45.89	54.00	-8.11	58.81	3	Horizontal	235	1.70	-	39.21	12.86	64.99
PK	17.36004G	64.15	68.20	-4.05	67.58	3	Horizontal	12	2.57	-	41.42	17.52	62.37

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
Setting -26.5(18/8500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.515G	63.45	68.20	-4.75	56.75	3	Vertical	4	1.75	-	34.60	7.01	34.91
AV	5.375G	52.22	54.00	-1.78	45.76	3	Vertical	4	1.75	-	34.45	6.89	34.88
PK	5.843G	122.21	Inf	-Inf	115.75	3	Vertical	4	1.75	-	34.30	7.22	35.06
AV	5.843G	110.96	Inf	-Inf	104.50	3	Vertical	4	1.75	-	34.30	7.22	35.06
PK	5.85G	121.60	122.20	-0.60	115.14	3	Vertical	4	1.75	-	34.30	7.23	35.07

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
Setting -26.5(18/8500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.375G	53.01	54.00	-0.99	46.55	3	Horizontal	4	1.78	-	34.45	6.89	34.88
PK	5.621G	63.02	68.20	-5.18	56.47	3	Horizontal	4	1.78	-	34.40	7.11	34.96
PK	5.847G	115.66	Inf	-Inf	109.21	3	Horizontal	4	1.78	-	34.30	7.22	35.07
AV	5.841G	104.50	Inf	-Inf	98.04	3	Horizontal	4	1.78	-	34.30	7.22	35.06
PK	6.121G	62.61	68.20	-5.59	55.26	3	Horizontal	4	1.78	-	34.96	7.48	35.09

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
 Setting -26.5(18/8500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69006G	57.65	74.00	-16.35	70.38	3	Vertical	287	1.80	-	39.39	12.93	65.05
AV	11.67692G	45.91	54.00	-8.09	58.65	3	Vertical	287	1.80	-	39.38	12.92	65.04
PK	17.54904G	67.71	68.20	-0.49	69.72	3	Vertical	230	1.80	-	42.84	17.63	62.48

5.725-5.85GHz_QPSK10_10MHz_Nss1_2TX

5845MHz_TX




EUT Y_2TX
 Setting -26.5(18/8500)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68052G	56.67	74.00	-17.33	69.41	3	Horizontal	119	1.74	-	39.38	12.92	65.04
AV	11.68856G	45.88	54.00	-8.12	58.61	3	Horizontal	119	1.74	-	39.39	12.93	65.05
PK	17.54838G	67.80	68.20	-0.40	69.81	3	Horizontal	255	1.79	-	42.84	17.63	62.48

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
 Setting -23(12/11000)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1215G	61.59	74.00	-12.41	55.68	3	Vertical	358	1.80	BP 1MHz	34.04	6.72	34.85
AV	5.1495G	52.67	54.00	-1.33	46.67	3	Vertical	358	1.80	BP 1MHz	34.10	6.75	34.85
PK	5.1555G	114.04	Inf	-Inf	108.04	3	Vertical	358	1.80	BP 1MHz	34.09	6.76	34.85
AV	5.1625G	106.30	Inf	-Inf	100.31	3	Vertical	358	1.80	BP 1MHz	34.08	6.76	34.85

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
Setting -23(12/11000)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	63.19	74.00	-10.81	57.19	3	Horizontal	360	1.80	BP 1MHz	34.10	6.75	34.85
AV	5.1495G	53.97	54.00	-0.03	47.97	3	Horizontal	360	1.80	BP 1MHz	34.10	6.75	34.85
PK	5.1625G	115.89	Inf	-Inf	109.90	3	Horizontal	360	1.80	BP 1MHz	34.08	6.76	34.85
AV	5.1615G	107.87	Inf	-Inf	101.88	3	Horizontal	360	1.80	BP 1MHz	34.08	6.76	34.85

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
Setting -37(12/25000)
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33022G	52.70	68.20	-15.50	68.55	3	Vertical	4	1.19	-	37.83	12.18	65.86
PK	15.4647G	62.09	74.00	-11.91	69.52	3	Vertical	78	1.20	-	38.51	16.16	62.10
AV	15.4641G	49.34	54.00	-4.66	56.77	3	Vertical	78	1.20	-	38.51	16.16	62.10

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5158MHz_TX




EUT Y_2TX
Setting -37(12/25000)
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32902G	53.13	68.20	-15.07	68.98	3	Horizontal	15	1.80	-	37.83	12.18	65.86
PK	15.47388G	61.23	74.00	-12.77	68.67	3	Horizontal	324	2.36	-	38.48	16.17	62.09
AV	15.46488G	49.22	54.00	-4.78	56.65	3	Horizontal	324	2.36	-	38.51	16.16	62.10

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT_Y_2TX
 Setting -12(12/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0896G	64.65	74.00	-9.35	58.86	3	Vertical	358	1.80	-	33.94	6.69	34.84
AV	5.1094G	53.61	54.00	-0.39	47.73	3	Vertical	358	1.80	-	34.02	6.71	34.85
PK	5.206G	130.08	Inf	-Inf	124.14	3	Vertical	358	1.80	-	34.00	6.80	34.86
AV	5.2036G	118.13	Inf	-Inf	112.19	3	Vertical	358	1.80	-	34.00	6.80	34.86
PK	5.35G	61.37	74.00	-12.63	54.88	3	Vertical	358	1.80	-	34.50	6.87	34.88
AV	5.35G	52.19	54.00	-1.81	45.70	3	Vertical	358	1.80	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.89	74.00	-9.11	58.89	3	Horizontal	358	1.80	-	34.10	6.75	34.85
AV	5.1106G	53.71	54.00	-0.29	47.83	3	Horizontal	358	1.80	-	34.02	6.71	34.85
PK	5.2042G	131.78	Inf	-Inf	125.84	3	Horizontal	358	1.80	-	34.00	6.80	34.86
AV	5.1952G	118.92	Inf	-Inf	112.97	3	Horizontal	358	1.80	-	34.01	6.80	34.86
PK	5.35G	61.89	74.00	-12.11	55.40	3	Horizontal	358	1.80	-	34.50	6.87	34.88
AV	5.35G	51.62	54.00	-2.38	45.13	3	Horizontal	358	1.80	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38968G	54.59	68.20	-13.61	70.18	3	Vertical	348	1.52	-	37.89	12.21	65.69
PK	15.58764G	59.80	74.00	-14.20	67.56	3	Vertical	236	2.77	-	38.05	16.29	62.10
AV	15.59118G	48.67	54.00	-5.33	56.44	3	Vertical	236	2.77	-	38.04	16.29	62.10

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38734G	54.00	68.20	-14.20	69.60	3	Horizontal	268	2.03	-	37.89	12.21	65.70
PK	15.58752G	59.94	74.00	-14.06	67.70	3	Horizontal	308	1.10	-	38.05	16.29	62.10
AV	15.58638G	48.66	54.00	-5.34	56.42	3	Horizontal	308	1.10	-	38.05	16.29	62.10

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT_Y_2TX
Setting -12(12/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	64.02	74.00	-9.98	58.14	3	Vertical	358	1.77	-	34.02	6.71	34.85
AV	5.1092G	53.61	54.00	-0.39	47.73	3	Vertical	358	1.77	-	34.02	6.71	34.85
PK	5.238G	128.34	Inf	-Inf	122.38	3	Vertical	358	1.77	-	34.00	6.82	34.86
AV	5.2372G	115.58	Inf	-Inf	109.62	3	Vertical	358	1.77	-	34.00	6.82	34.86
PK	5.4172G	64.32	74.00	-9.68	57.82	3	Vertical	358	1.77	-	34.47	6.92	34.89
AV	5.4164G	53.19	54.00	-0.81	46.69	3	Vertical	358	1.77	-	34.47	6.92	34.89

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT_Y_2TX
Setting -12(12/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	64.57	74.00	-9.43	58.63	3	Horizontal	358	1.80	-	34.06	6.73	34.85
AV	5.11G	53.83	54.00	-0.17	47.95	3	Horizontal	358	1.80	-	34.02	6.71	34.85
PK	5.238G	128.28	Inf	-Inf	122.32	3	Horizontal	358	1.80	-	34.00	6.82	34.86
AV	5.2372G	115.55	Inf	-Inf	109.59	3	Horizontal	358	1.80	-	34.00	6.82	34.86
PK	5.358G	62.54	74.00	-11.46	56.06	3	Horizontal	358	1.80	-	34.48	6.88	34.88
AV	5.3764G	52.43	54.00	-1.57	45.97	3	Horizontal	358	1.80	-	34.45	6.89	34.88

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47278G	54.02	68.20	-14.18	69.25	3	Vertical	150	2.98	-	37.97	12.26	65.46
PK	15.73656G	60.19	74.00	-13.81	68.05	3	Vertical	327	1.47	-	37.88	16.44	62.18
AV	15.73562G	48.96	54.00	-5.04	56.81	3	Vertical	327	1.47	-	37.89	16.44	62.18

5.15-5.25GHz_QPSK15_15MHz_Nss1_2TX

5242MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49852G	55.09	68.20	-13.11	70.21	3	Horizontal	36	2.16	-	38.00	12.27	65.39
PK	15.72672G	60.93	74.00	-13.07	68.73	3	Horizontal	353	1.77	-	37.94	16.43	62.17
AV	15.71796G	49.25	54.00	-4.75	57.01	3	Horizontal	353	1.77	-	37.99	16.42	62.17

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT Y_2TX
Setting -18(18/0)
01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.506G	63.25	68.20	-4.95	54.53	3	Vertical	6	1.80	-	34.10	7.45	32.83
AV	5.46G	51.12	54.00	-2.88	42.60	3	Vertical	6	1.80	-	33.94	7.42	32.84
PK	5.73G	125.41	Inf	-Inf	116.26	3	Vertical	6	1.80	-	34.50	7.56	32.91
AV	5.728G	114.39	Inf	-Inf	105.24	3	Vertical	6	1.80	-	34.50	7.56	32.91
PK	5.927G	63.05	68.20	-5.15	52.98	3	Vertical	6	1.80	-	35.41	7.64	32.98

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT_Y_2TX
Setting -18(18/0)
01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	62.94	68.20	-5.26	55.06	3	Horizontal	5	1.80	-	33.42	7.33	32.87
AV	5.376G	52.22	54.00	-1.78	44.11	3	Horizontal	5	1.80	-	33.60	7.36	32.85
PK	5.737G	124.95	Inf	-Inf	115.80	3	Horizontal	5	1.80	-	34.50	7.56	32.91
AV	5.729G	111.24	Inf	-Inf	102.09	3	Horizontal	5	1.80	-	34.50	7.56	32.91
PK	6.201G	63.42	68.20	-4.78	52.92	3	Horizontal	5	1.80	-	35.80	7.72	33.02

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47998G	53.57	74.00	-20.43	68.94	3	Vertical	312	1.35	-	38.80	10.83	65.00
AV	11.47335G	41.00	54.00	-13.00	56.38	3	Vertical	312	1.35	-	38.80	10.83	65.01
PK	17.20872G	60.03	68.20	-8.17	67.22	3	Vertical	346	1.56	-	41.93	13.19	62.31

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5733MHz_TX




EUT_Y_2TX
Setting -18(18/0)
01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46981G	53.35	74.00	-20.65	68.74	3	Horizontal	121	1.80	-	38.80	10.83	65.02
AV	11.47413G	41.07	54.00	-12.93	56.45	3	Horizontal	121	1.80	-	38.80	10.83	65.01
PK	17.20377G	59.84	68.20	-8.36	67.04	3	Horizontal	93	1.41	-	41.92	13.19	62.31

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT_Y_2TX
 Setting -18(18/0)
 05-M-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.511G	63.28	68.20	-4.92	58.18	3	Vertical	-0	1.68	-	32.88	7.64	35.42
AV	5.459G	50.78	54.00	-3.22	45.79	3	Vertical	-0	1.68	-	32.82	7.60	35.43
PK	5.787G	128.46	Inf	-Inf	122.13	3	Vertical	-0	1.68	-	33.85	8.01	35.53
AV	5.791G	115.37	Inf	-Inf	109.02	3	Vertical	-0	1.68	-	33.86	8.02	35.53
PK	5.939G	62.26	68.20	-5.94	55.53	3	Vertical	-0	1.68	-	34.20	8.12	35.59

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting -18(18/0)
05-M-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.375G	52.50	54.00	-1.50	47.56	3	Horizontal	1	1.71	-	32.85	7.54	35.45
PK	5.649G	63.59	68.20	-4.61	58.38	3	Horizontal	1	1.71	-	32.90	7.79	35.48
PK	5.785G	112.99	Inf	-Inf	119.67	3	Horizontal	1	1.71	-	33.84	8.01	35.53
AV	5.783G	112.66	Inf	-Inf	106.36	3	Horizontal	1	1.71	-	33.83	8.00	35.53
PK	5.939G	61.79	68.20	-6.41	55.06	3	Horizontal	1	1.71	-	34.20	8.12	35.59

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 05-M-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.548G	55.23	74.00	-18.77	70.43	3	Vertical	141	2.11	-	38.91	10.87	64.98
AV	11.552G	43.10	54.00	-10.90	58.32	3	Vertical	141	2.11	-	38.89	10.87	64.98
PK	17.34954G	61.99	68.20	-6.21	72.50	3	Vertical	85	2.39	-	38.80	13.06	62.37

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
Setting -18(18/0)
05-M-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5605G	54.61	74.00	-19.39	69.86	3	Horizontal	41	1.23	-	38.86	10.88	64.99
AV	11.58318G	42.17	54.00	-11.83	57.51	3	Horizontal	41	1.23	-	38.77	10.89	65.00
PK	17.36682G	60.02	68.20	-8.18	70.52	3	Horizontal	289	2.66	-	38.80	13.07	62.37

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	64.95	68.20	-3.25	58.40	3	Vertical	4	1.80	-	34.40	7.11	34.96
PK	5.946G	63.20	68.20	-5.00	56.45	3	Vertical	4	1.80	-	34.59	7.27	35.11
AV	5.374G	52.43	54.00	-1.57	45.97	3	Vertical	4	1.80	-	34.45	6.89	34.88
PK	5.846G	127.21	Inf	-Inf	120.76	3	Vertical	4	1.80	-	34.30	7.22	35.07

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.374G	53.20	54.00	-0.80	46.74	3	Horizontal	4	1.80	-	34.45	6.89	34.88
PK	5.628G	65.12	68.20	-3.08	58.57	3	Horizontal	4	1.80	-	34.40	7.11	34.96
PK	5.846G	122.56	Inf	-Inf	116.11	3	Horizontal	4	1.80	-	34.30	7.22	35.07
AV	5.846G	110.12	Inf	-Inf	103.67	3	Horizontal	4	1.80	-	34.30	7.22	35.07
PK	6.052G	63.82	68.20	-4.38	56.75	3	Horizontal	4	1.80	-	34.81	7.38	35.12

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68388G	56.68	74.00	-17.32	69.41	3	Vertical	10	1.43	-	39.38	12.93	65.04
AV	11.67224G	46.01	54.00	-7.99	58.76	3	Vertical	10	1.43	-	39.37	12.92	65.04
PK	17.53932G	67.19	68.20	-1.01	69.29	3	Vertical	5	1.67	-	42.75	17.62	62.47

5.725-5.85GHz_QPSK15_15MHz_Nss1_2TX

5842MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6777G	57.36	74.00	-16.64	70.10	3	Horizontal	358	1.80	-	39.38	12.92	65.04
AV	11.67626G	45.87	54.00	-8.13	58.61	3	Horizontal	358	1.80	-	39.38	12.92	65.04
PK	17.5128G	67.09	68.20	-1.11	69.40	3	Horizontal	344	1.79	-	42.52	17.61	62.44

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX




EUT Y_2TX
Setting -47(18/29000)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	61.09	74.00	-12.91	55.09	3	Vertical	358	1.80	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.01	54.00	-0.99	47.01	3	Vertical	358	1.80	BP 1MHz	34.10	6.75	34.85
PK	5.1515G	90.32	Inf	-Inf	84.32	3	Vertical	358	1.80	BP 1MHz	34.10	6.75	34.85
RMS	5.1605G	84.06	Inf	-Inf	78.07	3	Vertical	358	1.80	BP 1MHz	34.08	6.76	34.85

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX




EUT Y_2TX
 Setting -47(18/29000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	62.14	74.00	-11.86	56.14	3	Horizontal	360	1.80	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.99	54.00	-0.01	47.99	3	Horizontal	360	1.80	BP 1MHz	34.10	6.75	34.85
PK	5.1655G	91.33	Inf	-Inf	85.34	3	Horizontal	360	1.80	BP 1MHz	34.07	6.77	34.85
RMS	5.1675G	85.10	Inf	-Inf	79.11	3	Horizontal	360	1.80	BP 1MHz	34.07	6.77	34.85

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX




EUT Y_2TX
 Setting -47(18/29000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33404G	52.51	68.20	-15.69	68.34	3	Vertical	60	1.51	-	37.83	12.18	65.84
PK	15.48036G	60.14	74.00	-13.86	67.58	3	Vertical	35	1.75	-	38.46	16.18	62.08
AV	15.48656G	49.19	54.00	-4.81	56.63	3	Vertical	35	1.75	-	38.44	16.19	62.07

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5160MHz_TX








EUT Y_2TX
 Setting -47(18/29000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3299G	53.05	68.20	-15.15	68.90	3	Horizontal	62	1.80	-	37.83	12.18	65.86
PK	15.47004G	60.76	74.00	-13.24	68.19	3	Horizontal	9	1.98	-	38.49	16.17	62.09
AV	15.46806G	49.22	54.00	-4.78	56.64	3	Horizontal	9	1.98	-	38.50	16.17	62.09

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


05/09/2023

EUT_Y_2TX
 Setting -13(12/1000)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	64.68	74.00	-9.32	58.71	3	Vertical	358	1.80	-	34.08	6.74	34.85
AV	5.1088G	52.86	54.00	-1.14	46.98	3	Vertical	358	1.80	-	34.02	6.71	34.85
PK	5.203G	131.51	Inf	-Inf	125.57	3	Vertical	358	1.80	-	34.00	6.80	34.86
AV	5.2042G	117.64	Inf	-Inf	111.70	3	Vertical	358	1.80	-	34.00	6.80	34.86
PK	5.35G	61.79	74.00	-12.21	55.30	3	Vertical	358	1.80	-	34.50	6.87	34.88
AV	5.35G	51.85	54.00	-2.15	45.36	3	Vertical	358	1.80	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX




EUT_Y_2TX
Setting -13(12/1000)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	66.32	74.00	-7.68	60.34	3	Horizontal	360	1.80	-	34.09	6.74	34.85
AV	5.1496G	53.95	54.00	-0.05	47.95	3	Horizontal	360	1.80	-	34.10	6.75	34.85
PK	5.2G	132.83	Inf	-Inf	126.89	3	Horizontal	360	1.80	-	34.00	6.80	34.86
AV	5.1994G	118.88	Inf	-Inf	112.94	3	Horizontal	360	1.80	-	34.00	6.80	34.86
PK	5.35G	62.33	74.00	-11.67	55.84	3	Horizontal	360	1.80	-	34.50	6.87	34.88
AV	5.35G	51.71	54.00	-2.29	45.22	3	Horizontal	360	1.80	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -13(12/1000)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40504G	54.72	68.20	-13.48	70.24	3	Vertical	173	1.80	-	37.91	12.22	65.65
PK	15.59316G	60.47	74.00	-13.53	68.25	3	Vertical	172	1.80	-	38.03	16.29	62.10
AV	15.5853G	48.51	54.00	-5.49	56.26	3	Vertical	172	1.80	-	38.06	16.29	62.10

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -13(12/1000)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41236G	54.68	68.20	-13.52	70.17	3	Horizontal	45	1.02	-	37.91	12.23	65.63
PK	15.60768G	60.69	74.00	-13.31	68.48	3	Horizontal	96	2.08	-	38.01	16.31	62.11
AV	15.60746G	48.45	54.00	-5.55	56.24	3	Horizontal	96	2.08	-	38.01	16.31	62.11

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT_Y_2TX
Setting -12.5(12/500)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1302G	64.82	74.00	-9.18	58.88	3	Vertical	358	1.80	-	34.06	6.73	34.85
AV	5.111G	53.20	54.00	-0.80	47.32	3	Vertical	358	1.80	-	34.02	6.71	34.85
PK	5.2346G	129.85	Inf	-Inf	123.89	3	Vertical	358	1.80	-	34.00	6.82	34.86
AV	5.2316G	116.24	Inf	-Inf	110.28	3	Vertical	358	1.80	-	34.00	6.82	34.86
PK	5.3594G	63.59	74.00	-10.41	57.11	3	Vertical	358	1.80	-	34.48	6.88	34.88
AV	5.35G	52.15	54.00	-1.85	45.66	3	Vertical	358	1.80	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT Y_2TX
Setting -12.5(12/500)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1026G	65.69	74.00	-8.31	59.82	3	Horizontal	360	1.80	-	34.01	6.70	34.84
AV	5.123G	53.98	54.00	-0.02	48.06	3	Horizontal	360	1.80	-	34.05	6.72	34.85
PK	5.2346G	130.20	Inf	-Inf	124.24	3	Horizontal	360	1.80	-	34.00	6.82	34.86
AV	5.2316G	116.58	Inf	-Inf	110.62	3	Horizontal	360	1.80	-	34.00	6.82	34.86
PK	5.3516G	64.40	74.00	-9.60	57.90	3	Horizontal	360	1.80	-	34.50	6.88	34.88
AV	5.3762G	53.53	54.00	-0.47	47.07	3	Horizontal	360	1.80	-	34.45	6.89	34.88

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT Y_2TX
 Setting -12.5(12/500)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4944G	54.07	68.20	-14.13	69.22	3	Vertical	173	1.64	-	37.99	12.27	65.41
PK	15.7269G	60.35	74.00	-13.65	68.15	3	Vertical	245	2.69	-	37.94	16.43	62.17
AV	15.70506G	48.76	54.00	-5.24	56.44	3	Vertical	245	2.69	-	38.07	16.41	62.16

5.15-5.25GHz_QPSK20_20MHz_Nss1_2TX

5240MHz_TX




EUT Y_2TX
 Setting -12.5(12/500)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46584G	54.09	68.20	-14.11	69.34	3	Horizontal	103	2.44	-	37.97	12.26	65.48
PK	15.7209G	60.82	74.00	-13.18	68.60	3	Horizontal	197	2.97	-	37.97	16.42	62.17
AV	15.71718G	48.77	54.00	-5.23	56.52	3	Horizontal	197	2.97	-	38.00	16.42	62.17

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT_Y_2TX
Setting -16(12/4000)
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4193G	64.97	74.00	-9.03	57.06	3	Vertical	3	1.66	-	33.38	7.38	32.85
PK	5.4977G	66.17	68.20	-2.03	57.77	3	Vertical	3	1.66	-	33.79	7.44	32.83
AV	5.4592G	53.85	54.00	-0.15	45.72	3	Vertical	3	1.66	-	33.56	7.41	32.84
PK	5.7357G	130.79	Inf	-Inf	122.00	3	Vertical	3	1.66	-	34.14	7.56	32.91
AV	5.7343G	118.05	Inf	-Inf	109.26	3	Vertical	3	1.66	-	34.14	7.56	32.91
PK	5.9303G	65.06	68.20	-3.14	55.21	3	Vertical	3	1.66	-	35.18	7.65	32.98

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT_Y_2TX
 Setting -16(12/4000)
 01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4249G	62.16	74.00	-11.84	54.22	3	Horizontal	1	1.64	-	33.40	7.39	32.85
AV	5.455G	52.15	54.00	-1.85	44.05	3	Horizontal	1	1.64	-	33.53	7.41	32.84
PK	5.5957G	65.01	68.20	-3.19	56.35	3	Horizontal	1	1.64	-	34.00	7.52	32.86
PK	5.735G	128.12	Inf	-Inf	119.33	3	Horizontal	1	1.64	-	34.14	7.56	32.91
AV	5.7357G	115.58	Inf	-Inf	106.79	3	Horizontal	1	1.64	-	34.14	7.56	32.91
PK	6.0339G	65.62	68.20	-2.58	55.63	3	Horizontal	1	1.64	-	35.30	7.69	33.00

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT Y_2TX
Setting -16(12/4000)
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46796G	51.88	74.00	-22.12	67.67	3	Vertical	329	1.48	-	38.40	10.83	65.02
AV	11.46958G	41.38	54.00	-12.62	57.17	3	Vertical	329	1.48	-	38.40	10.83	65.02
PK	17.19522G	64.02	68.20	-4.18	71.43	3	Vertical	189	1.79	-	41.70	13.19	62.30

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5735MHz_TX




EUT Y_2TX
 Setting -16(12/4000)
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4571G	50.90	74.00	-23.10	66.72	3	Horizontal	67	1.56	-	38.40	10.82	65.04
AV	11.45611G	42.26	54.00	-11.74	58.08	3	Horizontal	67	1.56	-	38.40	10.82	65.04
PK	17.19192G	63.20	68.20	-5.00	70.61	3	Horizontal	86	1.83	-	41.70	13.19	62.30

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4664G	64.14	68.20	-4.06	57.47	3	Vertical	5	1.80	-	34.60	6.97	34.90
AV	5.3746G	53.01	54.00	-0.99	46.55	3	Vertical	5	1.80	-	34.45	6.89	34.88
PK	5.7904G	130.91	Inf	-Inf	124.47	3	Vertical	5	1.80	-	34.28	7.20	35.04
AV	5.7886G	116.90	Inf	-Inf	110.47	3	Vertical	5	1.80	-	34.28	7.19	35.04
PK	5.9416G	63.75	68.20	-4.45	57.01	3	Vertical	5	1.80	-	34.58	7.27	35.11

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3422G	64.29	68.20	-3.91	57.83	3	Horizontal	5	1.80	-	34.47	6.87	34.88
AV	5.3746G	53.74	54.00	-0.26	47.28	3	Horizontal	5	1.80	-	34.45	6.89	34.88
PK	5.7904G	124.87	Inf	-Inf	118.43	3	Horizontal	5	1.80	-	34.28	7.20	35.04
AV	5.794G	111.02	Inf	-Inf	104.57	3	Horizontal	5	1.80	-	34.29	7.20	35.04
PK	5.992G	63.02	68.20	-5.18	56.18	3	Horizontal	5	1.80	-	34.68	7.30	35.14

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55686G	53.50	74.00	-20.50	66.46	3	Vertical	6	1.77	-	39.17	12.86	64.99
AV	11.56676G	41.39	54.00	-12.61	54.32	3	Vertical	6	1.77	-	39.20	12.86	64.99
PK	17.34576G	64.35	68.20	-3.85	67.89	3	Vertical	323	2.91	-	41.32	17.51	62.37

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5785MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.582G	54.28	74.00	-19.72	67.16	3	Horizontal	300	2.57	-	39.25	12.87	65.00
AV	11.56286G	41.69	54.00	-12.31	54.63	3	Horizontal	300	2.57	-	39.19	12.86	64.99
PK	17.34252G	64.72	68.20	-3.48	68.27	3	Horizontal	276	1.15	-	41.30	17.51	62.36

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX




EUT Y_2TX
Setting -19.5(12/7500)
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6363G	66.34	68.20	-1.86	57.76	3	Vertical	0	1.61	-	33.93	7.53	32.88
PK	5.8421G	129.01	Inf	-Inf	119.81	3	Vertical	0	1.61	-	34.55	7.60	32.95
AV	5.8407G	116.03	Inf	-Inf	106.84	3	Vertical	0	1.61	-	34.54	7.60	32.95
PK	5.85G	121.87	122.20	-0.33	112.61	3	Vertical	0	1.61	-	34.60	7.61	32.95

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX



Lim.PK
PK
Lim.AV
AV


10/11/2023

EUT Y_2TX
Setting -19.5(12/7500)
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6251G	65.09	68.20	-3.11	56.48	3	Horizontal	0	1.68	-	33.95	7.53	32.87
PK	5.8435G	123.98	Inf	-Inf	114.77	3	Horizontal	0	1.68	-	34.56	7.60	32.95
AV	5.8442G	111.57	Inf	-Inf	102.35	3	Horizontal	0	1.68	-	34.57	7.60	32.95
PK	5.935G	64.72	68.20	-3.48	54.84	3	Horizontal	0	1.68	-	35.21	7.65	32.98

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX




EUT Y_2TX
 Setting -19.5(12/7500)
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69392G	51.75	74.00	-22.25	67.44	3	Vertical	89	1.50	-	38.41	10.95	65.05
AV	11.6935G	42.61	54.00	-11.39	58.30	3	Vertical	89	1.50	-	38.41	10.95	65.05
PK	17.51073G	63.66	68.20	-4.54	70.41	3	Vertical	168	1.89	-	42.40	13.29	62.44

5.725-5.85GHz_QPSK20_20MHz_Nss1_2TX

5840MHz_TX




EUT Y_2TX
 Setting -19.5(12/7500)
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6902G	52.30	74.00	-21.70	67.98	3	Horizontal	214	1.88	-	38.42	10.95	65.05
AV	11.69488G	43.43	54.00	-10.57	59.12	3	Horizontal	214	1.88	-	38.41	10.95	65.05
PK	17.52933G	63.48	68.20	-4.72	70.24	3	Horizontal	177	2.00	-	42.40	13.30	62.46

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT Y_2TX
 Setting -22(12/10000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.99	74.00	-10.01	57.99	3	Vertical	357	1.80	-	34.10	6.75	34.85
AV	5.15G	52.32	54.00	-1.68	46.32	3	Vertical	357	1.80	-	34.10	6.75	34.85
PK	5.1736G	116.39	Inf	-Inf	110.42	3	Vertical	357	1.80	-	34.05	6.77	34.85
AV	5.1748G	103.18	Inf	-Inf	97.21	3	Vertical	357	1.80	-	34.05	6.77	34.85

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT Y_2TX
 Setting -22(12/10000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	66.39	74.00	-7.61	60.39	3	Horizontal	360	1.80	-	34.10	6.75	34.85
AV	5.15G	53.75	54.00	-0.25	47.75	3	Horizontal	360	1.80	-	34.10	6.75	34.85
PK	5.173G	118.47	Inf	-Inf	112.50	3	Horizontal	360	1.80	-	34.05	6.77	34.85
AV	5.1746G	105.07	Inf	-Inf	99.10	3	Horizontal	360	1.80	-	34.05	6.77	34.85

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT Y_2TX
Setting -22(12/10000)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32622G	54.07	68.20	-14.13	69.93	3	Vertical	61	2.33	-	37.83	12.18	65.87
PK	15.48252G	59.74	74.00	-14.26	67.18	3	Vertical	323	2.28	-	38.45	16.18	62.07
AV	15.48036G	48.66	54.00	-5.34	56.10	3	Vertical	323	2.28	-	38.46	16.18	62.08

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5165MHz_TX




EUT Y_2TX
 Setting -22(12/10000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33438G	54.71	68.20	-13.49	70.54	3	Horizontal	303	1.53	-	37.83	12.18	65.84
PK	15.49374G	60.00	74.00	-14.00	67.45	3	Horizontal	280	1.13	-	38.42	16.19	62.06
AV	15.48066G	48.48	54.00	-5.52	55.92	3	Horizontal	280	1.13	-	38.46	16.18	62.08

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT_Y_2TX
Setting -12.5(12/500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	63.89	74.00	-10.11	57.95	3	Vertical	358	1.80	-	34.06	6.73	34.85
AV	5.1118G	53.58	54.00	-0.42	47.70	3	Vertical	358	1.80	-	34.02	6.71	34.85
PK	5.2054G	128.11	Inf	-Inf	122.17	3	Vertical	358	1.80	-	34.00	6.80	34.86
AV	5.2066G	114.92	Inf	-Inf	108.98	3	Vertical	358	1.80	-	34.00	6.80	34.86
PK	5.35G	62.33	74.00	-11.67	55.84	3	Vertical	358	1.80	-	34.50	6.87	34.88
AV	5.35G	52.61	54.00	-1.39	46.12	3	Vertical	358	1.80	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT_Y_2TX
Setting -12.5(12/500)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.39	74.00	-8.61	59.39	3	Horizontal	358	1.79	-	34.10	6.75	34.85
AV	5.15G	53.86	54.00	-0.14	47.86	3	Horizontal	358	1.79	-	34.10	6.75	34.85
PK	5.1922G	129.05	Inf	-Inf	123.10	3	Horizontal	358	1.79	-	34.02	6.79	34.86
AV	5.1928G	116.08	Inf	-Inf	110.14	3	Horizontal	358	1.79	-	34.01	6.79	34.86
PK	5.35G	62.42	74.00	-11.58	55.93	3	Horizontal	358	1.79	-	34.50	6.87	34.88
AV	5.35G	52.19	54.00	-1.81	45.70	3	Horizontal	358	1.79	-	34.50	6.87	34.88

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -12.5(12/500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39388G	54.78	68.20	-13.42	70.35	3	Vertical	282	1.29	-	37.89	12.22	65.68
PK	15.60666G	59.16	74.00	-14.84	66.95	3	Vertical	48	2.81	-	38.01	16.31	62.11
AV	15.60628G	48.44	54.00	-5.56	56.23	3	Vertical	48	2.81	-	38.01	16.31	62.11

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -12.5(12/500)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39418G	54.45	68.20	-13.75	70.02	3	Horizontal	223	1.52	-	37.89	12.22	65.68
PK	15.59208G	60.97	74.00	-13.03	68.75	3	Horizontal	310	1.90	-	38.03	16.29	62.10
AV	15.58824G	48.46	54.00	-5.54	56.22	3	Horizontal	310	1.90	-	38.05	16.29	62.10

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1094G	64.54	74.00	-9.46	58.66	3	Vertical	357	1.76	-	34.02	6.71	34.85
AV	5.1078G	53.51	54.00	-0.49	47.63	3	Vertical	357	1.76	-	34.02	6.71	34.85
PK	5.227G	127.22	Inf	-Inf	121.27	3	Vertical	357	1.76	-	34.00	6.81	34.86
AV	5.2262G	114.48	Inf	-Inf	108.53	3	Vertical	357	1.76	-	34.00	6.81	34.86
PK	5.355G	62.42	74.00	-11.58	55.93	3	Vertical	357	1.76	-	34.49	6.88	34.88
AV	5.35G	51.92	54.00	-2.08	45.42	3	Vertical	357	1.76	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	64.33	74.00	-9.67	58.33	3	Horizontal	358	1.80	-	34.10	6.75	34.85
AV	5.1206G	53.92	54.00	-0.08	48.01	3	Horizontal	358	1.80	-	34.04	6.72	34.85
PK	5.235G	126.48	Inf	-Inf	120.52	3	Horizontal	358	1.80	-	34.00	6.82	34.86
AV	5.2254G	114.66	Inf	-Inf	108.71	3	Horizontal	358	1.80	-	34.00	6.81	34.86
PK	5.35G	62.38	74.00	-11.62	55.88	3	Horizontal	358	1.80	-	34.50	6.88	34.88
AV	5.3758G	52.57	54.00	-1.43	46.11	3	Horizontal	358	1.80	-	34.45	6.89	34.88

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45566G	54.36	68.20	-13.84	69.66	3	Vertical	345	1.65	-	37.96	12.25	65.51
PK	15.70458G	60.86	74.00	-13.14	68.55	3	Vertical	315	1.43	-	38.07	16.40	62.16
AV	15.7038G	48.85	54.00	-5.15	56.53	3	Vertical	315	1.43	-	38.08	16.40	62.16

5.15-5.25GHz_QPSK30_30MHz_Nss1_2TX

5235MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4664G	54.42	68.20	-13.78	69.67	3	Horizontal	133	1.80	-	37.97	12.26	65.48
PK	15.71598G	60.42	74.00	-13.58	68.17	3	Horizontal	255	1.96	-	38.00	16.42	62.17
AV	15.69876G	48.87	54.00	-5.13	56.53	3	Horizontal	255	1.96	-	38.10	16.40	62.16

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4968G	64.17	68.20	-4.03	57.47	3	Vertical	3	1.80	-	34.60	7.00	34.90
AV	5.4552G	52.91	54.00	-1.09	46.24	3	Vertical	3	1.80	-	34.60	6.96	34.89
PK	5.732G	124.58	Inf	-Inf	118.22	3	Vertical	3	1.80	-	34.20	7.17	35.01
AV	5.7304G	112.32	Inf	-Inf	105.96	3	Vertical	3	1.80	-	34.20	7.17	35.01
PK	5.925G	63.42	68.20	-4.78	56.71	3	Vertical	3	1.80	-	34.55	7.26	35.10

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3752G	53.55	54.00	-0.45	47.09	3	Horizontal	2	1.80	-	34.45	6.89	34.88
PK	5.6136G	62.82	68.20	-5.38	56.26	3	Horizontal	2	1.80	-	34.40	7.11	34.95
PK	5.74G	120.40	Inf	-Inf	114.05	3	Horizontal	2	1.80	-	34.20	7.17	35.02
AV	5.732G	108.51	Inf	-Inf	102.15	3	Horizontal	2	1.80	-	34.20	7.17	35.01
PK	5.9368G	62.55	68.20	-5.65	55.82	3	Horizontal	2	1.80	-	34.57	7.27	35.11

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49374G	52.86	74.00	-21.14	66.03	3	Vertical	120	1.82	-	38.98	12.82	64.97
AV	11.49212G	41.71	54.00	-12.29	54.88	3	Vertical	120	1.82	-	38.98	12.82	64.97
PK	17.21856G	63.00	68.20	-5.20	67.29	3	Vertical	208	2.38	-	40.59	17.43	62.31

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5740MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49038G	52.81	74.00	-21.19	66.00	3	Horizontal	13	1.37	-	38.97	12.82	64.98
AV	11.49446G	42.00	54.00	-12.00	55.17	3	Horizontal	13	1.37	-	38.98	12.82	64.97
PK	17.21532G	63.52	68.20	-4.68	67.82	3	Horizontal	21	1.99	-	40.58	17.43	62.31

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4936G	64.75	68.20	-3.45	58.06	3	Vertical	2	1.80	-	34.60	6.99	34.90
AV	5.4558G	52.79	54.00	-1.21	46.12	3	Vertical	2	1.80	-	34.60	6.96	34.89
PK	5.796G	124.94	Inf	-Inf	118.49	3	Vertical	2	1.80	-	34.29	7.20	35.04
AV	5.796G	112.42	Inf	-Inf	105.97	3	Vertical	2	1.80	-	34.29	7.20	35.04
PK	5.9364G	62.42	68.20	-5.78	55.69	3	Vertical	2	1.80	-	34.57	7.27	35.11

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3748G	53.79	54.00	-0.21	47.33	3	Horizontal	3.1	1.78	-	34.45	6.89	34.88
PK	5.6304G	63.94	68.20	-4.26	57.38	3	Horizontal	3.1	1.78	-	34.40	7.12	34.96
PK	5.787G	120.85	Inf	-Inf	114.43	3	Horizontal	3.1	1.78	-	34.27	7.19	35.04
AV	5.7942G	108.52	Inf	-Inf	102.07	3	Horizontal	3.1	1.78	-	34.29	7.20	35.04
PK	6.2064G	62.41	68.20	-5.79	54.97	3	Horizontal	3.1	1.78	-	34.90	7.60	35.06

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57772G	53.50	74.00	-20.50	66.40	3	Vertical	54	1.16	-	39.23	12.87	65.00
AV	11.56638G	41.55	54.00	-12.45	54.48	3	Vertical	54	1.16	-	39.20	12.86	64.99
PK	17.35332G	64.03	68.20	-4.17	67.52	3	Vertical	200	1.09	-	41.37	17.51	62.37

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5787MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57964G	53.53	74.00	-20.47	66.42	3	Horizontal	164	2.82	-	39.24	12.87	65.00
AV	11.56398G	41.72	54.00	-12.28	54.66	3	Horizontal	164	2.82	-	39.19	12.86	64.99
PK	17.36406G	64.54	68.20	-3.66	67.94	3	Horizontal	235	2.50	-	41.45	17.52	62.37

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	52.64	54.00	-1.36	45.98	3	Vertical	3	1.75	-	34.60	6.95	34.89
PK	5.629G	64.95	68.20	-3.25	58.40	3	Vertical	3	1.75	-	34.40	7.11	34.96
PK	5.841G	124.90	Inf	-Inf	118.44	3	Vertical	3	1.75	-	34.30	7.22	35.06
AV	5.825G	112.82	Inf	-Inf	106.37	3	Vertical	3	1.75	-	34.30	7.21	35.06
PK	6.201G	63.76	68.20	-4.44	56.32	3	Vertical	3	1.75	-	34.90	7.60	35.06

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.375G	53.78	54.00	-0.22	47.32	3	Horizontal	4	1.80	-	34.45	6.89	34.88
PK	5.551G	63.82	68.20	-4.38	57.09	3	Horizontal	4	1.80	-	34.60	7.05	34.92
PK	5.827G	119.98	Inf	-Inf	113.53	3	Horizontal	4	1.80	-	34.30	7.21	35.06
AV	5.827G	107.79	Inf	-Inf	101.34	3	Horizontal	4	1.80	-	34.30	7.21	35.06
PK	6.045G	63.03	68.20	-5.17	55.99	3	Horizontal	4	1.80	-	34.79	7.37	35.12

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68164G	53.22	74.00	-20.78	65.96	3	Vertical	160	1.80	-	39.38	12.92	65.04
AV	11.67852G	41.41	54.00	-12.59	54.15	3	Vertical	160	1.80	-	39.38	12.92	65.04
PK	17.51154G	66.36	68.20	-1.84	68.69	3	Vertical	347	1.80	-	42.50	17.61	62.44

5.725-5.85GHz_QPSK30_30MHz_Nss1_2TX

5835MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68362G	52.17	74.00	-21.83	64.90	3	Horizontal	118	1.16	-	39.38	12.93	65.04
AV	11.68476G	41.28	54.00	-12.72	54.01	3	Horizontal	118	1.16	-	39.38	12.93	65.04
PK	17.51508G	65.38	68.20	-2.82	67.68	3	Horizontal	37	1.85	-	42.54	17.61	62.45

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
Setting -30(12/18000)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.43	74.00	-3.57	64.43	3	Vertical	358	1.80	-	34.10	6.75	34.85
AV	5.15G	52.25	54.00	-1.75	46.25	3	Vertical	358	1.80	-	34.10	6.75	34.85
PK	5.1864G	109.33	Inf	-Inf	103.37	3	Vertical	358	1.80	-	34.03	6.79	34.86
AV	5.1844G	97.45	Inf	-Inf	91.50	3	Vertical	358	1.80	-	34.03	6.78	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
 Setting -30(12/18000)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.95	74.00	-1.05	66.95	3	Horizontal	360	1.79	-	34.10	6.75	34.85
AV	5.15G	53.79	54.00	-0.21	47.79	3	Horizontal	360	1.79	-	34.10	6.75	34.85
PK	5.1864G	111.66	Inf	-Inf	105.70	3	Horizontal	360	1.79	-	34.03	6.79	34.86
AV	5.1844G	99.68	Inf	-Inf	93.73	3	Horizontal	360	1.79	-	34.03	6.78	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
 Setting -30(12/18000)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33736G	54.24	68.20	-13.96	70.05	3	Vertical	320	1.24	-	37.84	12.19	65.84
PK	15.51324G	60.95	74.00	-13.05	68.45	3	Vertical	180	1.80	-	38.35	16.21	62.06
AV	15.52344G	48.72	54.00	-5.28	56.25	3	Vertical	180	1.80	-	38.31	16.22	62.06

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5170MHz_TX




EUT Y_2TX
Setting -30(12/18000)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33904G	55.15	68.20	-13.05	70.95	3	Horizontal	360	1.80	-	37.84	12.19	65.83
PK	15.51312G	60.50	74.00	-13.50	68.00	3	Horizontal	-0	3.00	-	38.35	16.21	62.06
AV	15.5223G	48.62	54.00	-5.38	56.15	3	Horizontal	-0	3.00	-	38.31	16.22	62.06

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
Setting -16(12/4000)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.59	74.00	-7.41	60.59	3	Vertical	358	1.80	-	34.10	6.75	34.85
AV	5.15G	53.20	54.00	-0.80	47.20	3	Vertical	358	1.80	-	34.10	6.75	34.85
PK	5.2G	124.97	Inf	-Inf	119.03	3	Vertical	358	1.80	-	34.00	6.80	34.86
AV	5.2016G	112.32	Inf	-Inf	106.38	3	Vertical	358	1.80	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting -16(12/4000)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.83	74.00	-7.17	60.83	3	Horizontal	0	1.80	-	34.10	6.75	34.85
AV	5.15G	53.91	54.00	-0.09	47.91	3	Horizontal	0	1.80	-	34.10	6.75	34.85
PK	5.1996G	125.38	Inf	-Inf	119.44	3	Horizontal	0	1.80	-	34.00	6.80	34.86
AV	5.1932G	112.79	Inf	-Inf	106.85	3	Horizontal	0	1.80	-	34.01	6.79	34.86

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
Setting -16(12/4000)
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40648G	54.41	68.20	-13.79	69.93	3	Vertical	107	2.62	-	37.91	12.22	65.65
PK	15.60336G	60.67	74.00	-13.33	68.48	3	Vertical	332	1.25	-	38.00	16.30	62.11
AV	15.604G	48.38	54.00	-5.62	56.19	3	Vertical	332	1.25	-	38.00	16.30	62.11

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
Setting -16(12/4000)
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4105G	55.08	68.20	-13.12	70.58	3	Horizontal	360	1.80	-	37.91	12.23	65.64
PK	15.594G	60.69	74.00	-13.31	68.48	3	Horizontal	255	3.00	-	38.02	16.29	62.10
AV	15.59082G	48.30	54.00	-5.70	56.07	3	Horizontal	255	3.00	-	38.04	16.29	62.10

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT_Y_2TX
 Setting -12(12/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1166G	64.47	74.00	-9.53	58.57	3	Vertical	358	1.80	-	34.03	6.72	34.85
AV	5.1106G	53.33	54.00	-0.67	47.45	3	Vertical	358	1.80	-	34.02	6.71	34.85
PK	5.2156G	127.52	Inf	-Inf	121.57	3	Vertical	358	1.80	-	34.00	6.81	34.86
AV	5.215G	115.64	Inf	-Inf	109.69	3	Vertical	358	1.80	-	34.00	6.81	34.86
PK	5.3512G	61.94	74.00	-12.06	55.44	3	Vertical	358	1.80	-	34.50	6.88	34.88
AV	5.3506G	52.01	54.00	-1.99	45.51	3	Vertical	358	1.80	-	34.50	6.88	34.88

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT_Y_2TX
 Setting -12(12/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	64.44	74.00	-9.56	58.53	3	Horizontal	359	1.80	-	34.04	6.72	34.85
AV	5.149G	53.84	54.00	-0.16	47.84	3	Horizontal	359	1.80	-	34.10	6.75	34.85
PK	5.2162G	128.27	Inf	-Inf	122.32	3	Horizontal	359	1.80	-	34.00	6.81	34.86
AV	5.215G	116.34	Inf	-Inf	110.39	3	Horizontal	359	1.80	-	34.00	6.81	34.86
PK	5.359G	62.96	74.00	-11.04	56.48	3	Horizontal	359	1.80	-	34.48	6.88	34.88
AV	5.3764G	52.91	54.00	-1.09	46.45	3	Horizontal	359	1.80	-	34.45	6.89	34.88

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT Y_2TX
Setting -12(12/0)
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44704G	54.37	68.20	-13.83	69.71	3	Vertical	5	1.80	-	37.95	12.25	65.54
PK	15.69204G	60.61	74.00	-13.39	68.28	3	Vertical	255	1.80	-	38.09	16.39	62.15
AV	15.69756G	48.73	54.00	-5.27	56.39	3	Vertical	255	1.80	-	38.10	16.40	62.16

5.15-5.25GHz_QPSK40_40MHz_Nss1_2TX

5230MHz_TX




EUT Y_2TX
 Setting -12(12/0)
 03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46108G	54.06	68.20	-14.14	69.35	3	Horizontal	5	1.74	-	37.96	12.25	65.50
PK	15.68742G	61.66	74.00	-12.34	69.33	3	Horizontal	-0	1.79	-	38.09	16.39	62.15
AV	15.69282G	48.78	54.00	-5.22	56.45	3	Horizontal	-0	1.79	-	38.09	16.39	62.15

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




EUT_V_2TX
Setting -17(12/5000)
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4279G	64.89	74.00	-9.11	56.93	3	Vertical	0	1.66	-	33.41	7.39	32.84
AV	5.4594G	53.96	54.00	-0.04	45.83	3	Vertical	0	1.66	-	33.56	7.41	32.84
PK	5.5707G	66.16	68.20	-2.04	57.51	3	Vertical	0	1.66	-	34.00	7.50	32.85
PK	5.7555G	127.67	Inf	-Inf	118.81	3	Vertical	0	1.66	-	34.21	7.57	32.92
AV	5.759G	116.27	Inf	-Inf	107.40	3	Vertical	0	1.66	-	34.22	7.57	32.92
PK	5.9375G	65.32	68.20	-2.88	55.43	3	Vertical	0	1.66	-	35.22	7.65	32.98

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




10/11/2023

EUT_V_2TX
Setting -17(12/5000)
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.31	74.00	-11.69	54.23	3	Horizontal	0	1.64	-	33.51	7.41	32.84
AV	5.4335G	51.95	54.00	-2.05	43.96	3	Horizontal	0	1.64	-	33.43	7.40	32.84
PK	5.5343G	64.31	68.20	-3.89	55.74	3	Horizontal	0	1.64	-	33.94	7.47	32.84
PK	5.7562G	123.94	Inf	-Inf	115.08	3	Horizontal	0	1.64	-	34.21	7.57	32.92
AV	5.7562G	112.66	Inf	-Inf	103.80	3	Horizontal	0	1.64	-	34.21	7.57	32.92
PK	5.9277G	64.97	68.20	-3.23	55.14	3	Horizontal	0	1.64	-	35.17	7.64	32.98

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




EUT Y_2TX
 Setting -17(12/5000)
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49309G	54.44	74.00	-19.56	70.17	3	Vertical	128	1.72	-	38.40	10.84	64.97
AV	11.49558G	40.41	54.00	-13.59	56.14	3	Vertical	128	1.72	-	38.40	10.84	64.97
PK	17.24697G	62.51	68.20	-5.69	69.64	3	Vertical	241	1.44	-	41.98	13.21	62.32

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5745MHz_TX




EUT Y_2TX
 Setting -17(12/5000)
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50194G	52.89	74.00	-21.11	68.60	3	Horizontal	71	1.97	-	38.40	10.85	64.96
AV	11.50452G	41.62	54.00	-12.38	57.32	3	Horizontal	71	1.97	-	38.41	10.85	64.96
PK	17.23785G	61.71	68.20	-6.49	68.90	3	Horizontal	290	2.00	-	41.93	13.20	62.32

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5046G	63.83	68.20	-4.37	57.13	3	Vertical	4	1.75	-	34.60	7.00	34.90
AV	5.375G	52.49	54.00	-1.51	46.03	3	Vertical	4	1.75	-	34.45	6.89	34.88
PK	5.7926G	125.64	Inf	-Inf	119.19	3	Vertical	4	1.75	-	34.29	7.20	35.04
AV	5.7894G	115.03	Inf	-Inf	108.60	3	Vertical	4	1.75	-	34.28	7.19	35.04
PK	6.1062G	63.78	68.20	-4.42	56.43	3	Vertical	4	1.75	-	34.99	7.46	35.10

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.375G	53.50	54.00	-0.50	47.04	3	Horizontal	5	1.80	-	34.45	6.89	34.88
PK	5.5542G	62.93	68.20	-5.27	56.23	3	Horizontal	5	1.80	-	34.58	7.05	34.93
PK	5.7894G	119.46	Inf	-Inf	113.03	3	Horizontal	5	1.80	-	34.28	7.19	35.04
AV	5.7862G	108.63	Inf	-Inf	102.21	3	Horizontal	5	1.80	-	34.27	7.19	35.04
PK	6.1462G	61.81	68.20	-6.39	54.46	3	Horizontal	5	1.80	-	34.91	7.52	35.08

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




EUT Y_2TX
 Setting -18(18/0)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54076G	52.79	74.00	-21.21	65.80	3	Vertical	111	1.92	-	39.12	12.85	64.98
AV	11.54058G	40.75	54.00	-13.25	53.76	3	Vertical	111	1.92	-	39.12	12.85	64.98
PK	17.33892G	63.67	68.20	-4.53	67.26	3	Vertical	0	1.80	-	41.27	17.50	62.36
PK	17.33964G	63.86	68.20	-4.34	67.44	3	Vertical	0	1.80	-	41.28	17.50	62.36

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5775MHz_TX




EUT Y_2TX
Setting -18(18/0)
03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55996G	52.91	74.00	-21.09	65.86	3	Horizontal	133	1.80	-	39.18	12.86	64.99
AV	11.53662G	40.79	54.00	-13.21	53.81	3	Horizontal	133	1.80	-	39.11	12.85	64.98
PK	17.33376G	64.36	68.20	-3.84	67.98	3	Horizontal	-0	2.63	-	41.24	17.50	62.36

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	67.99	68.20	-0.21	59.42	3	Vertical	1	1.66	-	33.92	7.53	32.88
PK	5.823G	130.21	Inf	-Inf	121.12	3	Vertical	1	1.66	-	34.44	7.59	32.94
AV	5.8146G	119.25	Inf	-Inf	110.21	3	Vertical	1	1.66	-	34.39	7.59	32.94
PK	5.9539G	65.40	68.20	-2.80	55.42	3	Vertical	1	1.66	-	35.30	7.66	32.98

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX




10/11/2023

EUT Y_2TX
Setting -13.5(12/1500)
01-H-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6396G	67.27	68.20	-0.93	58.70	3	Horizontal	1	1.67	-	33.92	7.53	32.88
PK	5.8188G	127.21	Inf	-Inf	118.15	3	Horizontal	1	1.67	-	34.41	7.59	32.94
AV	5.8146G	116.04	Inf	-Inf	107.00	3	Horizontal	1	1.67	-	34.39	7.59	32.94
PK	5.9252G	65.26	68.20	-2.94	55.44	3	Horizontal	1	1.67	-	35.15	7.64	32.97

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67158G	54.99	74.00	-19.01	70.63	3	Vertical	93	1.48	-	38.46	10.94	65.04
AV	11.65262G	40.96	54.00	-13.04	56.57	3	Vertical	93	1.48	-	38.49	10.93	65.03
PK	17.50008G	63.98	68.20	-4.22	70.72	3	Vertical	0	1.80	-	42.40	13.29	62.43

5.725-5.85GHz_QPSK40_40MHz_Nss1_2TX

5830MHz_TX



EUT Y_2TX
 Setting -13.5(12/1500)
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64779G	53.69	74.00	-20.31	69.29	3	Horizontal	260	1.66	-	38.50	10.93	65.03
AV	11.66294G	41.48	54.00	-12.52	57.11	3	Horizontal	260	1.66	-	38.47	10.93	65.03
PK	17.48517G	63.83	68.20	-4.37	70.54	3	Horizontal	305	1.67	-	42.43	13.28	62.42




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
QPSK20+20_20MHz_Nss1_2TX	Pass	AV	5.1468G	53.84	54.00	-0.16	3	Horizontal	354	1.80	-

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
Setting -15(12/3000)
01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1338G	65.21	74.00	-8.79	59.04	3	Vertical	352	1.80	-	33.10	5.97	32.90
AV	5.1446G	52.29	54.00	-1.71	46.12	3	Vertical	352	1.80	-	33.10	5.97	32.90
PK	5.1836G	117.55	Inf	-Inf	111.28	3	Vertical	353	1.80	-	33.17	5.99	32.89
AV	5.188G	102.52	Inf	-Inf	96.24	3	Vertical	353	1.80	-	33.18	5.99	32.89

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.94	74.00	-7.06	60.77	3	Horizontal	354	1.80	-	33.10	5.97	32.90
AV	5.1468G	53.84	54.00	-0.16	47.67	3	Horizontal	354	1.80	-	33.10	5.97	32.90
PK	5.1834G	119.22	Inf	-Inf	112.95	3	Horizontal	353	1.80	-	33.17	5.99	32.89
AV	5.188G	104.23	Inf	-Inf	97.95	3	Horizontal	353	1.80	-	33.18	5.99	32.89

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35544G	52.92	68.20	-15.28	48.79	3	Vertical	54	1.46	-	38.71	8.44	43.02
PK	15.54906G	54.62	74.00	-19.38	48.15	3	Vertical	201	1.33	-	38.50	10.52	42.55
AV	15.55065G	41.91	54.00	-12.09	35.44	3	Vertical	201	1.33	-	38.50	10.52	42.55

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35124G	53.37	68.20	-14.83	49.25	3	Horizontal	317	1.67	-	38.70	8.44	43.02
PK	15.52554G	55.12	74.00	-18.88	48.64	3	Horizontal	51	1.73	-	38.55	10.51	42.58
AV	15.53343G	41.80	54.00	-12.20	35.33	3	Horizontal	51	1.73	-	38.53	10.51	42.57

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	65.85	74.00	-8.15	59.68	3	Vertical	353	1.80	-	33.10	5.97	32.90
AV	5.1374G	51.94	54.00	-2.06	45.77	3	Vertical	353	1.80	-	33.10	5.97	32.90
PK	5.2234G	118.16	Inf	-Inf	111.79	3	Vertical	353	1.80	-	33.25	6.01	32.89
AV	5.2258G	103.09	Inf	-Inf	96.71	3	Vertical	353	1.80	-	33.25	6.01	32.88

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT_Y_2TX
 Setting -15(12/3000)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	67.29	74.00	-6.71	61.12	3	Horizontal	356	1.80	-	33.10	5.97	32.90
AV	5.1388G	53.39	54.00	-0.61	47.22	3	Horizontal	356	1.80	-	33.10	5.97	32.90
PK	5.2234G	118.69	Inf	-Inf	112.32	3	Horizontal	356	1.80	-	33.25	6.01	32.89
AV	5.2166G	103.50	Inf	-Inf	97.15	3	Horizontal	356	1.80	-	33.23	6.01	32.89

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42815G	53.51	68.20	-14.69	49.27	3	Vertical	34	1.64	-	38.80	8.47	43.03
PK	15.66126G	54.63	74.00	-19.37	48.15	3	Vertical	302	1.98	-	38.34	10.56	42.42
AV	15.66618G	41.83	54.00	-12.17	35.35	3	Vertical	302	1.98	-	38.33	10.57	42.42

5.15-5.25GHz_QPSK20+20_20MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42767G	52.70	68.20	-15.50	48.46	3	Horizontal	218	1.46	-	38.80	8.47	43.03
PK	15.66468G	54.54	74.00	-19.46	48.05	3	Horizontal	343	1.30	-	38.34	10.57	42.42
AV	15.66411G	41.90	54.00	-12.10	35.41	3	Horizontal	343	1.30	-	38.34	10.57	42.42

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5535G	66.63	68.20	-1.57	59.19	3	Vertical	358.1	1.80	-	34.11	6.18	32.85
PK	5.7585G	123.95	Inf	-Inf	116.07	3	Vertical	358.1	1.80	-	34.52	6.28	32.92
AV	5.762G	108.76	Inf	-Inf	100.88	3	Vertical	358.1	1.80	-	34.52	6.28	32.92
PK	5.9275G	64.75	68.20	-3.45	55.96	3	Vertical	358.1	1.80	-	35.41	6.36	32.98

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




26/09/2023

EUT Y_2TX
Setting -15(12/3000)
01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6075G	65.28	68.20	-2.92	57.65	3	Horizontal	359	1.80	-	34.30	6.20	32.87
PK	5.7585G	121.70	Inf	-Inf	113.82	3	Horizontal	359	1.80	-	34.52	6.28	32.92
AV	5.7595G	106.51	Inf	-Inf	98.63	3	Horizontal	359	1.80	-	34.52	6.28	32.92
PK	5.9565G	64.04	68.20	-4.16	55.15	3	Horizontal	359	1.80	-	35.50	6.38	32.99

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5094G	53.57	74.00	-20.43	49.17	3	Vertical	184	1.38	-	38.80	8.90	43.30
AV	11.52392G	40.17	54.00	-13.83	35.76	3	Vertical	184	1.38	-	38.80	8.91	43.30
PK	17.27136G	59.40	68.20	-8.80	48.02	3	Vertical	84	1.48	-	42.19	11.21	42.02

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49743G	54.02	74.00	-19.98	49.62	3	Horizontal	230	1.75	-	38.80	8.90	43.30
AV	11.52065G	40.17	54.00	-13.83	35.76	3	Horizontal	230	1.75	-	38.80	8.91	43.30
PK	17.27085G	59.90	68.20	-8.30	48.53	3	Horizontal	181	1.61	-	42.18	11.21	42.02

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5265G	67.88	68.20	-0.32	60.46	3	Vertical	359	1.80	-	34.10	6.16	32.84
PK	5.79G	124.64	Inf	-Inf	116.70	3	Vertical	359	1.80	-	34.58	6.29	32.93
AV	5.7895G	109.67	Inf	-Inf	101.73	3	Vertical	359	1.80	-	34.58	6.29	32.93
PK	5.9345G	65.75	68.20	-2.45	56.92	3	Vertical	359	1.80	-	35.44	6.37	32.98

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6275G	65.35	68.20	-2.85	57.71	3	Horizontal	359	1.80	-	34.30	6.21	32.87
PK	5.792G	121.41	Inf	-Inf	113.46	3	Horizontal	359	1.80	-	34.58	6.30	32.93
AV	5.7875G	106.61	Inf	-Inf	98.67	3	Horizontal	359	1.80	-	34.58	6.29	32.93
PK	5.937G	64.37	68.20	-3.83	55.53	3	Horizontal	359	1.80	-	35.45	6.37	32.98

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57914G	52.99	74.00	-21.01	48.55	3	Vertical	308	1.53	-	38.80	8.93	43.29
AV	11.60119G	40.29	54.00	-13.71	35.83	3	Vertical	308	1.53	-	38.80	8.94	43.28
PK	17.38995G	59.60	68.20	-8.60	47.77	3	Vertical	182	1.67	-	42.57	11.26	42.00

5.725-5.85GHz_QPSK20+20_20MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -15(12/3000)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59876G	53.39	74.00	-20.61	48.93	3	Horizontal	209	1.47	-	38.80	8.94	43.28
AV	11.58436G	40.10	54.00	-13.90	35.66	3	Horizontal	209	1.47	-	38.80	8.93	43.29
PK	17.37423G	59.90	68.20	-8.30	48.13	3	Horizontal	209	1.51	-	42.52	11.25	42.00

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
Setting -13.5(12/1500)
01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	65.43	74.00	-8.57	59.26	3	Vertical	354	1.80	-	33.10	5.97	32.90
AV	5.1384G	52.29	54.00	-1.71	46.12	3	Vertical	354	1.80	-	33.10	5.97	32.90
PK	5.1882G	114.85	Inf	-Inf	108.57	3	Vertical	354	1.80	-	33.18	5.99	32.89
AV	5.1886G	100.40	Inf	-Inf	94.12	3	Vertical	354	1.80	-	33.18	5.99	32.89

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.04	74.00	-7.96	59.87	3	Horizontal	356	1.80	-	33.10	5.97	32.90
AV	5.1436G	53.59	54.00	-0.41	47.42	3	Horizontal	356	1.80	-	33.10	5.97	32.90
PK	5.1882G	116.19	Inf	-Inf	109.91	3	Horizontal	356	1.80	-	33.18	5.99	32.89
AV	5.1886G	101.56	Inf	-Inf	95.28	3	Horizontal	356	1.80	-	33.18	5.99	32.89

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36975G	52.37	68.20	-15.83	48.20	3	Vertical	135	1.41	-	38.74	8.45	43.02
PK	15.52728G	54.60	74.00	-19.40	48.12	3	Vertical	61	1.62	-	38.55	10.51	42.58
AV	15.52659G	41.86	54.00	-12.14	35.38	3	Vertical	61	1.62	-	38.55	10.51	42.58

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

#5180MHz,5220MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34623G	52.83	68.20	-15.37	48.72	3	Horizontal	229	1.83	-	38.69	8.44	43.02
PK	15.5418G	54.49	74.00	-19.51	48.01	3	Horizontal	58	2.00	-	38.52	10.52	42.56
AV	15.54414G	41.89	54.00	-12.11	35.42	3	Horizontal	58	2.00	-	38.51	10.52	42.56

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	65.02	74.00	-8.98	58.85	3	Vertical	354	1.80	-	33.10	5.97	32.90
AV	5.139G	52.29	54.00	-1.71	46.12	3	Vertical	354	1.80	-	33.10	5.97	32.90
PK	5.2252G	115.51	Inf	-Inf	109.13	3	Vertical	354	1.80	-	33.25	6.01	32.88
AV	5.2266G	100.86	Inf	-Inf	94.48	3	Vertical	354	1.80	-	33.25	6.01	32.88

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	64.67	74.00	-9.33	58.50	3	Horizontal	353	1.80	-	33.10	5.97	32.90
AV	5.1498G	52.23	54.00	-1.77	46.06	3	Horizontal	353	1.80	-	33.10	5.97	32.90
PK	5.2282G	116.17	Inf	-Inf	109.78	3	Horizontal	353	1.80	-	33.26	6.01	32.88
AV	5.2288G	101.65	Inf	-Inf	95.26	3	Horizontal	353	1.80	-	33.26	6.01	32.88

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43058G	53.21	68.20	-14.99	48.97	3	Vertical	295	1.38	-	38.80	8.47	43.03
PK	15.66918G	54.54	74.00	-19.46	48.05	3	Vertical	39	1.91	-	38.33	10.57	42.41
AV	15.66762G	41.95	54.00	-12.05	35.47	3	Vertical	39	1.91	-	38.33	10.57	42.42

5.15-5.25GHz_QPSK30+30_30MHz_Nss1_2TX

5180MHz,#5220MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43382G	53.76	68.20	-14.44	49.52	3	Horizontal	296	1.30	-	38.80	8.47	43.03
PK	15.66228G	54.56	74.00	-19.44	48.08	3	Horizontal	353	1.30	-	38.34	10.56	42.42
AV	15.66801G	41.95	54.00	-12.05	35.47	3	Horizontal	353	1.30	-	38.33	10.57	42.42

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.54G	67.19	68.20	-1.01	59.76	3	Vertical	359	1.80	-	34.10	6.17	32.84
PK	5.931G	65.52	68.20	-2.68	56.71	3	Vertical	359	1.80	-	35.42	6.37	32.98
PK	5.7605G	119.97	Inf	-Inf	112.09	3	Vertical	359	1.80	-	34.52	6.28	32.92
AV	5.7615G	105.45	Inf	-Inf	97.57	3	Vertical	359	1.80	-	34.52	6.28	32.92

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6215G	65.58	68.20	-2.62	57.94	3	Horizontal	358	1.80	-	34.30	6.21	32.87
PK	5.9275G	64.52	68.20	-3.68	55.73	3	Horizontal	358	1.80	-	35.41	6.36	32.98
PK	5.7635G	117.14	Inf	-Inf	109.25	3	Horizontal	358	1.80	-	34.53	6.28	32.92
AV	5.7645G	102.69	Inf	-Inf	94.80	3	Horizontal	358	1.80	-	34.53	6.28	32.92

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50145G	53.06	74.00	-20.94	48.66	3	Vertical	105	1.73	-	38.80	8.90	43.30
AV	11.51723G	40.18	54.00	-13.82	35.77	3	Vertical	105	1.73	-	38.80	8.91	43.30
PK	17.277G	59.86	68.20	-8.34	48.46	3	Vertical	106	1.45	-	42.21	11.21	42.02

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

#5755MHz,5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50922G	53.34	74.00	-20.66	48.94	3	Horizontal	129	1.66	-	38.80	8.90	43.30
AV	11.5235G	40.25	54.00	-13.75	35.84	3	Horizontal	129	1.66	-	38.80	8.91	43.30
PK	17.27331G	59.36	68.20	-8.84	47.98	3	Horizontal	119	1.32	-	42.19	11.21	42.02

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.535G	66.37	68.20	-1.83	58.94	3	Vertical	360	1.80	-	34.10	6.17	32.84
PK	5.787G	119.80	Inf	-Inf	111.87	3	Vertical	360	1.80	-	34.57	6.29	32.93
AV	5.788G	105.18	Inf	-Inf	97.24	3	Vertical	360	1.80	-	34.58	6.29	32.93
PK	5.942G	65.00	68.20	-3.20	56.14	3	Vertical	360	1.80	-	35.47	6.37	32.98

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5965G	65.33	68.20	-2.87	57.70	3	Horizontal	360	1.80	-	34.29	6.20	32.86
PK	5.787G	117.60	Inf	-Inf	109.67	3	Horizontal	360	1.80	-	34.57	6.29	32.93
AV	5.746G	102.98	Inf	-Inf	95.12	3	Horizontal	360	1.80	-	34.50	6.27	32.91
PK	5.934G	64.01	68.20	-4.19	55.18	3	Horizontal	360	1.80	-	35.44	6.37	32.98

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59237G	53.39	74.00	-20.61	48.94	3	Vertical	246	1.87	-	38.80	8.94	43.29
AV	11.60164G	40.23	54.00	-13.77	35.77	3	Vertical	246	1.87	-	38.80	8.94	43.28
PK	17.3964G	61.15	68.20	-7.05	49.29	3	Vertical	331	1.70	-	42.59	11.26	41.99

5.725-5.85GHz_QPSK30+30_30MHz_Nss1_2TX

5755MHz,#5795MHz_TX




EUT Y_2TX
 Setting -13.5(12/1500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5822G	52.89	74.00	-21.11	48.45	3	Horizontal	285	1.84	-	38.80	8.93	43.29
AV	11.59285G	40.52	54.00	-13.48	36.07	3	Horizontal	285	1.84	-	38.80	8.94	43.29
PK	17.39694G	60.28	68.20	-7.92	48.42	3	Horizontal	308	1.91	-	42.59	11.26	41.99

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1226G	65.17	74.00	-8.83	59.02	3	Vertical	352	1.80	-	33.10	5.96	32.91
AV	5.1364G	51.96	54.00	-2.04	45.79	3	Vertical	352	1.80	-	33.10	5.97	32.90
PK	5.1638G	114.13	Inf	-Inf	107.92	3	Vertical	352	1.80	-	33.13	5.98	32.90
AV	5.1598G	100.77	Inf	-Inf	94.57	3	Vertical	352	1.80	-	33.12	5.98	32.90

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	66.78	74.00	-7.22	60.61	3	Horizontal	354	1.80	-	33.10	5.97	32.90
AV	5.1396G	53.72	54.00	-0.28	47.55	3	Horizontal	354	1.80	-	33.10	5.97	32.90
AV	5.1894G	102.42	Inf	-Inf	96.14	3	Horizontal	354	1.80	-	33.18	5.99	32.89
PK	5.1862G	115.90	Inf	-Inf	109.63	3	Horizontal	354	1.80	-	33.17	5.99	32.89

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34586G	52.77	68.20	-15.43	48.66	3	Vertical	346	1.59	-	38.69	8.44	43.02
PK	15.52563G	55.21	74.00	-18.79	48.73	3	Vertical	205	1.67	-	38.55	10.51	42.58
AV	15.51471G	42.07	54.00	-11.93	35.58	3	Vertical	205	1.67	-	38.57	10.51	42.59

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

#5175MHz,5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.33788G	53.16	68.20	-15.04	49.06	3	Horizontal	95	1.47	-	38.68	8.44	43.02
PK	15.53031G	55.21	74.00	-18.79	48.73	3	Horizontal	221	2.00	-	38.54	10.51	42.57
AV	15.53826G	42.03	54.00	-11.97	35.56	3	Horizontal	221	2.00	-	38.52	10.52	42.57

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	65.56	74.00	-8.44	59.39	3	Vertical	353	1.80	-	33.10	5.97	32.90
AV	5.1386G	52.44	54.00	-1.56	46.27	3	Vertical	353	1.80	-	33.10	5.97	32.90
PK	5.225G	114.67	Inf	-Inf	108.29	3	Vertical	353	1.80	-	33.25	6.01	32.88
AV	5.2366G	101.22	Inf	-Inf	94.81	3	Vertical	353	1.80	-	33.27	6.02	32.88

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	65.46	74.00	-8.54	59.29	3	Horizontal	353	1.80	-	33.10	5.97	32.90
AV	5.1408G	52.59	54.00	-1.41	46.42	3	Horizontal	353	1.80	-	33.10	5.97	32.90
PK	5.2354G	115.45	Inf	-Inf	109.04	3	Horizontal	353	1.80	-	33.27	6.02	32.88
AV	5.2394G	101.96	Inf	-Inf	95.54	3	Horizontal	353	1.80	-	33.28	6.02	32.88

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4437G	53.01	68.20	-15.19	48.76	3	Vertical	69	1.54	-	38.80	8.48	43.03
PK	15.6681G	55.70	74.00	-18.30	49.22	3	Vertical	262	1.73	-	38.33	10.57	42.42
AV	15.66549G	41.96	54.00	-12.04	35.48	3	Vertical	262	1.73	-	38.33	10.57	42.42

5.15-5.25GHz_QPSK40+40_40MHz_Nss1_2TX

5175MHz,#5225MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45846G	52.98	68.20	-15.22	48.74	3	Horizontal	305	1.36	-	38.80	8.48	43.04
PK	15.6723G	55.25	74.00	-18.75	48.76	3	Horizontal	122	1.73	-	38.33	10.57	42.41
AV	15.66708G	42.12	54.00	-11.88	35.64	3	Horizontal	122	1.73	-	38.33	10.57	42.42

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6235G	66.66	68.20	-1.54	59.02	3	Vertical	359	1.80	-	34.30	6.21	32.87
PK	5.739G	120.36	Inf	-Inf	112.50	3	Vertical	359	1.80	-	34.50	6.27	32.91
AV	5.735G	106.90	Inf	-Inf	99.04	3	Vertical	359	1.80	-	34.50	6.27	32.91
PK	5.9255G	65.03	68.20	-3.17	56.24	3	Vertical	359	1.80	-	35.40	6.36	32.97

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6025G	65.22	68.20	-2.98	57.58	3	Horizontal	359	1.80	-	34.30	6.20	32.86
PK	5.739G	117.66	Inf	-Inf	109.80	3	Horizontal	359	1.80	-	34.50	6.27	32.91
AV	5.735G	104.21	Inf	-Inf	96.35	3	Horizontal	359	1.80	-	34.50	6.27	32.91
PK	5.9265G	64.28	68.20	-3.92	55.49	3	Horizontal	359	1.80	-	35.41	6.36	32.98

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49406G	52.79	74.00	-21.21	48.39	3	Vertical	220	1.38	-	38.80	8.90	43.30
AV	11.50645G	40.45	54.00	-13.55	36.05	3	Vertical	220	1.38	-	38.80	8.90	43.30
PK	17.25354G	59.90	68.20	-8.30	48.62	3	Vertical	349	1.87	-	42.11	11.20	42.03

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

#5750MHz,5800MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49145G	53.43	74.00	-20.57	49.03	3	Horizontal	219	1.50	-	38.80	8.90	43.30
AV	11.50906G	40.40	54.00	-13.60	36.00	3	Horizontal	219	1.50	-	38.80	8.90	43.30
PK	17.2572G	59.75	68.20	-8.45	48.45	3	Horizontal	121	1.50	-	42.13	11.20	42.03

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.534G	67.42	68.20	-0.78	59.99	3	Vertical	359	1.80	-	34.10	6.17	32.84
PK	5.789G	120.36	Inf	-Inf	112.42	3	Vertical	359	1.80	-	34.58	6.29	32.93
AV	5.789G	106.86	Inf	-Inf	98.92	3	Vertical	359	1.80	-	34.58	6.29	32.93
PK	5.946G	65.61	68.20	-2.59	56.74	3	Vertical	359	1.80	-	35.48	6.37	32.98

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	66.35	68.20	-1.85	58.71	3	Horizontal	359	1.80	-	34.30	6.21	32.87
PK	5.789G	117.46	Inf	-Inf	109.52	3	Horizontal	359	1.80	-	34.58	6.29	32.93
AV	5.788G	103.92	Inf	-Inf	95.98	3	Horizontal	359	1.80	-	34.58	6.29	32.93
PK	5.966G	63.97	68.20	-4.23	55.08	3	Horizontal	359	1.80	-	35.50	6.38	32.99

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX




EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.61735G	53.76	74.00	-20.24	49.27	3	Vertical	70	1.36	-	38.82	8.95	43.28
AV	11.60345G	40.90	54.00	-13.10	36.44	3	Vertical	70	1.36	-	38.80	8.94	43.28
PK	17.4249G	61.12	68.20	-7.08	49.26	3	Vertical	325	1.52	-	42.58	11.27	41.99

5.725-5.85GHz_QPSK40+40_40MHz_Nss1_2TX

5750MHz,#5800MHz_TX



EUT Y_2TX
 Setting -14.5(12/2500)
 01-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58554G	54.21	74.00	-19.79	49.77	3	Horizontal	13	1.80	-	38.80	8.93	43.29
AV	11.58794G	40.71	54.00	-13.29	36.26	3	Horizontal	13	1.80	-	38.80	8.94	43.29
PK	17.40501G	61.42	68.20	-6.78	49.56	3	Horizontal	276	1.57	-	42.59	11.26	41.99




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
QPSK5_5MHz_Nss1_2TX	Pass	RMS	5.1495G	53.90	54.00	-0.10	3	Horizontal	342	2.30	BP 1MHz

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	65.21	74.00	-8.79	59.21	3	Vertical	347	1.56	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	52.04	54.00	-1.96	46.04	3	Vertical	347	1.56	BP 1MHz	34.10	6.75	34.85
PK	5.15733G	108.82	Inf	-Inf	102.82	3	Vertical	347	1.56	-	34.09	6.76	34.85
RMS	5.15515G	96.78	Inf	-Inf	90.78	3	Vertical	347	1.56	-	34.09	6.76	34.85

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	67.97	74.00	-6.03	61.97	3	Horizontal	342	2.30	BP 1MHz	34.10	6.75	34.85
RMS	5.1495G	53.90	54.00	-0.10	47.90	3	Horizontal	342	2.30	BP 1MHz	34.10	6.75	34.85
PK	5.15733G	112.94	Inf	-Inf	106.94	3	Horizontal	342	2.30	-	34.09	6.76	34.85
RMS	5.15745G	100.95	Inf	-Inf	94.95	3	Horizontal	342	2.30	-	34.09	6.76	34.85

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.32238G	55.46	68.20	-12.74	71.34	3	Vertical	253	2.15	-	37.82	12.18	65.88
PK	15.47664G	60.72	74.00	-13.28	68.15	3	Vertical	113	1.87	-	38.47	16.18	62.08
AV	15.47594G	48.95	54.00	-5.05	56.38	3	Vertical	113	1.87	-	38.47	16.18	62.08

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5156MHz_TX




EUT Y_2TX
 Setting -10(0/10000)
 03-L-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.31434G	54.53	68.20	-13.67	70.45	3	Horizontal	10	1.17	-	37.81	12.17	65.90
PK	15.46338G	61.04	74.00	-12.96	68.47	3	Horizontal	334	2.47	-	38.51	16.16	62.10
AV	15.45546G	48.97	54.00	-5.03	56.39	3	Horizontal	334	2.47	-	38.53	16.16	62.11

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX




EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	59.77	74.00	-14.23	53.88	3	Vertical	346	1.67	-	34.03	6.71	34.85
AV	5.1332G	49.48	54.00	-4.52	43.53	3	Vertical	346	1.67	-	34.07	6.73	34.85
PK	5.2016G	120.62	Inf	-Inf	114.68	3	Vertical	346	1.67	-	34.00	6.80	34.86
AV	5.2012G	111.44	Inf	-Inf	105.50	3	Vertical	346	1.67	-	34.00	6.80	34.86

5.15-5.25GHz_QPSK5_5MHz_Nss1_2TX

5200MHz_TX



EUT Y_2TX
 Setting 0(0/0)
 03-L-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	60.93	74.00	-13.07	54.93	3	Horizontal	342	2.44	-	34.10	6.75	34.85
AV	5.1324G	50.03	54.00	-3.97	44.09	3	Horizontal	342	2.44	-	34.06	6.73	34.85
PK	5.202G	125.90	Inf	-Inf	119.96	3	Horizontal	342	2.44	-	34.00	6.80	34.86
AV	5.2016G	116.41	Inf	-Inf	110.47	3	Horizontal	342	2.44	-	34.00	6.80	34.86