


6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30776G	46.65	83.54	-36.89	41.09	1	Horizontal	62	1.48	-	37.97	18.96	51.37
AV	19.30066G	33.82	63.54	-29.72	28.22	1	Horizontal	62	1.48	-	38.00	18.96	51.36

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
 Setting 15
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96025G	55.95	88.20	-32.25	69.31	3	Vertical	308	2.41	-	39.62	11.48	64.46
RMS	12.94515G	43.19	68.20	-25.01	56.59	3	Vertical	308	2.41	-	39.58	11.48	64.46

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
 Setting 15
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9592G	56.38	88.20	-31.82	69.74	3	Horizontal	121	1.20	-	39.62	11.48	64.46
RMS	12.9596G	43.04	68.20	-25.16	56.40	3	Horizontal	121	1.20	-	39.62	11.48	64.46

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42986G	46.65	83.54	-36.89	41.31	1	Vertical	137	1.81	-	37.88	18.98	51.52
AV	19.42238G	33.80	63.54	-29.74	28.42	1	Vertical	137	1.81	-	37.91	18.98	51.51

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42732G	45.59	83.54	-37.95	40.23	1	Horizontal	21	1.59	-	37.89	18.98	51.51
AV	19.42286G	33.81	63.54	-29.73	28.43	1	Horizontal	21	1.59	-	37.91	18.98	51.51

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
 Setting 15
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04335G	55.72	88.20	-32.48	68.90	3	Vertical	350	1.80	-	39.70	11.52	64.40
RMS	13.0053G	42.91	68.20	-25.29	56.15	3	Vertical	350	1.80	-	39.70	11.50	64.44

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 15
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0093G	55.61	88.20	-32.59	68.85	3	Horizontal	220	2.23	-	39.70	11.50	64.44
RMS	13.00525G	42.94	68.20	-25.26	56.18	3	Horizontal	220	2.23	-	39.70	11.50	64.44

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54428G	46.68	83.54	-36.86	41.22	1	Vertical	206	1.55	-	38.09	19.01	51.64
AV	19.54078G	34.14	63.54	-29.40	28.68	1	Vertical	206	1.55	-	38.08	19.01	51.63

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5496G	46.72	83.54	-36.82	41.25	1	Horizontal	33	1.99	-	38.10	19.01	51.64
AV	19.54912G	34.01	63.54	-29.53	28.54	1	Horizontal	33	1.99	-	38.10	19.01	51.64

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
 Setting 17
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07066G	54.84	88.20	-33.36	67.97	3	Vertical	142	1.01	-	39.70	11.53	64.36
RMS	13.07447G	42.68	68.20	-25.52	55.81	3	Vertical	142	1.01	-	39.70	11.53	64.36

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 17
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07939G	55.45	88.20	-32.75	68.57	3	Horizontal	289	2.53	-	39.70	11.53	64.35
RMS	13.08416G	42.72	68.20	-25.48	55.84	3	Horizontal	289	2.53	-	39.70	11.53	64.35

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54098G	46.46	83.54	-37.08	41.00	1	Vertical	100	1.83	-	38.08	19.01	51.63
AV	19.54006G	33.99	63.54	-29.55	28.53	1	Vertical	100	1.83	-	38.08	19.01	51.63

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54678G	45.88	83.54	-37.66	40.42	1	Horizontal	102	1.51	-	38.09	19.01	51.64
AV	19.54768G	33.97	63.54	-29.57	28.50	1	Horizontal	102	1.51	-	38.10	19.01	51.64

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 17
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38184G	55.31	74.00	-18.69	67.44	3	Vertical	119	2.98	-	40.20	11.65	63.98
AV	13.37533G	43.23	54.00	-10.77	55.38	3	Vertical	119	2.98	-	40.20	11.64	63.99

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 17
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37641G	56.21	74.00	-17.79	68.36	3	Horizontal	254	1.52	-	40.20	11.64	63.99
AV	13.39408G	43.34	54.00	-10.66	55.46	3	Horizontal	254	1.52	-	40.20	11.65	63.97

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08874G	45.32	83.54	-38.22	40.34	1	Vertical	296	1.84	-	37.85	19.13	52.00
AV	20.08334G	33.86	63.54	-29.68	28.90	1	Vertical	296	1.84	-	37.83	19.13	52.00

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08808G	45.91	83.54	-37.63	40.93	1	Horizontal	27	1.80	-	37.85	19.13	52.00
AV	20.08598G	33.69	63.54	-29.85	28.72	1	Horizontal	27	1.80	-	37.84	19.13	52.00

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75996G	56.65	88.20	-31.55	67.88	3	Vertical	243	1.28	-	40.70	11.79	63.72
RMS	13.76086G	44.32	68.20	-23.88	55.55	3	Vertical	243	1.28	-	40.70	11.79	63.72

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73902G	56.68	88.20	-31.52	67.97	3	Horizontal	69	2.24	-	40.66	11.78	63.73
RMS	13.76224G	44.23	68.20	-23.97	55.46	3	Horizontal	69	2.24	-	40.70	11.79	63.72

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62204G	46.28	83.54	-37.26	41.04	1	Vertical	224	2.00	-	37.96	19.33	52.05
AV	20.62554G	33.82	63.54	-29.72	28.59	1	Vertical	224	2.00	-	37.95	19.33	52.05

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62562G	46.19	83.54	-37.35	40.96	1	Horizontal	224	1.89	-	37.95	19.33	52.05
AV	20.62528G	33.79	63.54	-29.75	28.56	1	Horizontal	224	1.89	-	37.95	19.33	52.05

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78828G	56.86	88.20	-31.34	68.07	3	Vertical	61	1.47	-	40.70	11.80	63.71
RMS	13.7927G	44.24	68.20	-23.96	55.45	3	Vertical	61	1.47	-	40.70	11.80	63.71

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78846G	56.63	88.20	-31.57	67.84	3	Horizontal	337	1.40	-	40.70	11.80	63.71
RMS	13.788G	44.46	68.20	-23.74	55.67	3	Horizontal	337	1.40	-	40.70	11.80	63.71

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68628G	46.24	83.54	-37.30	41.06	1	Vertical	339	1.94	-	37.90	19.35	52.07
AV	20.68764G	33.70	63.54	-29.84	28.53	1	Vertical	339	1.94	-	37.90	19.35	52.08

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68332G	44.90	83.54	-38.64	39.72	1	Horizontal	166	1.88	-	37.90	19.35	52.07
AV	20.68622G	33.65	63.54	-29.89	28.47	1	Horizontal	166	1.88	-	37.90	19.35	52.07

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99347G	56.60	88.20	-31.60	67.44	3	Vertical	233	2.45	-	40.89	11.88	63.61
RMS	13.9852G	44.70	68.20	-23.50	55.58	3	Vertical	233	2.45	-	40.87	11.87	63.62

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98754G	56.99	88.20	-31.21	67.85	3	Horizontal	23	1.72	-	40.88	11.88	63.62
RMS	13.99269G	44.67	68.20	-23.53	55.51	3	Horizontal	23	1.72	-	40.89	11.88	63.61

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98124G	46.38	83.54	-37.16	41.13	1	Vertical	145	1.98	-	37.98	19.46	52.19
AV	20.98188G	34.02	63.54	-29.52	28.78	1	Vertical	145	1.98	-	37.97	19.46	52.19

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 14
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9873G	45.51	83.54	-38.03	40.28	1	Horizontal	114	1.58	-	37.95	19.47	52.19
AV	20.98534G	34.05	63.54	-29.49	28.82	1	Horizontal	114	1.58	-	37.96	19.46	52.19

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1032G	120.64	Inf	-Inf	108.54	3	Vertical	35	2.18	-	36.62	8.52	33.04
RMS	7.1036G	111.24	Inf	-Inf	99.14	3	Vertical	35	2.18	-	36.62	8.52	33.04
PK	7.1258G	82.36	88.20	-5.84	70.14	3	Vertical	35	2.18	-	36.75	8.52	33.05
RMS	7.1252G	65.92	68.20	-2.28	53.70	3	Vertical	35	2.18	-	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0866G	114.68	Inf	-Inf	102.59	3	Horizontal	338	2.40	-	36.60	8.53	33.04
RMS	7.0866G	104.92	Inf	-Inf	92.83	3	Horizontal	338	2.40	-	36.60	8.53	33.04
PK	7.128G	72.79	88.20	-15.41	60.55	3	Horizontal	338	2.40	-	36.77	8.52	33.05
RMS	7.125G	59.29	68.20	-8.91	47.07	3	Horizontal	338	2.40	-	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19327G	56.69	88.20	-31.51	67.18	3	Vertical	276	2.37	-	40.71	11.97	63.17
RMS	14.18789G	44.58	68.20	-23.62	55.07	3	Vertical	276	2.37	-	40.72	11.97	63.18

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18529G	56.91	88.20	-31.29	67.40	3	Horizontal	174	1.47	-	40.73	11.97	63.19
RMS	14.18753G	44.59	68.20	-23.61	55.08	3	Horizontal	174	1.47	-	40.72	11.97	63.18

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28814G	45.55	83.54	-37.99	39.86	1	Vertical	301	1.43	-	38.31	19.58	52.20
AV	21.28316G	34.09	63.54	-29.45	28.45	1	Vertical	301	1.43	-	38.27	19.57	52.20

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28652G	46.31	83.54	-37.23	40.64	1	Horizontal	353	1.38	-	38.29	19.58	52.20
AV	21.28584G	34.02	63.54	-29.52	28.35	1	Horizontal	353	1.38	-	38.29	19.58	52.20

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 13
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22765G	58.13	88.20	-30.07	68.60	3	Vertical	209	1.48	-	40.64	11.98	63.09
RMS	14.22664G	45.01	68.20	-23.19	55.47	3	Vertical	209	1.48	-	40.65	11.98	63.09

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 13
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23345G	56.88	88.20	-31.32	67.34	3	Horizontal	127	1.07	-	40.63	11.99	63.08
RMS	14.22602G	45.09	68.20	-23.11	55.55	3	Horizontal	127	1.07	-	40.65	11.98	63.09

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 13
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34194G	46.34	83.54	-37.20	40.62	1	Vertical	40	1.74	-	38.32	19.60	52.20
AV	21.34642G	34.08	63.54	-29.46	28.37	1	Vertical	40	1.74	-	38.31	19.60	52.20

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 13
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3452G	45.79	83.54	-37.75	40.08	1	Horizontal	287	1.54	-	38.31	19.60	52.20
AV	21.34578G	34.07	63.54	-29.47	28.36	1	Horizontal	287	1.54	-	38.31	19.60	52.20

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 Setting 23
 01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	76.60	88.20	-11.60	66.79	3	Vertical	198	3.00	-	35.14	7.64	32.97
RMS	5.925G	66.72	68.20	-1.48	56.90	3	Vertical	198	3.00	-	35.15	7.64	32.97
PK	5.9818G	116.64	Inf	-Inf	106.66	3	Vertical	198	3.00	-	35.30	7.67	32.99
RMS	5.9824G	106.63	Inf	-Inf	96.65	3	Vertical	198	3.00	-	35.30	7.67	32.99

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	65.35	88.20	-22.85	55.54	3	Horizontal	20	2.54	-	35.14	7.64	32.97
RMS	5.925G	60.15	68.20	-8.05	50.33	3	Horizontal	20	2.54	-	35.15	7.64	32.97
PK	5.9572G	107.35	Inf	-Inf	97.38	3	Horizontal	20	2.54	-	35.30	7.66	32.99
RMS	5.9538G	100.69	Inf	-Inf	90.71	3	Horizontal	20	2.54	-	35.30	7.66	32.98

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93125G	53.80	74.00	-20.20	69.51	3	Vertical	156	1.62	-	38.37	11.08	65.16
AV	11.92854G	40.47	54.00	-13.53	56.16	3	Vertical	156	1.62	-	38.39	11.08	65.16
PK	17.89248G	59.84	74.00	-14.16	66.54	3	Vertical	23	2.07	-	42.75	13.42	62.87
AV	17.89909G	47.21	54.00	-6.79	53.88	3	Vertical	23	2.07	-	42.79	13.42	62.88

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92773G	53.36	74.00	-20.64	69.05	3	Horizontal	188	1.59	-	38.39	11.08	65.16
AV	11.92792G	40.46	54.00	-13.54	56.15	3	Horizontal	188	1.59	-	38.39	11.08	65.16
PK	17.89411G	59.94	74.00	-14.06	66.63	3	Horizontal	135	1.48	-	42.76	13.42	62.87
AV	17.89938G	47.17	54.00	-6.83	53.83	3	Horizontal	135	1.48	-	42.80	13.42	62.88

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41117G	53.61	74.00	-20.39	68.31	3	Vertical	359	2.02	-	38.70	11.28	64.68
AV	12.40555G	41.06	54.00	-12.94	55.78	3	Vertical	359	2.02	-	38.70	11.27	64.69

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40633G	53.63	74.00	-20.37	68.35	3	Horizontal	199	1.45	-	38.70	11.27	64.69
AV	12.40525G	41.10	54.00	-12.90	55.82	3	Horizontal	199	1.45	-	38.70	11.27	64.69

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.619G	44.97	83.54	-38.57	38.95	1	Vertical	16	1.64	-	37.74	18.82	50.54
AV	18.61118G	32.75	63.54	-30.79	26.74	1	Vertical	16	1.64	-	37.72	18.82	50.53

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61566G	45.49	83.54	-38.05	39.48	1	Horizontal	47	1.63	-	37.73	18.82	50.54
AV	18.61194G	32.77	63.54	-30.77	26.76	1	Horizontal	47	1.63	-	37.72	18.82	50.53

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80989G	55.36	88.20	-32.84	69.11	3	Vertical	164	1.93	-	39.32	11.43	64.50
RMS	12.80527G	42.05	68.20	-26.15	55.81	3	Vertical	164	1.93	-	39.31	11.43	64.50

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80902G	54.52	88.20	-33.68	68.27	3	Horizontal	131	2.63	-	39.32	11.43	64.50
RMS	12.81464G	42.05	68.20	-26.15	55.78	3	Horizontal	131	2.63	-	39.33	11.43	64.49

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21402G	45.70	83.54	-37.84	40.05	1	Vertical	206	1.64	-	37.97	18.94	51.26
AV	19.21204G	33.37	63.54	-30.17	27.70	1	Vertical	206	1.64	-	37.98	18.94	51.25

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21688G	45.39	83.54	-38.15	39.74	1	Horizontal	245	1.60	-	37.97	18.94	51.26
AV	19.21152G	33.27	63.54	-30.27	27.60	1	Horizontal	245	1.60	-	37.98	18.94	51.25

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89076G	54.82	88.20	-33.38	68.44	3	Vertical	72	1.90	-	39.40	11.46	64.48
RMS	12.89435G	42.17	68.20	-26.03	55.79	3	Vertical	72	1.90	-	39.40	11.46	64.48

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89099G	54.37	88.20	-33.83	67.99	3	Horizontal	22	1.39	-	39.40	11.46	64.48
RMS	12.88974G	42.11	68.20	-26.09	55.73	3	Horizontal	22	1.39	-	39.40	11.46	64.48

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33516G	45.92	83.54	-37.62	40.50	1	Vertical	319	1.58	-	37.86	18.96	51.40
AV	19.33032G	33.50	63.54	-30.04	28.06	1	Vertical	319	1.58	-	37.88	18.96	51.40

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3356G	45.87	83.54	-37.67	40.45	1	Horizontal	196	1.53	-	37.86	18.96	51.40
AV	19.33288G	33.48	63.54	-30.06	28.05	1	Horizontal	196	1.53	-	37.87	18.96	51.40

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97469G	55.24	88.20	-32.96	68.56	3	Vertical	12	2.91	-	39.65	11.49	64.46
RMS	12.97135G	42.59	68.20	-25.61	55.92	3	Vertical	12	2.91	-	39.64	11.49	64.46

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96917G	55.33	88.20	-32.87	68.66	3	Horizontal	329	2.91	-	39.64	11.49	64.46
RMS	12.97245G	42.53	68.20	-25.67	55.86	3	Horizontal	329	2.91	-	39.64	11.49	64.46

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45012G	46.09	74.00	-27.91	40.84	1	Vertical	140	1.38	-	37.80	18.99	51.54
AV	19.4522G	33.53	54.00	-20.47	28.27	1	Vertical	140	1.38	-	37.81	18.99	51.54

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45892G	47.03	74.00	-26.97	41.75	1	Horizontal	204	1.40	-	37.84	18.99	51.55
AV	19.45578G	33.48	54.00	-20.52	28.22	1	Horizontal	204	1.40	-	37.82	18.99	51.55

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05488G	55.17	88.20	-33.03	68.33	3	Vertical	314	1.80	-	39.70	11.52	64.38
RMS	13.05489G	42.37	68.20	-25.83	55.53	3	Vertical	314	1.80	-	39.70	11.52	64.38

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05294G	54.97	88.20	-33.23	68.14	3	Horizontal	63	1.80	-	39.70	11.52	64.39
RMS	13.05283G	42.39	68.20	-25.81	55.56	3	Horizontal	63	1.80	-	39.70	11.52	64.39

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57482G	45.75	83.54	-37.79	40.45	1	Vertical	41	1.50	-	37.95	19.01	51.66
AV	19.57038G	33.50	63.54	-30.04	28.17	1	Vertical	41	1.50	-	37.98	19.01	51.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5706G	45.76	83.54	-37.78	40.43	1	Horizontal	94	1.35	-	37.98	19.01	51.66
AV	19.57228G	33.54	63.54	-30.00	28.22	1	Horizontal	94	1.35	-	37.97	19.01	51.66

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12563G	54.62	88.20	-33.58	67.62	3	Vertical	273	2.70	-	39.75	11.55	64.30
RMS	13.13287G	41.83	68.20	-26.37	54.80	3	Vertical	273	2.70	-	39.77	11.55	64.29

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13402G	54.42	88.20	-33.78	67.39	3	Horizontal	249	2.29	-	39.77	11.55	64.29
RMS	13.1323G	41.81	68.20	-26.39	54.79	3	Horizontal	249	2.29	-	39.76	11.55	64.29

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6935G	45.34	83.54	-38.20	40.21	1	Vertical	41	1.58	-	37.84	19.04	51.75
AV	19.69604G	34.00	63.54	-29.54	28.90	1	Vertical	41	1.58	-	37.82	19.04	51.76

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6959G	45.66	83.54	-37.88	40.56	1	Horizontal	2	1.70	-	37.82	19.04	51.76
AV	19.69578G	33.89	63.54	-29.65	28.78	1	Horizontal	2	1.70	-	37.83	19.04	51.76

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37488G	55.56	74.00	-18.44	67.71	3	Vertical	50	1.15	-	40.20	11.64	63.99
AV	13.37492G	42.27	54.00	-11.73	54.42	3	Vertical	50	1.15	-	40.20	11.64	63.99

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37221G	55.05	74.00	-18.95	67.21	3	Horizontal	224	2.07	-	40.20	11.64	64.00
AV	13.37434G	42.26	54.00	-11.74	54.41	3	Horizontal	224	2.07	-	40.20	11.64	63.99

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05788G	45.39	74.00	-28.61	40.54	1	Vertical	39	1.44	-	37.73	19.12	52.00
AV	20.0557G	33.09	54.00	-20.91	28.25	1	Vertical	39	1.44	-	37.72	19.12	52.00

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05214G	44.69	74.00	-29.31	39.86	1	Horizontal	14	1.72	-	37.71	19.12	52.00
AV	20.05708G	33.11	54.00	-20.89	28.26	1	Horizontal	14	1.72	-	37.73	19.12	52.00

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76967G	56.55	88.20	-31.65	67.78	3	Vertical	34	2.76	-	40.70	11.79	63.72
RMS	13.77368G	43.77	68.20	-24.43	54.99	3	Vertical	34	2.76	-	40.70	11.79	63.71

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7661G	56.70	88.20	-31.50	67.93	3	Horizontal	71	2.65	-	40.70	11.79	63.72
RMS	13.76963G	43.79	68.20	-24.41	55.02	3	Horizontal	71	2.65	-	40.70	11.79	63.72

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65916G	45.79	83.54	-37.75	40.61	1	Vertical	40	1.89	-	37.90	19.34	52.06
AV	20.65934G	33.18	63.54	-30.36	28.00	1	Vertical	40	1.89	-	37.90	19.34	52.06

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 18
 1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65276G	45.96	83.54	-37.58	40.78	1	Horizontal	57	1.98	-	37.90	19.34	52.06
AV	20.65846G	33.22	63.54	-30.32	28.04	1	Horizontal	57	1.98	-	37.90	19.34	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84859G	57.86	88.20	-30.34	68.83	3	Vertical	176	1.90	-	40.89	11.82	63.68
RMS	13.84629G	43.80	68.20	-24.40	54.77	3	Vertical	176	1.90	-	40.89	11.82	63.68

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85184G	56.36	88.20	-31.84	67.32	3	Horizontal	29	2.76	-	40.90	11.82	63.68
RMS	13.84611G	43.79	68.20	-24.41	54.77	3	Horizontal	29	2.76	-	40.88	11.82	63.68

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77024G	45.68	83.54	-37.86	40.45	1	Vertical	46	1.37	-	37.96	19.38	52.11
AV	20.77564G	33.33	63.54	-30.21	28.04	1	Vertical	46	1.37	-	38.01	19.39	52.11

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 18
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77836G	45.61	83.54	-37.93	40.30	1	Horizontal	76	1.96	-	38.03	19.39	52.11
AV	20.77478G	33.33	63.54	-30.21	28.05	1	Horizontal	76	1.96	-	38.00	19.39	52.11

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01313G	56.87	88.20	-31.33	67.63	3	Vertical	311	2.86	-	40.93	11.89	63.58
RMS	14.00556G	44.24	68.20	-23.96	55.05	3	Vertical	311	2.86	-	40.91	11.88	63.60

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00742G	56.98	88.20	-31.22	67.78	3	Horizontal	258	1.12	-	40.91	11.88	63.59
RMS	14.00539G	44.30	68.20	-23.90	55.11	3	Horizontal	258	1.12	-	40.91	11.88	63.60

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01966G	46.57	83.54	-36.97	41.19	1	Vertical	190	1.49	-	38.10	19.48	52.20
AV	21.01562G	33.74	63.54	-29.80	28.40	1	Vertical	190	1.49	-	38.06	19.48	52.20

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 17
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01174G	45.78	83.54	-37.76	40.49	1	Horizontal	224	1.91	-	38.02	19.47	52.20
AV	21.01684G	33.68	63.54	-29.86	28.33	1	Horizontal	224	1.91	-	38.07	19.48	52.20

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 22
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1008G	116.10	Inf	-Inf	104.02	3	Vertical	32	2.35	-	36.60	8.52	33.04
RMS	7.1028G	104.72	Inf	-Inf	92.62	3	Vertical	32	2.35	-	36.62	8.52	33.04
PK	7.129G	84.71	88.20	-3.49	72.48	3	Vertical	32	2.35	-	36.77	8.51	33.05
RMS	7.1252G	64.49	68.20	-3.71	52.27	3	Vertical	32	2.35	-	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 22
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0672G	110.22	Inf	-Inf	98.11	3	Horizontal	338	2.64	-	36.60	8.54	33.03
RMS	7.0674G	98.55	Inf	-Inf	86.44	3	Horizontal	338	2.64	-	36.60	8.54	33.03
PK	7.13G	74.37	88.20	-13.83	62.13	3	Horizontal	338	2.64	-	36.78	8.51	33.05
RMS	7.125G	57.75	68.20	-10.45	45.53	3	Horizontal	338	2.64	-	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17081G	56.53	88.20	-31.67	67.03	3	Vertical	65	2.06	-	40.76	11.96	63.22
RMS	14.17043G	43.92	68.20	-24.28	54.42	3	Vertical	65	2.06	-	40.76	11.96	63.22

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17084G	56.42	88.20	-31.78	66.92	3	Horizontal	240	1.79	-	40.76	11.96	63.22
RMS	14.16566G	43.93	68.20	-24.27	54.43	3	Horizontal	240	1.79	-	40.77	11.96	63.23

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25988G	47.03	83.54	-36.51	41.58	1	Vertical	255	1.39	-	38.08	19.57	52.20
AV	21.25936G	33.38	63.54	-30.16	27.94	1	Vertical	255	1.39	-	38.07	19.57	52.20

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.253G	45.57	83.54	-37.97	40.19	1	Horizontal	141	1.95	-	38.02	19.56	52.20
AV	21.25864G	33.36	63.54	-30.18	27.92	1	Horizontal	141	1.95	-	38.07	19.57	52.20

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	80.71	88.20	-7.49	70.96	3	Vertical	192	3.00	-	35.08	7.64	32.97
RMS	5.923G	66.96	68.20	-1.24	57.15	3	Vertical	192	3.00	-	35.14	7.64	32.97
PK	6.0054G	112.97	Inf	-Inf	102.99	3	Vertical	192	3.00	-	35.30	7.68	33.00
RMS	6.0014G	103.03	Inf	-Inf	93.05	3	Vertical	192	3.00	-	35.30	7.68	33.00

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Lim.PK
PK
Lim.AV
AV


26/12/2023

EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	81.41	88.20	-6.79	71.59	3	Horizontal	26	2.51	-	35.15	7.64	32.97
RMS	5.9246G	66.66	68.20	-1.54	56.84	3	Horizontal	26	2.51	-	35.15	7.64	32.97
PK	6.0158G	110.93	Inf	-Inf	100.95	3	Horizontal	26	2.51	-	35.30	7.68	33.00
RMS	6.0126G	98.83	Inf	-Inf	88.85	3	Horizontal	26	2.51	-	35.30	7.68	33.00

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96984G	53.08	74.00	-20.92	68.78	3	Vertical	119	1.83	-	38.38	11.10	65.18
AV	11.97445G	40.73	54.00	-13.27	56.40	3	Vertical	119	1.83	-	38.40	11.11	65.18
PK	17.95784G	60.55	74.00	-13.45	67.05	3	Vertical	251	1.43	-	43.00	13.44	62.94
AV	17.95987G	47.80	54.00	-6.20	54.31	3	Vertical	251	1.43	-	43.00	13.44	62.95

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97114G	53.22	74.00	-20.78	68.92	3	Horizontal	283	1.85	-	38.38	11.10	65.18
AV	11.97317G	40.65	54.00	-13.35	56.33	3	Horizontal	283	1.85	-	38.39	11.11	65.18
PK	17.95563G	60.20	74.00	-13.80	66.70	3	Horizontal	66	1.98	-	43.00	13.44	62.94
AV	17.95905G	47.69	54.00	-6.31	54.19	3	Horizontal	66	1.98	-	43.00	13.44	62.94

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45235G	53.51	74.00	-20.49	68.15	3	Vertical	303	2.39	-	38.70	11.29	64.63
AV	12.45409G	41.41	54.00	-12.59	56.05	3	Vertical	303	2.39	-	38.70	11.29	64.63

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44979G	53.38	74.00	-20.62	68.02	3	Horizontal	177	2.25	-	38.70	11.29	64.63
AV	12.45466G	41.39	54.00	-12.61	56.03	3	Horizontal	177	2.25	-	38.70	11.29	64.63

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6788G	46.05	83.54	-37.49	40.15	1	Vertical	113	1.56	-	37.68	18.83	50.61
AV	18.67046G	33.39	63.54	-30.15	27.44	1	Vertical	113	1.56	-	37.72	18.83	50.60

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67438G	45.69	83.54	-37.85	39.77	1	Horizontal	325	1.48	-	37.70	18.83	50.61
AV	18.67256G	33.40	63.54	-30.14	27.47	1	Horizontal	325	1.48	-	37.71	18.83	50.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76774G	54.96	88.20	-33.24	68.89	3	Vertical	300	2.21	-	39.17	11.41	64.51
RMS	12.76806G	42.43	68.20	-25.77	56.36	3	Vertical	300	2.21	-	39.17	11.41	64.51

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7679G	55.43	88.20	-32.77	69.36	3	Horizontal	183	1.94	-	39.17	11.41	64.51
RMS	12.77365G	42.47	68.20	-25.73	56.37	3	Horizontal	183	1.94	-	39.19	11.41	64.50

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15854G	45.89	83.54	-37.65	40.40	1	Vertical	188	1.48	-	37.75	18.93	51.19
AV	19.15942G	33.47	63.54	-30.07	27.97	1	Vertical	188	1.48	-	37.76	18.93	51.19

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1581G	45.90	83.54	-37.64	40.41	1	Horizontal	80	1.86	-	37.75	18.93	51.19
AV	19.15426G	33.32	63.54	-30.22	27.85	1	Horizontal	80	1.86	-	37.73	18.93	51.19

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9308G	54.66	88.20	-33.54	68.14	3	Vertical	127	2.22	-	39.52	11.47	64.47
RMS	12.93483G	42.75	68.20	-25.45	56.20	3	Vertical	127	2.22	-	39.54	11.48	64.47

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93148G	54.85	88.20	-33.35	68.32	3	Horizontal	30	2.21	-	39.53	11.47	64.47
RMS	12.92954G	42.90	68.20	-25.30	56.38	3	Horizontal	30	2.21	-	39.52	11.47	64.47

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39496G	45.89	83.54	-37.65	40.40	1	Vertical	38	1.71	-	37.98	18.98	51.47
AV	19.39578G	34.05	63.54	-29.49	28.56	1	Vertical	38	1.71	-	37.98	18.98	51.47

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39432G	46.37	83.54	-37.17	40.88	1	Horizontal	333	1.39	-	37.98	18.98	51.47
AV	19.39538G	34.09	63.54	-29.45	28.60	1	Horizontal	333	1.39	-	37.98	18.98	51.47

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0898G	54.40	88.20	-33.80	67.51	3	Vertical	61	1.60	-	39.70	11.53	64.34
RMS	13.09345G	42.87	68.20	-25.33	55.97	3	Vertical	61	1.60	-	39.70	11.54	64.34

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08788G	55.83	88.20	-32.37	68.94	3	Horizontal	130	1.00	-	39.70	11.53	64.34
RMS	13.09471G	43.13	68.20	-25.07	56.22	3	Horizontal	130	1.00	-	39.70	11.54	64.33

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6332G	46.06	83.54	-37.48	40.75	1	Vertical	141	1.66	-	38.00	19.02	51.71
AV	19.63478G	33.69	63.54	-29.85	28.36	1	Vertical	141	1.66	-	38.01	19.03	51.71

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63478G	45.94	83.54	-37.60	40.61	1	Horizontal	163	1.36	-	38.01	19.03	51.71
AV	19.63808G	33.78	63.54	-29.76	28.43	1	Horizontal	163	1.36	-	38.03	19.03	51.71

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2456G	55.33	88.20	-32.87	67.89	3	Vertical	340	2.92	-	40.00	11.59	64.15
RMS	13.24661G	42.63	68.20	-25.57	55.19	3	Vertical	340	2.92	-	40.00	11.59	64.15

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24995G	55.66	88.20	-32.54	68.22	3	Horizontal	286	2.03	-	40.00	11.59	64.15
RMS	13.24747G	42.55	68.20	-25.65	55.11	3	Horizontal	286	2.03	-	40.00	11.59	64.15

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87064G	44.77	83.54	-38.77	39.88	1	Vertical	221	1.92	-	37.72	19.07	51.90
AV	19.8768G	33.07	63.54	-30.47	28.14	1	Vertical	221	1.92	-	37.76	19.07	51.90

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 20
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87774G	44.97	83.54	-38.57	40.03	1	Horizontal	6	1.59	-	37.77	19.07	51.90
AV	19.87122G	33.04	63.54	-30.50	28.14	1	Horizontal	6	1.59	-	37.73	19.07	51.90

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41376G	55.61	88.20	-32.59	67.70	3	Vertical	39	2.06	-	40.20	11.66	63.95
RMS	13.40718G	43.05	68.20	-25.15	55.15	3	Vertical	39	2.06	-	40.20	11.65	63.95

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41323G	55.45	88.20	-32.75	67.54	3	Horizontal	117	2.63	-	40.20	11.66	63.95
RMS	13.40828G	43.13	68.20	-25.07	55.22	3	Horizontal	117	2.63	-	40.20	11.66	63.95

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11966G	45.95	83.54	-37.59	41.03	1	Vertical	126	1.95	-	37.78	19.14	52.00
AV	20.11964G	33.56	63.54	-29.98	28.64	1	Vertical	126	1.95	-	37.78	19.14	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11444G	45.14	83.54	-38.40	40.19	1	Horizontal	176	1.72	-	37.81	19.14	52.00
AV	20.11632G	33.57	63.54	-29.97	28.63	1	Horizontal	176	1.72	-	37.80	19.14	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57053G	57.63	88.20	-30.57	69.32	3	Vertical	179	1.02	-	40.40	11.72	63.81
RMS	13.57426G	43.65	68.20	-24.55	55.34	3	Vertical	179	1.02	-	40.40	11.72	63.81

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56558G	56.71	88.20	-31.49	68.41	3	Horizontal	149	1.82	-	40.40	11.71	63.81
RMS	13.57386G	43.54	68.20	-24.66	55.23	3	Horizontal	149	1.82	-	40.40	11.72	63.81

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35388G	45.68	83.54	-37.86	40.36	1	Vertical	150	1.75	-	38.09	19.23	52.00
AV	20.3592G	34.00	63.54	-29.54	28.69	1	Vertical	150	1.75	-	38.08	19.23	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35924G	45.76	83.54	-37.78	40.45	1	Horizontal	323	1.53	-	38.08	19.23	52.00
AV	20.35962G	34.20	63.54	-29.34	28.89	1	Horizontal	323	1.53	-	38.08	19.23	52.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73172G	56.22	88.20	-31.98	67.54	3	Vertical	291	1.19	-	40.63	11.78	63.73
RMS	13.72866G	44.31	68.20	-23.89	55.65	3	Vertical	291	1.19	-	40.61	11.78	63.73

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73223G	56.88	88.20	-31.32	68.20	3	Horizontal	251	1.83	-	40.63	11.78	63.73
RMS	13.72644G	44.18	68.20	-24.02	55.53	3	Horizontal	251	1.83	-	40.61	11.78	63.74

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59874G	44.87	83.54	-38.67	39.59	1	Vertical	250	1.48	-	38.00	19.32	52.04
AV	20.59842G	33.50	63.54	-30.04	28.22	1	Vertical	250	1.48	-	38.00	19.32	52.04

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59066G	45.44	83.54	-38.10	40.18	1	Horizontal	43	1.57	-	37.98	19.32	52.04
AV	20.59598G	33.53	63.54	-30.01	28.26	1	Horizontal	43	1.57	-	37.99	19.32	52.04

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88697G	56.66	88.20	-31.54	67.58	3	Vertical	15	2.71	-	40.90	11.84	63.66
RMS	13.88972G	44.39	68.20	-23.81	55.31	3	Vertical	15	2.71	-	40.90	11.84	63.66

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89326G	56.19	88.20	-32.01	67.11	3	Horizontal	260	2.91	-	40.90	11.84	63.66
RMS	13.8941G	44.33	68.20	-23.87	55.25	3	Horizontal	260	2.91	-	40.90	11.84	63.66

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83586G	46.82	83.54	-36.72	41.34	1	Vertical	267	1.57	-	38.20	19.41	52.13
AV	20.83346G	34.22	63.54	-29.32	28.74	1	Vertical	267	1.57	-	38.20	19.41	52.13

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 19
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83972G	46.12	83.54	-37.42	40.65	1	Horizontal	222	1.59	-	38.20	19.41	52.14
AV	20.83626G	34.10	63.54	-29.44	28.62	1	Horizontal	222	1.59	-	38.20	19.41	52.13

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9878G	117.10	Inf	-Inf	104.96	3	Vertical	228	2.64	-	36.60	8.55	33.01
RMS	6.9922G	104.92	Inf	-Inf	92.78	3	Vertical	228	2.64	-	36.60	8.55	33.01
PK	7.1298G	79.73	88.20	-8.47	67.49	3	Vertical	228	2.64	-	36.78	8.51	33.05
RMS	7.1254G	66.12	68.20	-2.08	53.90	3	Vertical	228	2.64	-	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
 Setting 23
 01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0006G	112.04	Inf	-Inf	99.89	3	Horizontal	161	3.00	-	36.60	8.56	33.01
RMS	6.9962G	101.66	Inf	-Inf	89.51	3	Horizontal	161	3.00	-	36.60	8.56	33.01
PK	7.1326G	70.71	88.20	-17.49	58.45	3	Horizontal	161	3.00	-	36.80	8.51	33.05
RMS	7.125G	59.52	68.20	-8.68	47.30	3	Horizontal	161	3.00	-	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0527G	57.12	88.20	-31.08	67.71	3	Vertical	360	1.50	-	41.00	11.90	63.49
RMS	14.04744G	44.92	68.20	-23.28	55.53	3	Vertical	360	1.50	-	40.99	11.90	63.50

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04967G	57.55	88.20	-30.65	68.15	3	Horizontal	13	1.22	-	41.00	11.90	63.50
RMS	14.054G	44.96	68.20	-23.24	55.55	3	Horizontal	13	1.22	-	41.00	11.90	63.49

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0729G	46.20	83.54	-37.34	40.64	1	Vertical	316	1.81	-	38.26	19.50	52.20
AV	21.07784G	34.21	63.54	-29.33	28.68	1	Vertical	316	1.81	-	38.23	19.50	52.20

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07228G	45.73	83.54	-37.81	40.16	1	Horizontal	146	1.87	-	38.27	19.50	52.20
AV	21.07244G	34.39	63.54	-29.15	28.82	1	Horizontal	146	1.87	-	38.27	19.50	52.20

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8995G	81.33	88.20	-6.87	71.67	3	Vertical	194	3.00	-	35.00	7.63	32.97
RMS	5.924G	66.70	68.20	-1.50	56.89	3	Vertical	194	3.00	-	35.14	7.64	32.97
PK	6.0525G	110.88	Inf	-Inf	100.90	3	Vertical	194	3.00	-	35.30	7.69	33.01
RMS	6.0525G	101.28	Inf	-Inf	91.30	3	Vertical	194	3.00	-	35.30	7.69	33.01

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 23
 01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	78.18	88.20	-10.02	68.51	3	Horizontal	210	3.00	-	35.01	7.63	32.97
RMS	5.925G	65.49	68.20	-2.71	55.67	3	Horizontal	210	3.00	-	35.15	7.64	32.97
PK	6.091G	110.92	Inf	-Inf	100.85	3	Horizontal	210	3.00	-	35.38	7.70	33.01
RMS	6.0875G	99.81	Inf	-Inf	89.75	3	Horizontal	210	3.00	-	35.37	7.70	33.01

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04724G	53.61	74.00	-20.39	69.01	3	Vertical	93	2.04	-	38.59	11.14	65.13
AV	12.04676G	42.28	54.00	-11.72	57.68	3	Vertical	93	2.04	-	38.59	11.14	65.13

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05013G	54.24	74.00	-19.76	69.63	3	Horizontal	230	2.75	-	38.60	11.14	65.13
AV	12.04864G	41.87	54.00	-12.13	57.26	3	Horizontal	230	2.75	-	38.60	11.14	65.13

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0771G	45.81	83.54	-37.73	39.31	1	Vertical	55	1.77	-	37.51	18.71	49.72
AV	18.07404G	34.43	63.54	-29.11	27.94	1	Vertical	55	1.77	-	37.50	18.71	49.72

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07268G	45.78	83.54	-37.76	39.31	1	Horizontal	13	1.82	-	37.49	18.70	49.72
AV	18.07142G	34.50	63.54	-29.04	28.02	1	Horizontal	13	1.82	-	37.49	18.70	49.71

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36535G	54.33	74.00	-19.67	69.18	3	Vertical	281	2.32	-	38.63	11.26	64.74
AV	12.3723G	41.83	54.00	-12.17	56.66	3	Vertical	281	2.32	-	38.64	11.26	64.73

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3749G	53.51	74.00	-20.49	68.33	3	Horizontal	313	2.25	-	38.65	11.26	64.73
AV	12.37169G	41.88	54.00	-12.12	56.71	3	Horizontal	313	2.25	-	38.64	11.26	64.73

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55078G	45.92	83.54	-37.62	39.88	1	Vertical	136	1.86	-	37.70	18.80	50.46
AV	18.55788G	34.77	63.54	-28.77	28.74	1	Vertical	136	1.86	-	37.70	18.80	50.47

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 21
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55212G	46.68	83.54	-36.86	40.64	1	Horizontal	204	1.73	-	37.70	18.80	50.46
AV	18.55004G	34.49	63.54	-29.05	28.45	1	Horizontal	204	1.73	-	37.70	18.80	50.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69415G	55.06	74.00	-18.94	69.11	3	Vertical	241	1.30	-	39.09	11.38	64.52
AV	12.68898G	42.77	54.00	-11.23	56.83	3	Vertical	241	1.30	-	39.08	11.38	64.52

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68609G	54.70	74.00	-19.30	68.78	3	Horizontal	124	2.08	-	39.07	11.38	64.53
AV	12.6863G	42.83	54.00	-11.17	56.91	3	Horizontal	124	2.08	-	39.07	11.38	64.53

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0381G	47.56	83.54	-35.98	41.81	1	Vertical	312	1.61	-	37.90	18.90	51.05
AV	19.0348G	34.87	63.54	-28.67	29.11	1	Vertical	312	1.61	-	37.90	18.90	51.04

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03448G	47.01	83.54	-36.53	41.25	1	Horizontal	200	1.73	-	37.90	18.90	51.04
AV	19.0398G	34.91	63.54	-28.63	29.16	1	Horizontal	200	1.73	-	37.90	18.90	51.05

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00874G	55.29	88.20	-32.91	68.53	3	Vertical	10	2.50	-	39.70	11.50	64.44
RMS	13.00528G	43.90	68.20	-24.30	57.14	3	Vertical	10	2.50	-	39.70	11.50	64.44

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01072G	54.59	88.20	-33.61	67.83	3	Horizontal	194	1.37	-	39.70	11.50	64.44
RMS	13.0076G	43.81	68.20	-24.39	57.05	3	Horizontal	194	1.37	-	39.70	11.50	64.44

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51282G	45.23	83.54	-38.31	39.81	1	Vertical	14	1.83	-	38.03	19.00	51.61
AV	19.51972G	35.12	63.54	-28.42	29.70	1	Vertical	14	1.83	-	38.04	19.00	51.62

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51606G	46.67	83.54	-36.87	41.25	1	Horizontal	22	1.52	-	38.03	19.00	51.61
AV	19.51762G	34.65	63.54	-28.89	29.22	1	Horizontal	22	1.52	-	38.04	19.00	51.61

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33193G	54.67	74.00	-19.33	66.96	3	Vertical	169	1.52	-	40.13	11.63	64.05
AV	13.33186G	43.89	54.00	-10.11	56.18	3	Vertical	169	1.52	-	40.13	11.63	64.05

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32688G	55.08	74.00	-18.92	67.40	3	Horizontal	272	1.35	-	40.11	11.62	64.05
AV	13.32627G	43.71	54.00	-10.29	56.03	3	Horizontal	272	1.35	-	40.11	11.62	64.05

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9994G	45.20	83.54	-38.34	40.30	1	Vertical	285	1.66	-	37.80	19.10	52.00
AV	19.99364G	34.41	63.54	-29.13	29.50	1	Vertical	285	1.66	-	37.80	19.10	51.99

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99642G	46.09	83.54	-37.45	41.19	1	Horizontal	169	1.84	-	37.80	19.10	52.00
AV	19.99318G	34.36	63.54	-29.18	29.45	1	Horizontal	169	1.84	-	37.80	19.10	51.99

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64603G	56.57	88.20	-31.63	68.19	3	Vertical	75	1.76	-	40.40	11.75	63.77
RMS	13.6527G	44.70	68.20	-23.50	56.31	3	Vertical	75	1.76	-	40.41	11.75	63.77

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65231G	56.81	88.20	-31.39	68.43	3	Horizontal	346	1.48	-	40.40	11.75	63.77
RMS	13.65393G	44.85	68.20	-23.35	56.46	3	Horizontal	346	1.48	-	40.41	11.75	63.77

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47954G	45.68	83.54	-37.86	40.64	1	Vertical	176	1.91	-	37.76	19.28	52.00
AV	20.47764G	34.58	63.54	-28.96	29.52	1	Vertical	176	1.91	-	37.78	19.28	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47302G	45.62	83.54	-37.92	40.52	1	Horizontal	351	1.65	-	37.82	19.28	52.00
AV	20.47848G	34.43	63.54	-29.11	29.38	1	Horizontal	351	1.65	-	37.77	19.28	52.00

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9395G	107.31	Inf	-Inf	95.26	3	Vertical	84	3.00	-	36.56	8.50	33.01
RMS	6.9435G	97.50	Inf	-Inf	85.44	3	Vertical	84	3.00	-	36.57	8.50	33.01
PK	7.138G	83.35	88.20	-4.85	71.06	3	Vertical	84	3.00	-	36.83	8.51	33.05
RMS	7.1315G	63.73	68.20	-4.47	51.48	3	Vertical	84	3.00	-	36.79	8.51	33.05

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
 Setting 23
 01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9155G	103.47	Inf	-Inf	91.56	3	Horizontal	140	2.98	-	36.46	8.47	33.02
RMS	6.9145G	94.05	Inf	-Inf	82.14	3	Horizontal	140	2.98	-	36.46	8.47	33.02
PK	7.128G	79.53	88.20	-8.67	67.29	3	Horizontal	140	2.98	-	36.77	8.52	33.05
RMS	7.143G	61.45	68.20	-6.75	49.13	3	Horizontal	140	2.98	-	36.86	8.51	33.05

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96872G	56.52	88.20	-31.68	67.43	3	Vertical	50	2.74	-	40.84	11.87	63.62
RMS	13.96656G	45.63	68.20	-22.57	56.56	3	Vertical	50	2.74	-	40.83	11.87	63.63

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97128G	57.14	88.20	-31.06	68.05	3	Horizontal	274	2.62	-	40.84	11.87	63.62
RMS	13.97479G	45.49	68.20	-22.71	56.39	3	Horizontal	274	2.62	-	40.85	11.87	63.62

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95944G	46.33	83.54	-37.21	41.00	1	Vertical	319	1.94	-	38.06	19.45	52.18
AV	20.95546G	34.60	63.54	-28.94	29.25	1	Vertical	319	1.94	-	38.08	19.45	52.18

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95704G	46.19	83.54	-37.35	40.85	1	Horizontal	184	1.36	-	38.07	19.45	52.18
AV	20.95962G	34.67	63.54	-28.87	29.33	1	Horizontal	184	1.36	-	38.06	19.46	52.18

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	74.99	88.20	-13.21	65.17	3	Vertical	348	3.00	-	35.15	7.64	32.97
RMS	5.923G	63.38	68.20	-4.82	53.57	3	Vertical	348	3.00	-	35.14	7.64	32.97
PK	6.198G	107.86	Inf	-Inf	97.76	3	Vertical	348	3.00	-	35.40	7.72	33.02
RMS	6.197G	97.30	Inf	-Inf	87.21	3	Vertical	348	3.00	-	35.39	7.72	33.02

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




26/12/2023

EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	73.69	88.20	-14.51	63.91	3	Horizontal	144	2.98	-	35.11	7.64	32.97
RMS	5.924G	62.55	68.20	-5.65	52.74	3	Horizontal	144	2.98	-	35.14	7.64	32.97
PK	6.127G	103.02	Inf	-Inf	92.97	3	Horizontal	144	2.98	-	35.35	7.71	33.01
RMS	5.989G	92.78	Inf	-Inf	82.81	3	Horizontal	144	2.98	-	35.30	7.67	33.00

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20945G	53.85	74.00	-20.15	69.10	3	Vertical	330	1.14	-	38.48	11.20	64.93
AV	12.20585G	41.01	54.00	-12.99	56.25	3	Vertical	330	1.14	-	38.49	11.20	64.93

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21307G	53.63	74.00	-20.37	68.89	3	Horizontal	143	2.59	-	38.47	11.20	64.93
AV	12.20975G	41.03	54.00	-12.97	56.28	3	Horizontal	143	2.59	-	38.48	11.20	64.93

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31938G	46.38	83.54	-37.16	40.23	1	Vertical	205	1.52	-	37.50	18.76	50.11
AV	18.31168G	33.36	63.54	-30.18	27.21	1	Vertical	205	1.52	-	37.50	18.75	50.10

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31532G	45.95	83.54	-37.59	39.80	1	Horizontal	153	1.67	-	37.50	18.75	50.10
AV	18.31726G	33.36	63.54	-30.18	27.21	1	Horizontal	153	1.67	-	37.50	18.76	50.11

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52939G	50.54	74.00	-23.46	67.51	3	Vertical	82	1.80	-	38.60	8.99	64.56
AV	12.53007G	36.94	54.00	-17.06	53.91	3	Vertical	82	1.80	-	38.60	8.99	64.56

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5308G	50.41	74.00	-23.59	67.38	3	Horizontal	82	1.52	-	38.60	8.99	64.56
AV	12.53477G	37.05	54.00	-16.95	54.02	3	Horizontal	82	1.52	-	38.60	8.99	64.56

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79884G	48.70	83.54	-34.84	42.81	1	Vertical	14	2.30	-	37.80	18.85	50.76
AV	18.79566G	35.48	63.54	-28.06	29.58	1	Vertical	14	2.30	-	37.80	18.85	50.75

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79838G	48.65	83.54	-34.89	42.76	1	Horizontal	60	2.51	-	37.80	18.85	50.76
AV	18.79308G	35.53	63.54	-28.01	29.63	1	Horizontal	60	2.51	-	37.80	18.85	50.75

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84819G	55.67	88.20	-32.53	69.32	3	Vertical	207	2.39	-	39.40	11.44	64.49
RMS	12.84732G	42.23	68.20	-25.97	55.89	3	Vertical	207	2.39	-	39.39	11.44	64.49

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85467G	54.74	88.20	-33.46	68.38	3	Horizontal	126	2.32	-	39.40	11.44	64.48
RMS	12.84762G	42.19	68.20	-26.01	55.84	3	Horizontal	126	2.32	-	39.40	11.44	64.49

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27462G	46.68	83.54	-36.86	41.11	1	Vertical	139	1.40	-	37.95	18.95	51.33
AV	19.27818G	33.21	63.54	-30.33	27.63	1	Vertical	139	1.40	-	37.96	18.95	51.33

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27568G	46.11	83.54	-37.43	40.54	1	Horizontal	103	1.99	-	37.95	18.95	51.33
AV	19.2762G	33.25	63.54	-30.29	27.68	1	Horizontal	103	1.99	-	37.95	18.95	51.33

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16758G	51.74	88.20	-36.46	66.77	3	Vertical	184	3.00	-	39.94	9.28	64.25
RMS	13.17145G	37.90	68.20	-30.30	52.92	3	Vertical	184	3.00	-	39.94	9.28	64.24

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17217G	51.55	88.20	-36.65	66.56	3	Horizontal	133	1.80	-	39.94	9.29	64.24
RMS	13.17389G	38.02	68.20	-30.18	53.02	3	Horizontal	133	1.80	-	39.95	9.29	64.24

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75914G	49.27	83.54	-34.27	44.09	1	Vertical	34	1.72	-	37.94	19.05	51.81
AV	19.7503G	35.79	63.54	-27.75	30.64	1	Vertical	34	1.72	-	37.90	19.05	51.80

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 23
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75382G	49.27	83.54	-34.27	44.10	1	Horizontal	341	2.81	-	37.92	19.05	51.80
AV	19.75634G	35.75	63.54	-27.79	30.58	1	Horizontal	341	2.81	-	37.93	19.05	51.81

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.492G	55.90	88.20	-32.30	67.86	3	Vertical	116	1.99	-	40.20	11.69	63.85
RMS	13.49496G	42.90	68.20	-25.30	54.86	3	Vertical	116	1.99	-	40.20	11.69	63.85

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48922G	55.60	88.20	-32.60	67.56	3	Horizontal	119	2.96	-	40.20	11.69	63.85
RMS	13.49396G	42.72	68.20	-25.48	54.68	3	Horizontal	119	2.96	-	40.20	11.69	63.85

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23148G	46.00	83.54	-37.54	40.85	1	Vertical	336	1.96	-	37.96	19.19	52.00
AV	20.23528G	33.45	63.54	-30.09	28.29	1	Vertical	336	1.96	-	37.97	19.19	52.00

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 23
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23574G	46.37	83.54	-37.17	41.21	1	Horizontal	266	1.48	-	37.97	19.19	52.00
AV	20.23692G	33.41	63.54	-30.13	28.25	1	Horizontal	266	1.48	-	37.97	19.19	52.00

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8174G	103.23	Inf	-Inf	93.34	3	Vertical	226	2.61	-	35.40	6.22	31.73
RMS	6.9398G	94.07	Inf	-Inf	84.23	3	Vertical	226	2.61	-	35.40	6.31	31.87
PK	7.1414G	63.45	88.20	-24.75	53.28	3	Vertical	226	2.61	-	35.77	6.42	32.02
RMS	7.1282G	55.09	68.20	-13.11	44.98	3	Vertical	226	2.61	-	35.71	6.41	32.01
PK	7.3034G	66.48	74.00	-7.52	55.47	3	Vertical	226	2.61	-	36.61	6.51	32.11
AV	7.2554G	53.12	54.00	-0.88	42.30	3	Vertical	226	2.61	-	36.42	6.48	32.08

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7526G	96.52	Inf	-Inf	86.75	3	Horizontal	330	2.30	-	35.21	6.21	31.65
RMS	6.7538G	86.75	Inf	-Inf	76.97	3	Horizontal	330	2.30	-	35.22	6.21	31.65
PK	7.1798G	67.85	88.20	-20.35	57.47	3	Horizontal	330	2.30	-	35.98	6.44	32.04
RMS	7.211G	52.95	68.20	-15.25	42.38	3	Horizontal	330	2.30	-	36.17	6.46	32.06
PK	7.3538G	63.25	74.00	-10.75	52.16	3	Horizontal	330	2.30	-	36.70	6.53	32.14
AV	7.4606G	52.28	54.00	-1.72	41.19	3	Horizontal	330	2.30	-	36.70	6.59	32.20

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80919G	51.74	88.20	-36.46	64.84	3	Vertical	33	2.99	-	41.02	9.58	63.70
RMS	13.80636G	37.60	68.20	-30.60	50.71	3	Vertical	33	2.99	-	41.01	9.58	63.70

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.81023G	51.48	88.20	-36.72	64.58	3	Horizontal	19	1.91	-	41.02	9.58	63.70
RMS	13.80695G	37.22	68.20	-30.98	50.33	3	Horizontal	19	1.91	-	41.01	9.58	63.70

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71922G	50.21	83.54	-33.33	45.07	1	Vertical	149	2.76	-	37.86	19.37	52.09
AV	20.71096G	36.46	63.54	-27.08	31.30	1	Vertical	149	2.76	-	37.88	19.36	52.08


6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.875-7.125GHz_TX



EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71418G	49.92	83.54	-33.62	44.78	1	Horizontal	359	2.69	-	37.87	19.36	52.09
AV	20.71028G	36.43	63.54	-27.11	31.27	1	Horizontal	359	2.69	-	37.88	19.36	52.08



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

28/12/2023

CF (Hz)
6.195G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m


Detector Type
RMS





Port 1 


Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.185952G	-7.04	6.207025G	-40.46	-27.10	-13.36	1
6.187877G	-6.76	6.20705G	-39.34	-26.66	-12.68	2



































5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

CF (Hz)
5.985G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



28/12/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9891G	1.00	6.0276G	-25.33	-19.00	-6.33	1
6.01239G	0.84	6.0307G	-28.58	-19.25	-9.33	2



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

28/12/2023

CF (Hz)
6.385G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m



Detector Type
RMS





Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36081G	-1.12	6.4267G	-26.31	-21.16	-5.15	1
6.34761G	-0.88	6.3422G	-28.32	-20.88	-7.44	2







6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.865G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS






28/12/2023



Port 1 



Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8742G	0.12	6.9094G	-28.21	-19.93	-8.28	1
6.8564G	0.32	6.8218G	-27.19	-19.72	-7.47	2











5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

CF (Hz)
6.105G

Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
4.01m

Detector Type
RMS






28/12/2023


Port 1 


Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12979G	2.16	6.5446G	-37.36	-34.42	-2.94	1
6.17498G	2.79	6.5618G	-37.54	-35.06	-2.48	2





















6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

30/12/2023

CF (Hz)
6.895G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m


Detector Type
RMS




Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888927G	-5.87	6.9285G	-56.61	-45.87	-10.74	1
6.900474G	-6.34	6.930475G	-57.13	-46.34	-10.79	2





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

CF (Hz)
5.965G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS






30/12/2023


Port 1



Port 2



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.979696G	-2.66	6.06375G	-54.93	-42.66	-12.27	1
5.973448G	-3.13	6.0483G	-55.07	-43.13	-11.94	2







































6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TX

CF (Hz)
6.505G

Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS






30/12/2023



Port 1 


Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43562G	2.71	6.1742G	-44.71	-37.16	-7.55	1
6.46121G	2.80	6.3768G	-23.01	-18.58	-4.43	2









6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.745G

Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
20m

Detector Type
RMS




30/12/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63383G	4.06	5.9538G	-45.05	-30.72	-14.33	1
6.88776G	5.74	6.4298G	-23.64	-14.28	-9.36	2





Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-60.71	5.29	-66.03	≤ -62
						Minimal	-61.71	5.29	-67.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-60.71	5.29	-66.09	≤ -62
						Minimal	-61.71	5.29	-67.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-61.71	5.29	-67.01	≤ -62
						Minimal	-62.71	5.29	-68.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-62.71	5.29	-68.06	≤ -62
						Minimal	-63.71	5.29	-69.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-66.71	5.29	-72.02	≤ -62
						Minimal	-67.71	5.29	-73.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				Center	6105	OFF	-60.71	5.29	-66.06	≤ -62
						Minimal	-61.71	5.29	-67.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				High edge	6260	OFF	-63.71	5.29	-69.08	≤ -62
						Minimal	-64.71	5.29	-70.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-65.71	5.29	-71.04	≤ -62
						Minimal	-66.71	5.29	-72.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				Center	6425	OFF	-58.71	5.29	-64.06	≤ -62
						Minimal	-59.71	5.29	-65.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				High edge	6580	OFF	-65.71	5.29	-71.07	≤ -62
						Minimal	-66.71	5.29	-72.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-68.71	5.29	-74.02	≤ -62
						Minimal	-69.71	5.29	-75.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				Center	6745	OFF	-60.71	5.29	-66.01	≤ -62
						Minimal	-61.71	5.29	-67.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				High edge	6900	OFF	-68.71	5.29	-74.05	≤ -62
						Minimal	-69.71	5.29	-75.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62



Contention-Based Protocol Result


Appendix F

7/8	191	320	6905	Low edge	6750	OFF	-70.71	5.29	-76.03	≤ -62
						Minimal	-71.71	5.29	-77.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				Center	6905	OFF	-59.71	5.29	-65.06	≤ -62
						Minimal	-60.71	5.29	-66.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62
				High edge	7060	OFF	-66.71	5.29	-72.06	≤ -62
						Minimal	-67.71	5.29	-73.00	≤ -62
						ON	-76.71	5.29	-82.00	≤ -62



Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-66.03	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-66.09	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-67.01	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-68.06	OFF	9	90	90	PASS

Contention Based protocol 802.11ax HEW320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-72.02	OFF	10	100	90	PASS
				Center	6105	-66.06	OFF	10	100	90	PASS
				High edge	6260	-69.08	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-71.04	OFF	9	90	90	PASS
				Center	6425	-64.06	OFF	10	100	90	PASS
				High edge	6580	-71.07	OFF	10	100	90	PASS
6/7	159	320	6745	Low edge	6590	-74.02	OFF	9	90	90	PASS
				Center	6745	-66.01	OFF	10	100	90	PASS
				High edge	6900	-74.05	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-76.03	OFF	9	90	90	PASS
				Center	6905	-65.06	OFF	9	90	90	PASS
				High edge	7060	-72.06	OFF	9	90	90	PASS



Traffic Loading Calculation

R&S | Agilent

VISA session GPIB0::20:	Threshold (dBm) -30	Marker 1 (sec) 0	Space Time of Point 0.000003	No. of Pulse 30700
	Mean Level (dBm) -2.49	Marker 2 (sec) 0.1	Mark 1 Point 1	Close TX Time(sec) 95.9375m
	RMS Level (dBm) -2.43	Total Trace of Points 32001	Mark 2 Point 32001	Duty (%) 95.94