



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.25
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.04
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.83
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.86
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT160-BF_Nss1,(MCS0)_2TX	3.34
802.11be EHT320-BF_Nss1,(MCS0)_2TX	0.98
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.60
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.94
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.59
802.11be EHT320-BF_Nss1,(MCS0)_2TX	0.00
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.95
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.77
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.33
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-0.23



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.96	5.00
6195MHz	Pass	4.21	5.00
6415MHz	Pass	4.24	5.00
6435MHz	Pass	4.42	5.00
6475MHz	Pass	4.76	5.00
6515MHz	Pass	4.83	5.00
6535MHz	Pass	4.38	5.00
6695MHz	Pass	4.93	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.25	5.00
6895MHz	Pass	4.95	5.00
6995MHz	Pass	4.15	5.00
7095MHz	Pass	4.26	5.00
7115MHz	Pass	4.50	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.84	5.00
6205MHz	Pass	4.36	5.00
6405MHz	Pass	4.84	5.00
6445MHz	Pass	4.86	5.00
6485MHz	Pass	4.59	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.43	5.00
6565MHz	Pass	4.55	5.00
6685MHz	Pass	4.60	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.52	5.00
6925MHz	Pass	4.31	5.00
7005MHz	Pass	4.77	5.00
7085MHz	Pass	4.31	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.44	5.00
6225MHz	Pass	4.88	5.00
6385MHz	Pass	4.88	5.00
6465MHz	Pass	4.97	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.23	5.00
6625MHz	Pass	4.94	5.00
6705MHz	Pass	4.67	5.00
6785MHz	Pass	4.62	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.18	5.00
6945MHz	Pass	4.55	5.00
7025MHz	Pass	4.88	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.25	5.00
6185MHz	Pass	3.09	5.00
6345MHz	Pass	3.68	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	3.34	5.00
6665MHz	Pass	4.59	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	3.47	5.00
6985MHz	Pass	4.33	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	1.04	5.00
6265MHz	Pass	0.93	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	-1.14	5.00
6585MHz	Pass	0.98	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	0.00	5.00
6905MHz Straddle 6.875-7.125GHz	Pass	-0.23	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





























































































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	36.79M	36.60	40.00	-3.40	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	36.79M	36.60	40.00	-3.40	-10.10	3	Vertical	1	1.00	"Worst"	46.70	20.49	1.12	31.71
PK	55.22M	31.55	40.00	-8.45	-17.70	3	Vertical	360	1.00	-	49.25	12.85	1.33	31.88
PK	116.33M	35.56	43.50	-7.94	-11.91	3	Vertical	206	1.00	-	47.47	18.16	1.90	31.97
PK	330.7M	29.20	46.00	-16.80	-9.23	3	Vertical	149	1.50	-	38.43	19.60	3.31	32.14
PK	438.37M	33.34	46.00	-12.66	-6.05	3	Vertical	237	1.50	-	39.39	22.36	3.88	32.29
PK	446.13M	32.91	46.00	-13.09	-5.92	3	Vertical	229	1.25	-	38.83	22.48	3.92	32.32

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	101.78M	30.88	43.50	-12.62	-13.16	3	Horizontal	76	3.00	-	44.04	17.01	1.77	31.94
PK	118.27M	34.61	43.50	-8.89	-11.79	3	Horizontal	258	3.00	"Worst"	46.40	18.28	1.91	31.98
PK	324.88M	34.78	46.00	-11.22	-9.29	3	Horizontal	108	1.00	-	44.07	19.57	3.28	32.14
PK	332.64M	32.58	46.00	-13.42	-9.19	3	Horizontal	113	1.25	-	41.77	19.63	3.33	32.15
PK	768.17M	32.36	46.00	-13.64	-1.80	3	Horizontal	52	3.00	-	34.16	25.54	5.30	32.64
PK	959.26M	32.97	46.00	-13.03	0.36	3	Horizontal	14	1.25	-	32.61	26.83	6.02	32.49




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.2626G	53.78	54.00	-0.22	3	Horizontal	65	1.88	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 Setting 10.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9152G	63.17	88.20	-25.03	53.41	3	Vertical	168	2.95	-	35.09	7.64	32.97
RMS	5.9124G	52.67	68.20	-15.53	42.93	3	Vertical	168	2.95	-	35.07	7.64	32.97
PK	5.9634G	108.38	Inf	-Inf	98.41	3	Vertical	168	2.95	-	35.30	7.66	32.99
RMS	5.963G	99.85	Inf	-Inf	89.88	3	Vertical	168	2.95	-	35.30	7.66	32.99

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 Setting 10.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8806G	64.23	88.20	-23.97	54.73	3	Horizontal	348	2.95	-	34.84	7.62	32.96
RMS	5.9198G	52.79	68.20	-15.41	43.00	3	Horizontal	348	2.95	-	35.12	7.64	32.97
PK	5.9566G	105.22	Inf	-Inf	95.25	3	Horizontal	348	2.95	-	35.30	7.66	32.99
RMS	5.9568G	96.00	Inf	-Inf	86.03	3	Horizontal	348	2.95	-	35.30	7.66	32.99

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 Setting 10.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89866G	53.44	74.00	-20.56	69.02	3	Vertical	153	1.00	-	38.50	11.06	65.14
AV	11.90052G	39.69	54.00	-14.31	55.26	3	Vertical	153	1.00	-	38.50	11.07	65.14
PK	17.87727G	63.40	74.00	-10.60	70.18	3	Vertical	185	1.54	-	42.66	13.41	62.85
AV	17.87925G	47.80	54.00	-6.20	54.56	3	Vertical	185	1.54	-	42.68	13.41	62.85

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 10.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89794G	53.45	74.00	-20.55	69.03	3	Horizontal	54	1.80	-	38.50	11.06	65.14
AV	11.90022G	39.89	54.00	-14.11	55.46	3	Horizontal	54	1.80	-	38.50	11.07	65.14
PK	17.87388G	61.06	74.00	-12.94	67.86	3	Horizontal	278	1.00	-	42.64	13.41	62.85
AV	17.87931G	47.79	54.00	-6.21	54.55	3	Horizontal	278	1.00	-	42.68	13.41	62.85

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
 Setting 11.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38919G	54.76	74.00	-19.24	69.52	3	Vertical	160	3.00	-	38.68	11.27	64.71
AV	12.40326G	40.92	54.00	-13.08	55.64	3	Vertical	160	3.00	-	38.70	11.27	64.69

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUTZ_2TX
Setting 11.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39312G	54.06	74.00	-19.94	68.80	3	Horizontal	46	2.38	-	38.69	11.27	64.70
AV	12.40335G	40.95	54.00	-13.05	55.67	3	Horizontal	46	2.38	-	38.70	11.27	64.69

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 11.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5754G	48.71	83.54	-34.83	42.69	1	Vertical	283	1.44	-	37.70	18.81	50.49
AV	18.57078G	35.24	63.54	-28.30	29.21	1	Vertical	283	1.44	-	37.70	18.81	50.48

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 11.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57432G	48.47	83.54	-35.07	42.45	1	Horizontal	345	1.37	-	37.70	18.81	50.49
AV	18.5706G	35.25	63.54	-28.29	29.22	1	Horizontal	345	1.37	-	37.70	18.81	50.48

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 12.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83231G	54.72	88.20	-33.48	68.41	3	Vertical	142	1.53	-	39.36	11.44	64.49
RMS	12.84467G	41.10	68.20	-27.10	54.76	3	Vertical	142	1.53	-	39.39	11.44	64.49

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 12.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8324G	55.09	88.20	-33.11	68.78	3	Horizontal	8	1.13	-	39.36	11.44	64.49
RMS	12.84494G	41.09	68.20	-27.11	54.75	3	Horizontal	8	1.13	-	39.39	11.44	64.49

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 12.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2482G	48.99	83.54	-34.55	43.44	1	Vertical	46	1.87	-	37.90	18.95	51.30
AV	19.24102G	35.32	63.54	-28.22	29.75	1	Vertical	46	1.87	-	37.92	18.94	51.29

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 12.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2493G	49.26	83.54	-34.28	43.71	1	Horizontal	63	1.66	-	37.90	18.95	51.30
AV	19.2435G	35.34	63.54	-28.20	29.78	1	Horizontal	63	1.66	-	37.91	18.94	51.29

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
 Setting 12.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86412G	53.67	88.20	-34.53	67.30	3	Vertical	300	1.43	-	39.40	11.45	64.48
RMS	12.86478G	40.42	68.20	-27.78	54.05	3	Vertical	300	1.43	-	39.40	11.45	64.48

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
 Setting 12.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86997G	53.66	88.20	-34.54	67.29	3	Horizontal	38	2.79	-	39.40	11.45	64.48
RMS	12.86901G	40.42	68.20	-27.78	54.05	3	Horizontal	38	2.79	-	39.40	11.45	64.48

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
 Setting 12.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3006G	49.71	83.54	-33.83	44.11	1	Vertical	147	1.70	-	38.00	18.96	51.36
AV	19.309G	35.21	63.54	-28.33	29.66	1	Vertical	147	1.70	-	37.96	18.96	51.37

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 12.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30866G	48.65	83.54	-34.89	43.09	1	Horizontal	233	1.62	-	37.97	18.96	51.37
AV	19.29582G	35.42	63.54	-28.12	29.82	1	Horizontal	233	1.62	-	37.99	18.96	51.35

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 12
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96242G	53.87	88.20	-34.33	68.17	3	Vertical	241	1.81	-	39.62	11.49	65.41
RMS	12.96455G	40.22	68.20	-27.98	54.51	3	Vertical	241	1.81	-	39.63	11.49	65.41

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 12
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93617G	53.59	88.20	-34.61	67.98	3	Horizontal	223	1.89	-	39.54	11.48	65.41
RMS	12.96458G	40.24	68.20	-27.96	54.53	3	Horizontal	223	1.89	-	39.63	11.49	65.41

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 12
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42704G	48.24	83.54	-35.30	42.88	1	Vertical	306	1.92	-	37.89	18.98	51.51
AV	19.4112G	34.84	63.54	-28.70	29.39	1	Vertical	306	1.92	-	37.96	18.98	51.49

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 12
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42062G	49.35	83.54	-34.19	43.95	1	Horizontal	214	1.56	-	37.92	18.98	51.50
AV	19.4115G	34.84	63.54	-28.70	29.40	1	Horizontal	214	1.56	-	37.95	18.98	51.49

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03888G	56.26	88.20	-31.94	70.43	3	Vertical	1	2.65	-	39.70	11.51	65.38
RMS	13.03738G	41.34	68.20	-26.86	55.51	3	Vertical	1	2.65	-	39.70	11.51	65.38

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01713G	55.67	88.20	-32.53	69.85	3	Horizontal	118	1.12	-	39.70	11.51	65.39
RMS	13.04014G	41.34	68.20	-26.86	55.50	3	Horizontal	118	1.12	-	39.70	11.52	65.38

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54788G	48.81	83.54	-34.73	43.34	1	Vertical	279	1.51	-	38.10	19.01	51.64
AV	19.54906G	34.91	63.54	-28.63	29.44	1	Vertical	279	1.51	-	38.10	19.01	51.64

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55868G	49.67	83.54	-33.87	44.26	1	Horizontal	51	1.45	-	38.05	19.01	51.65
AV	19.55742G	35.03	63.54	-28.51	29.61	1	Horizontal	51	1.45	-	38.06	19.01	51.65

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06811G	54.37	88.20	-33.83	68.50	3	Vertical	282	1.29	-	39.70	11.53	65.36
RMS	13.07333G	41.29	68.20	-26.91	55.42	3	Vertical	282	1.29	-	39.70	11.53	65.36

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUTZ_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05932G	55.89	88.20	-32.31	70.03	3	Horizontal	89	2.71	-	39.70	11.52	65.36
RMS	13.07342G	41.32	68.20	-26.88	55.45	3	Horizontal	89	2.71	-	39.70	11.53	65.36

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59582G	48.32	83.54	-35.22	43.15	1	Vertical	79	2.00	-	37.83	19.02	51.68
AV	19.59828G	34.80	63.54	-28.74	29.65	1	Vertical	79	2.00	-	37.81	19.02	51.68

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60734G	47.84	83.54	-35.70	42.67	1	Horizontal	263	1.34	-	37.84	19.02	51.69
AV	19.5963G	34.80	63.54	-28.74	29.64	1	Horizontal	263	1.34	-	37.82	19.02	51.68

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3765G	56.15	74.00	-17.85	69.48	3	Vertical	6	2.12	-	40.20	11.64	65.17
AV	13.38658G	42.33	54.00	-11.67	55.65	3	Vertical	6	2.12	-	40.20	11.65	65.17

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38493G	56.95	74.00	-17.05	70.27	3	Horizontal	76	1.88	-	40.20	11.65	65.17
AV	13.3924G	42.37	54.00	-11.63	55.68	3	Horizontal	76	1.88	-	40.20	11.65	65.16

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08588G	47.96	83.54	-35.58	42.99	1	Vertical	174	1.90	-	37.84	19.13	52.00
AV	20.08G	34.65	63.54	-28.89	29.70	1	Vertical	174	1.90	-	37.82	19.13	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 11
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08084G	48.26	83.54	-35.28	43.31	1	Horizontal	16	1.80	-	37.82	19.13	52.00
AV	20.08254G	34.66	63.54	-28.88	29.70	1	Horizontal	16	1.80	-	37.83	19.13	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7353G	55.94	88.20	-32.26	68.57	3	Vertical	74	1.31	-	40.64	11.78	65.05
RMS	13.735G	42.36	68.20	-25.84	54.99	3	Vertical	74	1.31	-	40.64	11.78	65.05

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73584G	56.26	88.20	-31.94	68.89	3	Horizontal	209	2.49	-	40.64	11.78	65.05
RMS	13.73515G	42.38	68.20	-25.82	55.01	3	Horizontal	209	2.49	-	40.64	11.78	65.05

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62026G	48.97	83.54	-34.57	43.73	1	Vertical	2	1.42	-	37.96	19.33	52.05
AV	20.61018G	35.38	63.54	-28.16	30.11	1	Vertical	2	1.42	-	37.98	19.33	52.04

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61516G	48.56	83.54	-34.98	43.31	1	Horizontal	335	1.95	-	37.97	19.33	52.05
AV	20.61G	35.41	63.54	-28.13	30.14	1	Horizontal	335	1.95	-	37.98	19.33	52.04

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 13.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79495G	57.36	88.20	-30.84	68.56	3	Vertical	351	1.80	-	40.70	11.80	63.70
RMS	13.78169G	43.59	68.20	-24.61	54.80	3	Vertical	351	1.80	-	40.70	11.80	63.71

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 13.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80251G	56.73	88.20	-31.47	67.92	3	Horizontal	123	1.66	-	40.71	11.80	63.70
RMS	13.79663G	43.62	68.20	-24.58	54.82	3	Horizontal	123	1.66	-	40.70	11.80	63.70

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69196G	48.45	83.54	-35.09	43.27	1	Vertical	340	1.58	-	37.90	19.36	52.08
AV	20.67078G	34.99	63.54	-28.55	29.81	1	Vertical	340	1.58	-	37.90	19.35	52.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 13.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68254G	49.00	83.54	-34.54	43.82	1	Horizontal	143	2.00	-	37.90	19.35	52.07
AV	20.67084G	35.01	63.54	-28.53	29.83	1	Horizontal	143	2.00	-	37.90	19.35	52.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99915G	57.81	88.20	-30.39	68.64	3	Vertical	350	2.22	-	40.90	11.88	63.61
RMS	14.00443G	44.64	68.20	-23.56	55.45	3	Vertical	350	2.22	-	40.91	11.88	63.60

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98769G	57.86	88.20	-30.34	68.72	3	Horizontal	173	2.43	-	40.88	11.88	63.62
RMS	14.00491G	44.64	68.20	-23.56	55.45	3	Horizontal	173	2.43	-	40.91	11.88	63.60

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97162G	48.66	83.54	-34.88	43.38	1	Vertical	174	1.93	-	38.01	19.46	52.19
AV	20.97G	35.53	63.54	-28.01	30.24	1	Vertical	174	1.93	-	38.02	19.46	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 13
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9865G	49.00	83.54	-34.54	43.77	1	Horizontal	39	1.43	-	37.95	19.47	52.19
AV	20.97012G	35.58	63.54	-27.96	30.29	1	Horizontal	39	1.43	-	38.02	19.46	52.19

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 11.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	110.68	Inf	-Inf	98.59	3	Vertical	176	2.68	-	36.60	8.53	33.04
RMS	7.1028G	101.93	Inf	-Inf	89.83	3	Vertical	176	2.68	-	36.62	8.52	33.04
PK	7.1816G	64.26	88.20	-23.94	51.79	3	Vertical	176	2.68	-	37.03	8.50	33.06
RMS	7.1906G	54.35	68.20	-13.85	41.87	3	Vertical	176	2.68	-	37.06	8.49	33.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 11.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0868G	105.84	Inf	-Inf	93.75	3	Horizontal	161	2.76	-	36.60	8.53	33.04
RMS	7.0866G	96.65	Inf	-Inf	84.56	3	Horizontal	161	2.76	-	36.60	8.53	33.04
PK	7.1736G	64.42	88.20	-23.78	51.99	3	Horizontal	161	2.76	-	36.99	8.50	33.06
RMS	7.1838G	54.34	68.20	-13.86	41.87	3	Horizontal	161	2.76	-	37.04	8.50	33.07

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 11.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20041G	58.07	88.20	-30.13	68.55	3	Vertical	74	1.24	-	40.70	11.97	63.15
RMS	14.1909G	44.77	68.20	-23.43	55.25	3	Vertical	74	1.24	-	40.72	11.97	63.17

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 11.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19072G	58.40	88.20	-29.80	68.89	3	Horizontal	172	2.06	-	40.72	11.97	63.18
RMS	14.19054G	44.76	68.20	-23.44	55.25	3	Horizontal	172	2.06	-	40.72	11.97	63.18

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 11.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29882G	49.99	83.54	-33.55	44.22	1	Vertical	124	1.76	-	38.39	19.58	52.20
AV	21.2988G	36.24	63.54	-27.30	30.47	1	Vertical	124	1.76	-	38.39	19.58	52.20

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
 Setting 11.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27216G	49.35	83.54	-34.19	43.80	1	Horizontal	61	1.74	-	38.18	19.57	52.20
AV	21.29928G	36.22	63.54	-27.32	30.45	1	Horizontal	61	1.74	-	38.39	19.58	52.20

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 6.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1135G	102.68	Inf	-Inf	90.52	3	Vertical	34	2.23	80_BP 1M	36.68	8.52	33.04
RMS	7.1125G	96.79	Inf	-Inf	84.64	3	Vertical	34	2.23	80_BP 1M	36.67	8.52	33.04
PK	7.1255G	73.72	88.20	-14.48	61.50	3	Vertical	34	2.23	80_BP 1M	36.75	8.52	33.05
RMS	7.1255G	65.17	68.20	-3.03	52.95	3	Vertical	34	2.23	80_BP 1M	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 6.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1075G	97.83	Inf	-Inf	85.71	3	Horizontal	164	2.95	80_BP 1M	36.64	8.52	33.04
RMS	7.1235G	91.89	Inf	-Inf	79.68	3	Horizontal	164	2.95	80_BP 1M	36.74	8.52	33.05
PK	7.1255G	76.00	88.20	-12.20	63.78	3	Horizontal	164	2.95	80_BP 1M	36.75	8.52	33.05
RMS	7.1255G	67.93	68.20	-0.27	55.71	3	Horizontal	164	2.95	80_BP 1M	36.75	8.52	33.05

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 6.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21839G	57.05	88.20	-31.15	67.52	3	Vertical	81	2.48	-	40.66	11.98	63.11
RMS	14.21506G	42.75	68.20	-25.45	53.22	3	Vertical	81	2.48	-	40.67	11.98	63.12

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 6.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21728G	55.50	88.20	-32.70	65.96	3	Horizontal	104	2.14	-	40.67	11.98	63.11
RMS	14.215G	42.74	68.20	-25.46	53.21	3	Horizontal	104	2.14	-	40.67	11.98	63.12

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 6.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.35106G	50.33	83.54	-33.21	44.62	1	Vertical	206	1.84	-	38.31	19.60	52.20
AV	21.35268G	36.64	63.54	-26.90	30.92	1	Vertical	206	1.84	-	38.32	19.60	52.20

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 6.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34902G	50.18	83.54	-33.36	44.48	1	Horizontal	281	1.91	-	38.30	19.60	52.20
AV	21.3576G	36.64	63.54	-26.90	30.89	1	Horizontal	281	1.91	-	38.35	19.60	52.20

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 13.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	63.80	88.20	-24.40	54.32	3	Vertical	229	2.95	-	34.82	7.62	32.96
RMS	5.924G	53.14	68.20	-15.06	43.33	3	Vertical	229	2.95	-	35.14	7.64	32.97
PK	5.9838G	110.40	Inf	-Inf	100.42	3	Vertical	229	2.95	-	35.30	7.67	32.99
RMS	5.9672G	99.84	Inf	-Inf	89.87	3	Vertical	229	2.95	-	35.30	7.66	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 13.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8982G	64.20	88.20	-24.00	54.55	3	Horizontal	207	2.95	-	34.99	7.63	32.97
RMS	5.9214G	52.89	68.20	-15.31	43.09	3	Horizontal	207	2.95	-	35.13	7.64	32.97
PK	5.9768G	107.32	Inf	-Inf	97.34	3	Horizontal	207	2.95	-	35.30	7.67	32.99
RMS	5.979G	97.22	Inf	-Inf	87.24	3	Horizontal	207	2.95	-	35.30	7.67	32.99

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9253G	53.34	74.00	-20.66	69.02	3	Vertical	346	2.24	-	38.40	11.08	65.16
AV	11.92014G	39.55	54.00	-14.45	55.20	3	Vertical	346	2.24	-	38.42	11.08	65.15
PK	17.89372G	62.29	74.00	-11.71	68.98	3	Vertical	189	2.65	-	42.76	13.42	62.87
AV	17.89932G	48.54	54.00	-5.46	55.20	3	Vertical	189	2.65	-	42.80	13.42	62.88

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92782G	52.68	74.00	-21.32	68.37	3	Horizontal	93	2.99	-	38.39	11.08	65.16
AV	11.92008G	39.56	54.00	-14.44	55.21	3	Horizontal	93	2.99	-	38.42	11.08	65.15
PK	17.891G	61.94	74.00	-12.06	68.65	3	Horizontal	226	1.97	-	42.75	13.41	62.87
AV	17.89962G	48.57	54.00	-5.43	55.23	3	Horizontal	226	1.97	-	42.80	13.42	62.88

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41014G	53.84	74.00	-20.16	68.54	3	Vertical	318	1.75	-	38.70	11.28	64.68
AV	12.40232G	40.08	54.00	-13.92	54.80	3	Vertical	318	1.75	-	38.70	11.27	64.69

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41426G	54.42	74.00	-19.58	69.12	3	Horizontal	278	2.32	-	38.70	11.28	64.68
AV	12.40314G	40.92	54.00	-13.08	55.64	3	Horizontal	278	2.32	-	38.70	11.27	64.69

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61044G	48.95	83.54	-34.59	42.94	1	Vertical	290	1.67	-	37.72	18.82	50.53
AV	18.61072G	35.05	63.54	-28.49	29.04	1	Vertical	290	1.67	-	37.72	18.82	50.53

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61536G	48.40	83.54	-35.14	42.39	1	Horizontal	238	1.83	-	37.73	18.82	50.54
AV	18.61152G	35.03	63.54	-28.51	29.02	1	Horizontal	238	1.83	-	37.72	18.82	50.53

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUTZ_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81346G	54.38	88.20	-33.82	68.11	3	Vertical	56	1.46	-	39.33	11.43	64.49
RMS	12.81862G	40.84	68.20	-27.36	54.56	3	Vertical	56	1.46	-	39.34	11.43	64.49

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
 Setting 14.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80924G	53.35	88.20	-34.85	67.10	3	Horizontal	12	2.87	-	39.32	11.43	64.50
RMS	12.81846G	39.89	68.20	-28.31	53.61	3	Horizontal	12	2.87	-	39.34	11.43	64.49

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22G	48.97	83.54	-34.57	43.33	1	Vertical	36	1.80	-	37.96	18.94	51.26
AV	19.21164G	35.20	63.54	-28.34	29.53	1	Vertical	36	1.80	-	37.98	18.94	51.25

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21084G	48.51	83.54	-35.03	42.84	1	Horizontal	37	1.42	-	37.98	18.94	51.25
AV	19.21412G	35.20	63.54	-28.34	29.55	1	Horizontal	37	1.42	-	37.97	18.94	51.26

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88828G	54.59	88.20	-33.61	68.21	3	Vertical	137	2.71	-	39.40	11.46	64.48
RMS	12.88158G	41.26	68.20	-26.94	54.88	3	Vertical	137	2.71	-	39.40	11.46	64.48

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88754G	55.45	88.20	-32.75	69.07	3	Horizontal	225	2.27	-	39.40	11.46	64.48
RMS	12.88194G	41.26	68.20	-26.94	54.88	3	Horizontal	225	2.27	-	39.40	11.46	64.48

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.338G	48.67	83.54	-34.87	43.27	1	Vertical	34	2.00	-	37.85	18.96	51.41
AV	19.33064G	35.04	63.54	-28.50	29.60	1	Vertical	34	2.00	-	37.88	18.96	51.40

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33676G	49.10	83.54	-34.44	43.69	1	Horizontal	91	1.88	-	37.85	18.96	51.40
AV	19.33952G	35.02	63.54	-28.52	29.63	1	Horizontal	91	1.88	-	37.84	18.96	51.41

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97842G	54.82	88.20	-33.38	69.07	3	Vertical	102	2.89	-	39.66	11.49	65.40
RMS	12.9701G	40.33	68.20	-27.87	54.61	3	Vertical	102	2.89	-	39.64	11.49	65.41

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97768G	53.76	88.20	-34.44	68.01	3	Horizontal	230	2.45	-	39.66	11.49	65.40
RMS	12.96944G	40.34	68.20	-27.86	54.62	3	Horizontal	230	2.45	-	39.64	11.49	65.41

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45688G	48.31	83.54	-35.23	43.04	1	Vertical	111	1.77	-	37.83	18.99	51.55
AV	19.45884G	34.55	63.54	-28.99	29.27	1	Vertical	111	1.77	-	37.84	18.99	51.55

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 14
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4555G	48.77	83.54	-34.77	43.51	1	Horizontal	307	1.75	-	37.82	18.99	51.55
AV	19.45896G	34.58	63.54	-28.96	29.30	1	Horizontal	307	1.75	-	37.84	18.99	51.55

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 14.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04326G	55.60	88.20	-32.60	68.78	3	Vertical	271	1.67	-	39.70	11.52	64.40
RMS	13.0402G	42.35	68.20	-25.85	55.53	3	Vertical	271	1.67	-	39.70	11.52	64.40

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 14.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05288G	56.38	88.20	-31.82	69.55	3	Horizontal	156	1.25	-	39.70	11.52	64.39
RMS	13.04014G	42.35	68.20	-25.85	55.53	3	Horizontal	156	1.25	-	39.70	11.52	64.40

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 14.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57438G	48.52	83.54	-35.02	43.22	1	Vertical	253	1.53	-	37.95	19.01	51.66
AV	19.57138G	34.74	63.54	-28.80	29.42	1	Vertical	253	1.53	-	37.97	19.01	51.66

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 14.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57508G	48.75	83.54	-34.79	43.45	1	Horizontal	189	1.37	-	37.95	19.01	51.66
AV	19.57012G	34.77	63.54	-28.77	29.44	1	Horizontal	189	1.37	-	37.98	19.01	51.66

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12168G	55.15	88.20	-33.05	68.16	3	Vertical	102	2.55	-	39.74	11.55	64.30
RMS	13.13974G	42.40	68.20	-25.80	55.35	3	Vertical	102	2.55	-	39.78	11.55	64.28

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12576G	56.50	88.20	-31.70	69.50	3	Horizontal	187	1.05	-	39.75	11.55	64.30
RMS	13.13962G	42.38	68.20	-25.82	55.33	3	Horizontal	187	1.05	-	39.78	11.55	64.28

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69492G	48.81	83.54	-34.73	43.70	1	Vertical	213	1.43	-	37.83	19.04	51.76
AV	19.69576G	35.11	63.54	-28.43	30.00	1	Vertical	213	1.43	-	37.83	19.04	51.76

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69236G	48.69	83.54	-34.85	43.55	1	Horizontal	130	1.76	-	37.85	19.04	51.75
AV	19.69062G	35.14	63.54	-28.40	29.99	1	Horizontal	130	1.76	-	37.86	19.04	51.75

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 15.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36586G	57.49	74.00	-16.51	69.65	3	Vertical	277	1.91	-	40.20	11.64	64.00
AV	13.37758G	43.45	54.00	-10.55	55.60	3	Vertical	277	1.91	-	40.20	11.64	63.99

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUTZ_2TX
Setting 15.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36764G	56.98	74.00	-17.02	69.14	3	Horizontal	298	2.60	-	40.20	11.64	64.00
AV	13.3759G	43.45	54.00	-10.55	55.60	3	Horizontal	298	2.60	-	40.20	11.64	63.99

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
 Setting 15.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04366G	52.56	83.54	-30.98	47.73	1	Vertical	0	1.73	-	37.71	19.12	52.00
AV	20.04999G	38.90	63.54	-24.64	34.08	1	Vertical	0	1.73	-	37.70	19.12	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
 Setting 15.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04678G	48.89	83.54	-34.65	44.06	1	Horizontal	242	1.47	-	37.71	19.12	52.00
AV	20.0493G	35.11	63.54	-28.43	30.29	1	Horizontal	242	1.47	-	37.70	19.12	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77156G	57.51	88.20	-30.69	68.74	3	Vertical	295	2.25	-	40.70	11.79	63.72
RMS	13.77272G	43.59	68.20	-24.61	54.81	3	Vertical	295	2.25	-	40.70	11.79	63.71

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77286G	57.05	88.20	-31.15	68.27	3	Horizontal	272	2.25	-	40.70	11.79	63.71
RMS	13.77278G	43.62	68.20	-24.58	54.84	3	Horizontal	272	2.25	-	40.70	11.79	63.71

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 15
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64204G	48.31	83.54	-35.23	43.11	1	Vertical	292	1.56	-	37.92	19.34	52.06
AV	20.64G	35.04	63.54	-28.50	29.84	1	Vertical	292	1.56	-	37.92	19.34	52.06

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66802G	48.74	83.54	-34.80	43.56	1	Horizontal	40	1.78	-	37.90	19.35	52.07
AV	20.64012G	34.96	63.54	-28.58	29.76	1	Horizontal	40	1.78	-	37.92	19.34	52.06

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84166G	57.15	88.20	-31.05	68.14	3	Vertical	301	1.97	-	40.87	11.82	63.68
RMS	13.84584G	43.81	68.20	-24.39	54.79	3	Vertical	301	1.97	-	40.88	11.82	63.68

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8518G	58.26	88.20	-29.94	69.22	3	Horizontal	234	1.92	-	40.90	11.82	63.68
RMS	13.85818G	43.77	68.20	-24.43	54.72	3	Horizontal	234	1.92	-	40.90	11.83	63.68

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7816G	49.61	83.54	-33.93	44.28	1	Vertical	332	1.52	-	38.05	19.39	52.11
AV	20.78844G	36.22	63.54	-27.32	30.84	1	Vertical	332	1.52	-	38.11	19.39	52.12

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 15
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78856G	49.18	83.54	-34.36	43.80	1	Horizontal	343	1.64	-	38.11	19.39	52.12
AV	20.78856G	36.21	63.54	-27.33	30.83	1	Horizontal	343	1.64	-	38.11	19.39	52.12

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.001866G	58.41	88.20	-29.79	69.24	3	Vertical	61	2.47	-	40.90	11.88	63.61
RMS	14.00832G	44.69	68.20	-23.51	55.48	3	Vertical	61	2.47	-	40.92	11.88	63.59

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00506G	58.99	88.20	-29.21	69.80	3	Horizontal	346	2.97	-	40.91	11.88	63.60
RMS	14.01018G	44.70	68.20	-23.50	55.49	3	Horizontal	346	2.97	-	40.92	11.88	63.59

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01704G	48.80	83.54	-34.74	43.45	1	Vertical	346	1.92	-	38.07	19.48	52.20
AV	21.0199G	35.01	63.54	-28.53	29.63	1	Vertical	346	1.92	-	38.10	19.48	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
 Setting 14.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0188G	49.00	83.54	-34.54	43.63	1	Horizontal	195	1.87	-	38.09	19.48	52.20
AV	21.01954G	34.99	63.54	-28.55	29.61	1	Horizontal	195	1.87	-	38.10	19.48	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1034G	109.57	Inf	-Inf	97.47	3	Vertical	32	2.29	-	36.62	8.52	33.04
RMS	7.1028G	100.80	Inf	-Inf	88.70	3	Vertical	32	2.29	-	36.62	8.52	33.04
PK	7.156G	63.91	88.20	-24.29	51.54	3	Vertical	32	2.29	-	36.92	8.51	33.06
RMS	7.1378G	54.42	68.20	-13.78	42.13	3	Vertical	32	2.29	-	36.83	8.51	33.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.088G	104.84	Inf	-Inf	92.75	3	Horizontal	318	2.71	-	36.60	8.53	33.04
RMS	7.071G	95.52	Inf	-Inf	83.41	3	Horizontal	318	2.71	-	36.60	8.54	33.03
PK	7.1662G	64.88	88.20	-23.32	52.48	3	Horizontal	318	2.71	-	36.96	8.50	33.06
RMS	7.1828G	54.41	68.20	-13.79	41.94	3	Horizontal	318	2.71	-	37.03	8.50	33.06

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17568G	59.29	88.20	-28.91	69.79	3	Vertical	252	2.41	-	40.75	11.96	63.21
RMS	14.1605G	44.88	68.20	-23.32	55.39	3	Vertical	252	2.41	-	40.78	11.95	63.24

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17162G	59.32	88.20	-28.88	69.82	3	Horizontal	289	2.05	-	40.76	11.96	63.22
RMS	14.16142G	44.89	68.20	-23.31	55.40	3	Horizontal	289	2.05	-	40.78	11.95	63.24

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
 Setting 14.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25752G	49.10	83.54	-34.44	43.67	1	Vertical	175	1.67	-	38.06	19.57	52.20
AV	21.25868G	35.11	63.54	-28.43	29.67	1	Vertical	175	1.67	-	38.07	19.57	52.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 14.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25612G	49.74	83.54	-33.80	44.33	1	Horizontal	293	1.71	-	38.05	19.56	52.20
AV	21.25998G	35.10	63.54	-28.44	29.65	1	Horizontal	293	1.71	-	38.08	19.57	52.20

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9115G	62.77	88.20	-25.43	53.03	3	Vertical	170	3.00	-	35.07	7.64	32.97
RMS	5.915G	53.15	68.20	-15.05	43.39	3	Vertical	170	3.00	-	35.09	7.64	32.97
PK	5.994G	108.97	Inf	-Inf	98.99	3	Vertical	170	3.00	-	35.30	7.68	33.00
RMS	6.0135G	99.95	Inf	-Inf	89.97	3	Vertical	170	3.00	-	35.30	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9215G	63.34	88.20	-24.86	53.54	3	Horizontal	206	3.00	-	35.13	7.64	32.97
RMS	5.92G	53.65	68.20	-14.55	43.86	3	Horizontal	206	3.00	-	35.12	7.64	32.97
PK	6.017G	107.42	Inf	-Inf	97.44	3	Horizontal	206	3.00	-	35.30	7.68	33.00
RMS	6.019G	97.53	Inf	-Inf	87.55	3	Horizontal	206	3.00	-	35.30	7.68	33.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97687G	53.49	74.00	-20.51	69.15	3	Vertical	269	1.16	-	38.41	11.11	65.18
AV	11.97852G	39.83	54.00	-14.17	55.49	3	Vertical	269	1.16	-	38.41	11.11	65.18
PK	17.96901G	61.76	74.00	-12.24	68.28	3	Vertical	285	2.44	-	43.00	13.44	62.96
AV	17.95971G	48.40	54.00	-5.60	54.90	3	Vertical	285	2.44	-	43.00	13.44	62.94

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97246G	52.92	74.00	-21.08	68.61	3	Horizontal	78	2.76	-	38.39	11.10	65.18
AV	11.97879G	39.77	54.00	-14.23	55.42	3	Horizontal	78	2.76	-	38.42	11.11	65.18
PK	17.96241G	62.11	74.00	-11.89	68.62	3	Horizontal	287	1.74	-	43.00	13.44	62.95
AV	17.95869G	48.41	54.00	-5.59	54.91	3	Horizontal	287	1.74	-	43.00	13.44	62.94

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46149G	53.47	74.00	-20.53	68.09	3	Vertical	227	2.77	-	38.70	11.30	64.62
AV	12.465G	40.18	54.00	-13.82	54.79	3	Vertical	227	2.77	-	38.70	11.30	64.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46416G	54.10	74.00	-19.90	68.71	3	Horizontal	122	2.13	-	38.70	11.30	64.61
AV	12.46476G	40.19	54.00	-13.81	54.80	3	Horizontal	122	2.13	-	38.70	11.30	64.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67422G	50.42	83.54	-33.12	44.50	1	Vertical	334	1.94	-	37.70	18.83	50.61
AV	18.67842G	35.44	63.54	-28.10	29.53	1	Vertical	334	1.94	-	37.69	18.83	50.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6718G	49.20	83.54	-34.34	43.27	1	Horizontal	279	1.37	-	37.71	18.83	50.61
AV	18.67884G	35.43	63.54	-28.11	29.53	1	Horizontal	279	1.37	-	37.68	18.83	50.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUTZ_2TX
Setting 17
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76088G	54.54	88.20	-33.66	68.50	3	Vertical	133	2.03	-	39.14	11.41	64.51
RMS	12.78491G	41.25	68.20	-26.95	55.09	3	Vertical	133	2.03	-	39.24	11.42	64.50

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 17
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76904G	54.76	88.20	-33.44	68.68	3	Horizontal	275	1.60	-	39.18	11.41	64.51
RMS	12.78257G	41.28	68.20	-26.92	55.13	3	Horizontal	275	1.60	-	39.23	11.42	64.50

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 17
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15716G	48.55	83.54	-34.99	43.07	1	Vertical	142	1.67	-	37.74	18.93	51.19
AV	19.15322G	34.91	63.54	-28.63	29.44	1	Vertical	142	1.67	-	37.72	18.93	51.18

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 17
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1587G	48.85	83.54	-34.69	43.36	1	Horizontal	288	1.72	-	37.75	18.93	51.19
AV	19.15642G	34.93	63.54	-28.61	29.45	1	Horizontal	288	1.72	-	37.74	18.93	51.19

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94041G	54.77	88.20	-33.43	68.19	3	Vertical	111	1.84	-	39.56	11.48	64.46
RMS	12.91548G	41.24	68.20	-26.96	54.78	3	Vertical	111	1.84	-	39.46	11.47	64.47

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94278G	54.64	88.20	-33.56	68.05	3	Horizontal	228	2.03	-	39.57	11.48	64.46
RMS	12.942G	41.22	68.20	-26.98	54.63	3	Horizontal	228	2.03	-	39.57	11.48	64.46

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39902G	48.59	83.54	-34.95	43.09	1	Vertical	218	1.84	-	38.00	18.98	51.48
AV	19.39444G	35.06	63.54	-28.48	29.57	1	Vertical	218	1.84	-	37.98	18.98	51.47

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 20
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3914G	49.06	83.54	-34.48	43.58	1	Horizontal	89	1.51	-	37.97	18.98	51.47
AV	19.3945G	35.07	63.54	-28.47	29.58	1	Horizontal	89	1.51	-	37.98	18.98	51.47

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08835G	55.39	88.20	-32.81	68.50	3	Vertical	291	1.63	-	39.70	11.53	64.34
RMS	13.08727G	42.23	68.20	-25.97	55.34	3	Vertical	291	1.63	-	39.70	11.53	64.34

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09531G	55.96	88.20	-32.24	69.05	3	Horizontal	56	2.70	-	39.70	11.54	64.33
RMS	13.08724G	42.24	68.20	-25.96	55.35	3	Horizontal	56	2.70	-	39.70	11.53	64.34

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63088G	51.16	83.54	-32.38	45.85	1	Vertical	347	1.96	-	37.99	19.02	51.70
AV	19.63G	37.71	63.54	-25.83	32.41	1	Vertical	347	1.96	-	37.98	19.02	51.70

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 19
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63964G	49.25	83.54	-34.29	43.89	1	Horizontal	133	1.41	-	38.04	19.03	51.71
AV	19.63954G	34.97	63.54	-28.57	29.61	1	Horizontal	133	1.41	-	38.04	19.03	51.71

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25244G	55.57	74.00	-18.43	68.11	3	Vertical	108	2.93	-	40.00	11.60	64.14
AV	13.25741G	41.83	54.00	-12.17	54.37	3	Vertical	108	2.93	-	40.00	11.60	64.14

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25433G	55.73	74.00	-18.27	68.27	3	Horizontal	151	2.31	-	40.00	11.60	64.14
AV	13.2583G	41.83	54.00	-12.17	54.36	3	Horizontal	151	2.31	-	40.00	11.60	64.13

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87554G	50.29	83.54	-33.25	45.37	1	Vertical	186	1.89	-	37.75	19.07	51.90
AV	19.87372G	35.34	63.54	-28.20	30.43	1	Vertical	186	1.89	-	37.74	19.07	51.90

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8706G	49.29	83.54	-34.25	44.40	1	Horizontal	359	1.47	-	37.72	19.07	51.90
AV	19.87982G	35.32	63.54	-28.22	30.36	1	Horizontal	359	1.47	-	37.78	19.08	51.90

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.410966G	56.62	88.20	-31.58	68.71	3	Vertical	248	2.49	-	40.20	11.66	63.95
RMS	13.40506G	43.00	68.20	-25.20	55.11	3	Vertical	248	2.49	-	40.20	11.65	63.96

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41192G	56.86	88.20	-31.34	68.95	3	Horizontal	52	1.88	-	40.20	11.66	63.95
RMS	13.40502G	43.01	68.20	-25.19	55.12	3	Horizontal	52	1.88	-	40.20	11.65	63.96

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1173G	48.42	83.54	-35.12	43.48	1	Vertical	283	1.68	-	37.80	19.14	52.00
AV	20.1103G	34.59	63.54	-28.95	29.61	1	Vertical	283	1.68	-	37.84	19.14	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1163G	47.83	83.54	-35.71	42.89	1	Horizontal	201	1.45	-	37.80	19.14	52.00
AV	20.1107G	34.58	63.54	-28.96	29.60	1	Horizontal	201	1.45	-	37.84	19.14	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57329G	56.24	88.20	-31.96	67.93	3	Vertical	319	1.10	-	40.40	11.72	63.81
RMS	13.57499G	43.17	68.20	-25.03	54.86	3	Vertical	319	1.10	-	40.40	11.72	63.81

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57092G	57.17	88.20	-31.03	68.86	3	Horizontal	352	2.92	-	40.40	11.72	63.81
RMS	13.57489G	43.19	68.20	-25.01	54.88	3	Horizontal	352	2.92	-	40.40	11.72	63.81

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35272G	50.14	83.54	-33.40	44.82	1	Vertical	248	1.42	-	38.09	19.23	52.00
AV	20.35456G	36.50	63.54	-27.04	31.18	1	Vertical	248	1.42	-	38.09	19.23	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35656G	49.95	83.54	-33.59	44.63	1	Horizontal	36	1.65	-	38.09	19.23	52.00
AV	20.35492G	36.49	63.54	-27.05	31.17	1	Horizontal	36	1.65	-	38.09	19.23	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73295G	58.71	88.20	-29.49	70.03	3	Vertical	267	2.06	-	40.63	11.78	63.73
RMS	13.72529G	44.00	68.20	-24.20	55.36	3	Vertical	267	2.06	-	40.60	11.78	63.74

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7261G	57.36	88.20	-30.84	68.72	3	Horizontal	0	2.99	-	40.60	11.78	63.74
RMS	13.72528G	43.98	68.20	-24.22	55.34	3	Horizontal	0	2.99	-	40.60	11.78	63.74

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 18.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59578G	49.38	83.54	-34.16	44.11	1	Vertical	100	1.70	-	37.99	19.32	52.04
AV	20.59922G	35.24	63.54	-28.30	29.96	1	Vertical	100	1.70	-	38.00	19.32	52.04

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5969G	49.18	83.54	-34.36	43.91	1	Horizontal	20	1.42	-	37.99	19.32	52.04
AV	20.59396G	35.24	63.54	-28.30	29.97	1	Horizontal	20	1.42	-	37.99	19.32	52.04

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88816G	57.88	88.20	-30.32	68.80	3	Vertical	44	1.41	-	40.90	11.84	63.66
RMS	13.88515G	43.85	68.20	-24.35	54.77	3	Vertical	44	1.41	-	40.90	11.84	63.66

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89461G	57.95	88.20	-30.25	68.87	3	Horizontal	150	1.78	-	40.90	11.84	63.66
RMS	13.88821G	43.89	68.20	-24.31	54.81	3	Horizontal	150	1.78	-	40.90	11.84	63.66

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83116G	50.02	83.54	-33.52	44.54	1	Vertical	48	1.48	-	38.20	19.41	52.13
AV	20.83434G	36.34	63.54	-27.20	30.86	1	Vertical	48	1.48	-	38.20	19.41	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 18.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83994G	49.68	83.54	-33.86	44.21	1	Horizontal	171	1.98	-	38.20	19.41	52.14
AV	20.83144G	36.33	63.54	-27.21	30.85	1	Horizontal	171	1.98	-	38.20	19.41	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9938G	110.43	Inf	-Inf	98.29	3	Vertical	176	2.61	-	36.60	8.55	33.01
RMS	7.0338G	100.74	Inf	-Inf	88.61	3	Vertical	176	2.61	-	36.60	8.55	33.02
PK	7.141G	65.01	88.20	-23.19	52.70	3	Vertical	176	2.61	-	36.85	8.51	33.05
RMS	7.2034G	54.36	68.20	-13.84	41.84	3	Vertical	176	2.61	-	37.10	8.49	33.07

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0154G	106.61	Inf	-Inf	94.47	3	Horizontal	164	2.89	-	36.60	8.55	33.01
RMS	6.9958G	95.92	Inf	-Inf	83.77	3	Horizontal	164	2.89	-	36.60	8.56	33.01
PK	7.135G	64.79	88.20	-23.41	52.52	3	Horizontal	164	2.89	-	36.81	8.51	33.05
RMS	7.165G	53.95	68.20	-14.25	41.55	3	Horizontal	164	2.89	-	36.96	8.50	33.06

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04965G	58.32	88.20	-29.88	68.92	3	Vertical	296	2.56	-	41.00	11.90	63.50
RMS	14.055G	44.54	68.20	-23.66	55.11	3	Vertical	296	2.56	-	41.00	11.91	63.48

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05251G	58.59	88.20	-29.61	69.18	3	Horizontal	255	2.78	-	41.00	11.90	63.49
RMS	14.05498G	44.54	68.20	-23.66	55.11	3	Horizontal	255	2.78	-	41.00	11.91	63.48

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.837G	50.24	83.54	-33.30	44.76	1	Vertical	72	1.48	-	38.20	19.41	52.13
AV	20.83468G	36.36	63.54	-27.18	30.88	1	Vertical	72	1.48	-	38.20	19.41	52.13

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83472G	50.39	83.54	-33.15	44.91	1	Horizontal	354	1.56	-	38.20	19.41	52.13
AV	20.83124G	36.33	63.54	-27.21	30.85	1	Horizontal	354	1.56	-	38.20	19.41	52.13

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	76.10	88.20	-12.10	66.30	3	Vertical	164	2.97	-	35.13	7.64	32.97
RMS	5.918G	65.82	68.20	-2.38	56.04	3	Vertical	164	2.97	-	35.11	7.64	32.97
PK	6.097G	110.57	Inf	-Inf	100.49	3	Vertical	164	2.97	-	35.39	7.70	33.01
RMS	6.097G	100.78	Inf	-Inf	90.70	3	Vertical	164	2.97	-	35.39	7.70	33.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9225G	73.18	88.20	-15.02	63.38	3	Horizontal	347	3.00	-	35.13	7.64	32.97
RMS	5.9245G	63.98	68.20	-4.22	54.16	3	Horizontal	347	3.00	-	35.15	7.64	32.97
PK	6.0445G	107.13	Inf	-Inf	97.14	3	Horizontal	347	3.00	-	35.30	7.69	33.00
RMS	6.0635G	97.19	Inf	-Inf	87.18	3	Horizontal	347	3.00	-	35.33	7.69	33.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05445G	53.97	74.00	-20.03	69.36	3	Vertical	288	2.72	-	38.59	11.14	65.12
AV	12.04979G	40.37	54.00	-13.63	55.76	3	Vertical	288	2.72	-	38.60	11.14	65.13

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 21.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05213G	54.01	74.00	-19.99	69.40	3	Horizontal	190	1.84	-	38.60	11.14	65.13
AV	12.04979G	40.44	54.00	-13.56	55.83	3	Horizontal	190	1.84	-	38.60	11.14	65.13

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 21.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0729G	50.16	83.54	-33.38	43.69	1	Vertical	0	1.98	-	37.49	18.70	49.72
AV	18.07058G	36.36	63.54	-27.18	29.89	1	Vertical	0	1.98	-	37.48	18.70	49.71

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07644G	49.65	83.54	-33.89	43.15	1	Horizontal	158	1.50	-	37.51	18.71	49.72
AV	18.07664G	36.19	63.54	-27.35	29.69	1	Horizontal	158	1.50	-	37.51	18.71	49.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 21.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36573G	53.50	74.00	-20.50	68.35	3	Vertical	239	2.21	-	38.63	11.26	64.74
AV	12.36933G	40.63	54.00	-13.37	55.46	3	Vertical	239	2.21	-	38.64	11.26	64.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37099G	54.39	74.00	-19.61	69.22	3	Horizontal	241	2.30	-	38.64	11.26	64.73
AV	12.37269G	40.64	54.00	-13.36	55.46	3	Horizontal	241	2.30	-	38.65	11.26	64.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 21.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55796G	49.24	83.54	-34.30	43.21	1	Vertical	51	1.95	-	37.70	18.80	50.47
AV	18.55556G	35.77	63.54	-27.77	29.74	1	Vertical	51	1.95	-	37.70	18.80	50.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 21.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55792G	49.97	83.54	-33.57	43.94	1	Horizontal	213	1.55	-	37.70	18.80	50.47
AV	18.5584G	35.75	63.54	-27.79	29.72	1	Horizontal	213	1.55	-	37.70	18.80	50.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 19.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69041G	54.60	74.00	-19.40	68.66	3	Vertical	95	1.97	-	39.08	11.38	64.52
AV	12.68524G	41.83	54.00	-12.17	55.91	3	Vertical	95	1.97	-	39.07	11.38	64.53

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 Setting 19.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69289G	55.52	74.00	-18.48	69.57	3	Horizontal	186	1.51	-	39.09	11.38	64.52
AV	12.6888G	41.87	54.00	-12.13	55.93	3	Horizontal	186	1.51	-	39.08	11.38	64.52

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 19.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03812G	49.10	83.54	-34.44	43.35	1	Vertical	168	1.69	-	37.90	18.90	51.05
AV	19.03326G	35.92	63.54	-27.62	30.16	1	Vertical	168	1.69	-	37.90	18.90	51.04

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 19.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03984G	49.65	83.54	-33.89	43.90	1	Horizontal	51	1.95	-	37.90	18.90	51.05
AV	19.0346G	35.82	63.54	-27.72	30.06	1	Horizontal	51	1.95	-	37.90	18.90	51.04

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00658G	56.15	88.20	-32.05	69.39	3	Vertical	239	1.30	-	39.70	11.50	64.44
RMS	13.00675G	42.41	68.20	-25.79	55.65	3	Vertical	239	1.30	-	39.70	11.50	64.44

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 22
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00648G	55.78	88.20	-32.42	69.02	3	Horizontal	94	1.83	-	39.70	11.50	64.44
RMS	13.00631G	42.60	68.20	-25.60	55.84	3	Horizontal	94	1.83	-	39.70	11.50	64.44

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 22
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51662G	50.73	83.54	-32.81	45.31	1	Vertical	4	1.74	-	38.03	19.00	51.61
AV	19.5144G	37.65	63.54	-25.89	32.23	1	Vertical	4	1.74	-	38.03	19.00	51.61

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51708G	49.05	83.54	-34.49	43.63	1	Horizontal	293	1.50	-	38.03	19.00	51.61
AV	19.5188G	35.38	63.54	-28.16	29.96	1	Horizontal	293	1.50	-	38.04	19.00	51.62

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32708G	56.64	74.00	-17.36	68.96	3	Vertical	254	1.74	-	40.11	11.62	64.05
AV	13.32528G	42.77	54.00	-11.23	55.10	3	Vertical	254	1.74	-	40.10	11.62	64.05

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33054G	56.46	74.00	-17.54	68.76	3	Horizontal	302	1.42	-	40.12	11.63	64.05
AV	13.33427G	42.88	54.00	-11.12	55.15	3	Horizontal	302	1.42	-	40.14	11.63	64.04

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99536G	48.71	83.54	-34.83	43.81	1	Vertical	100	1.69	-	37.80	19.10	52.00
AV	19.99992G	35.20	63.54	-28.34	30.30	1	Vertical	100	1.69	-	37.80	19.10	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99272G	48.11	83.54	-35.43	43.20	1	Horizontal	133	1.61	-	37.80	19.10	51.99
AV	19.99802G	35.08	63.54	-28.46	30.18	1	Horizontal	133	1.61	-	37.80	19.10	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64781G	57.46	88.20	-30.74	69.08	3	Vertical	300	1.07	-	40.40	11.75	63.77
RMS	13.6537G	44.30	68.20	-23.90	55.91	3	Vertical	300	1.07	-	40.41	11.75	63.77

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65271G	57.97	88.20	-30.23	69.58	3	Horizontal	332	2.75	-	40.41	11.75	63.77
RMS	13.65276G	44.33	68.20	-23.87	55.94	3	Horizontal	332	2.75	-	40.41	11.75	63.77

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47198G	49.39	83.54	-34.15	44.30	1	Vertical	199	1.57	-	37.82	19.27	52.00
AV	20.47694G	35.96	63.54	-27.58	30.90	1	Vertical	199	1.57	-	37.78	19.28	52.00

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4714G	48.79	83.54	-34.75	43.69	1	Horizontal	52	1.74	-	37.83	19.27	52.00
AV	20.47518G	36.00	63.54	-27.54	30.92	1	Horizontal	52	1.74	-	37.80	19.28	52.00

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9115G	111.65	Inf	-Inf	99.75	3	Vertical	232	2.40	-	36.45	8.47	33.02
RMS	6.9505G	102.71	Inf	-Inf	90.61	3	Vertical	232	2.40	-	36.60	8.51	33.01
PK	7.131G	74.57	88.20	-13.63	62.32	3	Vertical	232	2.40	-	36.79	8.51	33.05
RMS	7.127G	62.12	68.20	-6.08	49.89	3	Vertical	232	2.40	-	36.76	8.52	33.05

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9525G	106.70	Inf	-Inf	94.60	3	Horizontal	340	2.78	-	36.60	8.51	33.01
RMS	6.9345G	96.35	Inf	-Inf	84.34	3	Horizontal	340	2.78	-	36.54	8.49	33.02
PK	7.128G	68.17	88.20	-20.03	55.93	3	Horizontal	340	2.78	-	36.77	8.52	33.05
RMS	7.1355G	57.13	68.20	-11.07	44.86	3	Horizontal	340	2.78	-	36.81	8.51	33.05

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97271G	57.72	88.20	-30.48	68.62	3	Vertical	56	1.99	-	40.85	11.87	63.62
RMS	13.97276G	44.58	68.20	-23.62	55.48	3	Vertical	56	1.99	-	40.85	11.87	63.62

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97099G	58.39	88.20	-29.81	69.30	3	Horizontal	354	2.23	-	40.84	11.87	63.62
RMS	13.97308G	44.76	68.20	-23.44	55.66	3	Horizontal	354	2.23	-	40.85	11.87	63.62

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95318G	49.09	83.54	-34.45	43.73	1	Vertical	76	1.78	-	38.09	19.45	52.18
AV	20.95104G	36.12	63.54	-27.42	30.75	1	Vertical	76	1.78	-	38.10	19.45	52.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9518G	49.39	83.54	-34.15	44.03	1	Horizontal	264	1.60	-	38.09	19.45	52.18
AV	20.95234G	35.97	63.54	-27.57	30.61	1	Horizontal	264	1.60	-	38.09	19.45	52.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	69.85	88.20	-18.35	60.03	3	Vertical	149	3.00	-	35.15	7.64	32.97
RMS	5.925G	60.33	68.20	-7.87	50.51	3	Vertical	149	3.00	-	35.15	7.64	32.97
PK	6.149G	109.17	Inf	-Inf	99.17	3	Vertical	149	3.00	-	35.30	7.71	33.01
RMS	6.149G	98.80	Inf	-Inf	88.80	3	Vertical	149	3.00	-	35.30	7.71	33.01

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
 Setting 21
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	67.75	88.20	-20.45	57.93	3	Horizontal	345	3.00	-	35.15	7.64	32.97
RMS	5.9234G	58.55	68.20	-9.65	48.74	3	Horizontal	345	3.00	-	35.14	7.64	32.97
PK	6.061G	103.09	Inf	-Inf	93.09	3	Horizontal	345	3.00	-	35.32	7.69	33.01
RMS	6.121G	94.06	Inf	-Inf	84.01	3	Horizontal	345	3.00	-	35.36	7.70	33.01

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20277G	53.42	74.00	-20.58	68.67	3	Vertical	97	1.85	-	38.49	11.20	64.94
AV	12.20634G	40.89	54.00	-13.11	56.13	3	Vertical	97	1.85	-	38.49	11.20	64.93

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20493G	53.11	74.00	-20.89	68.36	3	Horizontal	150	1.12	-	38.49	11.20	64.94
AV	12.21756G	41.00	54.00	-13.00	56.26	3	Horizontal	150	1.12	-	38.46	11.20	64.92

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.311G	49.13	83.54	-34.41	42.98	1	Vertical	8	1.84	-	37.50	18.75	50.10
AV	18.31568G	36.49	63.54	-27.05	30.35	1	Vertical	8	1.84	-	37.50	18.75	50.11

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31216G	49.16	83.54	-34.38	43.01	1	Horizontal	313	1.80	-	37.50	18.75	50.10
AV	18.3132G	36.54	63.54	-27.00	30.39	1	Horizontal	313	1.80	-	37.50	18.75	50.10

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 21.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51665G	60.18	74.00	-13.82	42.04	3	Vertical	134	1.07	-	38.53	11.05	31.44
AV	12.52649G	47.43	54.00	-6.57	29.27	3	Vertical	134	1.07	-	38.55	11.05	31.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 21.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51659G	60.69	74.00	-13.31	42.55	3	Horizontal	200	2.51	-	38.53	11.05	31.44
AV	12.53195G	47.43	54.00	-6.57	29.26	3	Horizontal	200	2.51	-	38.56	11.05	31.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 21.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80766G	50.04	83.54	-33.50	44.12	1	Vertical	218	1.94	-	37.83	18.86	50.77
AV	18.78G	37.21	63.54	-26.33	31.30	1	Vertical	218	1.94	-	37.80	18.85	50.74

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 21.5
06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79662G	49.26	83.54	-34.28	43.37	1	Horizontal	127	1.09	-	37.80	18.85	50.76
AV	18.78804G	37.32	63.54	-26.22	31.42	1	Horizontal	127	1.09	-	37.80	18.85	50.75

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84721G	54.99	88.20	-33.21	68.65	3	Vertical	257	2.26	-	39.39	11.44	64.49
RMS	12.86458G	42.50	68.20	-25.70	56.13	3	Vertical	257	2.26	-	39.40	11.45	64.48

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84253G	55.29	88.20	-32.91	68.95	3	Horizontal	292	1.88	-	39.39	11.44	64.49
RMS	12.86311G	42.55	68.20	-25.65	56.18	3	Horizontal	292	1.88	-	39.40	11.45	64.48

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27356G	48.73	83.54	-34.81	43.16	1	Vertical	70	1.74	-	37.95	18.95	51.33
AV	19.27846G	36.05	63.54	-27.49	30.47	1	Vertical	70	1.74	-	37.96	18.95	51.33

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27178G	48.78	83.54	-34.76	43.22	1	Horizontal	336	1.85	-	37.94	18.95	51.33
AV	19.27228G	36.07	63.54	-27.47	30.51	1	Horizontal	336	1.85	-	37.94	18.95	51.33

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
 Setting 22.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.15698G	61.49	88.20	-26.71	41.91	3	Vertical	330	2.30	-	39.70	11.34	31.46
RMS	13.15512G	48.57	68.20	-19.63	28.98	3	Vertical	330	2.30	-	39.70	11.34	31.45

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
 Setting 22.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17237G	61.56	88.20	-26.64	41.98	3	Horizontal	255	1.18	-	39.70	11.34	31.46
RMS	13.15506G	48.58	68.20	-19.62	28.99	3	Horizontal	255	1.18	-	39.70	11.34	31.45

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 22.5
06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7694G	49.98	83.54	-33.56	44.77	1	Vertical	203	2.20	-	37.98	19.05	51.82
AV	19.74018G	36.56	63.54	-26.98	31.42	1	Vertical	203	2.20	-	37.88	19.05	51.79

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
 Setting 22.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.76736G	50.08	83.54	-33.46	44.87	1	Horizontal	118	2.37	-	37.97	19.05	51.81
AV	19.74G	36.74	63.54	-26.80	31.60	1	Horizontal	118	2.37	-	37.88	19.05	51.79

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.47512G	55.97	88.20	-32.23	69.20	3	Vertical	304	1.80	-	40.20	11.68	65.11
RMS	13.49297G	42.65	68.20	-25.55	55.86	3	Vertical	304	1.80	-	40.20	11.69	65.10

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX



EUT_Z_2TX
Setting 21.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48589G	56.72	88.20	-31.48	69.95	3	Horizontal	168	2.47	-	40.20	11.68	65.11
RMS	13.47785G	42.50	68.20	-25.70	55.73	3	Horizontal	168	2.47	-	40.20	11.68	65.11

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23458G	59.36	83.54	-24.18	54.20	1	Vertical	3	1.72	-	37.97	19.19	52.00
AV	20.23454G	46.11	63.54	-17.43	40.95	1	Vertical	3	1.72	-	37.97	19.19	52.00

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 21.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.2308G	52.08	83.54	-31.46	46.93	1	Horizontal	138	1.41	-	37.96	19.19	52.00
AV	20.23096G	39.51	63.54	-24.03	34.36	1	Horizontal	138	1.41	-	37.96	19.19	52.00

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 20.5
06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	99.38	Inf	-Inf	88.00	3	Vertical	50	2.53	-	34.88	8.04	31.54
RMS	6.7694G	88.29	Inf	-Inf	77.17	3	Vertical	50	2.53	-	34.54	7.96	31.38
PK	7.1966G	65.35	88.20	-22.85	52.14	3	Vertical	50	2.53	-	36.39	8.34	31.52
RMS	7.1894G	50.56	68.20	-17.64	37.38	3	Vertical	50	2.53	-	36.38	8.33	31.53
PK	7.3334G	59.62	74.00	-14.38	46.04	3	Vertical	50	2.53	-	36.60	8.34	31.36
AV	7.2518G	47.08	54.00	-6.92	33.50	3	Vertical	50	2.53	-	36.70	8.34	31.46

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8066G	106.59	Inf	-Inf	95.41	3	Horizontal	65	1.88	-	34.63	7.99	31.44
RMS	6.9242G	95.05	Inf	-Inf	83.44	3	Horizontal	65	1.88	-	35.15	8.09	31.63
PK	7.2206G	74.07	88.20	-14.13	60.70	3	Horizontal	65	1.88	-	36.52	8.34	31.49
RMS	7.1438G	58.69	68.20	-9.51	45.72	3	Horizontal	65	1.88	-	36.26	8.29	31.58
PK	7.2998G	67.32	74.00	-6.68	53.78	3	Horizontal	65	1.88	-	36.60	8.34	31.40
AV	7.2626G	53.78	54.00	-0.22	40.22	3	Horizontal	65	1.88	-	36.67	8.34	31.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.82329G	67.51	88.20	-20.69	43.14	3	Vertical	337	2.47	-	40.45	11.64	27.72
RMS	13.81906G	55.17	68.20	-13.03	30.84	3	Vertical	337	2.47	-	40.46	11.64	27.77

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 20.5
06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.82125G	68.32	88.20	-19.88	43.96	3	Horizontal	62	2.31	-	40.46	11.64	27.74
RMS	13.82194G	55.12	68.20	-13.08	30.76	3	Horizontal	62	2.31	-	40.46	11.64	27.74

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7156G	51.32	83.54	-32.22	46.18	1	Vertical	290	2.74	-	37.87	19.36	52.09
AV	20.70762G	38.48	63.54	-25.06	33.32	1	Vertical	290	2.74	-	37.88	19.36	52.08

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



EUT_Y_2TX
 Setting 20.5
 06-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71362G	51.11	83.54	-32.43	45.97	1	Horizontal	122	2.39	-	37.87	19.36	52.09
AV	20.70234G	38.66	63.54	-24.88	33.48	1	Horizontal	122	2.39	-	37.90	19.36	52.08




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	67.64	68.20	-0.56	3	Horizontal	348	3.00	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 Setting 23
 01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	73.15	88.20	-15.05	63.35	3	Vertical	168	3.00	-	35.13	7.64	32.97
RMS	5.925G	67.33	68.20	-0.87	57.51	3	Vertical	168	3.00	-	35.15	7.64	32.97
PK	5.952G	119.57	Inf	-Inf	109.59	3	Vertical	168	3.00	-	35.30	7.66	32.98
RMS	5.9462G	112.92	Inf	-Inf	102.97	3	Vertical	168	3.00	-	35.28	7.65	32.98

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.58	88.20	-11.62	66.76	3	Horizontal	348	3.00	-	35.15	7.64	32.97
RMS	5.925G	67.64	68.20	-0.56	57.82	3	Horizontal	348	3.00	-	35.15	7.64	32.97
PK	5.9564G	115.17	Inf	-Inf	105.20	3	Horizontal	348	3.00	-	35.30	7.66	32.99
RMS	5.9472G	107.47	Inf	-Inf	97.52	3	Horizontal	348	3.00	-	35.28	7.65	32.98

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90841G	52.73	74.00	-21.27	68.34	3	Vertical	68	1.80	-	38.47	11.07	65.15
AV	11.91936G	41.02	54.00	-12.98	56.67	3	Vertical	68	1.80	-	38.42	11.08	65.15
PK	17.86409G	60.80	74.00	-13.20	67.65	3	Vertical	327	2.94	-	42.58	13.41	62.84
AV	17.86759G	48.38	54.00	-5.62	55.20	3	Vertical	327	2.94	-	42.61	13.41	62.84

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 23
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90412G	53.58	74.00	-20.42	69.18	3	Horizontal	324	1.98	-	38.48	11.07	65.15
AV	11.89704G	41.12	54.00	-12.88	56.69	3	Horizontal	324	1.98	-	38.51	11.06	65.14
PK	17.86233G	60.17	74.00	-13.83	67.03	3	Horizontal	77	1.71	-	42.57	13.41	62.84
AV	17.86952G	48.33	54.00	-5.67	55.14	3	Horizontal	77	1.71	-	42.62	13.41	62.84

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 15
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38346G	54.98	74.00	-19.02	69.75	3	Vertical	110	1.80	-	38.67	11.27	64.71
AV	12.39663G	41.69	54.00	-12.31	56.43	3	Vertical	110	1.80	-	38.69	11.27	64.70

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 15
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39405G	55.06	74.00	-18.94	69.80	3	Horizontal	263	1.74	-	38.69	11.27	64.70
AV	12.39906G	41.57	54.00	-12.43	56.30	3	Horizontal	263	1.74	-	38.70	11.27	64.70

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58284G	47.04	83.54	-36.50	41.03	1	Vertical	5	1.50	-	37.70	18.81	50.50
AV	18.58074G	33.64	63.54	-29.90	27.63	1	Vertical	5	1.50	-	37.70	18.81	50.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5899G	46.31	83.54	-37.23	40.31	1	Horizontal	190	1.85	-	37.70	18.81	50.51
AV	18.58176G	33.69	63.54	-29.85	27.68	1	Horizontal	190	1.85	-	37.70	18.81	50.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 16
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83155G	54.90	88.20	-33.30	68.59	3	Vertical	36	2.70	-	39.36	11.44	64.49
RMS	12.82605G	42.87	68.20	-25.33	56.58	3	Vertical	36	2.70	-	39.35	11.43	64.49

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 16
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8298G	55.33	88.20	-32.87	69.02	3	Horizontal	139	2.07	-	39.36	11.44	64.49
RMS	12.82814G	42.70	68.20	-25.50	56.40	3	Horizontal	139	2.07	-	39.36	11.43	64.49

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 16
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24062G	46.22	83.54	-37.32	40.65	1	Vertical	267	1.36	-	37.92	18.94	51.29
AV	19.24246G	34.07	63.54	-29.47	28.50	1	Vertical	267	1.36	-	37.92	18.94	51.29

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 16
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24332G	45.97	83.54	-37.57	40.41	1	Horizontal	54	1.68	-	37.91	18.94	51.29
AV	19.24128G	33.98	63.54	-29.56	28.41	1	Horizontal	54	1.68	-	37.92	18.94	51.29

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
 Setting 15
 01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86121G	55.59	88.20	-32.61	69.22	3	Vertical	6	1.80	-	39.40	11.45	64.48
RMS	12.86799G	42.68	68.20	-25.52	56.31	3	Vertical	6	1.80	-	39.40	11.45	64.48

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 15
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85614G	55.42	88.20	-32.78	69.05	3	Horizontal	1	1.80	-	39.40	11.45	64.48
RMS	12.86697G	42.63	68.20	-25.57	56.26	3	Horizontal	1	1.80	-	39.40	11.45	64.48

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX



EUT_Z_2TX
Setting 15
1-k-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30462G	47.36	83.54	-36.18	41.79	1	Vertical	229	1.81	-	37.98	18.96	51.37
AV	19.30296G	33.85	63.54	-29.69	28.26	1	Vertical	229	1.81	-	37.99	18.96	51.36