


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 25
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0962G	62.03	74.00	-11.97	54.96	3	Vertical	352	1.63	-	32.79	7.19	32.91
AV	5.1472G	49.80	54.00	-4.20	42.57	3	Vertical	352	1.63	-	32.89	7.24	32.90
PK	5.2678G	123.75	Inf	-Inf	116.28	3	Vertical	352	1.63	-	33.04	7.31	32.88
AV	5.2678G	112.34	Inf	-Inf	104.87	3	Vertical	352	1.63	-	33.04	7.31	32.88
PK	5.3512G	62.64	74.00	-11.36	54.95	3	Vertical	352	1.63	-	33.20	7.35	32.86
AV	5.3512G	50.91	54.00	-3.09	43.22	3	Vertical	352	1.63	-	33.20	7.35	32.86
PK	5.506G	63.03	68.20	-5.17	54.59	3	Vertical	352	1.63	-	33.82	7.45	32.83

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 25
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	61.75	74.00	-12.25	54.60	3	Horizontal	326	1.01	-	32.85	7.21	32.91
AV	5.1448G	49.77	54.00	-4.23	42.55	3	Horizontal	326	1.01	-	32.89	7.23	32.90
PK	5.2648G	122.74	Inf	-Inf	115.28	3	Horizontal	326	1.01	-	33.03	7.31	32.88
AV	5.2648G	111.48	Inf	-Inf	104.02	3	Horizontal	326	1.01	-	33.03	7.31	32.88
PK	5.3626G	62.31	74.00	-11.69	54.59	3	Horizontal	326	1.01	-	33.23	7.35	32.86
AV	5.3578G	50.58	54.00	-3.42	42.87	3	Horizontal	326	1.01	-	33.22	7.35	32.86
PK	5.527G	63.36	68.20	-4.84	54.82	3	Horizontal	326	1.01	-	33.91	7.47	32.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 25
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50941G	53.16	68.20	-15.04	69.88	3	Vertical	51	1.62	-	38.38	10.30	65.40
PK	15.7855G	60.34	74.00	-13.66	71.67	3	Vertical	40	2.16	-	38.17	12.70	62.20
AV	15.7844G	47.51	54.00	-6.49	58.84	3	Vertical	40	2.16	-	38.17	12.70	62.20

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 25
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52715G	54.50	68.20	-13.70	71.26	3	Horizontal	64	1.79	-	38.35	10.31	65.42
PK	15.7711G	67.61	74.00	-6.39	78.98	3	Horizontal	140	1.80	-	38.14	12.69	62.20
AV	15.78635G	53.15	54.00	-0.85	64.48	3	Horizontal	140	1.80	-	38.17	12.70	62.20

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT X_2TX
Setting 23.5
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	61.31	74.00	-12.69	54.17	3	Vertical	352	1.80	-	32.84	7.21	32.91
AV	5.15G	49.83	54.00	-4.17	42.59	3	Vertical	352	1.80	-	32.90	7.24	32.90
PK	5.308G	122.51	Inf	-Inf	114.93	3	Vertical	352	1.80	-	33.12	7.33	32.87
AV	5.3088G	111.31	Inf	-Inf	103.73	3	Vertical	352	1.80	-	33.12	7.33	32.87
PK	5.35G	64.41	74.00	-9.59	56.72	3	Vertical	352	1.80	-	33.20	7.35	32.86
AV	5.35G	53.36	54.00	-0.64	45.67	3	Vertical	352	1.80	-	33.20	7.35	32.86
PK	5.4724G	62.47	68.20	-5.73	54.26	3	Vertical	352	1.80	-	33.63	7.42	32.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 23.5
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	61.36	74.00	-12.64	54.15	3	Horizontal	291	2.42	-	32.88	7.23	32.90
AV	5.1496G	49.24	54.00	-4.76	42.00	3	Horizontal	291	2.42	-	32.90	7.24	32.90
PK	5.292G	124.60	Inf	-Inf	117.07	3	Horizontal	291	2.42	-	33.08	7.32	32.87
AV	5.2928G	112.94	Inf	-Inf	105.40	3	Horizontal	291	2.42	-	33.09	7.32	32.87
PK	5.3512G	66.86	74.00	-7.14	59.17	3	Horizontal	291	2.42	-	33.20	7.35	32.86
AV	5.3504G	53.88	54.00	-0.12	46.19	3	Horizontal	291	2.42	-	33.20	7.35	32.86
PK	5.472G	62.65	68.20	-5.55	54.44	3	Horizontal	291	2.42	-	33.63	7.42	32.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 23.5
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61116G	53.18	74.00	-20.82	69.91	3	Vertical	173	1.70	-	38.42	10.36	65.51
AV	10.6009G	41.06	54.00	-12.94	57.80	3	Vertical	173	1.70	-	38.40	10.35	65.49
PK	15.88887G	57.06	74.00	-16.94	67.94	3	Vertical	153	1.64	-	38.63	12.75	62.26
AV	15.90477G	44.84	54.00	-9.16	55.67	3	Vertical	153	1.64	-	38.68	12.76	62.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 23.5
 01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60474G	53.29	74.00	-20.71	70.03	3	Horizontal	18	2.86	-	38.41	10.35	65.50
AV	10.60417G	41.14	54.00	-12.86	57.88	3	Horizontal	18	2.86	-	38.41	10.35	65.50
PK	15.9045G	58.33	74.00	-15.67	69.16	3	Horizontal	221	1.80	-	38.68	12.76	62.27
AV	15.90786G	45.65	54.00	-8.35	56.49	3	Horizontal	221	1.80	-	38.67	12.76	62.27

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT X_2TX
Setting 21
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3278G	121.29	Inf	-Inf	113.65	3	Vertical	354	1.80	-	33.16	7.34	32.86
AV	5.3276G	109.38	Inf	-Inf	101.74	3	Vertical	354	1.80	-	33.16	7.34	32.86
PK	5.3506G	65.19	74.00	-8.81	57.50	3	Vertical	354	1.80	-	33.20	7.35	32.86
AV	5.35G	53.49	54.00	-0.51	45.80	3	Vertical	354	1.80	-	33.20	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT X_2TX
Setting 21
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	122.61	Inf	-Inf	115.02	3	Horizontal	290	2.40	-	33.13	7.33	32.87
AV	5.3126G	110.79	Inf	-Inf	103.20	3	Horizontal	290	2.40	-	33.13	7.33	32.87
PK	5.3528G	67.24	74.00	-6.76	59.54	3	Horizontal	290	2.40	-	33.21	7.35	32.86
AV	5.35G	53.88	54.00	-0.12	46.19	3	Horizontal	290	2.40	-	33.20	7.35	32.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62527G	52.94	74.00	-21.06	69.65	3	Vertical	198	1.51	-	38.45	10.36	65.52
AV	10.643G	40.88	54.00	-13.12	57.56	3	Vertical	198	1.51	-	38.49	10.37	65.54
PK	15.95409G	56.93	74.00	-17.07	67.94	3	Vertical	24	1.50	-	38.51	12.78	62.30
AV	15.94701G	43.98	54.00	-10.02	54.98	3	Vertical	24	1.50	-	38.51	12.78	62.29

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62698G	52.91	74.00	-21.09	69.62	3	Horizontal	358	1.27	-	38.45	10.36	65.52
AV	10.63346G	40.90	54.00	-13.10	57.59	3	Horizontal	358	1.27	-	38.47	10.37	65.53
PK	15.94542G	55.87	74.00	-18.13	66.87	3	Horizontal	352	1.09	-	38.52	12.77	62.29
AV	15.94665G	44.09	54.00	-9.91	55.09	3	Horizontal	352	1.09	-	38.51	12.78	62.29

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT X_2TX
Setting 21
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	62.60	74.00	-11.40	54.50	3	Vertical	352	1.80	-	33.53	7.41	32.84
AV	5.4596G	50.58	54.00	-3.42	42.45	3	Vertical	352	1.80	-	33.56	7.41	32.84
PK	5.4688G	66.10	68.20	-2.10	57.91	3	Vertical	352	1.80	-	33.61	7.42	32.84
PK	5.4914G	120.13	Inf	-Inf	111.77	3	Vertical	352	1.80	-	33.75	7.44	32.83
AV	5.4916G	108.68	Inf	-Inf	100.32	3	Vertical	352	1.80	-	33.75	7.44	32.83

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT X_2TX
Setting 21
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.05	74.00	-9.95	55.93	3	Horizontal	294	2.37	-	33.55	7.41	32.84
AV	5.4592G	51.94	54.00	-2.06	43.81	3	Horizontal	294	2.37	-	33.56	7.41	32.84
PK	5.4696G	68.08	68.20	-0.12	59.88	3	Horizontal	294	2.37	-	33.62	7.42	32.84
PK	5.4966G	122.91	Inf	-Inf	114.52	3	Horizontal	294	2.37	-	33.78	7.44	32.83
AV	5.4962G	111.26	Inf	-Inf	102.87	3	Horizontal	294	2.37	-	33.78	7.44	32.83

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98542G	52.49	74.00	-21.51	69.49	3	Vertical	83	2.54	-	38.33	10.56	65.89
AV	10.99442G	40.53	54.00	-13.47	57.55	3	Vertical	83	2.54	-	38.31	10.57	65.90
PK	16.49721G	57.48	68.20	-10.72	66.41	3	Vertical	235	1.45	-	40.17	12.96	62.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
Setting 21
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98746G	52.25	74.00	-21.75	69.26	3	Horizontal	37	2.19	-	38.33	10.56	65.90
AV	10.98803G	40.48	54.00	-13.52	57.50	3	Horizontal	37	2.19	-	38.32	10.56	65.90
PK	16.51074G	58.07	68.20	-10.13	66.96	3	Horizontal	174	2.47	-	40.20	12.97	62.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT X_2TX
Setting 25
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3238G	62.22	68.20	-5.98	54.60	3	Vertical	356	2.26	-	33.15	7.34	32.87
PK	5.3802G	61.91	74.00	-12.09	54.14	3	Vertical	356	2.26	-	33.26	7.36	32.85
PK	5.4696G	62.26	68.20	-5.94	54.06	3	Vertical	356	2.26	-	33.62	7.42	32.84
AV	5.46G	50.21	54.00	-3.79	42.07	3	Vertical	356	2.26	-	33.56	7.42	32.84
PK	5.5752G	124.55	Inf	-Inf	115.91	3	Vertical	356	2.26	-	34.00	7.50	32.86
AV	5.574G	112.57	Inf	-Inf	103.93	3	Vertical	356	2.26	-	34.00	7.50	32.86
PK	5.877G	64.25	68.20	-3.95	54.77	3	Vertical	356	2.26	-	34.82	7.62	32.96

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT X_2TX
Setting 25
01-K-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	63.13	68.20	-5.07	55.49	3	Horizontal	290	2.36	-	33.16	7.34	32.86
PK	5.385G	62.57	74.00	-11.43	54.79	3	Horizontal	290	2.36	-	33.27	7.36	32.85
PK	5.4666G	62.75	68.20	-5.45	54.57	3	Horizontal	290	2.36	-	33.60	7.42	32.84
AV	5.4588G	50.75	54.00	-3.25	42.63	3	Horizontal	290	2.36	-	33.55	7.41	32.84
PK	5.5758G	126.65	Inf	-Inf	118.01	3	Horizontal	290	2.36	-	34.00	7.50	32.86
AV	5.577G	114.84	Inf	-Inf	106.20	3	Horizontal	290	2.36	-	34.00	7.50	32.86
PK	5.7762G	64.44	68.20	-3.76	55.54	3	Horizontal	290	2.36	-	34.25	7.57	32.92

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
Setting 25
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16939G	53.28	74.00	-20.72	70.01	3	Vertical	243	1.96	-	38.20	10.66	65.59
AV	11.16378G	40.85	54.00	-13.15	57.59	3	Vertical	243	1.96	-	38.20	10.66	65.60
PK	16.7442G	59.87	68.20	-8.33	68.47	3	Vertical	3	1.80	-	40.50	13.04	62.14

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
Setting 25
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17479G	53.11	74.00	-20.89	69.82	3	Horizontal	97	2.19	-	38.20	10.67	65.58
AV	11.16477G	41.10	54.00	-12.90	57.84	3	Horizontal	97	2.19	-	38.20	10.66	65.60
PK	16.73562G	61.84	68.20	-6.36	70.44	3	Horizontal	65	1.80	-	40.50	13.04	62.14

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT X_2TX
 Setting 19
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6966G	117.36	Inf	-Inf	108.72	3	Vertical	350	1.80	-	33.99	7.55	32.90
AV	5.6959G	105.72	Inf	-Inf	97.08	3	Vertical	350	1.80	-	33.99	7.55	32.90
PK	5.7441G	63.31	68.20	-4.89	54.48	3	Vertical	350	1.80	-	34.18	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT X_2TX
Setting 19
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6979G	120.35	Inf	-Inf	111.70	3	Horizontal	291	2.30	-	34.00	7.55	32.90
AV	5.6974G	109.03	Inf	-Inf	100.39	3	Horizontal	291	2.30	-	33.99	7.55	32.90
PK	5.725G	67.77	68.20	-0.43	59.02	3	Horizontal	291	2.30	-	34.10	7.56	32.91

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39166G	52.35	74.00	-21.65	68.33	3	Vertical	60	2.00	-	38.40	10.79	65.17
AV	11.41311G	40.46	54.00	-13.54	56.39	3	Vertical	60	2.00	-	38.40	10.80	65.13
PK	17.10231G	59.07	68.20	-9.13	66.57	3	Vertical	321	2.05	-	41.60	13.16	62.26

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
Setting 19
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4042G	53.22	74.00	-20.78	69.17	3	Horizontal	199	1.35	-	38.40	10.79	65.14
AV	11.40654G	40.48	54.00	-13.52	56.43	3	Horizontal	199	1.35	-	38.40	10.79	65.14
PK	17.09652G	59.42	68.20	-8.78	66.93	3	Horizontal	296	2.89	-	41.59	13.16	62.26

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 25
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	121.81	Inf	-Inf	113.10	3	Vertical	353	1.80	-	34.06	7.55	32.90
AV	5.7148G	111.15	Inf	-Inf	102.44	3	Vertical	353	1.80	-	34.06	7.55	32.90
PK	5.8888G	63.76	68.20	-4.44	54.19	3	Vertical	353	1.80	-	34.91	7.62	32.96

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 25
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7188G	124.70	Inf	-Inf	115.96	3	Horizontal	292	2.27	-	34.08	7.56	32.90
AV	5.7176G	114.41	Inf	-Inf	105.68	3	Horizontal	292	2.27	-	34.07	7.56	32.90
PK	5.91G	63.95	68.20	-4.25	54.23	3	Horizontal	292	2.27	-	35.06	7.63	32.97

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 25
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45053G	52.59	74.00	-21.41	68.42	3	Vertical	312	1.46	-	38.40	10.82	65.05
AV	11.42806G	40.07	54.00	-13.93	55.96	3	Vertical	312	1.46	-	38.40	10.81	65.10
PK	17.15538G	60.26	68.20	-7.94	67.67	3	Vertical	15	1.80	-	41.70	13.18	62.29

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 25
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45272G	52.32	74.00	-21.68	68.15	3	Horizontal	68	2.08	-	38.40	10.82	65.05
AV	11.42572G	40.07	54.00	-13.93	55.97	3	Horizontal	68	2.08	-	38.40	10.80	65.10
PK	17.16099G	63.22	68.20	-4.98	70.63	3	Horizontal	231	1.80	-	41.70	13.18	62.29

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 23
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1461G	60.07	74.00	-13.93	52.85	3	Vertical	356	1.80	-	32.89	7.23	32.90
AV	5.1497G	48.85	54.00	-5.15	41.61	3	Vertical	356	1.80	-	32.90	7.24	32.90
PK	5.2757G	117.83	Inf	-Inf	110.34	3	Vertical	356	1.80	-	33.05	7.31	32.87
AV	5.2772G	106.73	Inf	-Inf	99.24	3	Vertical	356	1.80	-	33.05	7.31	32.87
PK	5.3549G	68.72	74.00	-5.28	61.02	3	Vertical	356	1.80	-	33.21	7.35	32.86
AV	5.3534G	52.53	54.00	-1.47	44.83	3	Vertical	356	1.80	-	33.21	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 23
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	61.61	74.00	-12.39	54.39	3	Horizontal	326	1.01	-	32.89	7.23	32.90
AV	5.1497G	48.85	54.00	-5.15	41.61	3	Horizontal	326	1.01	-	32.90	7.24	32.90
PK	5.2769G	117.27	Inf	-Inf	109.78	3	Horizontal	326	1.01	-	33.05	7.31	32.87
AV	5.2742G	106.47	Inf	-Inf	98.99	3	Horizontal	326	1.01	-	33.05	7.31	32.88
PK	5.3516G	68.17	74.00	-5.83	60.48	3	Horizontal	326	1.01	-	33.20	7.35	32.86
AV	5.351G	52.78	54.00	-1.22	45.09	3	Horizontal	326	1.01	-	33.20	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 23
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54485G	54.91	68.20	-13.29	71.72	3	Vertical	46	1.80	-	38.31	10.32	65.44
PK	15.82995G	57.06	74.00	-16.94	68.25	3	Vertical	208	1.80	-	38.32	12.72	62.23
AV	15.8277G	44.00	54.00	-10.00	55.20	3	Vertical	208	1.80	-	38.31	12.72	62.23

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 23
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.527795G	53.65	68.20	-14.55	70.42	3	Horizontal	297	1.80	-	38.34	10.31	65.42
PK	15.80195G	58.57	74.00	-15.43	69.86	3	Horizontal	220	1.80	-	38.21	12.71	62.21
AV	15.8176G	45.42	54.00	-8.58	56.65	3	Horizontal	220	1.80	-	38.27	12.72	62.22

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 20
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	115.71	Inf	-Inf	108.11	3	Vertical	354	1.80	-	33.14	7.33	32.87
AV	5.3188G	104.22	Inf	-Inf	96.62	3	Vertical	354	1.80	-	33.14	7.33	32.87
PK	5.3552G	69.37	74.00	-4.63	61.67	3	Vertical	354	1.80	-	33.21	7.35	32.86
AV	5.3552G	53.65	54.00	-0.35	45.95	3	Vertical	354	1.80	-	33.21	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 20
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3212G	118.28	Inf	-Inf	110.68	3	Horizontal	293	2.44	-	33.14	7.33	32.87
AV	5.3238G	105.98	Inf	-Inf	98.36	3	Horizontal	293	2.44	-	33.15	7.34	32.87
PK	5.3614G	67.88	74.00	-6.12	60.17	3	Horizontal	293	2.44	-	33.22	7.35	32.86
AV	5.3586G	53.07	54.00	-0.93	45.36	3	Horizontal	293	2.44	-	33.22	7.35	32.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 20
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60805G	54.51	74.00	-19.49	71.24	3	Vertical	316	1.80	-	38.42	10.35	65.50
AV	10.64335G	41.30	54.00	-12.70	57.98	3	Vertical	316	1.80	-	38.49	10.37	65.54
PK	15.91685G	57.33	74.00	-16.67	68.22	3	Vertical	0	1.80	-	38.63	12.76	62.28
AV	15.9083G	44.81	54.00	-9.19	55.65	3	Vertical	0	1.80	-	38.67	12.76	62.27

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 20
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64175G	54.42	74.00	-19.58	71.11	3	Horizontal	258	2.62	-	38.48	10.37	65.54
AV	10.64395G	41.41	54.00	-12.59	58.09	3	Horizontal	258	2.62	-	38.49	10.37	65.54
PK	15.9221G	57.27	74.00	-16.73	68.18	3	Horizontal	35	1.85	-	38.61	12.76	62.28
AV	15.91525G	44.90	54.00	-9.10	55.77	3	Horizontal	35	1.85	-	38.64	12.76	62.27

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 Setting 18.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	61.78	74.00	-12.22	53.66	3	Vertical	354	1.80	-	33.55	7.41	32.84
AV	5.46G	50.32	54.00	-3.68	42.18	3	Vertical	354	1.80	-	33.56	7.42	32.84
PK	5.4676G	62.44	68.20	-5.76	54.25	3	Vertical	354	1.80	-	33.61	7.42	32.84
PK	5.5004G	112.68	Inf	-Inf	104.26	3	Vertical	354	1.80	-	33.80	7.45	32.83
AV	5.5014G	101.44	Inf	-Inf	93.01	3	Vertical	354	1.80	-	33.81	7.45	32.83

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 Setting 18.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.48	74.00	-11.52	54.35	3	Horizontal	293	2.41	-	33.56	7.41	32.84
AV	5.46G	50.49	54.00	-3.51	42.35	3	Horizontal	293	2.41	-	33.56	7.42	32.84
PK	5.4672G	66.41	68.20	-1.79	58.23	3	Horizontal	293	2.41	-	33.60	7.42	32.84
PK	5.506G	116.67	Inf	-Inf	108.23	3	Horizontal	293	2.41	-	33.82	7.45	32.83
AV	5.5068G	104.62	Inf	-Inf	96.17	3	Horizontal	293	2.41	-	33.83	7.45	32.83

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 Setting 18.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03666G	53.74	74.00	-20.26	70.69	3	Vertical	347	2.62	-	38.30	10.59	65.84
AV	10.99735G	41.07	54.00	-12.93	58.10	3	Vertical	347	2.62	-	38.31	10.57	65.91
PK	16.54755G	59.28	68.20	-8.92	68.18	3	Vertical	347	2.09	-	40.20	12.98	62.08

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 Setting 18.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9993G	53.64	74.00	-20.36	70.68	3	Horizontal	21	2.15	-	38.30	10.57	65.91
AV	10.99705G	41.08	54.00	-12.92	58.11	3	Horizontal	21	2.15	-	38.31	10.57	65.91
PK	16.5435G	58.72	68.20	-9.48	67.61	3	Horizontal	91	2.34	-	40.20	12.98	62.07

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 22
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4412G	61.83	74.00	-12.17	53.81	3	Vertical	357	2.14	-	33.46	7.40	32.84
PK	5.4636G	63.13	68.20	-5.07	54.97	3	Vertical	357	2.14	-	33.58	7.42	32.84
AV	5.46G	49.97	54.00	-4.03	41.83	3	Vertical	357	2.14	-	33.56	7.42	32.84
PK	5.5448G	118.42	Inf	-Inf	109.81	3	Vertical	357	2.14	-	33.98	7.48	32.85
AV	5.544G	106.24	Inf	-Inf	97.62	3	Vertical	357	2.14	-	33.98	7.48	32.84
PK	5.7328G	61.58	68.20	-6.62	52.80	3	Vertical	357	2.14	-	34.13	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 22
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	62.12	74.00	-11.88	54.01	3	Horizontal	290	2.36	-	33.54	7.41	32.84
AV	5.46G	50.32	54.00	-3.68	42.18	3	Horizontal	290	2.36	-	33.56	7.42	32.84
PK	5.4684G	67.57	68.20	-0.63	59.38	3	Horizontal	290	2.36	-	33.61	7.42	32.84
PK	5.5452G	120.82	Inf	-Inf	112.21	3	Horizontal	290	2.36	-	33.98	7.48	32.85
AV	5.5464G	109.12	Inf	-Inf	100.50	3	Horizontal	290	2.36	-	33.99	7.48	32.85
PK	5.7376G	63.45	68.20	-4.75	54.65	3	Horizontal	290	2.36	-	34.15	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08975G	53.62	74.00	-20.38	70.52	3	Vertical	7	1.01	-	38.22	10.62	65.74
AV	11.07525G	40.85	54.00	-13.15	57.76	3	Vertical	7	1.01	-	38.25	10.61	65.77
PK	16.6571G	60.27	68.20	-7.93	68.96	3	Vertical	110	1.04	-	40.41	13.01	62.11

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 22
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07815G	53.08	74.00	-20.92	69.99	3	Horizontal	355	3.00	-	38.24	10.61	65.76
AV	11.0779G	40.94	54.00	-13.06	57.85	3	Horizontal	355	3.00	-	38.24	10.61	65.76
PK	16.6635G	59.91	68.20	-8.29	68.57	3	Horizontal	284	2.93	-	40.43	13.02	62.11

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 20.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6884G	115.47	Inf	-Inf	106.83	3	Vertical	347	1.80	-	33.98	7.55	32.89
AV	5.6876G	103.67	Inf	-Inf	95.03	3	Vertical	347	1.80	-	33.98	7.55	32.89
PK	5.725G	67.62	68.20	-0.58	58.87	3	Vertical	347	1.80	-	34.10	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



EUT_X_2TX
Setting 20.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6882G	118.16	Inf	-Inf	109.52	3	Horizontal	291	2.37	-	33.98	7.55	32.89
AV	5.688G	106.51	Inf	-Inf	97.87	3	Horizontal	291	2.37	-	33.98	7.55	32.89
PK	5.7262G	67.86	68.20	-0.34	59.11	3	Horizontal	291	2.37	-	34.10	7.56	32.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
 Setting 20.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36405G	53.45	74.00	-20.55	69.50	3	Vertical	164	1.41	-	38.40	10.77	65.22
AV	11.3623G	40.96	54.00	-13.04	57.01	3	Vertical	164	1.41	-	38.40	10.77	65.22
PK	17.00255G	60.47	68.20	-7.73	68.34	3	Vertical	106	1.80	-	41.22	13.13	62.22

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
 Setting 20.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34355G	53.83	74.00	-20.17	69.94	3	Horizontal	30	1.93	-	38.39	10.76	65.26
AV	11.34255G	41.13	54.00	-12.87	57.24	3	Horizontal	30	1.93	-	38.39	10.76	65.26
PK	16.9886G	60.31	68.20	-7.89	68.21	3	Horizontal	300	1.80	-	41.20	13.12	62.22

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 25
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	119.99	Inf	-Inf	111.24	3	Vertical	353	1.80	-	34.10	7.56	32.91
AV	5.7256G	108.67	Inf	-Inf	99.92	3	Vertical	353	1.80	-	34.10	7.56	32.91
PK	5.8628G	64.63	68.20	-3.57	55.27	3	Vertical	353	1.80	-	34.70	7.61	32.95

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 25
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	122.52	Inf	-Inf	113.82	3	Horizontal	290	2.34	-	34.05	7.55	32.90
AV	5.7084G	111.44	Inf	-Inf	102.76	3	Horizontal	290	2.34	-	34.03	7.55	32.90
PK	5.8508G	67.47	68.20	-0.73	58.20	3	Horizontal	290	2.34	-	34.61	7.61	32.95

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 25
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4035G	54.98	74.00	-19.02	70.93	3	Vertical	116	1.71	-	38.40	10.79	65.14
AV	11.41345G	41.20	54.00	-12.80	57.12	3	Vertical	116	1.71	-	38.40	10.80	65.12
PK	17.12975G	61.38	68.20	-6.82	68.82	3	Vertical	344	1.80	-	41.66	13.17	62.27

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 25
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40675G	53.58	74.00	-20.42	69.53	3	Horizontal	243	1.80	-	38.40	10.79	65.14
AV	11.4133G	41.26	54.00	-12.74	57.18	3	Horizontal	243	1.80	-	38.40	10.80	65.12
PK	17.12845G	63.53	68.20	-4.67	70.97	3	Horizontal	335	1.80	-	41.66	13.17	62.27

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 19.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	60.80	74.00	-13.20	53.61	3	Vertical	356	1.80	-	32.87	7.22	32.90
AV	5.149G	48.84	54.00	-5.16	41.60	3	Vertical	356	1.80	-	32.90	7.24	32.90
PK	5.319G	111.90	Inf	-Inf	104.30	3	Vertical	356	1.80	-	33.14	7.33	32.87
AV	5.3175G	100.37	Inf	-Inf	92.78	3	Vertical	356	1.80	-	33.13	7.33	32.87
PK	5.3555G	65.80	74.00	-8.20	58.10	3	Vertical	356	1.80	-	33.21	7.35	32.86
AV	5.356G	53.65	54.00	-0.35	45.95	3	Vertical	356	1.80	-	33.21	7.35	32.86
PK	5.4885G	62.62	68.20	-5.58	54.28	3	Vertical	356	1.80	-	33.73	7.44	32.83

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
 Setting 19.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.07G	61.06	74.00	-12.94	54.07	3	Horizontal	324	1.00	-	32.74	7.17	32.92
AV	5.1355G	48.72	54.00	-5.28	41.52	3	Horizontal	324	1.00	-	32.87	7.23	32.90
PK	5.295G	111.69	Inf	-Inf	104.15	3	Horizontal	324	1.00	-	33.09	7.32	32.87
AV	5.296G	99.48	Inf	-Inf	91.94	3	Horizontal	324	1.00	-	33.09	7.32	32.87
PK	5.355G	64.27	74.00	-9.73	56.57	3	Horizontal	324	1.00	-	33.21	7.35	32.86
AV	5.3545G	52.80	54.00	-1.20	45.10	3	Horizontal	324	1.00	-	33.21	7.35	32.86
PK	5.52G	62.10	68.20	-6.10	53.60	3	Horizontal	324	1.00	-	33.88	7.46	32.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
 Setting 19.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58849G	53.38	68.20	-14.82	70.14	3	Vertical	191	1.12	-	38.38	10.34	65.48
PK	15.85569G	56.83	74.00	-17.17	67.91	3	Vertical	97	2.51	-	38.43	12.73	62.24
AV	15.87465G	44.74	54.00	-9.26	55.70	3	Vertical	97	2.51	-	38.55	12.74	62.25

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
 Setting 19.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59425G	54.05	68.20	-14.15	70.80	3	Horizontal	178	1.45	-	38.39	10.35	65.49
PK	15.87246G	56.68	74.00	-17.32	67.66	3	Horizontal	111	2.38	-	38.53	12.74	62.25
AV	15.87234G	44.81	54.00	-9.19	55.79	3	Horizontal	111	2.38	-	38.53	12.74	62.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
 Setting 18.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	61.43	68.20	-6.77	53.74	3	Vertical	356	2.14	-	33.20	7.35	32.86
PK	5.4595G	62.61	74.00	-11.39	54.48	3	Vertical	356	2.14	-	33.56	7.41	32.84
AV	5.46G	52.02	54.00	-1.98	43.88	3	Vertical	356	2.14	-	33.56	7.42	32.84
PK	5.4655G	64.61	68.20	-3.59	56.44	3	Vertical	356	2.14	-	33.59	7.42	32.84
PK	5.522G	110.72	Inf	-Inf	102.21	3	Vertical	356	2.14	-	33.89	7.46	32.84
AV	5.524G	99.45	Inf	-Inf	90.93	3	Vertical	356	2.14	-	33.90	7.46	32.84
PK	5.729G	62.66	68.20	-5.54	53.89	3	Vertical	356	2.14	-	34.12	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
 Setting 18.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	61.37	68.20	-6.83	53.79	3	Horizontal	288	2.36	-	33.12	7.33	32.87
PK	5.4465G	64.28	74.00	-9.72	56.23	3	Horizontal	288	2.36	-	33.49	7.40	32.84
AV	5.4475G	52.74	54.00	-1.26	44.68	3	Horizontal	288	2.36	-	33.49	7.41	32.84
PK	5.469G	66.76	68.20	-1.44	58.57	3	Horizontal	288	2.36	-	33.61	7.42	32.84
PK	5.5465G	113.44	Inf	-Inf	104.82	3	Horizontal	288	2.36	-	33.99	7.48	32.85
AV	5.547G	102.30	Inf	-Inf	93.68	3	Horizontal	288	2.36	-	33.99	7.48	32.85
PK	5.7365G	61.27	68.20	-6.93	52.47	3	Horizontal	288	2.36	-	34.15	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
 Setting 18.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06069G	53.42	74.00	-20.58	70.33	3	Vertical	63	2.69	-	38.28	10.60	65.79
AV	11.07134G	41.20	54.00	-12.80	58.10	3	Vertical	63	2.69	-	38.26	10.61	65.77
PK	16.58847G	58.83	68.20	-9.37	67.73	3	Vertical	225	1.80	-	40.20	12.99	62.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 18.5
01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07068G	52.88	74.00	-21.12	69.79	3	Horizontal	188	1.84	-	38.26	10.61	65.78
AV	11.06111G	41.27	54.00	-12.73	58.18	3	Horizontal	188	1.84	-	38.28	10.60	65.79
PK	16.59219G	58.91	68.20	-9.29	67.81	3	Horizontal	208	1.85	-	40.20	12.99	62.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
 Setting 21.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	61.51	74.00	-12.49	53.43	3	Vertical	354	2.21	-	33.51	7.41	32.84
PK	5.4685G	63.18	68.20	-5.02	54.99	3	Vertical	354	2.21	-	33.61	7.42	32.84
AV	5.46G	50.32	54.00	-3.68	42.18	3	Vertical	354	2.21	-	33.56	7.42	32.84
PK	5.6085G	113.00	Inf	-Inf	104.37	3	Vertical	354	2.21	-	33.98	7.52	32.87
AV	5.6065G	102.31	Inf	-Inf	93.67	3	Vertical	354	2.21	-	33.99	7.52	32.87
PK	5.7275G	64.61	68.20	-3.59	55.85	3	Vertical	354	2.21	-	34.11	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 21.5
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4475G	62.79	74.00	-11.21	54.73	3	Horizontal	294	2.33	-	33.49	7.41	32.84
PK	5.464G	65.99	68.20	-2.21	57.83	3	Horizontal	294	2.33	-	33.58	7.42	32.84
AV	5.46G	50.98	54.00	-3.02	42.84	3	Horizontal	294	2.33	-	33.56	7.42	32.84
PK	5.6475G	115.91	Inf	-Inf	107.35	3	Horizontal	294	2.33	-	33.91	7.53	32.88
AV	5.6075G	104.45	Inf	-Inf	95.82	3	Horizontal	294	2.33	-	33.98	7.52	32.87
PK	5.728G	67.66	68.20	-0.54	58.90	3	Horizontal	294	2.33	-	34.11	7.56	32.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
 Setting 21.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21025G	54.09	74.00	-19.91	70.69	3	Vertical	68	1.32	-	38.22	10.69	65.51
AV	11.22273G	41.42	54.00	-12.58	57.97	3	Vertical	68	1.32	-	38.25	10.69	65.49
PK	16.83912G	59.57	68.20	-8.63	67.76	3	Vertical	124	1.15	-	40.91	13.07	62.17

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
 Setting 21.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20884G	53.49	74.00	-20.51	70.10	3	Horizontal	250	1.14	-	38.22	10.68	65.51
AV	11.22642G	41.44	54.00	-12.56	57.98	3	Horizontal	250	1.14	-	38.25	10.69	65.48
PK	16.8372G	59.11	68.20	-9.09	67.31	3	Horizontal	222	1.64	-	40.90	13.07	62.17

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 23.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4475G	61.40	74.00	-12.60	53.34	3	Vertical	353	2.01	-	33.49	7.41	32.84
PK	5.4675G	61.77	68.20	-6.43	53.59	3	Vertical	353	2.01	-	33.60	7.42	32.84
AV	5.46G	50.15	54.00	-3.85	42.01	3	Vertical	353	2.01	-	33.56	7.42	32.84
PK	5.686G	115.10	Inf	-Inf	106.47	3	Vertical	353	2.01	-	33.97	7.55	32.89
AV	5.6665G	104.00	Inf	-Inf	95.42	3	Vertical	353	2.01	-	33.93	7.54	32.89
PK	5.8505G	64.50	68.20	-3.70	55.24	3	Vertical	353	2.01	-	34.60	7.61	32.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 23.5
 01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4435G	62.27	74.00	-11.73	54.24	3	Horizontal	290	2.31	-	33.47	7.40	32.84
PK	5.4655G	63.71	68.20	-4.49	55.54	3	Horizontal	290	2.31	-	33.59	7.42	32.84
AV	5.46G	50.82	54.00	-3.18	42.68	3	Horizontal	290	2.31	-	33.56	7.42	32.84
PK	5.6845G	117.00	Inf	-Inf	108.37	3	Horizontal	290	2.31	-	33.97	7.55	32.89
AV	5.6885G	106.39	Inf	-Inf	97.75	3	Horizontal	290	2.31	-	33.98	7.55	32.89
PK	5.85G	67.55	68.20	-0.65	58.29	3	Horizontal	290	2.31	-	34.60	7.61	32.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 23.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37349G	53.21	74.00	-20.79	69.23	3	Vertical	255	2.09	-	38.40	10.78	65.20
AV	11.39011G	41.17	54.00	-12.83	57.16	3	Vertical	255	2.09	-	38.40	10.78	65.17
PK	17.06409G	58.74	68.20	-9.46	66.31	3	Vertical	28	2.31	-	41.53	13.15	62.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 23.5
 01-K-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39491G	53.66	74.00	-20.34	69.63	3	Horizontal	217	2.67	-	38.40	10.79	65.16
AV	11.39272G	41.27	54.00	-12.73	57.24	3	Horizontal	217	2.67	-	38.40	10.79	65.16
PK	17.07279G	59.20	68.20	-9.00	66.75	3	Horizontal	188	1.80	-	41.55	13.15	62.25

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 18
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	61.15	74.00	-12.85	53.97	3	Vertical	353	1.80	-	32.86	7.22	32.90
AV	5.138G	50.61	54.00	-3.39	43.40	3	Vertical	353	1.80	-	32.88	7.23	32.90
PK	5.318G	107.64	Inf	-Inf	100.04	3	Vertical	353	1.80	-	33.14	7.33	32.87
AV	5.3188G	96.22	Inf	-Inf	88.62	3	Vertical	353	1.80	-	33.14	7.33	32.87
PK	5.3836G	63.61	74.00	-10.39	55.83	3	Vertical	353	1.80	-	33.27	7.36	32.85
AV	5.3596G	52.95	54.00	-1.05	45.24	3	Vertical	353	1.80	-	33.22	7.35	32.86
PK	5.5972G	61.83	68.20	-6.37	53.17	3	Vertical	353	1.80	-	34.00	7.52	32.86

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 18
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	62.66	74.00	-11.34	55.46	3	Horizontal	326	1.01	-	32.87	7.23	32.90
AV	5.1316G	50.55	54.00	-3.45	43.37	3	Horizontal	326	1.01	-	32.86	7.22	32.90
PK	5.2932G	106.24	Inf	-Inf	98.70	3	Horizontal	326	1.01	-	33.09	7.32	32.87
AV	5.274G	95.12	Inf	-Inf	87.64	3	Horizontal	326	1.01	-	33.05	7.31	32.88
PK	5.35G	62.77	74.00	-11.23	55.08	3	Horizontal	326	1.01	-	33.20	7.35	32.86
AV	5.3556G	51.86	54.00	-2.14	44.16	3	Horizontal	326	1.01	-	33.21	7.35	32.86
PK	5.626G	62.11	68.20	-6.09	53.50	3	Horizontal	326	1.01	-	33.95	7.53	32.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48893G	52.88	68.20	-15.32	69.61	3	Vertical	319	1.71	-	38.40	10.29	65.42
PK	15.76281G	55.17	74.00	-18.83	66.54	3	Vertical	184	1.64	-	38.13	12.69	62.19
AV	15.76374G	43.67	54.00	-10.33	55.04	3	Vertical	184	1.64	-	38.13	12.69	62.19

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49781G	52.82	68.20	-15.38	69.53	3	Horizontal	58	1.64	-	38.40	10.29	65.40
PK	15.75252G	55.02	74.00	-18.98	66.41	3	Horizontal	302	1.68	-	38.11	12.69	62.19
AV	15.762G	43.65	54.00	-10.35	55.03	3	Horizontal	302	1.68	-	38.12	12.69	62.19

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 18
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.262G	61.10	68.20	-7.10	53.65	3	Vertical	352	1.80	-	33.02	7.31	32.88
PK	5.4372G	63.18	74.00	-10.82	55.17	3	Vertical	352	1.80	-	33.45	7.40	32.84
AV	5.442G	51.49	54.00	-2.51	43.46	3	Vertical	352	1.80	-	33.47	7.40	32.84
PK	5.4636G	62.77	68.20	-5.43	54.61	3	Vertical	352	1.80	-	33.58	7.42	32.84
PK	5.5044G	106.17	Inf	-Inf	97.73	3	Vertical	352	1.80	-	33.82	7.45	32.83
AV	5.5428G	94.98	Inf	-Inf	86.37	3	Vertical	352	1.80	-	33.97	7.48	32.84
PK	5.8428G	62.55	68.20	-5.65	53.34	3	Vertical	352	1.80	-	34.56	7.60	32.95

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 18
01-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2476G	60.87	68.20	-7.33	53.45	3	Horizontal	292	2.36	-	33.00	7.30	32.88
PK	5.438G	65.27	74.00	-8.73	57.26	3	Horizontal	292	2.36	-	33.45	7.40	32.84
AV	5.446G	52.73	54.00	-1.27	44.69	3	Horizontal	292	2.36	-	33.48	7.40	32.84
PK	5.4644G	63.71	68.20	-4.49	55.54	3	Horizontal	292	2.36	-	33.59	7.42	32.84
PK	5.5284G	109.44	Inf	-Inf	100.90	3	Horizontal	292	2.36	-	33.91	7.47	32.84
AV	5.5476G	98.46	Inf	-Inf	89.84	3	Horizontal	292	2.36	-	33.99	7.48	32.85
PK	5.7484G	64.90	68.20	-3.30	56.06	3	Horizontal	292	2.36	-	34.19	7.56	32.91

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12935G	52.62	74.00	-21.38	69.44	3	Vertical	360	3.00	-	38.20	10.64	65.66
AV	11.13064G	40.73	54.00	-13.27	57.55	3	Vertical	360	3.00	-	38.20	10.64	65.66
PK	16.70985G	58.22	68.20	-9.98	66.82	3	Vertical	179	1.80	-	40.50	13.03	62.13

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_X_2TX
Setting 18
01-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13589G	52.91	74.00	-21.09	69.72	3	Horizontal	213	1.00	-	38.20	10.64	65.65
AV	11.155G	40.89	54.00	-13.11	57.65	3	Horizontal	213	1.00	-	38.20	10.66	65.62
PK	16.71639G	58.31	68.20	-9.89	66.91	3	Horizontal	125	1.80	-	40.50	13.03	62.13




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.853G	67.72	68.20	-0.48	3	Horizontal	295	2.78	-

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1295G	61.21	74.00	-12.79	52.73	3	Vertical	357	1.80	-	32.10	6.90	30.52
AV	5.1499G	48.38	54.00	-5.62	39.92	3	Vertical	357	1.80	-	32.10	6.91	30.55
PK	5.266G	122.96	Inf	-Inf	115.11	3	Vertical	357	1.80	-	31.57	6.99	30.71
AV	5.2687G	110.67	Inf	-Inf	102.84	3	Vertical	357	1.80	-	31.56	6.99	30.72
PK	5.3509G	61.84	74.00	-12.16	54.13	3	Vertical	357	1.80	-	31.50	7.05	30.84
AV	5.3515G	48.48	54.00	-5.52	40.77	3	Vertical	357	1.80	-	31.50	7.05	30.84

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.30	74.00	-13.70	51.83	3	Horizontal	284.7	1.83	-	32.10	6.91	30.54
AV	5.146G	48.16	54.00	-5.84	39.69	3	Horizontal	284.7	1.83	-	32.10	6.91	30.54
PK	5.2528G	121.03	Inf	-Inf	113.15	3	Horizontal	284.7	1.83	-	31.59	6.98	30.69
AV	5.2519G	108.85	Inf	-Inf	100.96	3	Horizontal	284.7	1.83	-	31.60	6.98	30.69
PK	5.3599G	59.87	74.00	-14.13	52.14	3	Horizontal	284.7	1.83	-	31.52	7.06	30.85
AV	5.3521G	47.78	54.00	-6.22	40.07	3	Horizontal	284.7	1.83	-	31.50	7.05	30.84

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5365G	56.13	68.20	-12.07	48.96	3	Vertical	274	1.08	-	40.10	10.11	43.04
PK	15.7899G	66.05	74.00	-7.95	57.45	3	Vertical	358	1.86	-	38.30	12.57	42.27
AV	15.7815G	49.99	54.00	-4.01	41.40	3	Vertical	358	1.86	-	38.30	12.57	42.28

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4732G	55.72	68.20	-12.48	48.53	3	Horizontal	51	2.58	-	40.15	10.08	43.04
PK	15.7803G	63.61	74.00	-10.39	55.02	3	Horizontal	143	1.80	-	38.30	12.57	42.28
AV	15.779G	49.09	54.00	-4.91	40.51	3	Horizontal	143	1.80	-	38.30	12.57	42.29

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 27
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	122.56	Inf	-Inf	114.81	3	Vertical	0	1.80	-	31.50	7.02	30.77
AV	5.3078G	110.37	Inf	-Inf	102.62	3	Vertical	0	1.80	-	31.50	7.02	30.77
PK	5.35G	71.82	74.00	-2.18	64.10	3	Vertical	0	1.80	-	31.50	7.05	30.83
AV	5.3502G	52.83	54.00	-1.17	45.11	3	Vertical	0	1.80	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
 Setting 27
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2934G	120.54	Inf	-Inf	112.77	3	Horizontal	333	1.75	-	31.51	7.01	30.75
AV	5.2916G	108.48	Inf	-Inf	100.70	3	Horizontal	333	1.75	-	31.52	7.01	30.75
PK	5.3502G	70.81	74.00	-3.19	63.09	3	Horizontal	333	1.75	-	31.50	7.05	30.83
AV	5.35G	52.14	54.00	-1.86	44.42	3	Horizontal	333	1.75	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 27
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6104G	55.59	74.00	-18.41	48.29	3	Vertical	195	1.00	-	40.20	10.15	43.05
PK	15.8876G	58.64	74.00	-15.36	50.16	3	Vertical	217	1.75	-	38.02	12.62	42.16
AV	15.8981G	44.66	54.00	-9.34	36.19	3	Vertical	217	1.75	-	38.00	12.62	42.15

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
Setting 27
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6329G	55.43	74.00	-18.57	48.13	3	Horizontal	5	1.35	-	40.20	10.16	43.06
PK	15.8583G	57.42	74.00	-16.58	48.93	3	Horizontal	313	1.84	-	38.08	12.60	42.19
AV	15.852G	43.60	54.00	-10.40	35.10	3	Horizontal	313	1.84	-	38.10	12.60	42.20

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3146G	119.76	Inf	-Inf	112.01	3	Vertical	357	1.84	-	31.50	7.03	30.78
AV	5.3143G	106.46	Inf	-Inf	98.71	3	Vertical	357	1.84	-	31.50	7.03	30.78
PK	5.3535G	70.77	74.00	-3.23	63.04	3	Vertical	357	1.84	-	31.51	7.06	30.84
AV	5.3502G	52.24	54.00	-1.76	44.52	3	Vertical	357	1.84	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3272G	118.00	Inf	-Inf	110.26	3	Horizontal	331	2.04	-	31.50	7.04	30.80
AV	5.3284G	105.12	Inf	-Inf	97.38	3	Horizontal	331	2.04	-	31.50	7.04	30.80
PK	5.3522G	67.52	74.00	-6.48	59.81	3	Horizontal	331	2.04	-	31.50	7.05	30.84
AV	5.3501G	50.10	54.00	-3.90	42.38	3	Horizontal	331	2.04	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5973G	55.23	68.20	-12.97	47.95	3	Vertical	239	2.67	-	40.19	10.14	43.05
AV	10.6301G	42.40	54.00	-11.60	35.10	3	Vertical	239	2.67	-	40.20	10.16	43.06
PK	15.9783G	56.48	74.00	-17.52	47.98	3	Vertical	206	1.48	-	37.90	12.66	42.06
AV	15.926G	43.48	54.00	-10.52	35.02	3	Vertical	206	1.48	-	37.95	12.63	42.12

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6245G	55.61	74.00	-18.39	48.30	3	Horizontal	202	2.57	-	40.20	10.16	43.05
AV	10.6275G	42.37	54.00	-11.63	35.07	3	Horizontal	202	2.57	-	40.20	10.16	43.06
PK	16.0078G	57.20	74.00	-16.80	48.62	3	Horizontal	243	1.11	-	37.93	12.67	42.02
AV	16.0067G	43.65	54.00	-10.35	35.07	3	Horizontal	243	1.11	-	37.93	12.67	42.02

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
 Setting 22
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	62.50	74.00	-11.50	54.54	3	Vertical	354	1.73	-	31.82	7.13	30.99
AV	5.4589G	47.71	54.00	-6.29	39.75	3	Vertical	354	1.73	-	31.82	7.13	30.99
PK	5.4682G	64.92	68.20	-3.28	56.95	3	Vertical	354	1.73	-	31.84	7.13	31.00
PK	5.5073G	117.75	Inf	-Inf	109.74	3	Vertical	354	1.73	-	31.90	7.16	31.05
AV	5.5082G	105.29	Inf	-Inf	97.28	3	Vertical	354	1.73	-	31.90	7.16	31.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
Setting 22
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4527G	59.93	74.00	-14.07	51.98	3	Horizontal	313	1.80	-	31.81	7.12	30.98
AV	5.4511G	47.70	54.00	-6.30	39.76	3	Horizontal	313	1.80	-	31.80	7.12	30.98
PK	5.4693G	66.43	68.20	-1.77	58.46	3	Horizontal	313	1.80	-	31.84	7.14	31.01
PK	5.491G	115.38	Inf	-Inf	107.39	3	Horizontal	313	1.80	-	31.88	7.15	31.04
AV	5.4909G	103.54	Inf	-Inf	95.55	3	Horizontal	313	1.80	-	31.88	7.15	31.04

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
Setting 22
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9757G	56.74	74.00	-17.26	48.97	3	Vertical	178	2.90	-	40.55	10.32	43.10
AV	10.9546G	42.85	54.00	-11.15	35.04	3	Vertical	178	2.90	-	40.59	10.31	43.09
PK	16.4947G	58.72	68.20	-9.48	47.75	3	Vertical	284	1.58	-	39.68	12.89	41.60

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_X_2TX
Setting 22
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0146G	55.83	74.00	-18.17	48.16	3	Horizontal	199	1.45	-	40.44	10.34	43.11
AV	10.9512G	42.79	54.00	-11.21	34.97	3	Horizontal	199	1.45	-	40.60	10.31	43.09
PK	16.474G	58.58	68.20	-9.62	47.72	3	Horizontal	292	1.42	-	39.60	12.88	41.62

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.70	74.00	-13.30	52.75	3	Vertical	360	2.00	-	31.81	7.12	30.98
AV	5.4012G	47.97	54.00	-6.03	40.19	3	Vertical	360	2.00	-	31.60	7.09	30.91
PK	5.4624G	59.52	68.20	-8.68	51.57	3	Vertical	360	2.00	-	31.82	7.13	31.00
PK	5.5748G	122.77	Inf	-Inf	114.77	3	Vertical	360	2.00	-	31.85	7.20	31.05
AV	5.5764G	110.41	Inf	-Inf	102.41	3	Vertical	360	2.00	-	31.85	7.20	31.05
PK	5.752G	61.45	68.20	-6.75	52.95	3	Vertical	360	2.00	-	32.20	7.35	31.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.414G	60.68	74.00	-13.32	52.85	3	Horizontal	298	2.71	-	31.66	7.10	30.93
AV	5.3912G	48.67	54.00	-5.33	40.90	3	Horizontal	298	2.71	-	31.58	7.08	30.89
PK	5.4684G	61.76	68.20	-6.44	53.79	3	Horizontal	298	2.71	-	31.84	7.13	31.00
PK	5.572G	126.76	Inf	-Inf	118.75	3	Horizontal	298	2.71	-	31.86	7.20	31.05
AV	5.5712G	115.19	Inf	-Inf	107.18	3	Horizontal	298	2.71	-	31.86	7.20	31.05
PK	5.7284G	62.05	68.20	-6.15	53.70	3	Horizontal	298	2.71	-	32.07	7.33	31.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1166G	55.64	74.00	-18.36	48.37	3	Vertical	25	2.46	-	40.03	10.39	43.15
AV	11.1302G	42.11	54.00	-11.89	34.88	3	Vertical	25	2.46	-	39.98	10.40	43.15
PK	16.7717G	59.46	68.20	-8.74	48.02	3	Vertical	300	1.04	-	40.29	13.02	41.87

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_X_2TX
Setting 28
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1355G	54.91	74.00	-19.09	47.70	3	Horizontal	300	2.52	-	39.96	10.40	43.15
AV	11.1306G	42.05	54.00	-11.95	34.82	3	Horizontal	300	2.52	-	39.98	10.40	43.15
PK	16.7272G	60.57	68.20	-7.63	49.33	3	Horizontal	6	2.35	-	40.06	13.00	41.82

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
Setting 16
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7087G	112.56	Inf	-Inf	104.35	3	Vertical	360	1.94	-	31.95	7.31	31.05
AV	5.7085G	98.98	Inf	-Inf	90.77	3	Vertical	360	1.94	-	31.95	7.31	31.05
PK	5.7376G	61.31	68.20	-6.89	52.89	3	Vertical	360	1.94	-	32.13	7.34	31.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
 Setting 16
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.701G	113.00	Inf	-Inf	104.83	3	Horizontal	301	2.03	-	31.91	7.31	31.05
AV	5.7091G	100.06	Inf	-Inf	91.85	3	Horizontal	301	2.03	-	31.95	7.31	31.05
PK	5.7442G	61.77	68.20	-6.43	53.31	3	Horizontal	301	2.03	-	32.17	7.34	31.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
Setting 16
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3604G	55.35	74.00	-18.65	48.16	3	Vertical	268	2.82	-	39.92	10.51	43.24
AV	11.3897G	42.55	54.00	-11.45	35.31	3	Vertical	268	2.82	-	39.98	10.52	43.26
PK	17.0918G	59.16	68.20	-9.04	47.84	3	Vertical	201	2.01	-	40.23	13.16	42.07

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_X_2TX
Setting 16
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4186G	56.06	74.00	-17.94	48.80	3	Horizontal	299	2.70	-	40.00	10.53	43.27
AV	11.4083G	42.47	54.00	-11.53	35.20	3	Horizontal	299	2.70	-	40.00	10.53	43.26
PK	17.1422G	58.63	68.20	-9.57	47.23	3	Horizontal	352	2.83	-	40.28	13.18	42.06

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 28
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	121.39	Inf	-Inf	113.06	3	Vertical	10	1.68	-	32.05	7.33	31.05
AV	5.7112G	109.77	Inf	-Inf	101.54	3	Vertical	10	1.68	-	31.97	7.31	31.05
PK	5.856G	61.31	68.20	-6.89	52.63	3	Vertical	10	1.68	-	32.32	7.41	31.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 28
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	125.14	Inf	-Inf	116.84	3	Horizontal	293	2.37	-	32.03	7.32	31.05
AV	5.7136G	113.98	Inf	-Inf	105.73	3	Horizontal	293	2.37	-	31.98	7.32	31.05
PK	5.8552G	61.13	68.20	-7.07	52.45	3	Horizontal	293	2.37	-	32.32	7.41	31.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 28
 06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4478G	56.04	74.00	-17.96	48.77	3	Vertical	80	1.84	-	40.00	10.55	43.28
AV	11.475G	42.54	54.00	-11.46	35.22	3	Vertical	80	1.84	-	40.05	10.56	43.29
PK	17.1653G	59.30	68.20	-8.90	47.77	3	Vertical	268	1.81	-	40.39	13.19	42.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 28
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.469G	55.92	74.00	-18.08	48.61	3	Horizontal	179	2.81	-	40.04	10.56	43.29
AV	11.4813G	42.64	54.00	-11.36	35.31	3	Horizontal	179	2.81	-	40.06	10.56	43.29
PK	17.1868G	60.12	68.20	-8.08	48.45	3	Horizontal	284	2.72	-	40.52	13.20	42.05

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 26
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1473G	69.29	74.00	-4.71	60.82	3	Vertical	360	1.47	-	32.10	6.91	30.54
AV	5.1467G	48.47	54.00	-5.53	40.00	3	Vertical	360	1.47	-	32.10	6.91	30.54
PK	5.2655G	117.33	Inf	-Inf	109.48	3	Vertical	360	1.47	-	31.57	6.99	30.71
AV	5.2652G	104.40	Inf	-Inf	96.55	3	Vertical	360	1.47	-	31.57	6.99	30.71
PK	5.351G	67.02	74.00	-6.98	59.30	3	Vertical	360	1.47	-	31.50	7.05	30.83
AV	5.351G	51.79	54.00	-2.21	44.08	3	Vertical	360	1.47	-	31.50	7.05	30.84

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 26
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1479G	60.75	74.00	-13.25	52.28	3	Horizontal	334	1.74	-	32.10	6.91	30.54
AV	5.1479G	48.33	54.00	-5.67	39.86	3	Horizontal	334	1.74	-	32.10	6.91	30.54
PK	5.2796G	116.76	Inf	-Inf	108.95	3	Horizontal	334	1.74	-	31.54	7.00	30.73
AV	5.2607G	104.69	Inf	-Inf	96.83	3	Horizontal	334	1.74	-	31.58	6.99	30.71
PK	5.3546G	69.86	74.00	-4.14	62.13	3	Horizontal	334	1.74	-	31.51	7.06	30.84
AV	5.35G	52.63	54.00	-1.37	44.91	3	Horizontal	334	1.74	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 26
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4988G	56.03	68.20	-12.17	48.87	3	Vertical	260	1.80	-	40.10	10.10	43.04
PK	15.7679G	59.69	74.00	-14.31	51.13	3	Vertical	360	1.80	-	38.30	12.56	42.30
AV	15.7773G	45.61	54.00	-8.39	37.04	3	Vertical	360	1.80	-	38.30	12.56	42.29

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 26
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5022G	55.78	68.20	-12.42	48.62	3	Horizontal	46	2.60	-	40.10	10.10	43.04
PK	15.7789G	59.22	74.00	-14.78	50.65	3	Horizontal	145	1.80	-	38.30	12.56	42.29
AV	15.7763G	45.34	54.00	-8.66	36.77	3	Horizontal	145	1.80	-	38.30	12.56	42.29

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
 Setting 20
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3146G	112.57	Inf	-Inf	104.82	3	Vertical	2	1.80	-	31.50	7.03	30.78
AV	5.3158G	99.24	Inf	-Inf	91.49	3	Vertical	2	1.80	-	31.50	7.03	30.78
PK	5.3516G	70.73	74.00	-3.27	63.02	3	Vertical	2	1.80	-	31.50	7.05	30.84
AV	5.3504G	48.24	54.00	-5.76	40.52	3	Vertical	2	1.80	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 20
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2922G	110.01	Inf	-Inf	102.23	3	Horizontal	337	1.82	-	31.52	7.01	30.75
AV	5.321G	97.94	Inf	-Inf	90.20	3	Horizontal	337	1.82	-	31.50	7.03	30.79
PK	5.3516G	69.07	74.00	-4.93	61.36	3	Horizontal	337	1.82	-	31.50	7.05	30.84
AV	5.3504G	47.56	54.00	-6.44	39.84	3	Horizontal	337	1.82	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6041G	55.22	74.00	-18.78	47.92	3	Vertical	88	2.74	-	40.20	10.15	43.05
PK	15.8802G	56.32	74.00	-17.68	47.84	3	Vertical	236	2.87	-	38.04	12.61	42.17
AV	15.9263G	43.54	54.00	-10.46	35.08	3	Vertical	236	2.87	-	37.95	12.63	42.12

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5935G	55.57	68.20	-12.63	48.29	3	Horizontal	28	2.61	-	40.19	10.14	43.05
PK	15.9078G	56.60	74.00	-17.40	48.13	3	Horizontal	154	2.33	-	37.98	12.63	42.14
AV	15.9382G	43.63	54.00	-10.37	35.17	3	Horizontal	154	2.33	-	37.92	12.64	42.10

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 17
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	60.11	74.00	-13.89	52.16	3	Vertical	359	1.91	-	31.81	7.13	30.99
AV	5.4196G	47.11	54.00	-6.89	39.26	3	Vertical	359	1.91	-	31.68	7.10	30.93
PK	5.4676G	61.06	68.20	-7.14	53.09	3	Vertical	359	1.91	-	31.84	7.13	31.00
PK	5.5284G	109.61	Inf	-Inf	101.59	3	Vertical	359	1.91	-	31.90	7.17	31.05
AV	5.525G	96.90	Inf	-Inf	88.88	3	Vertical	359	1.91	-	31.90	7.17	31.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
 Setting 17
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	62.36	74.00	-11.64	54.40	3	Horizontal	291	2.36	-	31.82	7.13	30.99
AV	5.4404G	47.34	54.00	-6.66	39.42	3	Horizontal	291	2.36	-	31.76	7.12	30.96
PK	5.467G	62.62	68.20	-5.58	54.66	3	Horizontal	291	2.36	-	31.83	7.13	31.00
PK	5.496G	112.76	Inf	-Inf	104.76	3	Horizontal	291	2.36	-	31.89	7.15	31.04
AV	5.4962G	99.18	Inf	-Inf	91.18	3	Horizontal	291	2.36	-	31.89	7.15	31.04

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 17
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9975G	56.67	74.00	-17.33	48.93	3	Vertical	324	1.56	-	40.51	10.33	43.10
AV	11.0306G	43.32	54.00	-10.68	35.70	3	Vertical	324	1.56	-	40.38	10.35	43.11
PK	16.504G	59.50	68.20	-8.70	48.52	3	Vertical	27	2.01	-	39.68	12.90	41.60

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 17
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0402G	56.39	74.00	-17.61	48.82	3	Horizontal	62	2.81	-	40.34	10.35	43.12
AV	10.995G	43.32	54.00	-10.68	35.58	3	Horizontal	62	2.81	-	40.51	10.33	43.10
PK	16.5692G	60.30	68.20	-7.90	49.58	3	Horizontal	18	2.01	-	39.46	12.93	41.67

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4579G	61.39	74.00	-12.61	53.43	3	Vertical	358	1.80	-	31.82	7.13	30.99
AV	5.4576G	48.12	54.00	-5.88	40.16	3	Vertical	358	1.80	-	31.82	7.13	30.99
PK	5.4624G	65.63	68.20	-2.57	57.68	3	Vertical	358	1.80	-	31.82	7.13	31.00
PK	5.5521G	116.98	Inf	-Inf	108.94	3	Vertical	358	1.80	-	31.90	7.19	31.05
AV	5.5398G	104.00	Inf	-Inf	95.97	3	Vertical	358	1.80	-	31.90	7.18	31.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
 Setting 24
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4531G	64.40	74.00	-9.60	56.45	3	Horizontal	298	2.36	-	31.81	7.12	30.98
AV	5.4582G	48.49	54.00	-5.51	40.53	3	Horizontal	298	2.36	-	31.82	7.13	30.99
PK	5.4687G	65.78	68.20	-2.42	57.81	3	Horizontal	298	2.36	-	31.84	7.13	31.00
PK	5.5404G	120.44	Inf	-Inf	112.41	3	Horizontal	298	2.36	-	31.90	7.18	31.05
AV	5.5341G	106.84	Inf	-Inf	98.81	3	Horizontal	298	2.36	-	31.90	7.18	31.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0709G	55.87	74.00	-18.13	48.41	3	Vertical	124	2.33	-	40.22	10.37	43.13
AV	11.0538G	42.82	54.00	-11.18	35.30	3	Vertical	124	2.33	-	40.28	10.36	43.12
PK	16.6706G	58.68	68.20	-9.52	47.70	3	Vertical	131	2.96	-	39.78	12.97	41.77

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0774G	55.76	74.00	-18.24	48.33	3	Horizontal	266	3.00	-	40.19	10.37	43.13
AV	11.0503G	43.02	54.00	-10.98	35.48	3	Horizontal	266	3.00	-	40.30	10.36	43.12
PK	16.6657G	58.55	68.20	-9.65	47.58	3	Horizontal	320	1.15	-	39.76	12.97	41.76

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 21
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6864G	112.48	Inf	-Inf	104.39	3	Vertical	11	1.91	-	31.85	7.29	31.05
AV	5.688G	99.13	Inf	-Inf	91.04	3	Vertical	11	1.91	-	31.85	7.29	31.05
PK	5.725G	63.76	68.20	-4.44	55.43	3	Vertical	11	1.91	-	32.05	7.33	31.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
 Setting 21
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6798G	116.91	Inf	-Inf	108.85	3	Horizontal	292	2.38	-	31.82	7.29	31.05
AV	5.68G	103.88	Inf	-Inf	95.82	3	Horizontal	292	2.38	-	31.82	7.29	31.05
PK	5.7334G	66.07	68.20	-2.13	57.69	3	Horizontal	292	2.38	-	32.10	7.33	31.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 21
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3892G	55.70	74.00	-18.30	48.46	3	Vertical	276	2.50	-	39.98	10.52	43.26
AV	11.3824G	42.46	54.00	-11.54	35.23	3	Vertical	276	2.50	-	39.96	10.52	43.25
PK	17.0129G	59.22	68.20	-8.98	47.93	3	Vertical	173	1.96	-	40.25	13.13	42.09

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 21
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3859G	55.39	74.00	-18.61	48.15	3	Horizontal	160	1.34	-	39.97	10.52	43.25
AV	11.3848G	42.51	54.00	-11.49	35.27	3	Horizontal	160	1.34	-	39.97	10.52	43.25
PK	16.9881G	59.83	68.20	-8.37	48.62	3	Horizontal	339	1.62	-	40.18	13.11	42.08

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 28
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	119.88	Inf	-Inf	111.54	3	Vertical	359	1.80	-	32.06	7.33	31.05
AV	5.7256G	107.09	Inf	-Inf	98.76	3	Vertical	359	1.80	-	32.05	7.33	31.05
PK	5.8612G	64.62	68.20	-3.58	55.92	3	Vertical	359	1.80	-	32.34	7.41	31.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 28
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	122.82	Inf	-Inf	114.63	3	Horizontal	295	2.77	-	31.93	7.31	31.05
AV	5.7268G	108.06	Inf	-Inf	99.72	3	Horizontal	295	2.77	-	32.06	7.33	31.05
PK	5.8696G	61.55	68.20	-6.65	52.80	3	Horizontal	295	2.77	-	32.38	7.42	31.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 28
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4036G	55.53	74.00	-18.47	48.26	3	Vertical	49	1.20	-	40.00	10.53	43.26
AV	11.4683G	42.61	54.00	-11.39	35.30	3	Vertical	49	1.20	-	40.04	10.56	43.29
PK	17.0913G	59.72	68.20	-8.48	48.40	3	Vertical	239	2.30	-	40.23	13.16	42.07

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX








EUT_X_2TX
Setting 28
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4119G	56.24	74.00	-17.76	48.97	3	Horizontal	303	1.04	-	40.00	10.53	43.26
AV	11.4683G	42.69	54.00	-11.31	35.38	3	Horizontal	303	1.04	-	40.04	10.56	43.29
PK	17.1732G	59.21	68.20	-8.99	47.62	3	Horizontal	166	2.08	-	40.44	13.20	42.05

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


19/12/2023

EUT_X_2TX
Setting 21
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.104G	60.13	74.00	-13.87	51.62	3	Vertical	360	1.80	-	32.10	6.89	30.48
AV	5.148G	47.81	54.00	-6.19	39.34	3	Vertical	360	1.80	-	32.10	6.91	30.54
PK	5.314G	109.91	Inf	-Inf	102.16	3	Vertical	360	1.80	-	31.50	7.03	30.78
AV	5.319G	97.32	Inf	-Inf	89.58	3	Vertical	360	1.80	-	31.50	7.03	30.79
PK	5.373G	71.56	74.00	-2.44	63.81	3	Vertical	360	1.80	-	31.55	7.07	30.87
AV	5.351G	50.91	54.00	-3.09	43.20	3	Vertical	360	1.80	-	31.50	7.05	30.84
PK	5.4945G	60.28	68.20	-7.92	52.28	3	Vertical	360	1.80	-	31.89	7.15	31.04

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 21
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.057G	60.92	74.00	-13.08	52.45	3	Horizontal	66	1.00	-	32.01	6.87	30.41
AV	5.1385G	47.56	54.00	-6.44	39.08	3	Horizontal	66	1.00	-	32.10	6.91	30.53
PK	5.259G	107.92	Inf	-Inf	100.06	3	Horizontal	66	1.00	-	31.58	6.98	30.70
AV	5.2825G	94.50	Inf	-Inf	86.70	3	Horizontal	66	1.00	-	31.54	7.00	30.74
PK	5.374G	67.69	74.00	-6.31	59.94	3	Horizontal	66	1.00	-	31.55	7.07	30.87
AV	5.354G	48.33	54.00	-5.67	40.60	3	Horizontal	66	1.00	-	31.51	7.06	30.84
PK	5.5025G	60.47	68.20	-7.73	52.46	3	Horizontal	66	1.00	-	31.90	7.16	31.05

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 21
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5845G	55.66	68.20	-12.54	48.40	3	Vertical	312	2.71	-	40.17	10.14	43.05
PK	15.8534G	57.40	74.00	-16.60	48.91	3	Vertical	99	2.72	-	38.09	12.60	42.20
AV	15.8541G	44.44	54.00	-9.56	35.95	3	Vertical	99	2.72	-	38.09	12.60	42.20

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 21
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5452G	56.66	68.20	-11.54	49.49	3	Horizontal	111	1.10	-	40.10	10.12	43.05
PK	15.8608G	57.10	74.00	-16.90	48.61	3	Horizontal	199	1.49	-	38.08	12.60	42.19
AV	15.8602G	43.83	54.00	-10.17	35.34	3	Horizontal	199	1.49	-	38.08	12.60	42.19

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




19/12/2023

EUT_X_2TX
Setting 20
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2825G	60.31	68.20	-7.89	52.51	3	Vertical	356	1.80	-	31.54	7.00	30.74
PK	5.455G	65.25	74.00	-8.75	57.30	3	Vertical	356	1.80	-	31.81	7.13	30.99
AV	5.4575G	48.34	54.00	-5.66	40.38	3	Vertical	356	1.80	-	31.82	7.13	30.99
PK	5.4685G	64.71	68.20	-3.49	56.74	3	Vertical	356	1.80	-	31.84	7.13	31.00
PK	5.546G	110.00	Inf	-Inf	101.97	3	Vertical	356	1.80	-	31.90	7.18	31.05
AV	5.5395G	96.64	Inf	-Inf	88.61	3	Vertical	356	1.80	-	31.90	7.18	31.05
PK	5.7505G	60.35	68.20	-7.85	51.85	3	Vertical	356	1.80	-	32.20	7.35	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 20
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	59.82	68.20	-8.38	52.06	3	Horizontal	285	2.33	-	31.50	7.02	30.76
PK	5.4465G	65.43	74.00	-8.57	57.49	3	Horizontal	285	2.33	-	31.79	7.12	30.97
PK	5.464G	66.02	68.20	-2.18	58.06	3	Horizontal	285	2.33	-	31.83	7.13	31.00
AV	5.4565G	48.83	54.00	-5.17	40.88	3	Horizontal	285	2.33	-	31.81	7.13	30.99
PK	5.5015G	111.12	Inf	-Inf	103.11	3	Horizontal	285	2.33	-	31.90	7.16	31.05
AV	5.509G	98.40	Inf	-Inf	90.39	3	Horizontal	285	2.33	-	31.90	7.16	31.05
PK	5.7745G	60.87	68.20	-7.33	52.30	3	Horizontal	285	2.33	-	32.25	7.37	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0204G	56.20	74.00	-17.80	48.55	3	Vertical	266	2.71	-	40.42	10.34	43.11
AV	11.0256G	42.92	54.00	-11.08	35.28	3	Vertical	266	2.71	-	40.40	10.35	43.11
PK	16.5744G	59.69	68.20	-8.51	48.98	3	Vertical	308	2.09	-	39.45	12.93	41.67

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0916G	56.47	74.00	-17.53	49.10	3	Horizontal	119	1.98	-	40.13	10.38	43.14
AV	11.0119G	42.90	54.00	-11.10	35.21	3	Horizontal	119	1.98	-	40.45	10.34	43.10
PK	16.5561G	58.78	68.20	-9.42	48.02	3	Horizontal	67	1.20	-	39.49	12.92	41.65

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.32	74.00	-13.68	52.37	3	Vertical	0	1.80	-	31.81	7.13	30.99
AV	5.46G	48.68	54.00	-5.32	40.72	3	Vertical	0	1.80	-	31.82	7.13	30.99
PK	5.47G	61.76	68.20	-6.44	53.79	3	Vertical	0	1.80	-	31.84	7.14	31.01
PK	5.5735G	113.36	Inf	-Inf	105.36	3	Vertical	0	1.80	-	31.85	7.20	31.05
AV	5.5875G	100.66	Inf	-Inf	92.68	3	Vertical	0	1.80	-	31.82	7.21	31.05
PK	5.738G	64.62	68.20	-3.58	56.20	3	Vertical	0	1.80	-	32.13	7.34	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.79	74.00	-11.21	54.83	3	Horizontal	309	2.43	-	31.82	7.13	30.99
AV	5.46G	49.17	54.00	-4.83	41.21	3	Horizontal	309	2.43	-	31.82	7.13	30.99
PK	5.47G	64.17	68.20	-4.03	56.20	3	Horizontal	309	2.43	-	31.84	7.14	31.01
PK	5.5785G	116.99	Inf	-Inf	108.99	3	Horizontal	309	2.43	-	31.84	7.21	31.05
AV	5.626G	101.93	Inf	-Inf	93.99	3	Horizontal	309	2.43	-	31.75	7.24	31.05
PK	5.725G	66.71	68.20	-1.49	58.38	3	Horizontal	309	2.43	-	32.05	7.33	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2141G	55.51	74.00	-18.49	48.46	3	Vertical	207	2.69	-	39.80	10.44	43.19
AV	11.2178G	41.88	54.00	-12.12	34.83	3	Vertical	207	2.69	-	39.80	10.44	43.19
PK	16.8427G	61.26	68.20	-6.94	49.66	3	Vertical	27	2.31	-	40.49	13.05	41.94

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 24
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2102G	55.95	74.00	-18.05	48.90	3	Horizontal	37	2.91	-	39.80	10.43	43.18
AV	11.219G	41.85	54.00	-12.15	34.80	3	Horizontal	37	2.91	-	39.80	10.44	43.19
PK	16.8303G	60.23	68.20	-7.97	48.65	3	Horizontal	338	2.27	-	40.46	13.04	41.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
 Setting 27
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4425G	60.92	74.00	-13.08	53.00	3	Vertical	360	2.10	-	31.77	7.12	30.97
PK	5.4685G	61.02	68.20	-7.18	53.05	3	Vertical	360	2.10	-	31.84	7.13	31.00
AV	5.4575G	49.10	54.00	-4.90	41.14	3	Vertical	360	2.10	-	31.82	7.13	30.99
PK	5.659G	119.35	Inf	-Inf	111.39	3	Vertical	360	2.10	-	31.74	7.27	31.05
AV	5.72G	103.85	Inf	-Inf	95.56	3	Vertical	360	2.10	-	32.02	7.32	31.05
PK	5.8515G	64.42	68.20	-3.78	55.75	3	Vertical	360	2.10	-	32.31	7.41	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 27
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	62.89	74.00	-11.11	54.96	3	Horizontal	295	2.78	-	31.78	7.12	30.97
PK	5.4665G	64.78	68.20	-3.42	56.82	3	Horizontal	295	2.78	-	31.83	7.13	31.00
AV	5.4595G	50.39	54.00	-3.61	42.43	3	Horizontal	295	2.78	-	31.82	7.13	30.99
PK	5.674G	116.75	Inf	-Inf	108.72	3	Horizontal	295	2.78	-	31.80	7.28	31.05
AV	5.6745G	104.76	Inf	-Inf	96.73	3	Horizontal	295	2.78	-	31.80	7.28	31.05
PK	5.853G	67.72	68.20	-0.48	59.05	3	Horizontal	295	2.78	-	32.31	7.41	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 27
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3708G	56.11	74.00	-17.89	48.91	3	Vertical	298	2.19	-	39.94	10.51	43.25
AV	11.3877G	42.23	54.00	-11.77	34.99	3	Vertical	298	2.19	-	39.98	10.52	43.26
PK	17.1128G	59.05	68.20	-9.15	47.71	3	Vertical	131	2.40	-	40.23	13.17	42.06

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 27
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3637G	55.30	74.00	-18.70	48.11	3	Horizontal	270	1.56	-	39.93	10.51	43.25
AV	11.3871G	42.38	54.00	-11.62	35.14	3	Horizontal	270	1.56	-	39.97	10.52	43.25
PK	17.0269G	59.13	68.20	-9.07	47.77	3	Horizontal	297	1.25	-	40.31	13.13	42.08

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 20
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	68.19	74.00	-5.81	59.72	3	Vertical	349	1.62	-	32.10	6.91	30.54
AV	5.1492G	50.68	54.00	-3.32	42.21	3	Vertical	349	1.62	-	32.10	6.91	30.54
PK	5.1788G	111.32	Inf	-Inf	103.05	3	Vertical	349	1.62	-	31.93	6.93	30.59
AV	5.1788G	99.28	Inf	-Inf	91.01	3	Vertical	349	1.62	-	31.93	6.93	30.59
PK	5.4092G	72.35	74.00	-1.65	64.53	3	Vertical	349	1.62	-	31.64	7.10	30.92
AV	5.3636G	50.23	54.00	-3.77	42.49	3	Vertical	349	1.62	-	31.53	7.06	30.85
PK	5.474G	65.44	68.20	-2.76	57.46	3	Vertical	349	1.62	-	31.85	7.14	31.01

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 20
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	69.52	74.00	-4.48	61.02	3	Horizontal	42	2.53	-	32.10	6.90	30.50
AV	5.1468G	49.69	54.00	-4.31	41.22	3	Horizontal	42	2.53	-	32.10	6.91	30.54
AV	5.178G	96.28	Inf	-Inf	88.01	3	Horizontal	42	2.53	-	31.93	6.93	30.59
PK	5.2948G	108.88	Inf	-Inf	101.11	3	Horizontal	42	2.53	-	31.51	7.01	30.75
PK	5.3948G	70.93	74.00	-3.07	63.15	3	Horizontal	42	2.53	-	31.59	7.09	30.90
AV	5.3708G	49.49	54.00	-4.51	41.74	3	Horizontal	42	2.53	-	31.54	7.07	30.86
PK	5.474G	62.04	68.20	-6.16	54.06	3	Horizontal	42	2.53	-	31.85	7.14	31.01

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50616G	56.58	68.20	-11.62	49.42	3	Vertical	116	1.38	-	40.10	10.10	43.04
PK	15.74736G	56.45	74.00	-17.55	47.93	3	Vertical	247	2.87	-	38.29	12.55	42.32
AV	15.75878G	43.23	54.00	-10.77	34.68	3	Vertical	247	2.87	-	38.30	12.56	42.31

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50488G	55.84	68.20	-12.36	48.68	3	Horizontal	225	2.93	-	40.10	10.10	43.04
PK	15.7578G	55.62	74.00	-18.38	47.08	3	Horizontal	164	1.65	-	38.30	12.55	42.31
AV	15.75854G	43.32	54.00	-10.68	34.77	3	Horizontal	164	1.65	-	38.30	12.56	42.31

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 20
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2316G	60.78	68.20	-7.42	52.81	3	Vertical	356	1.68	-	31.67	6.96	30.66
PK	5.4436G	67.25	74.00	-6.75	59.33	3	Vertical	356	1.68	-	31.77	7.12	30.97
AV	5.45G	49.09	54.00	-4.91	41.15	3	Vertical	356	1.68	-	31.80	7.12	30.98
PK	5.4636G	64.82	68.20	-3.38	56.86	3	Vertical	356	1.68	-	31.83	7.13	31.00
AV	5.4924G	94.54	Inf	-Inf	86.55	3	Vertical	356	1.68	-	31.88	7.15	31.04
PK	5.5604G	105.92	Inf	-Inf	97.90	3	Vertical	356	1.68	-	31.88	7.19	31.05
PK	5.726G	63.38	68.20	-4.82	55.04	3	Vertical	356	1.68	-	32.06	7.33	31.05

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX








EUT_X_2TX
Setting 20
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2876G	60.59	68.20	-7.61	52.80	3	Horizontal	298	2.32	-	31.52	7.01	30.74
PK	5.4348G	68.01	74.00	-5.99	60.12	3	Horizontal	298	2.32	-	31.74	7.11	30.96
AV	5.4356G	48.71	54.00	-5.29	40.82	3	Horizontal	298	2.32	-	31.74	7.11	30.96
PK	5.4684G	61.71	68.20	-6.49	53.74	3	Horizontal	298	2.32	-	31.84	7.13	31.00
PK	5.602G	105.56	Inf	-Inf	97.59	3	Horizontal	298	2.32	-	31.80	7.22	31.05
AV	5.6084G	93.29	Inf	-Inf	85.33	3	Horizontal	298	2.32	-	31.78	7.23	31.05
PK	5.7292G	63.47	68.20	-4.73	55.11	3	Horizontal	298	2.32	-	32.08	7.33	31.05

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/12/2023

EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14178G	55.46	74.00	-18.54	48.29	3	Vertical	201	1.42	-	39.93	10.40	43.16
AV	11.14548G	42.54	54.00	-11.46	35.38	3	Vertical	201	1.42	-	39.92	10.40	43.16
PK	16.71038G	59.59	68.20	-8.61	48.45	3	Vertical	324	2.37	-	39.96	12.99	41.81

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_X_2TX
Setting 20
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13958G	56.22	74.00	-17.78	49.04	3	Horizontal	334	1.85	-	39.94	10.40	43.16
AV	11.1373G	42.63	54.00	-11.37	35.43	3	Horizontal	334	1.85	-	39.95	10.40	43.15
PK	16.71126G	59.17	68.20	-9.03	48.02	3	Horizontal	224	1.14	-	39.97	12.99	41.81