



Series: Stick Antenna

Description: 868-928MHz Dipole Antenna

PART NUMBER: W5017




Features:

- Half wave dipole antenna
- Length 179mm
- Gain 0.9 dBi
- Connector SMA Male
- High Efficiency >70%
- Power rating 1W
- IP65 rated

Applications:

- ISM 868 / 915 MHz radios
- IoT, M2M
- Industry automation
- Remote controls
- Toys, Consumer electronics



All dimensions are in mm / inches

Issue: 1723

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





Series: Stick Antenna

PART NUMBER: W5017

ELECTRICAL SPECIFICATIONS		
Frequency	868-928	MHz
Nominal Impedance	50	Ω
VSWR	2.5	Max
Average efficiency	70	%
Peak Gain	0.9	dBi +/- 1 dB
Polarization:	Vertical	
Power withstanding	1	W
Connector type	SMA	



TECHNICAL DATA SHEET

Description: 868-928MHz Dipole Antenna

7.047 INCHES

Series: Stick Antenna

Overall Length

PART NUMBER: W5017

MECHANICAL SPECIFICATIONS		
Plastic radome	TPEE	
Color	Black	
Ingress Protection	IP65	
Weight	16.6 a	

ENVIRONMENTAL SPECIFICATIONS		
Operating temperature	-40/+85° C	
Temperature	-40/+85° C	
Salt mist	24hours	






Series: Stick Antenna

PART NUMBER: W5017

MECHANICAL DRAWING








Series: Stick Antenna

PART NUMBER: W5017

CHARTS

VSWR

VSWR vs Frequency measured in free space W5017 measured in PSU










Series: Stick Antenna

PART NUMBER: W5017

CHARTS

Efficiency

Efficiency vs Frequency measured in free space W5017 measured in PSU










Series: Stick Antenna

PART NUMBER: W5017

CHARTS

Peak Gain

Peak Gain vs Frequency measured in free space W5017measured in PSU










Series: Stick Antenna

PART NUMBER: W5017

CHARTS



Issue: 1723






Series: Stick Antenna

PART NUMBER: W5017

CHARTS



Issue: 1723








Series: Stick Antenna

PART NUMBER: W5017

CHARTS



Issue: 1723





Series: Stick Antenna

TECHNICAL DATA SHEET

Description: 868-928MHz Dipole Antenna

PART NUMBER: W5017

PACKAGING

600 pcs antenna per box



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse: W5017