


# Human Exposure Report

**Application No.:** SZEM2003001267CR  
**Applicant:** SHENZHEN DNS INDUSTRIES CO., LTD.  
**Address of Applicant:** 23/F Building A, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian, Shenzhen, China  
**Manufacturer:** SHENZHEN DNS INDUSTRIES CO., LTD.  
**Address of Manufacturer:** 23/F Building A, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian, Shenzhen, China  
**Equipment Under Test (EUT):**  
**EUT Name:** Wireless Charger  
**Model No.:** WD-248D, WD-248F, WD-224D, WD-246D, 3S-1836 ♣  
 ♣ Please refer to section 3 of this report which indicates which model was actually tested and which were electrically identical.  
**Trade mark:** DNS, KEYMOX, 3sixT  
**FCC ID:** ZBCWD24830W  
**Standards:** 47 CFR PART 1, Subpart I, Section 1.1310  
 47 CFR PART 2, Subpart J, Section 2.1091  
**Date of Receipt:** 2020-03-09  
**Date of Test:** 2020-03-12 to 2020-04-16  
**Date of Issue:** 2020-04-20

<b>Test Result :</b>	<b>Pass*</b>
----------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above



Keny Xu  
 EMC Laboratory Manager





<i>Revision Record</i>				
<i>Version</i>	<i>Chapter</i>	<i>Date</i>	<i>Modifier</i>	<i>Remark</i>
01		2020-04-20		Original

<b>Authorized for issue by:</b>			
			
		<hr/>	
		<b>Peter Geng /Project Engineer</b>	
			
		<hr/>	
		<b>Eric Fu /Reviewer</b>	



## 2 Contents

<b>1</b>	<b>COVER PAGE</b> .....	<b>1</b>
<b>2</b>	<b>CONTENTS</b> .....	<b>3</b>
<b>3</b>	<b>GENERAL INFORMATION</b> .....	<b>4</b>
3.1	DETAILS OF E.U.T. ....	4
3.2	DESCRIPTION OF SUPPORT UNITS .....	4
3.3	TEST LOCATION.....	5
3.4	TEST FACILITY.....	5
3.5	DEVIATION FROM STANDARDS.....	5
3.6	ABNORMALITIES FROM STANDARD CONDITIONS.....	5
<b>4</b>	<b>EQUIPMENTS USED DURING TEST</b> .....	<b>6</b>
<b>5</b>	<b>TEST RESULTS</b> .....	<b>7</b>
5.1	RF EXPOSURE TEST .....	7
5.1.1	<i>E.U.T. Operation</i> .....	8
<b>6</b>	<b>PHOTOGRAPHS</b> .....	<b>9</b>
6.1	TEST SETUP PHOTOS .....	9



### 3 General Information

#### 3.1 Details of E.U.T.

Power Supply:	For wireless charger: USB-C Input: 12V d.c. 3.5A Wireless output 1: 5W/7.5W/10W/15W Wireless output 2: 5W/7.5W/10W/15W
Cable:	N/A
Operation Frequency:	116.59kHz to 205.53kHz
Modulation Type:	Load modulation
Antenna Type:	Loop antenna

#### 3.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
iPhone 8	Apple	A1863	F4GVQ656JC6D
SAMSUNG Galaxy S8	SAMSUNG	SM-G9500	R28J9140LPB
XIAOMI MI 9	XIAOMI	M1902F1A	22006/K9SH01862
Adapter	DNS	AC74CS29	Input: 100-240V~, 50/60Hz, 1.1A; Output: 12.0V d.c., 3.5A; 42.0W

#### Declaration of EUT Family Grouping:

Model No.: WD-248D, WD-248F, WD-224D, WD-246D, 3S-1836

Only the model WD-248D, WD-224D, WD-246D was tested, since the electrical circuit design, main PCB layout, components used, internal wiring and functions were identical for the above models, with only difference on trade mark, model No., enclosure shape and enter the location of the type C connector, Details see below:

Trade Mark	Model No.	Enclosure shape code
DNS	WD-248D	A
	WD-248F	B
	WD-224D	C
	WD-246D	D
3sixT	3S-1836	B



### 3.3 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• **VCCI**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• **FCC –Designation Number: CN1178**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

• **Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

### 3.5 Deviation from Standards

None.

### 3.6 Abnormalities from Standard Conditions

None.



## 4 Equipments Used during Test

Item	Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
1	Electric and Magnetic Field Analyzer	Narda	EHP-50F	EMC092	2019-05-06	2020-05-06
2	Shielding Room	SAEMC	MSR733	SEM001-09	2019-05-09	2020-05-09



## 5 Test Results

### 5.1 RF Exposure test

Test Requirement: 47 CFR PART 1, Subpart I, Section 1.1310  
 Measurement Distance: 15cm/20cm  
 Limit:

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)
<b>(A) Limits for Occupational/Controlled Exposures</b>				
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/f	4.89/f	*(900/f <sup>2</sup> )	6
30-300	61.4	0.163	1.0	6
300-1500	/	/	f/300	6
1500-100,000	/	/	5	6
<b>(B) Limits for General Population/Uncontrolled Exposure</b>				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

F=frequency in MHz

\*=Plane-wave equivalent power density

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).



**5.1.1 E.U.T. Operation**

Operating Environment:

Temperature: 24.0 °C Humidity: 52% RH Atmospheric Pressure: 1015 mbar

EUT Operation:

- Pretest these modes to find the worst case:
- a: Wireless\_Keep the EUT pairing with other devices(5W)
  - b: Wireless\_Keep the EUT pairing with other devices(7.5W)
  - c: Wireless\_Keep the EUT pairing with other devices(10W)
  - d: Wireless\_Keep the EUT pairing with other devices(15W)
  - e: Wireless\_Keep the EUT pairing with other devices(5W+7.5W)
  - f: Wireless\_Keep the EUT pairing with other devices(5W+10W)
  - g: Wireless\_Keep the EUT pairing with other devices(5W+15W)
  - h: Wireless\_Keep the EUT pairing with other devices(7.5W+7.5W)
  - i: Wireless\_Keep the EUT pairing with other devices(7.5W+10W)
  - j: Wireless\_Keep the EUT pairing with other devices(7.5W+15W)
  - k: Wireless\_Keep the EUT pairing with other devices(10W+10W)
  - l: Wireless\_Keep the EUT pairing with other devices(10W+15W)
  - m: Wireless\_Keep the EUT pairing with other devices(15W+15W)
- The worst case for final test: l: Wireless\_Keep the EUT pairing with other devices(10W+15W)







**5.1.2 Measurement Data**

**Magnetic Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	50% Limit (A/m)
131 kHz	15	Side 1	0.0556	0.815
		Side 2	0.0705	0.815
		Side 3	0.0519	0.815
		Side 4	0.0553	0.815
	20	Top	0.0441	0.815

Mobile phone has been charge at zero charge, intermediate charge, and full charge.

**Magnetic Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result(A/m)			50%Limit (A/m)
			zero charge	intermediate charge	full charge	
131 kHz	15	Side 1	0.0644	0.0500	0.0464	0.815
		Side 2	0.0817	0.0665	0.0627	0.815
		Side 3	0.0646	0.0538	0.0497	0.815
		Side 4	0.0641	0.0540	0.0488	0.815
	20	Top	0.0552	0.0391	0.0339	0.815

**6 Photographs**

**6.1 Test setup photos**

Please refer to RF exposure test setup photo.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/cn/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/cn/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8397 1443, or e-mail: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)