


Notes:
 1. 材质: PET
 2. 厚度: 0.1mm;
 3. 表面处理: 哑光
 4. RoHS Compliant
 5. REACH Compliant

TOLERANCE: UNLESS OTHERWISE NOTED

LENGTH	0 TO 10	>10 TO 50	>50 TO 100	>100
TOLERANCE	±0.05	±0.1	±0.15	±0.15
ANGLE	0° TO 30°	>30° TO 60°	>60° TO 90°	
TOLERANCE	±0.1°	±0.3°	±0.5°	

DESIGN	sunjun	CHECK	sunjun	SCALE	1/1	SHEET	1/1
DISCRIPTION	WM_CERTIFICATION_LABEL_NOM_UKCA						
VERS	DATE	MODIFICATION					



The QR code contain the following information
 Website: www.idemia.com
 Hotline: hotline.biometrics@idemia.com

TOLERANCE: UNLESS OTHERWISE NOTED

LENGTH	0 TO 10	>10 TO 50	>50 TO 100	>100
TOLERANCE	±0.05	±0.1	±0.15	±0.15*
ANGLE	0° TO 30°	>30° TO 60°	>60° TO 90°	
TOLERANCE	±0.1°	±0.3°	±0.5°	

DESIGN		CHECK	sunjun	SCALE	1/1	SHEET	1/1
DISCRPTION	WM28_IMEI_LABEL						
VERS	v00	DATE	20191118	MODIFICATION	***	Unit:	MM
						Size:	A4

B V A

