




**Fig. 77 Band Edges (802.11n-HT40, 5755MHz)**




**Fig. 78 Band Edges (802.11n-HT40, 5795MHz)**




**Fig. 79 Band Edges (802.11ac-HT40, 5755MHz)**



**Fig. 80 Band Edges (802.11ac-HT40, 5795MHz)**



**Fig. 81 Band Edges (802.11ac-HT80, 5775MHz)**



**Fig. 82 Band Edges (802.11ac-HT80, 5775MHz)**

## A6.2 Band Edges - Radiated

### Measurement Limit:

Standard	Limit (dBm/MHz)	
FCC 47 CFR Part 15.407	at the band edge	27
	at 5 MHz above or below the band edge	15.6
	at 25 MHz above or below the band edge	10
	at 75 MHz or more above or below the band edge	-27
	Note: increasing linearly from point to point.	

### Measurement Uncertainty:

Measurement Uncertainty	0.75dB
-------------------------	--------


### Measurement Result:

Mode	Channel	Test Results	Conclusion
802.11a	5745 MHz	Fig.83	P
	5825 MHz	Fig.84	P
802.11n HT20	5745 MHz	Fig.85	P
	5825 MHz	Fig.86	P
802.11n HT40	5755 MHz	Fig.87	P
	5795 MHz	Fig.88	P
802.11ac HT20	5745 MHz	Fig.89	P
	5825 MHz	Fig.90	P
802.11ac HT40	5755 MHz	Fig.91	P
	5795 MHz	Fig.92	P
802.11ac HT80	5775 MHz	Fig.93 Fig.94	P

**Conclusion: PASS**


**Test graphs as below:**

RE - Power-5.650GHz-5.765GHz



**Fig. 83 Band Edges (802.11a, 5745MHz)**


RE - Power-5.810GHz-5.925GHz



**Fig. 84 Band Edges (802.11a, 5825MHz)**




RE - Power-5.650GHz-5.765GHz




**Fig. 85 Band Edges (802.11n-HT20, 5745MHz)**

RE - Power-5.810GHz-5.925GHz




**Fig. 86 Band Edges (802.11n-HT20, 5825MHz)**

RE - Power-5.650GHz-5.765GHz




**Fig. 87 Band Edges (802.11n-HT40, 5755MHz)**

RE - Power-5.810GHz-5.925GHz




**Fig. 88 Band Edges (802.11n-HT40, 5795MHz)**

RE - Power-5.650GHz-5.765GHz



**Fig. 89 Band Edges (802.11ac-HT20, 5745MHz)**


RE - Power-5.810GHz-5.925GHz



**Fig. 90 Band Edges (802.11ac-HT20, 5825MHz)**




RE - Power-5.650GHz-5.765GHz




**Fig. 91 Band Edges (802.11ac-HT40, 5755MHz)**

RE - Power-5.810GHz-5.925GHz




**Fig. 92 Band Edges (802.11ac-HT40, 5795MHz)**

RE - Power-5.650GHz-5.765GHz



**Fig. 93 Band Edges (802.11ac-HT80, 5775MHz)**

RE - Power-5.810GHz-5.925GHz



**Fig. 94 Band Edges (802.11ac-HT80, 5775MHz)**

## A.7. AC Powerline Conducted Emission

### Test Condition:

Voltage (V)	Frequency (Hz)
120	60

### Measurement uncertainty:

Expanded measurement uncertainty for this test item is  $U = 3.10\text{dB}$ ,  $k=2$ .

### Measurement Result and limit:

WLAN (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dBμV)	Result (dBμV)		Conclusion
		With charger		
		802.11a	Idle	
0.15 to 0.5	66 to 56	Fig.95	Fig.96	P
0.5 to 5	56			
5 to 30	60			
NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.				

WLAN (Average Limit)


Frequency range (MHz)	Average Limit (dBμV)	Result (dBμV)		Conclusion
		With charger		
		802.11a	Idle	
0.15 to 0.5	56 to 46	Fig.95	Fig.96	P
0.5 to 5	46			
5 to 30	50			
NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.				

The measurement is made according to ANSI C63.10 .

**Conclusion: PASS**

Test graphs as below:

**Traffic:**



**Fig. 95 AC Power line Conducted Emission-802.11a**

### Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.154500	46.9	15000.0	9.000	N	10.2	18.8	65.8
0.235500	46.1	15000.0	9.000	N	10.1	16.1	62.3
0.312000	43.2	15000.0	9.000	N	10.1	16.8	59.9
0.393000	42.9	15000.0	9.000	L1	10.1	15.1	58.0
0.469500	39.1	15000.0	9.000	L1	10.1	17.4	56.5
13.609500	45.9	15000.0	9.000	L1	10.8	14.1	60.0

### Final Result 2

Frequency (MHz)	Average (dBμV)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.154500	41.7	15000.0	9.000	L1	10.2	14.0	55.8
0.235500	40.5	15000.0	9.000	L1	10.1	11.7	52.3
0.312000	35.7	15000.0	9.000	L1	10.1	14.2	49.9
0.393000	38.8	15000.0	9.000	L1	10.1	9.2	48.0
0.469500	32.9	15000.0	9.000	L1	10.1	13.7	46.5
0.703500	34.8	15000.0	9.000	L1	10.0	11.2	46.0

Idle:




Fig. 96 AC Power line Conducted Emission-Idle

### Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.316500	41.0	15000.0	9.000	N	10.1	18.8	59.8
0.397500	39.1	15000.0	9.000	L1	10.1	18.8	57.9
0.555000	36.6	15000.0	9.000	L1	10.1	19.4	56.0
0.717000	21.6	15000.0	9.000	N	10.1	34.4	56.0
1.036500	13.8	15000.0	9.000	N	10.1	42.2	56.0
13.141500	46.8	15000.0	9.000	L1	10.7	13.2	60.0

### Final Result 2

Frequency (MHz)	Average (dBμV)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.316500	36.8	15000.0	9.000	L1	10.1	13.0	49.8
0.397500	32.6	15000.0	9.000	L1	10.1	15.3	47.9
0.555000	30.7	15000.0	9.000	L1	10.1	15.3	46.0
0.717000	14.7	15000.0	9.000	L1	10.0	31.3	46.0
1.032000	7.0	15000.0	9.000	L1	10.1	39.0	46.0
13.209000	31.9	15000.0	9.000	L1	10.7	18.1	50.0

## ANNEX B: Accreditation Certificate

<p>United States Department of Commerce National Institute of Standards and Technology</p> <p><b>NVLAP</b><sup>®</sup></p> <hr/> <p><b>Certificate of Accreditation to ISO/IEC 17025:2005</b></p> <hr/> <p>NVLAP LAB CODE: 600118-0</p> <p><b>Telecommunication Technology Labs, CAICT</b> Beijing China</p> <p><i>is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:</i></p> <p><b>Electromagnetic Compatibility &amp; Telecommunications</b></p> <p><i>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).</i></p> <table><tr><td><p>2019-09-26 through 2020-09-30 Effective Dates</p></td><td></td><td><p> For the National Voluntary Laboratory Accreditation Program</p></td></tr></table>		<p>2019-09-26 through 2020-09-30 Effective Dates</p>		<p> For the National Voluntary Laboratory Accreditation Program</p>
<p>2019-09-26 through 2020-09-30 Effective Dates</p>		<p> For the National Voluntary Laboratory Accreditation Program</p>		

\*\*\* END OF REPORT BODY \*\*\*