FCC ID: ZCASMA145RN

The information within this section of the Operational Description is to show compliance against the Software Security Requirements laid out within KDB 594280 D02 U-NII Security. The information below describes how we maintain the overall security measures and systems so that only:

- 1. Authenticated software is loaded and operating on the device
- 2. The device is not easily modified to operate with RF parameters outside of the authorization

General Description	
Describe how any software/firmware updates for	The software/firmware update is bundled, as part of
elements than can affect the device's RF parameters	"System updates" process, the user or installer cannot
will be obtained, downloaded, validated and installed.	modify the contents. The update and installation proceed
For software that is accessed through manufacturer's	automatically once the user accepts or launches "System
website or device's management system, describe	updates" process.
the different levels of security as appropriate.	apattes process.
Describe the RF parameters that are modified by any	RF parameters are fixed at time of production as required
software/firmware without any hardware changes.	by the FCC certification. Any future software/firmware
Are these parameters in some way limited such that	release for "System updates" is verified by the Samsung
any other software/firmware changes will not allow	before release. If required, Samsung will follow FCC
the device to exceed the authorized RF	permissive change procedure.
characteristics?	permissive change procedure.
Describe in detail the authentication protocols that	RF parameters are fixed at time of production as required
are in place to ensure that the source of the RF-	by the FCC certification. Any future software/firmware
related software/firmware is valid. Describe in detail	release for "System updates" is verified by the Samsung
how the RF-related software is protected	before release. If required, Samsung will follow FCC
against modification.	permissive change procedure.
Describe in detail any encryption methods used to	See answer to #1 and #3
	See answer to #1 and #3
support the use of legitimate RF-related software/firmware.	
	2 4C/shannal 1 11) and ECHa H NII 1 H NII 20 H NII 20
5. For a device that can be configured as a master and	2.4G(channel 1-11) and 5GHz U-NII-1, U-NII-2A, U-NII-2C,
client (with active or passive scanning), explain how	U-NII-3 supported.
the device ensures compliance for each mode? In	On 2.4GHz, 5GHz U-NII-1 and U-NII-3 the device
particular if the device acts as master in some band	supports active/passive scanning and SoftAP.
of operation and client in another; how is compliance	5GHz U-NII-2A, U-NII-2C the device supports passive
ensured in each band of operation?	scanning.
	The configuration is fixed and is not accessible to users to
	modify.
	The device limits operation in either client mode or master
	mode only.

3 rd Party Access Control	
1. Explain if any third parties have the capability to	No third parties will get rights to modify system property
operate a U.Ssold device on any other regulatory	and files
domain, frequencies, or in any manner that may allow	
the device to operate in violation of the device's	
authorization if activated in the U.S.	
2. Describe, if the device permits third-party software or	No
firmware installation, what mechanisms are provided	
by the manufacturer to permit integration of such	
functions while ensuring that the RF parameters of	
the device cannot be operated outside its	
authorization for operation in the U.S. In the	
description include what controls and/or agreements	
are in place with providers of third-party functionality	
to ensure the devices' underlying RF parameters are	
unchanged and how the manufacturer verifies the	
functionality.	
3. For Certified Transmitter modular devices, describe	Not applicable, this device is not a module
how the module grantee ensures that host	
manufacturers fully comply with these software	
security requirements for U-NII devices. If the module	
is controlled through driver software loaded in the	
host, describe how the drivers are controlled and	
managed such that the modular transmitter RF	
parameters are not modified outside the grant of	
authorization.	

SOFTWARE CONFIGURATION DESCRIPTION GUIDE – USER CONFIGURATION GUIDE1	
1. Describe the user configurations permitted through	The UI is accessible to anyone using the device. But the UI
the UI. If different levels of access are permitted for	never gives access for specific operation parameters which
professional installers, system integrators or	are frequency of operation, power settings, antenna types,
end-users, describe the differences.	DFS settings, receiver thresholds, or country code settings.
a) What parameters are viewable and configurable	Noting to control the radio operation parameter for
by different parties?	professional installer/end-user
b) What parameters are accessible or modifiable by	The device is not subject to professional installation
the professional installer or system integrators?	
i) Are the parameters in some way limited, so that	The device is not subject to professional installation
the installers will not enter parameters that exceed	
those authorized?	
ii) What controls exist that the user cannot operate	The device is not subject to professional installation

¹ This section is required for devices which have "User Interfaces" (UI) to configure the device in a manner that may impact the operational RF parameters, Supporting information is required in the operational description. The operation description must address if the device supports any of the country code configurations or peer-peer mode communications discussed in KDB 594280 Publication D01.

the device outside its authorization in the U.S.?	
c) What parameters are accessible or modifiable by	The end user has no access to configuration settings that
the end-user?	could change the radio operation parameters
i) Are the parameters in some way limited, so that	The end user has no access to configuration settings that
the user or installers will not enter parameters that	could change the radio operation parameters
exceed those authorized?	
ii) What controls exist so that the user cannot	The end user has no access to configuration settings that
operate the device outside its authorization in the	could change the radio operation parameters
U.S.?	
d) Is the country code factory set? Can it be changed	The country code is factory set and it is never changed by
in the UI?	UI
i) If it can be changed, what controls exist to ensure	The country code is factory set and it is never changed by
that the device can only operate within its	UI
authorization in the U.S.?	
e) What are the default parameters when the device	The specific operation parameters which are frequency of
is restarted?	operation, power settings, antenna types, DFS setings,
	receiver thresholds, or country code settings are never
	changed after even being restarted
2. Can the radio be configured in bridge or mesh mode?	No, not configured
If yes, an attestation may be required. Further	
information is available in KDB Publication 905462	
D02.	
3. For a device that can be configured as a master and	No, not support
client (with active or passive scanning), if this is user	
configurable, describe what controls exist, within the	
UI, to ensure compliance for each mode. If the device	
acts as a master in some bands and client in others,	
how is this configured to ensure compliance?	
4. For a device that can be configured as different types	Device cannot be configured as different types of access
of access points, such as point-to-point or point-to-	points.
multipoint, and use different types of antennas,	
describe what controls exist to ensure compliance	
with applicable limits and the proper antenna is	
used for each mode of operation. (See	
Section 15.407(a))	

If you should have any question(s) regarding this declaration, please don't hesitate to contact us.

Thank you!

Signature: <

Name/ Title: Project Manager

Company name: Samsung Electronics. Co., Ltd.

Tel: +82-10-4376-0326

Email: jp426.kim@samsung.com

¹ This section is required for devices which have "User Interfaces" (UI) to configure the device in a manner that may impact the operational RF parameters, Supporting information is required in the operational description. The operation description must address if the device supports any of the country code configurations or peer-peer mode communications discussed in KDB 594280 Publication D01.