

n77H	80	30	3840	DFT	64QAM	Inner_Full	20.23
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	19.85
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.38
n77H	80	30	3840	DFT	64QAM	Outer_Full	20.28
n77H	80	30	3840	DFT	256QAM	Inner_Full	18.25
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	18.19
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	19.66
n77H	80	30	3840	DFT	256QAM	Outer_Full	18.35
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	23.68
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.84
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	23.12
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	23.79
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	22.36
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	21.97
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	22.66
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	22.70
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	21.69
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	21.26
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	21.63
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	21.23
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	20.72
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	20.39
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	21.13
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	19.22
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	19.03
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	18.63
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	19.20
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	23.08
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.60
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	22.42
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	23.09
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	22.12
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	21.12
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	21.91
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	22.10
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	21.27
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	20.30
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	20.98
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	20.58

n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	20.41
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	19.43
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	20.50
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	18.58
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	18.79
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	17.78
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	18.50
n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	22.61
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.23
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	22.30
n77H	90	30	3840	DFT	QPSK	Inner_Full	22.66
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	21.37
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	22.75
n77H	90	30	3840	DFT	QPSK	Outer_Full	21.85
n77H	90	30	3840	DFT	16QAM	Inner_Full	21.72
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	20.58
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	22.11
n77H	90	30	3840	DFT	16QAM	Outer_Full	20.92
n77H	90	30	3840	DFT	64QAM	Inner_Full	20.19
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	19.70
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	21.12
n77H	90	30	3840	DFT	64QAM	Outer_Full	20.41
n77H	90	30	3840	DFT	256QAM	Inner_Full	18.23
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	18.01
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	19.43
n77H	90	30	3840	DFT	256QAM	Outer_Full	18.39
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	23.86
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.94
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	23.10
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	23.85
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	22.44
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	21.87
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	22.64
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	22.83
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	21.63
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	21.02
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	21.68
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	21.37
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.86

n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	20.18
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	21.16
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	19.40
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	19.18
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	18.58
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	19.20
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	23.04
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	22.38
n77H	100	30	3750	DFT	QPSK	Inner_Full	23.06
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	22.11
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.44
n77H	100	30	3750	DFT	QPSK	Outer_Full	21.89
n77H	100	30	3750	DFT	16QAM	Inner_Full	22.06
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	21.37
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	20.73
n77H	100	30	3750	DFT	16QAM	Outer_Full	20.91
n77H	100	30	3750	DFT	64QAM	Inner_Full	20.54
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	20.52
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	19.77
n77H	100	30	3750	DFT	64QAM	Outer_Full	20.42
n77H	100	30	3750	DFT	256QAM	Inner_Full	18.60
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	18.77
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	18.20
n77H	100	30	3750	DFT	256QAM	Outer_Full	18.50
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	22.66
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.94
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	22.28
n77H	100	30	3840	DFT	QPSK	Inner_Full	22.65
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.03
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	22.40
n77H	100	30	3840	DFT	QPSK	Outer_Full	21.86
n77H	100	30	3840	DFT	16QAM	Inner_Full	21.70
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	20.40
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	21.76
n77H	100	30	3840	DFT	16QAM	Outer_Full	20.86
n77H	100	30	3840	DFT	64QAM	Inner_Full	20.24
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	19.48
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	20.89

n77H	100	30	3840	DFT	64QAM	Outer_Full	20.36
n77H	100	30	3840	DFT	256QAM	Inner_Full	18.29
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	17.78
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	19.10
n77H	100	30	3840	DFT	256QAM	Outer_Full	18.38
n77H	100	30	3840	CP	QPSK	Inner_Full	21.18
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	19.12
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	20.51
n77H	100	30	3840	CP	QPSK	Outer_Full	19.79
n77H	100	30	3840	CP	16QAM	Inner_Full	20.66
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	19.01
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	20.58
n77H	100	30	3840	CP	16QAM	Outer_Full	19.80
n77H	100	30	3840	CP	64QAM	Inner_Full	19.22
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	18.22
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	19.85
n77H	100	30	3840	CP	64QAM	Outer_Full	19.32
n77H	100	30	3840	CP	256QAM	Inner_Full	16.28
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	15.87
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	17.37
n77H	100	30	3840	CP	256QAM	Outer_Full	16.38
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	23.82
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	23.33
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	23.08
n77H	100	30	3930	DFT	QPSK	Inner_Full	23.78
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	22.82
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.93
n77H	100	30	3930	DFT	QPSK	Outer_Full	22.63
n77H	100	30	3930	DFT	16QAM	Inner_Full	22.79
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	22.25
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	21.14
n77H	100	30	3930	DFT	16QAM	Outer_Full	21.63
n77H	100	30	3930	DFT	64QAM	Inner_Full	21.35
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	21.26
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	20.41
n77H	100	30	3930	DFT	64QAM	Outer_Full	21.16
n77H	100	30	3930	DFT	256QAM	Inner_Full	19.38
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	19.65
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	18.71
n77H	100	30	3930	DFT	256QAM	Outer_Full	19.22

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.668$ dB, $k = 2$.

©Copyright. All rights reserved by CTTL.

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

NR n5/26(824MHz~849MHz): Rule Part 22.913(a) specifies "Mobile and portable stations are limited to 7 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications."

NR n26(814MHz~824MHz): Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts (50dBm)".

NR n7/n41: Rule Part 27.50(h) (2) specifies "Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power. "

NR Band 66: Part 27.50(d)(4) specifies "Fixed, mobile, and portable(handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".


NR Band 77L/78L: Rule Part 27.50(k) (3) Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

NR Band 77H: Rule Part 27.50(j) (3) Mobile and portable stations are limited to 1 Watt EIRP. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.


A.1.3.2 Method of Measurement

The measurements procedures in ANSI C63.26 are used.

1. EUT was placed on a 0.8/1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The receiving antenna shall be varied from 1 to 4m in height above the reference ground. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and the EUT is manipulated through all orthogonal planes representative of its typical use. The test is carried out with both vertical and horizontal polarization of the receiving antenna. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with rms detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (P_r).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna. Adjust the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. An amplifier should be connected to the Signal Source output port. And the cable should be connected between the amplifier and the substitution antenna. The cable loss (P_{cl}), the substitution antenna Gain (G_a) and the amplifier Gain (P_{Ag}) should be recorded after test.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} + P_{Ag} - P_{cl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15$.
7. For NR operation, all subcarrier spacing (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and worst case configuration results are reported in this section.

The antenna gain provided by the client may affect the validity of the measurement results in this report, and the client shall bear the impact and consequences arising therefrom.

A.1.3.3 Measurement result

NR n5-ERP

Limits: ≤38.45dBm (7W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{cl} (dB)	P _{Ag} (dB)	G _a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol	
pi/2 BPSK	5MHz	826.50	-18.54	4.87	45.77	-0.75	2.15	19.46	38.45	18.99	V	
		836.50	-19.04	4.89	45.66	-0.77	2.15	18.81	38.45	19.64	V	
		846.50	-19.53	4.99	45.56	-0.79	2.15	18.10	38.45	20.35	H	
	10MHz	829.00	-18.56	4.88	45.77	-0.76	2.15	19.42	38.45	19.03	V	
		836.50	-19.14	4.89	45.66	-0.77	2.15	18.71	38.45	19.74	V	
		844.00	-19.60	4.99	45.59	-0.79	2.15	18.06	38.45	20.39	V	
	15MHz	831.50	-18.65	4.88	45.71	-0.76	2.15	19.27	38.45	19.18	V	
		836.50	-19.08	4.89	45.66	-0.77	2.15	18.77	38.45	19.68	V	
		841.50	-19.69	4.96	45.61	-0.78	2.15	18.03	38.45	20.42	V	
	20MHz	834.00	-18.84	4.89	45.69	-0.77	2.15	19.04	38.45	19.41	V	
		836.50	-19.12	4.89	45.66	-0.77	2.15	18.73	38.45	19.72	V	
		839.00	-19.43	4.93	45.64	-0.78	2.15	18.35	38.45	20.10	V	
	25MHz	836.50	-19.19	4.89	45.66	-0.77	2.15	18.66	38.45	19.79	V	
	QPSK	5MHz	826.50	-18.36	4.87	45.77	-0.75	2.15	19.64	38.45	18.81	V
			836.50	-19.10	4.89	45.66	-0.77	2.15	18.75	38.45	19.70	V
846.50			-19.55	4.99	45.56	-0.79	2.15	18.08	38.45	20.37	H	
10MHz		829.00	-18.43	4.88	45.77	-0.76	2.15	19.55	38.45	18.90	V	
		836.50	-18.90	4.89	45.66	-0.77	2.15	18.95	38.45	19.50	H	
		844.00	-19.55	4.99	45.59	-0.79	2.15	18.11	38.45	20.34	H	
15MHz		831.50	-18.46	4.88	45.71	-0.76	2.15	19.46	38.45	18.99	V	
		836.50	-18.82	4.89	45.66	-0.77	2.15	19.03	38.45	19.42	V	
		841.50	-19.48	4.96	45.61	-0.78	2.15	18.24	38.45	20.21	V	
20MHz		834.00	-18.67	4.89	45.69	-0.77	2.15	19.21	38.45	19.24	V	
		836.50	-18.90	4.89	45.66	-0.77	2.15	18.95	38.45	19.50	V	
		839.00	-19.20	4.93	45.64	-0.78	2.15	18.58	38.45	19.87	V	
25MHz		836.50	-19.22	4.89	45.66	-0.77	2.15	18.63	38.45	19.82	V	
16QAM		5MHz	826.50	-19.29	4.87	45.77	-0.75	2.15	18.71	38.45	19.74	V
			836.50	-18.97	4.89	45.66	-0.77	2.15	18.88	38.45	19.57	V
	846.50		-20.13	4.99	45.56	-0.79	2.15	17.50	38.45	20.95	H	
	10MHz	829.00	-19.33	4.88	45.77	-0.76	2.15	18.65	38.45	19.80	V	
		836.50	-19.93	4.89	45.66	-0.77	2.15	17.92	38.45	20.53	V	
		844.00	-20.19	4.99	45.59	-0.79	2.15	17.47	38.45	20.98	H	
	15MHz	831.50	-19.48	4.88	45.71	-0.76	2.15	18.44	38.45	20.01	V	
		836.50	-19.86	4.89	45.66	-0.77	2.15	17.99	38.45	20.46	V	
		841.50	-20.49	4.96	45.61	-0.78	2.15	17.23	38.45	21.22	V	
	20MHz	834.00	-19.71	4.89	45.69	-0.77	2.15	18.17	38.45	20.28	V	
		836.50	-19.93	4.89	45.66	-0.77	2.15	17.92	38.45	20.53	V	
		839.00	-20.17	4.93	45.64	-0.78	2.15	17.61	38.45	20.84	V	
	25MHz	836.50	-19.99	4.89	45.66	-0.77	2.15	17.86	38.45	20.59	V	
	64QAM	5MHz	826.50	-21.23	4.87	45.77	-0.75	2.15	16.77	38.45	21.68	V
		10MHz	829.00	-21.27	4.88	45.77	-0.76	2.15	16.71	38.45	21.74	V
15MHz		831.50	-21.50	4.88	45.71	-0.76	2.15	16.42	38.45	22.03	V	
20MHz		834.00	-21.57	4.89	45.69	-0.77	2.15	16.31	38.45	22.14	V	
25MHz		836.50	-21.92	4.89	45.66	-0.77	2.15	15.93	38.45	22.52	V	
256QAM	5MHz	826.50	-22.97	4.87	45.77	-0.75	2.15	15.03	38.45	23.42	V	
	10MHz	829.00	-22.88	4.88	45.77	-0.76	2.15	15.10	38.45	23.35	V	
	15MHz	831.50	-23.09	4.88	45.71	-0.76	2.15	14.83	38.45	23.62	V	



	20MHz	834.00	-23.27	4.89	45.69	-0.77	2.15	14.61	38.45	23.84	V
	25MHz	836.50	-23.69	4.89	45.66	-0.77	2.15	14.16	38.45	24.29	V

NR n7- EIRP
Limits: ≤ 33 dBm (2W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{cl} (dB)	P _{Ag} (dB)	G _a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol	
pi/2 BPSK	5MHz	2502.50	-22.12	4.39	45.68	5.80	24.97	33.00	8.03	H	
		2535.00	-21.43	4.35	44.82	5.80	24.84	33.00	8.16	H	
		2567.50	-22.01	4.50	44.92	5.87	24.28	33.00	8.72	H	
	10MHz	2505.00	-22.37	4.40	45.64	5.80	24.67	33.00	8.33	H	
		2535.00	-21.70	4.35	44.82	5.80	24.57	33.00	8.43	H	
		2565.00	-22.76	4.50	44.97	5.86	23.57	33.00	9.43	H	
	15MHz	2507.50	-22.06	4.40	44.92	5.80	24.26	33.00	8.74	H	
		2535.00	-21.70	4.35	44.82	5.80	24.57	33.00	8.43	H	
		2562.50	-23.27	4.51	45.67	5.85	23.74	33.00	9.26	H	
	20MHz	2510.00	-22.66	4.41	45.36	5.80	24.09	33.00	8.91	H	
		2535.00	-21.93	4.35	44.82	5.80	24.34	33.00	8.66	H	
		2560.00	-23.17	4.50	45.98	5.84	24.15	33.00	8.85	H	
	25MHz	2512.50	-22.86	4.41	45.33	5.80	23.86	33.00	9.14	H	
		2535.00	-21.84	4.35	44.82	5.80	24.43	33.00	8.57	H	
		2557.50	-21.53	4.49	44.70	5.83	24.51	33.00	8.49	H	
	30MHz	2515.00	-22.71	4.40	45.30	5.80	23.99	33.00	9.01	H	
		2535.00	-22.03	4.35	44.82	5.80	24.24	33.00	8.76	H	
		2555.00	-22.53	4.47	45.75	5.82	24.57	33.00	8.43	H	
	35MHz	2517.50	-22.53	4.40	45.21	5.80	24.08	33.00	8.92	H	
		2535.00	-22.04	4.35	44.82	5.80	24.23	33.00	8.77	H	
		2552.50	-22.32	4.46	45.63	5.81	24.66	33.00	8.34	H	
	40MHz	2520.00	-22.96	4.39	45.14	5.80	23.59	33.00	9.41	H	
		2535.00	-21.95	4.35	44.82	5.80	24.32	33.00	8.68	H	
		2550.00	-22.24	4.44	45.52	5.80	24.64	33.00	8.36	H	
	50MHz	2525.01	-21.38	4.37	43.29	5.80	23.34	33.00	9.66	H	
		2535.00	-22.05	4.35	44.82	5.80	24.22	33.00	8.78	H	
		2545.00	-21.74	4.41	45.28	5.80	24.93	33.00	8.07	H	
	QPSK	5MHz	2502.50	-22.10	4.39	45.68	5.80	24.99	33.00	8.01	H
			2535.00	-21.47	4.35	44.82	5.80	24.80	33.00	8.20	H
			2567.50	-22.12	4.50	44.92	5.87	24.17	33.00	8.83	H
10MHz		2505.00	-22.55	4.40	45.64	5.80	24.49	33.00	8.51	H	
		2535.00	-21.76	4.35	44.82	5.80	24.51	33.00	8.49	H	
		2565.00	-22.83	4.50	44.97	5.86	23.50	33.00	9.50	H	
15MHz		2507.50	-22.19	4.40	44.92	5.80	24.13	33.00	8.87	H	
		2535.00	-21.79	4.35	44.82	5.80	24.48	33.00	8.52	H	
		2562.50	-23.30	4.51	45.67	5.85	23.71	33.00	9.29	H	
20MHz		2510.00	-22.82	4.41	45.36	5.80	23.93	33.00	9.07	H	
		2535.00	-21.98	4.35	44.82	5.80	24.29	33.00	8.71	H	
		2560.00	-23.20	4.50	45.98	5.84	24.12	33.00	8.88	H	
25MHz		2512.50	-22.96	4.41	45.33	5.80	23.76	33.00	9.24	H	
		2535.00	-21.94	4.35	44.82	5.80	24.33	33.00	8.67	H	
		2557.50	-21.55	4.49	44.70	5.83	24.49	33.00	8.51	H	
30MHz		2515.00	-22.80	4.40	45.30	5.80	23.90	33.00	9.10	H	
		2535.00	-22.07	4.35	44.82	5.80	24.20	33.00	8.80	H	
		2555.00	-22.56	4.47	45.75	5.82	24.54	33.00	8.46	H	
35MHz		2517.50	-22.57	4.40	45.21	5.80	24.04	33.00	8.96	H	
		2535.00	-22.08	4.35	44.82	5.80	24.19	33.00	8.81	H	
		2552.50	-22.38	4.46	45.63	5.81	24.60	33.00	8.40	H	

	40MHz	2520.00	-23.00	4.39	45.14	5.80	23.55	33.00	9.45	H	
		2535.00	-22.06	4.35	44.82	5.80	24.21	33.00	8.79	H	
		2550.00	-22.14	4.44	45.52	5.80	24.74	33.00	8.26	H	
	50MHz	2525.01	-21.53	4.37	43.29	5.80	23.19	33.00	9.81	H	
		2535.00	-22.11	4.35	44.82	5.80	24.16	33.00	8.84	H	
		2545.00	-21.50	4.41	45.28	5.80	25.17	33.00	7.83	H	
16QAM	5MHz	2502.50	-22.48	4.39	45.68	5.80	24.61	33.00	8.39	H	
		2535.00	-21.81	4.35	44.82	5.80	24.46	33.00	8.54	H	
		2567.50	-21.72	4.50	44.92	5.87	24.57	33.00	8.43	H	
	10MHz	2505.00	-22.89	4.40	45.64	5.80	24.15	33.00	8.85	H	
		2535.00	-21.84	4.35	44.82	5.80	24.43	33.00	8.57	H	
		2565.00	-22.90	4.50	44.97	5.86	23.43	33.00	9.57	H	
	15MHz	2507.50	-22.57	4.40	44.92	5.80	23.75	33.00	9.25	H	
		2535.00	-21.89	4.35	44.82	5.80	24.38	33.00	8.62	H	
		2562.50	-22.74	4.51	45.67	5.85	24.27	33.00	8.73	H	
	20MHz	2510.00	-23.28	4.41	45.36	5.80	23.47	33.00	9.53	H	
		2535.00	-22.09	4.35	44.82	5.80	24.18	33.00	8.82	H	
		2560.00	-23.46	4.50	45.98	5.84	23.86	33.00	9.14	H	
	25MHz	2512.50	-23.45	4.41	45.33	5.80	23.27	33.00	9.73	H	
		2535.00	-22.06	4.35	44.82	5.80	24.21	33.00	8.79	H	
		2557.50	-22.02	4.49	44.70	5.83	24.02	33.00	8.98	H	
	30MHz	2515.00	-23.55	4.40	45.30	5.80	23.15	33.00	9.85	H	
		2535.00	-22.48	4.35	44.82	5.80	23.79	33.00	9.21	H	
		2555.00	-23.25	4.47	45.75	5.82	23.85	33.00	9.15	H	
	35MHz	2517.50	-23.19	4.40	45.21	5.80	23.42	33.00	9.58	H	
		2535.00	-22.53	4.35	44.82	5.80	23.74	33.00	9.26	H	
		2552.50	-23.07	4.46	45.63	5.81	23.91	33.00	9.09	H	
	40MHz	2520.00	-23.57	4.39	45.14	5.80	22.98	33.00	10.02	H	
		2535.00	-21.88	4.35	44.82	5.80	24.39	33.00	8.61	H	
		2550.00	-23.05	4.44	45.52	5.80	23.83	33.00	9.17	H	
	50MHz	2525.01	-21.89	4.37	43.29	5.80	22.83	33.00	10.17	H	
		2535.00	-22.53	4.35	44.82	5.80	23.74	33.00	9.26	H	
		2545.00	-22.58	4.41	45.28	5.80	24.09	33.00	8.91	H	
	64QAM	5MHz	2535.00	-23.52	4.35	44.82	5.80	22.75	33.00	10.25	H
		10MHz	2535.00	-23.68	4.35	44.82	5.80	22.59	33.00	10.41	H
		15MHz	2535.00	-23.69	4.35	44.82	5.80	22.58	33.00	10.42	H
20MHz		2535.00	-23.75	4.35	44.82	5.80	22.52	33.00	10.48	H	
25MHz		2535.00	-23.89	4.35	44.82	5.80	22.38	33.00	10.62	H	
30MHz		2535.00	-24.23	4.35	44.82	5.80	22.04	33.00	10.96	H	
35MHz		2535.00	-24.22	4.35	44.82	5.80	22.05	33.00	10.95	H	
40MHz		2535.00	-23.77	4.35	44.82	5.80	22.50	33.00	10.50	H	
256QAM	5MHz	2535.00	-24.99	4.35	44.82	5.80	21.28	33.00	11.72	H	
	10MHz	2535.00	-25.25	4.35	44.82	5.80	21.02	33.00	11.98	H	
	15MHz	2535.00	-25.26	4.35	44.82	5.80	21.01	33.00	11.99	H	
	20MHz	2535.00	-25.22	4.35	44.82	5.80	21.05	33.00	11.95	H	
	25MHz	2535.00	-25.31	4.35	44.82	5.80	20.96	33.00	12.04	H	
	30MHz	2535.00	-25.20	4.35	44.82	5.80	21.07	33.00	11.93	H	
	35MHz	2535.00	-25.18	4.35	44.82	5.80	21.09	33.00	11.91	H	
	40MHz	2535.00	-25.20	4.35	44.82	5.80	21.07	33.00	11.93	H	
	50MHz	2535.00	-25.19	4.35	44.82	5.80	21.08	33.00	11.92	H	

NR n26_part90 - ERP
Limits: ≤50dBm (100W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{cl} (dB)	P _{Ag} (dB)	G _a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol
pi/2 BPSK	5MHz	816.50	-20.32	4.83	45.88	-0.73	2.15	17.85	38.45	20.60	H
		819.00	-19.97	4.85	45.84	-0.74	2.15	18.13	38.45	20.32	H
		821.50	-19.63	4.86	45.82	-0.74	2.15	18.44	38.45	20.01	H
	10MHz	819.00	-19.89	4.85	45.84	-0.74	2.15	18.21	38.45	20.24	H
QPSK	5MHz	816.50	-20.17	4.83	45.88	-0.73	2.15	18.00	38.45	20.45	H
		819.00	-19.65	4.85	45.84	-0.74	2.15	18.45	38.45	20.00	H
		821.50	-19.42	4.86	45.82	-0.74	2.15	18.65	38.45	19.80	H
	10MHz	819.00	-19.82	4.85	45.84	-0.74	2.15	18.28	38.45	20.17	H
16QAM	5MHz	816.50	-21.14	4.83	45.88	-0.73	2.15	17.03	38.45	21.42	H
		819.00	-20.81	4.85	45.84	-0.74	2.15	17.29	38.45	21.16	H
		821.50	-20.36	4.86	45.82	-0.74	2.15	17.71	38.45	20.74	H
	10MHz	819.00	-20.85	4.85	45.84	-0.74	2.15	17.25	38.45	21.20	H
64QAM	5MHz	821.50	-22.29	4.86	45.82	-0.74	2.15	15.78	38.45	22.67	H
	10MHz	819.00	-22.70	4.85	45.84	-0.74	2.15	15.40	38.45	23.05	H
256QAM	5MHz	821.50	-24.09	4.86	45.82	-0.74	2.15	13.98	38.45	24.47	H
	10MHz	819.00	-24.50	4.85	45.84	-0.74	2.15	13.60	38.45	24.85	H

NR n26_part22 - ERP
Limits: ≤38.45dBm (7W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{cl} (dB)	P _{Ag} (dB)	G _a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol
pi/2 BPSK	5MHz	826.50	-19.48	4.87	45.77	-0.75	2.15	18.52	38.45	19.93	H
		836.50	-18.77	4.89	45.66	-0.77	2.15	19.08	38.45	19.37	H
		846.50	-18.63	4.99	45.56	-0.79	2.15	19.00	38.45	19.45	H
	10MHz	829.00	-19.15	4.88	45.77	-0.76	2.15	18.83	38.45	19.62	H
		836.50	-18.81	4.89	45.66	-0.77	2.15	19.04	38.45	19.41	H
		844.00	-18.64	4.99	45.59	-0.79	2.15	19.02	38.45	19.43	H
	15MHz	831.50	-18.81	4.88	45.71	-0.76	2.15	19.11	38.45	19.34	H
		836.50	-18.87	4.89	45.66	-0.77	2.15	18.98	38.45	19.47	H
		841.50	-18.87	4.96	45.61	-0.78	2.15	18.85	38.45	19.60	H
	20MHz	834.00	-18.81	4.89	45.69	-0.77	2.15	19.07	38.45	19.38	H
		836.50	-18.78	4.89	45.66	-0.77	2.15	19.07	38.45	19.38	H
		839.00	-18.75	4.93	45.64	-0.78	2.15	19.03	38.45	19.42	H
25MHz	836.50	-18.90	4.89	45.66	-0.77	2.15	18.95	38.45	19.50	H	
QPSK	5MHz	826.50	-19.21	4.87	45.77	-0.75	2.15	18.79	38.45	19.66	H
		836.50	-18.61	4.89	45.66	-0.77	2.15	19.24	38.45	19.21	H
		846.50	-18.23	4.99	45.56	-0.79	2.15	19.40	38.45	19.05	H
	10MHz	829.00	-19.00	4.88	45.77	-0.76	2.15	18.98	38.45	19.47	H
		836.50	-18.67	4.89	45.66	-0.77	2.15	19.18	38.45	19.27	H
		844.00	-18.43	4.99	45.59	-0.79	2.15	19.23	38.45	19.22	H
	15MHz	831.50	-18.72	4.88	45.71	-0.76	2.15	19.20	38.45	19.25	H
		836.50	-18.52	4.89	45.66	-0.77	2.15	19.33	38.45	19.12	H
		841.50	-18.62	4.96	45.61	-0.78	2.15	19.10	38.45	19.35	H
	20MHz	834.00	-18.53	4.89	45.69	-0.77	2.15	19.35	38.45	19.10	H
		836.50	-18.67	4.89	45.66	-0.77	2.15	19.18	38.45	19.27	H
		839.00	-18.65	4.93	45.64	-0.78	2.15	19.13	38.45	19.32	H
25MHz	836.50	-18.69	4.89	45.66	-0.77	2.15	19.16	38.45	19.29	H	
16QAM	5MHz	826.50	-20.11	4.87	45.77	-0.75	2.15	17.89	38.45	20.56	H
		836.50	-19.56	4.89	45.66	-0.77	2.15	18.29	38.45	20.16	H
		846.50	-19.41	4.99	45.56	-0.79	2.15	18.22	38.45	20.23	H
	10MHz	829.00	-19.89	4.88	45.77	-0.76	2.15	18.09	38.45	20.36	H
		836.50	-19.67	4.89	45.66	-0.77	2.15	18.18	38.45	20.27	H
		844.00	-19.41	4.99	45.59	-0.79	2.15	18.25	38.45	20.20	H
	15MHz	831.50	-19.63	4.88	45.71	-0.76	2.15	18.29	38.45	20.16	H
		836.50	-20.59	4.89	45.66	-0.77	2.15	17.26	38.45	21.19	H
		841.50	-19.59	4.96	45.61	-0.78	2.15	18.13	38.45	20.32	H
	20MHz	834.00	-19.65	4.89	45.69	-0.77	2.15	18.23	38.45	20.22	H
		836.50	-19.62	4.89	45.66	-0.77	2.15	18.23	38.45	20.22	H
		839.00	-19.59	4.93	45.64	-0.78	2.15	18.19	38.45	20.26	H
25MHz	836.50	-19.68	4.89	45.66	-0.77	2.15	18.17	38.45	20.28	H	
64QAM	5MHz	846.50	-21.22	4.99	45.56	-0.79	2.15	16.41	38.45	22.04	H
	10MHz	844.00	-21.27	4.99	45.59	-0.79	2.15	16.39	38.45	22.06	H
	15MHz	841.50	-21.49	4.96	45.61	-0.78	2.15	16.23	38.45	22.22	H
	20MHz	839.00	-21.39	4.93	45.64	-0.78	2.15	16.39	38.45	22.06	H
	25MHz	836.50	-21.50	4.89	45.66	-0.77	2.15	16.35	38.45	22.10	H
256QAM	5MHz	846.50	-22.92	4.99	45.56	-0.79	2.15	14.71	38.45	23.74	H
	10MHz	844.00	-23.06	4.99	45.59	-0.79	2.15	14.60	38.45	23.85	H
	15MHz	841.50	-23.23	4.96	45.61	-0.78	2.15	14.49	38.45	23.96	H
	20MHz	839.00	-23.01	4.93	45.64	-0.78	2.15	14.77	38.45	23.68	H
	25MHz	836.50	-23.11	4.89	45.66	-0.77	2.15	14.74	38.45	23.71	H

NR n41- EIRP
Limits: ≤33dBm (2W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{Cl} (dB)	P _{Ag} (dB)	G _a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol	
pi/2 BPSK	10MHz	2501.01	-22.67	4.38	45.65	5.80	24.40	33.00	8.60	V	
		2592.99	-21.24	4.56	44.93	5.97	25.10	33.00	7.90	V	
		2685.00	-22.38	4.84	44.98	6.50	24.26	33.00	8.74	V	
	15MHz	2503.50	-22.44	4.39	45.65	5.80	24.62	33.00	8.38	V	
		2592.99	-21.84	4.56	44.93	5.97	24.50	33.00	8.50	V	
		2682.48	-22.30	4.82	44.98	6.50	24.36	33.00	8.64	V	
	20MHz	2506.02	-22.28	4.40	45.15	5.80	24.27	33.00	8.73	V	
		2592.99	-21.39	4.56	44.93	5.97	24.95	33.00	8.05	V	
		2679.99	-22.11	4.81	44.97	6.50	24.55	33.00	8.45	V	
	25MHz	2508.51	-21.56	4.40	44.83	5.80	24.67	33.00	8.33	V	
		2592.99	-21.20	4.56	44.93	5.97	25.14	33.00	7.86	V	
		2677.50	-21.75	4.80	44.97	6.50	24.92	33.00	8.08	V	
	30MHz	2511.00	-22.41	4.41	45.34	5.80	24.32	33.00	8.68	V	
		2592.99	-21.28	4.56	44.93	5.97	25.06	33.00	7.94	V	
		2674.98	-21.75	4.79	44.97	6.50	24.93	33.00	8.07	V	
	35MHz	2513.52	-22.13	4.40	45.31	5.80	24.58	33.00	8.42	V	
		2592.99	-21.21	4.56	44.93	5.97	25.13	33.00	7.87	V	
		2672.49	-21.98	4.78	44.97	6.50	24.71	33.00	8.29	V	
	40MHz	2516.01	-21.86	4.40	45.23	5.80	24.77	33.00	8.23	V	
		2592.99	-21.41	4.56	44.93	5.97	24.93	33.00	8.07	V	
		2670.00	-21.95	4.76	44.97	6.50	24.76	33.00	8.24	V	
	45MHz	2518.50	-22.11	4.39	45.18	5.80	24.48	33.00	8.52	V	
		2592.99	-21.53	4.56	44.93	5.97	24.81	33.00	8.19	V	
		2667.48	-22.30	4.75	44.96	6.50	24.41	33.00	8.59	V	
	50MHz	2521.02	-21.64	4.38	45.12	5.80	24.90	33.00	8.10	V	
		2592.99	-21.52	4.56	44.93	5.97	24.82	33.00	8.18	V	
		2664.99	-21.91	4.74	44.96	6.50	24.81	33.00	8.19	V	
	60MHz	2526.00	-21.44	4.37	45.01	5.80	25.00	33.00	8.00	V	
		2592.99	-21.47	4.56	44.93	5.97	24.87	33.00	8.13	V	
		2659.98	-22.03	4.72	44.96	6.50	24.71	33.00	8.29	V	
	70MHz	2531.01	-21.65	4.36	44.91	5.80	24.70	33.00	8.30	V	
		2592.99	-21.33	4.56	44.93	5.97	25.01	33.00	7.99	V	
		2655.00	-22.07	4.70	44.96	6.50	24.69	33.00	8.31	V	
	80MHz	2536.02	-21.23	4.35	44.87	5.80	25.09	33.00	7.91	V	
		2592.99	-21.67	4.56	44.93	5.97	24.67	33.00	8.33	V	
		2649.99	-22.25	4.68	44.96	6.50	24.53	33.00	8.47	V	
	90MHz	2541.00	-21.64	4.38	45.10	5.80	24.88	33.00	8.12	V	
		2592.99	-22.09	4.56	44.93	5.97	24.25	33.00	8.75	V	
		2644.98	-22.77	4.67	44.96	6.45	23.97	33.00	9.03	V	
	100MHz	2546.01	-22.00	4.41	45.33	5.80	24.72	33.00	8.28	V	
		2592.99	-21.81	4.56	44.93	5.97	24.53	33.00	8.47	V	
		2640.00	-22.09	4.65	44.96	6.40	24.62	33.00	8.38	V	
	QPSK	10MHz	2501.01	-22.09	4.38	45.65	5.80	24.98	33.00	8.02	V
			2592.99	-21.22	4.56	44.93	5.97	25.12	33.00	7.88	V
			2685.00	-22.63	4.84	44.98	6.50	24.01	33.00	8.99	V
		15MHz	2503.50	-22.43	4.39	45.65	5.80	24.63	33.00	8.37	V
			2592.99	-21.52	4.56	44.93	5.97	24.82	33.00	8.18	V
			2682.48	-22.36	4.82	44.98	6.50	24.30	33.00	8.70	V
20MHz		2506.02	-21.86	4.40	45.15	5.80	24.69	33.00	8.31	V	

		2592.99	-21.28	4.56	44.93	5.97	25.06	33.00	7.94	V	
		2679.99	-22.02	4.81	44.97	6.50	24.64	33.00	8.36	V	
	25MHz	2508.51	-21.52	4.40	44.83	5.80	24.71	33.00	8.29	V	
		2592.99	-23.13	4.56	44.93	5.97	23.21	33.00	9.79	V	
		2677.50	-21.69	4.80	44.97	6.50	24.98	33.00	8.02	V	
	30MHz	2511.00	-21.97	4.41	45.34	5.80	24.76	33.00	8.24	V	
		2592.99	-21.18	4.56	44.93	5.97	25.16	33.00	7.84	V	
		2674.98	-21.68	4.79	44.97	6.50	25.00	33.00	8.00	V	
	35MHz	2513.52	-21.97	4.40	45.31	5.80	24.74	33.00	8.26	V	
		2592.99	-21.03	4.56	44.93	5.97	25.31	33.00	7.69	V	
		2672.49	-21.85	4.78	44.97	6.50	24.84	33.00	8.16	V	
	40MHz	2516.01	-21.72	4.40	45.23	5.80	24.91	33.00	8.09	V	
		2592.99	-22.36	4.56	44.93	5.97	23.98	33.00	9.02	V	
		2670.00	-21.93	4.76	44.97	6.50	24.78	33.00	8.22	V	
	45MHz	2518.50	-22.19	4.39	45.18	5.80	24.40	33.00	8.60	V	
		2592.99	-22.13	4.56	44.93	5.97	24.21	33.00	8.79	V	
		2667.48	-22.37	4.75	44.96	6.50	24.34	33.00	8.66	V	
	50MHz	2521.02	-21.60	4.38	45.12	5.80	24.94	33.00	8.06	V	
		2592.99	-21.10	4.56	44.93	5.97	25.24	33.00	7.76	V	
		2664.99	-22.36	4.74	44.96	6.50	24.36	33.00	8.64	V	
	60MHz	2526.00	-22.93	4.37	45.01	5.80	23.51	33.00	9.49	V	
		2592.99	-21.75	4.56	44.93	5.97	24.59	33.00	8.41	V	
		2659.98	-22.23	4.72	44.96	6.50	24.51	33.00	8.49	V	
	70MHz	2531.01	-21.13	4.36	44.91	5.80	25.22	33.00	7.78	V	
		2592.99	-21.50	4.56	44.93	5.97	24.84	33.00	8.16	V	
		2655.00	-21.49	4.70	44.96	6.50	25.27	33.00	7.73	V	
	80MHz	2536.02	-21.42	4.35	44.87	5.80	24.90	33.00	8.10	V	
		2592.99	-21.32	4.56	44.93	5.97	25.02	33.00	7.98	V	
		2649.99	-22.07	4.68	44.96	6.50	24.71	33.00	8.29	V	
	90MHz	2541.00	-21.86	4.38	45.10	5.80	24.66	33.00	8.34	V	
		2592.99	-21.73	4.56	44.93	5.97	24.61	33.00	8.39	V	
		2644.98	-22.40	4.67	44.96	6.45	24.34	33.00	8.66	V	
	100MHz	2546.01	-21.78	4.41	45.33	5.80	24.94	33.00	8.06	V	
		2592.99	-21.54	4.56	44.93	5.97	24.80	33.00	8.20	V	
		2640.00	-22.15	4.65	44.96	6.40	24.56	33.00	8.44	V	
	16QAM	10MHz	2501.01	-23.32	4.38	45.65	5.80	23.75	33.00	9.25	V
			2592.99	-21.96	4.56	44.93	5.97	24.38	33.00	8.62	V
			2685.00	-23.80	4.84	44.98	6.50	22.84	33.00	10.16	V
		15MHz	2503.50	-23.30	4.39	45.65	5.80	23.76	33.00	9.24	V
			2592.99	-21.81	4.56	44.93	5.97	24.53	33.00	8.47	V
			2682.48	-23.70	4.82	44.98	6.50	22.96	33.00	10.04	V
		20MHz	2506.02	-22.79	4.40	45.15	5.80	23.76	33.00	9.24	V
2592.99			-22.14	4.56	44.93	5.97	24.20	33.00	8.80	V	
2679.99			-22.82	4.81	44.97	6.50	23.84	33.00	9.16	V	
25MHz		2508.51	-22.51	4.40	44.83	5.80	23.72	33.00	9.28	V	
		2592.99	-22.15	4.56	44.93	5.97	24.19	33.00	8.81	V	
		2677.50	-22.54	4.80	44.97	6.50	24.13	33.00	8.87	V	
30MHz		2511.00	-23.39	4.41	45.34	5.80	23.34	33.00	9.66	V	
		2592.99	-22.60	4.56	44.93	5.97	23.74	33.00	9.26	V	
		2674.98	-22.91	4.79	44.97	6.50	23.77	33.00	9.23	V	
35MHz		2513.52	-23.08	4.40	45.31	5.80	23.63	33.00	9.37	V	
		2592.99	-21.85	4.56	44.93	5.97	24.49	33.00	8.51	V	
		2672.49	-22.33	4.78	44.97	6.50	24.36	33.00	8.64	V	
40MHz		2516.01	-22.60	4.40	45.23	5.80	24.03	33.00	8.97	V	

		2592.99	-22.13	4.56	44.93	5.97	24.21	33.00	8.79	V
		2670.00	-23.14	4.76	44.97	6.50	23.57	33.00	9.43	V
	45MHz	2518.50	-23.41	4.39	45.18	5.80	23.18	33.00	9.82	V
		2592.99	-22.43	4.56	44.93	5.97	23.91	33.00	9.09	V
		2667.48	-23.75	4.75	44.96	6.50	22.96	33.00	10.04	V
	50MHz	2521.02	-22.38	4.38	45.12	5.80	24.16	33.00	8.84	V
		2592.99	-21.79	4.56	44.93	5.97	24.55	33.00	8.45	V
		2664.99	-23.06	4.74	44.96	6.50	23.66	33.00	9.34	V
	60MHz	2526.00	-22.89	4.37	45.01	5.80	23.55	33.00	9.45	V
		2592.99	-23.17	4.56	44.93	5.97	23.17	33.00	9.83	V
		2659.98	-22.97	4.72	44.96	6.50	23.77	33.00	9.23	V
	70MHz	2531.01	-23.59	4.36	44.91	5.80	22.76	33.00	10.24	V
		2592.99	-23.87	4.56	44.93	5.97	22.47	33.00	10.53	V
		2655.00	-23.60	4.70	44.96	6.50	23.16	33.00	9.84	V
	80MHz	2536.02	-23.49	4.35	44.87	5.80	22.83	33.00	10.17	V
		2592.99	-22.66	4.56	44.93	5.97	23.68	33.00	9.32	V
		2649.99	-23.97	4.68	44.96	6.50	22.81	33.00	10.19	V
	90MHz	2541.00	-23.13	4.38	45.10	5.80	23.39	33.00	9.61	V
2592.99		-22.02	4.56	44.93	5.97	24.32	33.00	8.68	V	
2644.98		-23.52	4.67	44.96	6.45	23.22	33.00	9.78	V	
100MHz	2546.01	-22.81	4.41	45.33	5.80	23.91	33.00	9.09	V	
	2592.99	-22.25	4.56	44.93	5.97	24.09	33.00	8.91	V	
	2640.00	-23.38	4.65	44.96	6.40	23.33	33.00	9.67	V	
64QAM	10MHz	2592.99	-23.88	4.56	44.93	5.97	22.46	33.00	10.54	V
	15MHz	2592.99	-23.97	4.56	44.93	5.97	22.37	33.00	10.63	V
	20MHz	2592.99	-23.42	4.56	44.93	5.97	22.92	33.00	10.08	V
	25MHz	2592.99	-24.17	4.56	44.93	5.97	22.17	33.00	10.83	V
	30MHz	2592.99	-23.72	4.56	44.93	5.97	22.62	33.00	10.38	V
	35MHz	2592.99	-23.98	4.56	44.93	5.97	22.36	33.00	10.64	V
	40MHz	2592.99	-23.57	4.56	44.93	5.97	22.77	33.00	10.23	V
	45MHz	2592.99	-24.63	4.56	44.93	5.97	21.71	33.00	11.29	V
	50MHz	2592.99	-23.86	4.56	44.93	5.97	22.48	33.00	10.52	V
	60MHz	2592.99	-24.39	4.56	44.93	5.97	21.95	33.00	11.05	V
	70MHz	2592.99	-24.61	4.56	44.93	5.97	21.73	33.00	11.27	V
	80MHz	2592.99	-24.61	4.56	44.93	5.97	21.73	33.00	11.27	V
	90MHz	2592.99	-24.23	4.56	44.93	5.97	22.11	33.00	10.89	V
100MHz	2592.99	-24.39	4.56	44.93	5.97	21.95	33.00	11.05	V	
256QAM	10MHz	2592.99	-25.42	4.56	44.93	5.97	20.92	33.00	12.08	V
	15MHz	2592.99	-26.10	4.56	44.93	5.97	20.24	33.00	12.76	V
	20MHz	2592.99	-26.05	4.56	44.93	5.97	20.29	33.00	12.71	V
	25MHz	2592.99	-25.76	4.56	44.93	5.97	20.58	33.00	12.42	V
	30MHz	2592.99	-25.57	4.56	44.93	5.97	20.77	33.00	12.23	V
	35MHz	2592.99	-25.95	4.56	44.93	5.97	20.39	33.00	12.61	V
	40MHz	2592.99	-26.32	4.56	44.93	5.97	20.02	33.00	12.98	V
	45MHz	2592.99	-25.45	4.56	44.93	5.97	20.89	33.00	12.11	V
	50MHz	2592.99	-25.56	4.56	44.93	5.97	20.78	33.00	12.22	V
	60MHz	2592.99	-26.64	4.56	44.93	5.97	19.70	33.00	13.30	V
	70MHz	2592.99	-26.15	4.56	44.93	5.97	20.19	33.00	12.81	V
	80MHz	2592.99	-26.03	4.56	44.93	5.97	20.31	33.00	12.69	V
	90MHz	2592.99	-26.30	4.56	44.93	5.97	20.04	33.00	12.96	V
100MHz	2592.99	-26.23	4.56	44.93	5.97	20.11	33.00	12.89	V	

NR n66 - EIRP
Limits: ≤30dBm (1W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{cl} (dB)	P _{Ag} (dB)	G _a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol
pi/2 BPSK	5MHz	1712.50	-22.72	2.81	44.10	6.12	24.69	30.00	5.31	H
		1745.00	-23.53	2.82	44.16	5.67	23.48	30.00	6.52	H
		1777.50	-22.81	2.89	44.04	5.49	23.83	30.00	6.17	H
	10MHz	1715.00	-22.70	2.80	44.10	6.09	24.69	30.00	5.31	H
		1745.00	-23.50	2.82	44.16	5.67	23.51	30.00	6.49	H
		1775.00	-22.92	2.89	44.05	5.50	23.74	30.00	6.26	H
	15MHz	1717.50	-22.76	2.79	44.11	6.05	24.61	30.00	5.39	H
		1745.00	-23.18	2.82	44.16	5.67	23.83	30.00	6.17	H
		1772.50	-23.93	2.87	44.06	5.51	22.77	30.00	7.23	H
	20MHz	1720.00	-22.83	2.77	44.11	6.02	24.53	30.00	5.47	H
		1745.00	-23.40	2.82	44.16	5.67	23.61	30.00	6.39	H
		1770.00	-23.86	2.85	44.07	5.52	22.88	30.00	7.12	H
	25MHz	1722.50	-23.00	2.76	44.33	5.98	24.55	30.00	5.45	H
		1745.00	-23.16	2.82	44.16	5.67	23.85	30.00	6.15	H
		1767.50	-24.10	2.83	44.25	5.53	22.85	30.00	7.15	H
	30MHz	1725.00	-23.30	2.76	44.46	5.95	24.35	30.00	5.65	H
		1745.00	-23.17	2.82	44.16	5.67	23.84	30.00	6.16	H
		1765.00	-23.17	2.81	43.68	5.54	23.24	30.00	6.76	H
	35MHz	1727.50	-23.10	2.78	44.56	5.90	24.58	30.00	5.42	H
		1745.00	-23.14	2.82	44.16	5.67	23.87	30.00	6.13	H
		1762.50	-23.26	2.79	44.28	5.60	23.83	30.00	6.17	H
	40MHz	1730.00	-22.24	2.79	43.62	5.88	24.47	30.00	5.53	H
		1745.00	-23.39	2.82	44.16	5.67	23.62	30.00	6.38	H
		1760.00	-24.46	2.77	44.92	5.56	23.25	30.00	6.75	H
	45MHz	1732.50	-22.90	2.80	44.14	5.84	24.28	30.00	5.72	H
		1745.00	-23.47	2.82	44.16	5.67	23.54	30.00	6.46	H
		1757.50	-24.23	2.78	44.57	5.60	23.16	30.00	6.84	H
QPSK	5MHz	1712.50	-22.94	2.81	44.10	6.12	24.47	30.00	5.53	H
		1745.00	-23.27	2.82	44.16	5.67	23.74	30.00	6.26	H
		1777.50	-22.34	2.89	44.04	5.49	24.30	30.00	5.70	H
	10MHz	1715.00	-23.03	2.80	44.10	6.09	24.36	30.00	5.64	H
		1745.00	-23.43	2.82	44.16	5.67	23.58	30.00	6.42	H
		1775.00	-22.50	2.89	44.05	5.50	24.16	30.00	5.84	H
	15MHz	1717.50	-22.79	2.79	44.11	6.05	24.58	30.00	5.42	H
		1745.00	-23.15	2.82	44.16	5.67	23.86	30.00	6.14	H
		1772.50	-23.87	2.87	44.06	5.51	22.83	30.00	7.17	H
	20MHz	1720.00	-22.71	2.77	44.11	6.02	24.65	30.00	5.35	H
		1745.00	-23.22	2.82	44.16	5.67	23.79	30.00	6.21	H
		1770.00	-23.81	2.85	44.07	5.52	22.93	30.00	7.07	H
	25MHz	1722.50	-22.83	2.76	44.33	5.98	24.72	30.00	5.28	H
		1745.00	-23.06	2.82	44.16	5.67	23.95	30.00	6.05	H
		1767.50	-23.97	2.83	44.25	5.53	22.98	30.00	7.02	H
	30MHz	1725.00	-23.05	2.76	44.46	5.95	24.60	30.00	5.40	H
		1745.00	-23.05	2.82	44.16	5.67	23.96	30.00	6.04	H
		1765.00	-23.13	2.81	43.68	5.54	23.28	30.00	6.72	H
	35MHz	1727.50	-23.08	2.78	44.56	5.90	24.60	30.00	5.40	H
		1745.00	-23.03	2.82	44.16	5.67	23.98	30.00	6.02	H
		1762.50	-23.03	2.79	44.28	5.60	24.06	30.00	5.94	H

	40MHz	1730.00	-22.17	2.79	43.62	5.88	24.54	30.00	5.46	H
		1745.00	-23.18	2.82	44.16	5.67	23.83	30.00	6.17	H
		1760.00	-24.39	2.77	44.92	5.56	23.32	30.00	6.68	H
	45MHz	1732.50	-22.87	2.80	44.14	5.84	24.31	30.00	5.69	H
		1745.00	-23.26	2.82	44.16	5.67	23.75	30.00	6.25	H
		1757.50	-24.09	2.78	44.57	5.60	23.30	30.00	6.70	H
16QAM	5MHz	1712.50	-23.92	2.81	44.10	6.12	23.49	30.00	6.51	H
		1745.00	-24.16	2.82	44.16	5.67	22.85	30.00	7.15	H
		1777.50	-23.55	2.89	44.04	5.49	23.09	30.00	6.91	H
	10MHz	1715.00	-23.95	2.80	44.10	6.09	23.44	30.00	6.56	H
		1745.00	-24.27	2.82	44.16	5.67	22.74	30.00	7.26	H
		1775.00	-23.75	2.89	44.05	5.50	22.91	30.00	7.09	H
	15MHz	1717.50	-23.63	2.79	44.11	6.05	23.74	30.00	6.26	H
		1745.00	-24.01	2.82	44.16	5.67	23.00	30.00	7.00	H
		1772.50	-24.80	2.87	44.06	5.51	21.90	30.00	8.10	H
	20MHz	1720.00	-23.71	2.77	44.11	6.02	23.65	30.00	6.35	H
		1745.00	-24.27	2.82	44.16	5.67	22.74	30.00	7.26	H
		1770.00	-24.66	2.85	44.07	5.52	22.08	30.00	7.92	H
	25MHz	1722.50	-23.89	2.76	44.33	5.98	23.66	30.00	6.34	H
		1745.00	-23.98	2.82	44.16	5.67	23.03	30.00	6.97	H
		1767.50	-24.88	2.83	44.25	5.53	22.07	30.00	7.93	H
	30MHz	1725.00	-24.13	2.76	44.46	5.95	23.52	30.00	6.48	H
		1745.00	-23.96	2.82	44.16	5.67	23.05	30.00	6.95	H
		1765.00	-23.93	2.81	43.68	5.54	22.48	30.00	7.52	H
	35MHz	1727.50	-24.04	2.78	44.56	5.90	23.64	30.00	6.36	H
		1745.00	-23.98	2.82	44.16	5.67	23.03	30.00	6.97	H
		1762.50	-23.99	2.79	44.28	5.60	23.10	30.00	6.90	H
	40MHz	1730.00	-23.19	2.79	43.62	5.88	23.52	30.00	6.48	H
		1745.00	-24.09	2.82	44.16	5.67	22.92	30.00	7.08	H
		1760.00	-25.27	2.77	44.92	5.56	22.44	30.00	7.56	H
	45MHz	1732.50	-23.75	2.80	44.14	5.84	23.43	30.00	6.57	H
		1745.00	-24.18	2.82	44.16	5.67	22.83	30.00	7.17	H
		1757.50	-24.99	2.78	44.57	5.60	22.40	30.00	7.60	H
64QAM	5MHz	1712.50	-25.38	2.81	44.10	6.12	22.03	30.00	7.97	H
	10MHz	1715.00	-25.34	2.80	44.10	6.09	22.05	30.00	7.95	H
	15MHz	1717.50	-25.18	2.79	44.11	6.05	22.19	30.00	7.81	H
	20MHz	1720.00	-25.35	2.77	44.11	6.02	22.01	30.00	7.99	H
	25MHz	1722.50	-25.40	2.76	44.33	5.98	22.15	30.00	7.85	H
	30MHz	1725.00	-25.65	2.76	44.46	5.95	22.00	30.00	8.00	H
	35MHz	1727.50	-25.84	2.78	44.56	5.90	21.84	30.00	8.16	H
	40MHz	1730.00	-24.85	2.79	43.62	5.88	21.86	30.00	8.14	H
	45MHz	1732.50	-25.44	2.80	44.14	5.84	21.74	30.00	8.26	H
256QAM	5MHz	1712.50	-27.63	2.81	44.10	6.12	19.78	30.00	10.22	H
	10MHz	1715.00	-27.62	2.80	44.10	6.09	19.77	30.00	10.23	H
	15MHz	1717.50	-27.14	2.79	44.11	6.05	20.23	30.00	9.77	H
	20MHz	1720.00	-27.37	2.77	44.11	6.02	19.99	30.00	10.01	H
	25MHz	1722.50	-27.37	2.76	44.33	5.98	20.18	30.00	9.82	H
	30MHz	1725.00	-27.65	2.76	44.46	5.95	20.00	30.00	10.00	H
	35MHz	1727.50	-27.58	2.78	44.56	5.90	20.10	30.00	9.90	H
	40MHz	1730.00	-26.78	2.79	43.62	5.88	19.93	30.00	10.07	H
	45MHz	1732.50	-27.49	2.80	44.14	5.84	19.69	30.00	10.31	H

n77L - EIRP
Limits: ≤30dBm (1W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{cl} (dB)	P _{Ag} (dB)	G _a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol
pi/2 BPSK	10MHz	3455.01	-21.68	3.42	43.27	8.29	26.46	30.00	3.54	H
		3500.01	-24.13	3.40	44.92	8.21	25.60	30.00	4.40	H
		3544.98	-23.01	3.25	43.70	8.30	25.74	30.00	4.26	H
	15MHz	3457.50	-21.96	3.44	43.94	8.28	26.83	30.00	3.17	H
		3500.01	-23.58	3.40	44.92	8.21	26.15	30.00	3.85	H
		3542.49	-22.49	3.24	43.44	8.29	26.00	30.00	4.00	H
	20MHz	3460.02	-21.61	3.47	43.80	8.28	27.00	30.00	3.00	H
		3500.01	-23.39	3.40	44.92	8.21	26.34	30.00	3.66	H
		3540.00	-22.59	3.24	43.85	8.28	26.30	30.00	3.70	H
	25MHz	3462.51	-21.05	3.49	43.11	8.27	26.84	30.00	3.16	H
		3500.01	-23.04	3.40	44.92	8.21	26.69	30.00	3.31	H
		3537.48	-21.35	3.23	43.19	8.28	26.89	30.00	3.11	H
	30MHz	3465.00	-21.92	3.52	44.04	8.27	26.87	30.00	3.13	H
		3500.01	-23.14	3.40	44.92	8.21	26.59	30.00	3.41	H
		3534.99	-21.80	3.23	43.39	8.28	26.63	30.00	3.37	H
	40MHz	3470.01	-20.63	3.57	43.82	8.26	27.78	30.00	2.22	H
		3500.01	-22.06	3.40	44.92	8.21	27.67	30.00	2.33	H
		3529.98	-23.60	3.22	43.74	8.26	25.18	30.00	4.82	H
	50MHz	3475.02	-21.74	3.61	44.11	8.24	27.00	30.00	3.00	H
		3500.01	-23.06	3.40	44.92	8.21	26.67	30.00	3.33	H
		3525.00	-21.85	3.21	44.03	8.26	27.23	30.00	2.77	H
	60MHz	3480.00	-20.92	3.66	43.16	8.24	26.82	30.00	3.18	H
		3500.01	-23.26	3.40	44.92	8.21	26.47	30.00	3.53	H
		3519.99	-22.50	3.20	44.13	8.24	26.67	30.00	3.33	H
	70MHz	3485.01	-23.15	3.60	44.86	8.22	26.33	30.00	3.67	H
		3500.01	-22.87	3.40	44.92	8.21	26.86	30.00	3.14	H
		3514.98	-22.36	3.20	44.36	8.24	27.04	30.00	2.96	H
	80MHz	3490.02	-21.35	3.53	43.78	8.21	27.11	30.00	2.89	H
		3500.01	-22.06	3.40	44.92	8.21	27.67	30.00	2.33	H
		3510.00	-21.11	3.26	43.41	8.22	27.26	30.00	2.74	H
90MHz	3495.00	-21.78	3.46	43.69	8.20	26.65	30.00	3.35	H	
	3500.01	-22.97	3.40	44.92	8.21	26.76	30.00	3.24	H	
	3504.99	-22.60	3.33	44.84	8.22	27.13	30.00	2.87	H	
100MHz	3500.01	-22.46	3.40	44.92	8.21	27.27	30.00	2.73	H	
QPSK	10MHz	3455.01	-21.97	3.42	43.27	8.29	26.17	30.00	3.83	H
		3500.01	-24.17	3.40	44.92	8.21	25.56	30.00	4.44	H
		3544.98	-22.97	3.25	43.70	8.30	25.78	30.00	4.22	H
	15MHz	3457.50	-22.31	3.44	43.94	8.28	26.48	30.00	3.52	H
		3500.01	-23.84	3.40	44.92	8.21	25.89	30.00	4.11	H
		3542.49	-22.54	3.24	43.44	8.29	25.95	30.00	4.05	H
	20MHz	3460.02	-21.57	3.47	43.80	8.28	27.04	30.00	2.96	H
		3500.01	-23.48	3.40	44.92	8.21	26.25	30.00	3.75	H
		3540.00	-22.26	3.24	43.85	8.28	26.63	30.00	3.37	H
	25MHz	3462.51	-21.24	3.49	43.11	8.27	26.65	30.00	3.35	H
		3500.01	-23.30	3.40	44.92	8.21	26.43	30.00	3.57	H
		3537.48	-21.62	3.23	43.19	8.28	26.62	30.00	3.38	H

	30MHz	3465.00	-22.26	3.52	44.04	8.27	26.53	30.00	3.47	H	
		3500.01	-23.24	3.40	44.92	8.21	26.49	30.00	3.51	H	
		3534.99	-22.05	3.23	43.39	8.28	26.38	30.00	3.62	H	
	40MHz	3470.01	-21.77	3.57	43.82	8.26	26.74	30.00	3.26	H	
		3500.01	-23.67	3.40	44.92	8.21	26.06	30.00	3.94	H	
		3529.98	-24.21	3.22	43.74	8.26	24.57	30.00	5.43	H	
	50MHz	3475.02	-21.77	3.61	44.11	8.24	26.97	30.00	3.03	H	
		3500.01	-23.43	3.40	44.92	8.21	26.30	30.00	3.70	H	
		3525.00	-22.26	3.21	44.03	8.26	26.82	30.00	3.18	H	
	60MHz	3480.00	-20.94	3.66	43.16	8.24	26.80	30.00	3.20	H	
		3500.01	-23.33	3.40	44.92	8.21	26.40	30.00	3.60	H	
		3519.99	-22.59	3.20	44.13	8.24	26.58	30.00	3.42	H	
	70MHz	3485.01	-22.85	3.60	44.86	8.22	26.63	30.00	3.37	H	
		3500.01	-22.74	3.40	44.92	8.21	26.99	30.00	3.01	H	
		3514.98	-22.38	3.20	44.36	8.24	27.02	30.00	2.98	H	
	80MHz	3490.02	-21.85	3.53	43.78	8.21	26.61	30.00	3.39	H	
		3500.01	-22.97	3.40	44.92	8.21	26.76	30.00	3.24	H	
		3510.00	-21.23	3.26	43.41	8.22	27.14	30.00	2.86	H	
	90MHz	3495.00	-21.84	3.46	43.69	8.20	26.59	30.00	3.41	H	
		3500.01	-22.46	3.40	44.92	8.21	27.27	30.00	2.73	H	
		3504.99	-22.93	3.33	44.84	8.22	26.80	30.00	3.20	H	
	100MHz	3500.01	-22.93	3.40	44.92	8.21	26.80	30.00	3.20	H	
	16QAM	10MHz	3455.01	-22.67	3.42	43.27	8.29	25.47	30.00	4.53	H
			3500.01	-24.91	3.40	44.92	8.21	24.82	30.00	5.18	H
			3544.98	-23.81	3.25	43.70	8.30	24.94	30.00	5.06	H
		15MHz	3457.50	-22.78	3.44	43.94	8.28	26.01	30.00	3.99	H
			3500.01	-24.91	3.40	44.92	8.21	24.82	30.00	5.18	H
			3542.49	-23.22	3.24	43.44	8.29	25.27	30.00	4.73	H
		20MHz	3460.02	-22.53	3.47	43.80	8.28	26.08	30.00	3.92	H
			3500.01	-24.36	3.40	44.92	8.21	25.37	30.00	4.63	H
3540.00			-23.19	3.24	43.85	8.28	25.70	30.00	4.30	H	
25MHz		3462.51	-22.00	3.49	43.11	8.27	25.89	30.00	4.11	H	
		3500.01	-24.52	3.40	44.92	8.21	25.21	30.00	4.79	H	
		3537.48	-22.48	3.23	43.19	8.28	25.76	30.00	4.24	H	
30MHz		3465.00	-22.70	3.52	44.04	8.27	26.09	30.00	3.91	H	
		3500.01	-24.55	3.40	44.92	8.21	25.18	30.00	4.82	H	
		3534.99	-23.03	3.23	43.39	8.28	25.40	30.00	4.60	H	
40MHz		3470.01	-21.90	3.57	43.82	8.26	26.61	30.00	3.39	H	
		3500.01	-25.71	3.40	44.92	8.21	24.02	30.00	5.98	H	
		3529.98	-24.33	3.22	43.74	8.26	24.45	30.00	5.55	H	
50MHz		3475.02	-22.46	3.61	44.11	8.24	26.28	30.00	3.72	H	
		3500.01	-24.19	3.40	44.92	8.21	25.54	30.00	4.46	H	
		3525.00	-23.46	3.21	44.03	8.26	25.62	30.00	4.38	H	
60MHz		3480.00	-21.34	3.66	43.16	8.24	26.40	30.00	3.60	H	
		3500.01	-24.10	3.40	44.92	8.21	25.63	30.00	4.37	H	
		3519.99	-23.27	3.20	44.13	8.24	25.90	30.00	4.10	H	
70MHz		3485.01	-22.97	3.60	44.86	8.22	26.51	30.00	3.49	H	
		3500.01	-24.15	3.40	44.92	8.21	25.58	30.00	4.42	H	
		3514.98	-23.22	3.20	44.36	8.24	26.18	30.00	3.82	H	
80MHz		3490.02	-22.78	3.53	43.78	8.21	25.68	30.00	4.32	H	
		3500.01	-24.19	3.40	44.92	8.21	25.54	30.00	4.46	H	

	90MHz	3510.00	-22.36	3.26	43.41	8.22	26.01	30.00	3.99	H
		3495.00	-22.59	3.46	43.69	8.20	25.84	30.00	4.16	H
		3500.01	-23.98	3.40	44.92	8.21	25.75	30.00	4.25	H
		3504.99	-24.22	3.33	44.84	8.22	25.51	30.00	4.49	H
	100MHz	3500.01	-24.17	3.40	44.92	8.21	25.56	30.00	4.44	H
64QAM	10MHz	3455.01	-24.77	3.42	43.27	8.29	23.37	30.00	6.63	H
	15MHz	3457.50	-24.52	3.44	43.94	8.28	24.27	30.00	5.73	H
	20MHz	3460.02	-24.42	3.47	43.80	8.28	24.19	30.00	5.81	H
	25MHz	3462.51	-23.42	3.49	43.11	8.27	24.47	30.00	5.53	H
	30MHz	3465.00	-24.53	3.52	44.04	8.27	24.26	30.00	5.74	H
	40MHz	3470.01	-23.74	3.57	43.82	8.26	24.77	30.00	5.23	H
	50MHz	3475.02	-24.12	3.61	44.11	8.24	24.62	30.00	5.38	H
	60MHz	3480.00	-23.36	3.66	43.16	8.24	24.38	30.00	5.62	H
	70MHz	3485.01	-25.44	3.60	44.86	8.22	24.04	30.00	5.96	V
	80MHz	3490.02	-24.08	3.53	43.78	8.21	24.38	30.00	5.62	H
	90MHz	3495.00	-24.40	3.46	43.69	8.20	24.03	30.00	5.97	H
	100MHz	3500.01	-25.36	3.40	44.92	8.21	24.37	30.00	5.63	H
256QAM	10MHz	3455.01	-26.25	3.42	43.27	8.29	21.89	30.00	8.11	H
	15MHz	3457.50	-26.53	3.44	43.94	8.28	22.26	30.00	7.74	H
	20MHz	3460.02	-26.26	3.47	43.80	8.28	22.35	30.00	7.65	H
	25MHz	3462.51	-25.47	3.49	43.11	8.27	22.42	30.00	7.58	H
	30MHz	3465.00	-26.29	3.52	44.04	8.27	22.50	30.00	7.50	H
	40MHz	3470.01	-25.53	3.57	43.82	8.26	22.98	30.00	7.02	H
	50MHz	3475.02	-25.98	3.61	44.11	8.24	22.76	30.00	7.24	H
	60MHz	3480.00	-25.18	3.66	43.16	8.24	22.56	30.00	7.44	H
	70MHz	3485.01	-26.99	3.60	44.86	8.22	22.49	30.00	7.51	H
	80MHz	3490.02	-26.01	3.53	43.78	8.21	22.45	30.00	7.55	H
	90MHz	3495.00	-26.09	3.46	43.69	8.20	22.34	30.00	7.66	H
	100MHz	3500.01	-27.22	3.40	44.92	8.21	22.51	30.00	7.49	H

NR n77H - EIRP
Limits: ≤30dBm (1W)

Mod.	Bandwidth	Frequency (MHz)	P _{Mea} (dBm)	P _{cl} (dB)	P _{Ag} (dB)	G _a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Ant.Pol	
pi/2 BPSK	10MHz	3705.00	-21.91	3.65	43.47	8.25	26.16	30.00	3.84	H	
		3840.00	-21.17	3.89	43.44	8.70	27.08	30.00	2.92	H	
		3975.00	-22.88	3.82	44.62	9.22	27.14	30.00	2.86	H	
	15MHz	3707.52	-22.86	3.64	44.60	8.26	26.36	30.00	3.64	H	
		3840.00	-20.91	3.89	43.44	8.70	27.34	30.00	2.66	H	
		3972.48	-22.49	3.82	44.95	9.16	27.80	30.00	2.20	H	
	20MHz	3710.01	-22.03	3.63	43.69	8.28	26.31	30.00	3.69	H	
		3840.00	-21.07	3.89	43.44	8.70	27.18	30.00	2.82	H	
		3969.99	-21.51	3.82	43.87	9.12	27.66	30.00	2.34	H	
	25MHz	3712.50	-21.75	3.62	43.46	8.29	26.38	30.00	3.62	H	
		3840.00	-20.82	3.89	43.44	8.70	27.43	30.00	2.57	H	
		3967.50	-21.91	3.82	44.29	9.14	27.70	30.00	2.30	H	
	30MHz	3715.02	-23.13	3.61	44.57	8.32	26.15	30.00	3.85	H	
		3840.00	-20.89	3.89	43.44	8.70	27.36	30.00	2.64	H	
		3964.98	-21.56	3.82	43.90	9.16	27.68	30.00	2.32	H	
	40MHz	3720.00	-22.53	3.60	44.62	8.32	26.81	30.00	3.19	V	
		3840.00	-20.99	3.89	43.44	8.70	27.26	30.00	2.74	H	
		3960.00	-22.37	3.83	44.74	9.20	27.74	30.00	2.26	H	
	50MHz	3725.01	-23.04	3.58	44.76	8.38	26.52	30.00	3.48	H	
		3840.00	-20.76	3.89	43.44	8.70	27.49	30.00	2.51	H	
		3954.48	-20.81	3.83	43.19	9.18	27.73	30.00	2.27	H	
	60MHz	3730.02	-22.21	3.56	44.14	8.41	26.78	30.00	3.22	H	
		3840.00	-20.66	3.89	43.44	8.70	27.59	30.00	2.41	H	
		3949.98	-22.48	3.83	44.47	9.14	27.30	30.00	2.70	H	
	70MHz	3735.00	-21.68	3.59	43.77	8.44	26.94	30.00	3.06	H	
		3840.00	-20.80	3.89	43.44	8.70	27.45	30.00	2.55	H	
		3945.00	-21.24	3.83	43.53	9.12	27.58	30.00	2.42	V	
	80MHz	3740.01	-21.67	3.62	43.45	8.47	26.63	30.00	3.37	H	
		3840.00	-20.45	3.89	43.44	8.70	27.80	30.00	2.20	H	
		3939.99	-22.42	3.83	44.18	9.10	27.03	30.00	2.97	H	
	90MHz	3745.02	-22.01	3.65	43.94	8.50	26.78	30.00	3.22	H	
		3840.00	-20.57	3.89	43.44	8.70	27.68	30.00	2.32	H	
		3934.98	-22.74	3.83	44.98	9.10	27.51	30.00	2.49	H	
	100MHz	3750.00	-21.87	3.67	43.93	8.50	26.89	30.00	3.11	H	
		3840.00	-20.67	3.89	43.44	8.70	27.58	30.00	2.42	H	
		3930.00	-21.97	3.83	44.53	9.10	27.83	30.00	2.17	H	
	QPSK	10MHz	3705.00	-21.82	3.65	43.47	8.25	26.25	30.00	3.75	H
			3840.00	-21.44	3.89	43.44	8.70	26.81	30.00	3.19	H
			3975.00	-22.75	3.82	44.62	9.22	27.27	30.00	2.73	H
		15MHz	3707.52	-22.76	3.64	44.60	8.26	26.46	30.00	3.54	H
			3840.00	-20.94	3.89	43.44	8.70	27.31	30.00	2.69	H
			3972.48	-22.36	3.82	44.95	9.16	27.93	30.00	2.07	H
20MHz	3710.01	-21.67	3.63	43.69	8.28	26.67	30.00	3.33	H		
	3840.00	-20.76	3.89	43.44	8.70	27.49	30.00	2.51	H		