


LTE band 2, 1.4MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1880.0	1330.13	1338.14	1322.12

LTE band 2, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 15:23:33

LTE band 2, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 15:24:57

LTE band 2, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 16:36:30

LTE band 2, 3MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1880.0	2980.77	3028.85	3012.82

LTE band 2, 3MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 15:26:24

LTE band 2, 3MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 15:27:48

LTE band 2, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 16:38:24

LTE band 2, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1880.0	5000.00	5048.08	4951.92

LTE band 2, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 15:29:14

LTE band 2, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 15:30:39

LTE band 2, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 27.MAR.2020 16:40:34

LTE band 2, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1880.0	985.77	980.69	980.69

LTE band 2, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 15:32:05

LTE band 2, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 15:33:30

LTE band 2, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 16:41:44

LTE band 2, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1880.0	14855.77	14783.65	14639.42

LTE band 2, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 15:34:56

LTE band 2, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 15:36:21

LTE band 2, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 16:43:21

LTE band 2, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1880.0	19230.77	19326.92	19230.77

LTE band 2, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 15:37:47

LTE band 2, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 15:39:11

LTE band 2, 20MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 16:48:19

LTE band 5, 1.4MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
836.5	1290.06	1306.09	1282.05

LTE band 5, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 11:20:18

LTE band 5, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 11:21:42

LTE band 5, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 12:51:00

LTE band 5, 3MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
836.5	2948.72	2980.77	2948.72

LTE band 5, 3MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 11:23:08

LTE band 5, 3MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 11:24:33

LTE band 5, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 12:53:20

LTE band 5, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
836.5	4951.92	4975.96	4903.85

LTE band 5, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 27.MAR.2020 11:25:58

LTE band 5, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 27.MAR.2020 11:27:23


LTE band 5, 5MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 12:55:20

LTE band 5, 10MHz (-26dBc)

Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
836.5	985.77	985.77	9711.54


LTE band 5, 10MHz Bandwidth, QPSK (-26dBc BW)


Date: 27.MAR.2020 11:28:49

LTE band 5, 10MHz Bandwidth, 16QAM (-26dBc BW)


Date: 27.MAR.2020 11:30:13

LTE band 5, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 27.MAR.2020 12:58:02

LTE band 7, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
2535.0	4975.96	4975.96	4951.92

LTE band 7, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:08:42

LTE band 7, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:10:06

LTE band 7, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 31.DEC.2019 09:17:57

LTE band 7, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
2535.0	9807.69	9807.69	9711.54

LTE band 7, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:11:33

LTE band 7, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:12:58

LTE band 7, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:19:26

LTE band 7, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
2535.0	14783.65	14711.54	14711.54

LTE band 7, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:14:24

LTE band 7, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:15:49

LTE band 7, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:21:50

LTE band 7, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
2535.0	19134.62	19230.77	19432.08

LTE band 7, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:17:15

LTE band 7, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:18:40

LTE band 7, 20MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:24:27

LTE band 12, 1.4MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
707.5	1290.06	1322.12	1298.08

LTE band 12, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:20:55

LTE band 12, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:22:19


LTE band 12, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:28:57

LTE band 12, 3MHz (-26dBc)

Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
707.5	2948.72	2964.74	2932.69


LTE band 12, 3MHz Bandwidth, QPSK (-26dBc BW)


Date: 30.DEC.2019 19:23:46

LTE band 12, 3MHz Bandwidth, 16QAM (-26dBc BW)


Date: 30.DEC.2019 19:25:11

LTE band 12, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:40:50

LTE band 12, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
707.5	4951.92	4951.92	4855.77

LTE band 12, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:26:37

LTE band 12, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:28:02

LTE band 12, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 31.DEC.2019 09:42:08

LTE band 12, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
707.5	9711.54	9663.46	9615.38

LTE band 12, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:29:28

LTE band 12, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:30:53

LTE band 12, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:43:44

LTE band 13, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
782.0	5000.00	4903.85	4903.85

LTE band 13, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 17.MAR.2020 14:12:53

LTE band 13, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 17.MAR.2020 14:14:17

LTE band 13, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 5.MAR.2020 13:54:24

LTE band 13, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
782.0	9807.69	9711.54	9663.46

LTE band 13, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 17.MAR.2020 14:15:43

LTE band 13, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 17.MAR.2020 14:17:08

LTE band 13, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 5.MAR.2020 13:55:33

LTE band 14, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc)(kHz)		
	QPSK	16QAM	64QAM
793.0	4975.96	4879.81	4927.88

LTE band 14, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 19.FEB.2020 23:25:54

LTE band 14, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 19.FEB.2020 23:27:19

LTE band 14, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 25.FEB.2020 15:23:34

LTE band 14, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc)(kHz)		
	QPSK	16QAM	64QAM
793.0	9903.85	9807.69	9759.62

LTE band 14, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 19.FEB.2020 23:28:44

LTE band 14, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 19.FEB.2020 23:30:09

LTE band 14, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 25.FEB.2020 15:29:28

LTE band 66, 1.4MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1745.0	1322.12	1314.10	1298.08

LTE band 66, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:32:21

LTE band 66, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:33:46

LTE band 66, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:47:59

LTE band 66, 3MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1745.0	2980.77	2964.74	2948.72

LTE band 66, 3MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:35:12

LTE band 66, 3MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:36:37

LTE band 66, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:49:25

LTE band 66, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1745.0	4975.96	5000.00	4951.92

LTE band 66, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:38:03

LTE band 66, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:39:28

LTE band 66, 5MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:50:53

LTE band 66, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1745.0	9807.69	9807.69	9711.54

LTE band 66, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:40:55

LTE band 66, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:42:19

LTE band 66, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:52:23

LTE band 66, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1745.0	14639.42	14711.54	14639.42

LTE band 66, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:43:46

LTE band 66, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:45:11

LTE band 66, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:54:01

LTE band 66, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
1745.0	19230.77	19230.77	19230.77

LTE band 66, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:46:37

LTE band 66, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:48:02

LTE band 66, 20MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 09:57:50

LTE band 71, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
680.5	4975.96	4975.96	4831.73

LTE band 71, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:50:10

LTE band 71, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:51:35

LTE band 71, 5MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 10:05:05

LTE band 71, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
680.5	9855.77	9855.77	9711.54

LTE band 71, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:53:01

LTE band 71, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:54:26

LTE band 71, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 10:06:22

LTE band 71, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
680.5	14711.54	14783.65	14711.54

LTE band 71, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:55:53

LTE band 71, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 19:57:18

LTE band 71, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 31.DEC.2019 10:07:51

LTE band 71, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
	QPSK	16QAM	64QAM
680.5	19326.92	19326.92	19230.77

LTE band 71, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 30.DEC.2019 19:58:44

LTE band 71, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 30.DEC.2019 20:00:09

LTE band 71, 20MHz Bandwidth, 64QAM (-26dBc BW)



Date: 31.DEC.2019 10:09:15

A.6 BAND EDGE COMPLIANCE

A.6.1 Measurement limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

Part 27.53(m)(4) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(c) states for operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.

Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 90.543 states that For operations in the 758–768 MHz and the 788–798 MHz bands, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in


accordance with the following: (1) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $76 + 10 \log (P)$ dB in a 6.25 kHz band segment, for base and fixed stations. (2) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations. (3) On any frequency between 775–788 MHz, above 805 MHz, and below 758 MHz, by at least $43 + 10 \log (P)$ dB. (4) Compliance with the provisions of paragraphs (e)(1) and (2) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment. (5) Compliance with the provisions of paragraph (e)(3) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of 30 kHz may be employed.

A.6.2 Measurement result

Only the worst case result is given below


LTE band 2

OBW: 1RB-low_offset




Date: 27.MAR.2020 16:04:48

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 27.MAR.2020 16:06:26

OBW: 1RB-high_offset




Date: 27.MAR.2020 16:10:20

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 27.MAR.2020 16:11:59

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 27.MAR.2020 16:08:21

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 27.MAR.2020 16:13:53

LTE band 5
OBW: 1RB-low_offset




Date: 27.MAR.2020 12:24:07

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 27.MAR.2020 12:25:46

OBW: 1RB-high_offset




Date: 27.MAR.2020 12:28:59

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 27.MAR.2020 12:30:37

LOW BAND EDGE BLOCK-10MHz-100%RB




Date: 27.MAR.2020 12:27:39

HIGH BAND EDGE BLOCK-10MHz-100%RB




Date: 27.MAR.2020 12:32:30

LTE band 7
OBW: 1RB-low_offset




Date: 13.JAN.2020 09:22:17


LOW BAND EDGE BLOCK-1RB-low_offset




Date: 13.JAN.2020 09:24:03




Date: 13.JAN.2020 09:25:46



Date: 13.JAN.2020 09:25:57




Date: 13.JAN.2020 09:35:08




Date: 13.JAN.2020 09:35:20

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 13.JAN.2020 09:27:56




Date: 13.JAN.2020 09:29:36

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 13.JAN.2020 09:37:19




Date: 13.JAN.2020 09:38:59

LTE band 12
OBW: 1RB-low_offset




Date: 13.JAN.2020 09:41:10

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 13.JAN.2020 09:42:48

OBW: 1RB-high_offset




Date: 13.JAN.2020 09:46:44

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 13.JAN.2020 09:48:23

LOW BAND EDGE BLOCK-10MHz-100%RB




Date: 13.JAN.2020 09:44:45

HIGH BAND EDGE BLOCK-10MHz-100%RB




Date: 13.JAN.2020 09:50:17

LTE band 13
OBW: 1RB-low_offset




Date: 17.MAR.2020 14:41:10

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 17.MAR.2020 14:42:48




Date: 17.MAR.2020 14:44:26

OBW: 1RB-high_offset




Date: 17.MAR.2020 14:49:17

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 17.MAR.2020 14:50:55




Date: 17.MAR.2020 14:52:33

LOW BAND EDGE BLOCK-10MHz-100%RB




Date: 17.MAR.2020 14:46:20




Date: 17.MAR.2020 14:47:58

HIGH BAND EDGE BLOCK-10MHz-100%RB




Date: 17.MAR.2020 14:54:25




Date: 17.MAR.2020 14:56:03

LTE band 14 LOW BAND EDGE BLOCK-1RB-low_offset




Date: 17.MAR.2020 15:43:27

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 17.MAR.2020 15:52:47

LOW BAND EDGE BLOCK-10MHz-100%RB




Date: 17.MAR.2020 15:57:48

HIGH BAND EDGE BLOCK-10MHz-100%RB




Date: 17.MAR.2020 16:01:06

LTE band 66
OBW: 1RB-low_offset




Date: 13.JAN.2020 09:51:40

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 13.JAN.2020 09:53:19

OBW: 1RB-high_offset




Date: 13.JAN.2020 09:58:01

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 13.JAN.2020 09:59:39

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 13.JAN.2020 09:56:02

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 13.JAN.2020 10:01:34

LTE band 71
OBW: 1RB-low_offset




Date: 13.JAN.2020 10:03:33

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 13.JAN.2020 10:05:12

OBW: 1RB-high_offset




Date: 13.JAN.2020 10:08:24

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 13.JAN.2020 10:10:03

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.JAN.2020 10:07:04

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.JAN.2020 10:11:56

A.7 CONDUCTED SPURIOUS EMISSION

A.7.1 Measurement Method

The following steps outline the procedure used to measure the conducted emissions from the EUT.

1. Determine frequency range for measurements: From CFR 2.1057 the spectrum should be investigated from the lowest radio frequency generated in the equipment up to at least the 10th harmonic of the carrier frequency. For the mobile station equipment tested, this equates to a frequency range of 13 MHz to 9 GHz, data taken from 10 MHz to 25 GHz.
2. Determine EUT transmit frequencies below outlines the band edge frequencies pertinent to conducted emissions testing.
3. The number of sweep points of spectrum analyzer is set to 30001 which is greater than span/RBW.

A. 7.2 Measurement Limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

Part 27.53(m)(4) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(c) states for operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.




Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee’s frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee’s frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 90.543 states that For operations in the 758–768 MHz and the 788–798 MHz bands, the power of any emission outside the licensee’s frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following: (1) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $76 + 10 \log (P)$ dB in a 6.25 kHz band segment, for base and fixed stations. (2) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations. (3) On any frequency between 775–788 MHz, above 805 MHz, and below 758 MHz, by at least $43 + 10 \log (P)$ dB. (4) Compliance with the provisions of paragraphs (e)(1) and (2) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment. (5) Compliance with the provisions of paragraph (e)(3) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of 30 kHz may be employed.

A. 7.2 Measurement result


Only the worst case result is given below

LTE band 2: 30MHz – 19.1GHz




Date: 27.MAR.2020 16:15:20

LTE band 5: 30MHz – 8.49GHz




Date: 27.MAR.2020 12:33:32

LTE band 7: 30MHz – 25.7GHz




Date: 13.JAN.2020 10:12:55

LTE band 12: 30MHz – 7.16GHz




Date: 13.JAN.2020 10:14:11

LTE band 13: 30MHz – 7.87GHz




Date: 17.MAR.2020 14:57:04

LTE band 13: 1559MHz – 1610MHz




Date: 17.MAR.2020 14:57:38

LTE band 14: 30MHz – 7.98GHz




Date: 17.MAR.2020 16:05:22

LTE band 14: 769MHz – 775MHz




Date: 17.MAR.2020 16:08:13

LTE band 14: 799MHz –805MHz




Date: 17.MAR.2020 16:09:51

LTE band 66: 30MHz – 17.8GHz



Date: 13.JAN.2020 10:14:42

LTE band 71: 30MHz – 6.98GHz



Date: 13.JAN.2020 10:15:47

A.8 PEAK-TO-AVERAGE POWER RATIO

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB. The PAPR measurements should be made using either an instrument with complementary cumulative distribution function (CCDF) capabilities to determine that PAPR will not exceed 13 dB for more than 0.1 percent of the time or other Commission approved procedure. The measurement must be performed using a signal corresponding to the highest PAPR expected during periods of continuous transmission.

- a) Refer to instrument's analyzer instruction manual for details on how to use the power statistics/CCDF function;
- b) Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
- c) Set the number of counts to a value that stabilizes the measured CCDF curve;
- d) Set the measurement interval to 1ms;
- e) Record the maximum PAPR level associated with a probability of 0.1%.

A.8.1 Measurement limit

not exceed 13 dB

A.8.2 Measurement results

LTE band 2, 20MHz

Frequency (MHz)	PAPR (dB)		
1880.0	QPSK	16QAM	64QAM
	6.67	7.21	7.34

LTE band 7, 20MHz

Frequency (MHz)	PAPR (dB)		
2535.0	QPSK	16QAM	64QAM
	6.86	7.40	7.63

LTE band 12, 10MHz

Frequency (MHz)	PAPR (dB)		
707.5	QPSK	16QAM	64QAM
	4.90	5.80	6.53

LTE band 13, 10MHz

Frequency (MHz)	PAPR (dB)		
782.0	QPSK	16QAM	64QAM
	4.90	5.80	6.41

LTE band 66, 20MHz

Frequency (MHz)	PAPR (dB)		
1745.0	QPSK	16QAM	64QAM
	6.54	7.28	7.50

LTE band 71, 20MHz

Frequency (MHz)	PAPR (dB)		
680.5	QPSK	16QAM	64QAM
	6.51	7.24	7.53

ANNEX B: Accreditation Certificate

<p>United States Department of Commerce National Institute of Standards and Technology</p> 	
<hr/> <p>Certificate of Accreditation to ISO/IEC 17025:2005</p> <hr/>	
<p>NVLAP LAB CODE: 600118-0</p>	
<p>Telecommunication Technology Labs, CAICT Beijing China</p>	
<p><i>is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:</i></p>	
<p>Electromagnetic Compatibility & Telecommunications</p>	
<p><i>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).</i></p>	
<hr/> <p>2019-09-26 through 2020-09-30 <i>Effective Dates</i></p>	 <hr/> <p><i>[Signature]</i> For the National Voluntary Laboratory Accreditation Program</p>

END OF REPORT