





## The Photos of SAR test

No. I20Z70378-SEM01

For

Samsung Electronics Co Ltd
Tablet PC

Modelname: SM-T225

With

Hardware Version: REV1.0

Software Version: T225.001

FCC ID: ZCASMT225

## Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S.Government.

## **Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT


No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: <a href="mailto:cttl\_terminals@caict.ac.cn">cttl\_terminals@caict.ac.cn</a>, website: <a href="https://www.caict.ac.cn">www.caict.ac.cn</a>,




Picture 1: Constituents of the sample



**Picture 2: Left Hand Touch Cheek Position** 



Picture 3: Left Hand Tilt 15° Position



Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

## Test positions for body:

The Body SAR is tested at the following 11 test positions all with the distance =0/7/13/12/21/25/mm between the EUT and the phantom bottom:




Picture 6 Front 0mm




Picture 7 Rear 0mm




Picture 8 Left 0mm




Picture 9 Top 0mm




Picture 10 Front 21mm




Picture 11 Rear 25mm




Picture 12 Left 12mm



Picture 13 Top 25mm




Picture 14 Front 13mm



Picture 15 Rear7mm



Picture 16 Top12mm



**Picture 17 Antenna Locations**