





The Photos of SAR test

No. I21Z70098-SEM01

For

Samsung Electronics Co., Ltd.

Tablet PC

Modelname: SM-T227U

With

Hardware Version: REV1.0

Software Version: T227U.001

FCC ID: ZCASMT227U

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S.Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample

Test positions for body:


The Body SAR is tested at the following 12 test positions all with the distance = 0/12/21/26/24/14/27mm between the EUT and the phantom bottom:




Picture 2 Front 0mm




Picture 3 Front 21mm




Picture 4 Front 24mm




Picture 5 Rear 0mm




Picture 6 Rear 14mm



Picture 7 Rear 26mm



Picture 8 Left 0mm



Picture 8 Left 12mm




Picture 10 Right 0mm




Picture 10 Top 0mm



Picture 11 Top 26mm



Picture 12 Top 27mm



Picture 13 Antenna Locations