


Components	Quantity	Description	Value
PCB	1	AP0589 WK718 1.6mm±0.05双面阻焊双面字符 镀金板 REV:01 主板	
IC	1	SIGNA6210 QFN24	U2
IC	1	24C02 SOP-8	U3
IC	1	CX5173 SSOP-48	U1
IC	1	ME2801A-22M SOT-23 (2节电池用2.2V检测 IC)	DE1
IC	1	SOT-89 DC转DC 2.7V LX8271CP	U4
轻触开关	1	6*6*4.3mm 两脚	BIND
肖特基二极管	1	SMD IN5819 1206	D1
磁芯电感	1	DIP 100uH±10%	L1
贴片电感	1	SMD 5.6NH ±5% 0603	C10
贴片电容	7	SMD 104PF 50V ±5% 0603 NPO	C4 C3 C5 C12 C9 C15 C14
贴片电容	1	SMD 103PF 50V ±5% 0603 NPO	C13
贴片电容	4	SMD 33PF 50V ±5% 0603 NPO	C1 C2 C7 C6
贴片电容	1	SMD 2.2UF 50V ±5% 0603 NPO	C8

制表:田思

审核:

批准:




Components	Quantity	Description	Value
电解电容器	1	DIP 100uF±20% 6.3V Φ4×7mm CD11	E1
电解电容器	2	DIP 47uF±20% 16V Φ4×7mm CD11	E2 E3
贴片电阻	1	SMD 1K ±5% 1/16W 0603	R2
贴片电阻	1	SMD 470K ±5% 1/16W 0603	R3
贴片电阻	1	SMD 10K ±5% 1/16W 0603	R4
贴片电阻	1	SMD 1M ±5% 1/16W 0603	R1
贴片电阻	1	SMD 2.2K ±5% 1/16W 0603	R7
贴片电阻	1	SMD 680K ±5% 1/16W 0603	R6
贴片电阻	1	SMD 0Ω ±5% 1/16W 0603	L2
贴片电阻	1	SMD 10Ω ±5% 1/16W 0603	R5
Crystal	1	DIP 12.0MHz 20PF ±10PPM 49US	X1
陶振	1	DIP 2Pin ZTA4.0MHz±0.3%	Y1
排插	1	CONNECTOR PH1.0MM DIP-8	CON1
排插	1	CONNECTOR PH1.0MM DIP-18	CON2
排座	1	2P 间距2.0mm	BT1
LED	1	Φ3红发红长脚普亮	BATT-LOW
电子线	1	PH2.0-2P 1007#26 红线218MM 黑色118MM (插座, 间距为2.0MM)	
K51-正极电池弹片	1	10.5*11*1.2mm 磷铜片镀镍	

制表:田思

审核:

批准:



Components	Quantity	Description	Value
K51-负极电池弹片	1	10.5*11*8.25mm(包含弹簧) 磷铜片镀镍	

制表:田思

审核:

批准: