




### 802.11b 2412MHz




### 802.11b 2437MHz




### 802.11b 2462MHz




### 802.11g 2412MHz




### 802.11g 2437MHz




### 802.11g 2462MHz




### 802.11n (HT20) 2412MHz




### 802.11n (HT20) 2437MHz




### 802.11n(HT20) 2462MHz




### 802.11 n (HT40) 2422MHz



### 802.11 n (HT40) 2437MHz



### 802.11 n (HT40) 2452MHz



## 10. ANTENNA REQUIREMENTS

### 10.1. Limits

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. And according to FCC 47 CFR Section 15.247 (b), if transmitting antennas of directional gain greater than 6dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6dBi.

### 10.2. Result

The antennas used for this product are external antenna and that no antenna other than that furnished by the responsible party shall be used with the device, the maximum peak gain of the transmit antenna is only 2dBi.


## 11. PHOTOGRAPHS OF TEST SET-UP

### 11.1. Set-up for Conducted Emission Test







## 11.2. Set-up for Radiated Emission Test







## 12. PHOTOGRAPHS OF THE EUT











-----END-----