

SHEN ZHEN SKY DRAGON AUDIO-VIDEO TECHNOLOGY CO.LTD

BILL OF MATERIAL

| | | | | |
|------------------------|--|--|---------------|-----------|
| Finished product code: | 900-00CK308-061 | | Version: | A10 |
| Product description: | Bluetooth Speaker\CK308B(BK3254(48Foot)/Hands Free/TF/AUX IN/5W*2Dazzle colour LED/3.7V,2400mA Li- polymer)\424 Guatemala customers - ETEK, dumb black, RoHS | | Release Date: | 2016-7-5 |
| For note: | CK308 change BK3254 production BOM | | Effective | 2016-6-30 |
| | | | Page number: | 1 / 7 |

TAB (clerk) : Audit (engineer) : Approval (director) :

| level | Material code | Name/Specifications | Units | Quantity | Tag no |
|-------|-----------------|--|-------|----------|---------------|
| 1 | 407-0308025-011 | Carton\CK308\K=K, No nailing\340*325*349mm(4Sets) \RoHS | PCS | 0.2500 | |
| 1 | 405-0308030-011 | Carton flat card\CK308\B3B\325*310mm\RoHS | PCS | 0.2500 | |
| 1 | 401-0308057-001 | Color box\CK308\300g+A9 Strengthen,A silent film\330*150*162mm\CKY\Black Handle\RoHS | PCS | 1.0000 | |
| 1 | 404-0308014-001 | In Joe CK308\Bubble\Or So shell type RoHS | SET | 1.0000 | |
| 1 | 109-0707002-001 | USB charging line\L=70cm\One end is great USB Plug,At one end ofφ4mm DC Plug\Black\RoHS | PCS | 1.0000 | |
| 1 | 418-0015621-161 | Sealing stickers\IP15,BC03F,BC07,BC08,BC129,BC227A,BC228\Transparent PETG material\Diameter of 30 mm\RoHS | PCS | 1.0000 | |
| 1 | 415-0308020-081 | Instructions\CK308\Cover 128 g double copper, Inside pages 80 g writing paper, both the front and black printing, Saddle stitching\120*180mm\RoHS | PCS | 1.0000 | |
| 1 | 418-0308621-011 | Color box barcode sticker \ CK308B\128g coated paper stickers, Dumb film \ four-color printing surface, Ensure that can wipe the test\50*50mm\RoHS | PCS | 1.0000 | |
| 1 | 412-0308004-031 | Open the pocket\CK308\220*400*0.04mm\PE material\Recycled printing red English signs and warnings\Two pairs of air holes \ aperture ≥8mm\RoHS | PCS | 1.0000 | With the host |
| 1 | 620-00CK308-001 | Bare\CK308B(BK3254(48foot) /Hands Free/TF/AUX IN/5W*2Dazzle colour LED/3.7V,2200mA Li- polymer) \424#Guatemala \ dumb black\RoHS | PCS | 1.0000 | |
| .2 | 301-1030810-001 | Front housing\CK308\Plastic Injection Parts\ABS\Black beer\ROHS | PCS | 1.0000 | |
| .2 | 303-1030810-051 | Rear cabinet\CK308\Injection parts\ABS\Dumb black\RoHS | PCS | 1.0000 | |
| .2 | 303-1030810-071 | pan\CK308(BK3254Change the new mould)\Injection parts\ABS\Dumb black, with screen printing\RoHS | PCS | 1.0000 | |
| .2 | 301-1030810-021 | Guide duct before the shell \CK308\Plastic Injection Parts\ABS\Black beer\ROHS | PCS | 1.0000 | |
| .2 | 303-1030810-021 | After the guide pipe shell\CK308\Plastic Injection Parts\ABS\Black beer\ROHS | PCS | 1.0000 | |
| .2 | 313-1030810-021 | handle\CK308\Injection parts\ABS\Dumb black\RoHS | PCS | 1.0000 | |
| .2 | 309-3030890-001 | Set of four buttons, CK308L, purchased parts, silicon \ black beer, spray paint feel \ RoHS | PCS | 1.0000 | |
| .2 | 309-3030890-011 | Light control button \ CK308L, purchased parts, silicone, black beer, spray paint feel \ RoHS | PCS | 1.0000 | |
| .2 | 304-3030890-001 | Port block, purchased parts, CK308L, silica gel \ black beer, spray paint feel \ RoHS | PCS | 1.0000 | |
| .2 | 301-1030810-031 | Battery cover\CK308\Plastic Injection Parts\ABS\Black beer (Change the new mould)\RoHS | PCS | 1.0000 | |
| .2 | 205-0308000-001 | Before the loudspeaker\CK308L\SPCC\Black \ mesh 2mm\ROHS | PCS | 1.0000 | |
| .2 | 205-0308000-011 | After the loudspeaker\CK308L\SPCC\Black \ mesh 2mm\ROHS | PCS | 1.0000 | |

| | | | | | |
|----|-----------------|--|-----|--------|--|
| .2 | 311-2030819-001 | Loudspeaker stents\Plastic Injection Parts\CK308L\translucent ABS\Milky white\RoHS | PCS | 1.0000 | |
| .2 | 325-3030890-001 | Mat 1 (left), CK308L, silica gel, checkered black belt, 3 m adhesive back\83.7*24.4*2mm\ROHS | PCS | 1.0000 | |
| .2 | 325-3030890-011 | Mat 2 (right), CK308L, silica gel, checkered black belt, 3 m adhesive back\83.7*24.4*2mm\ROHS | PCS | 1.0000 | |
| .2 | 325-3030890-021 | Mat 3(c)\CK308L\silica gel, checkered black belt, back 3 m glue \24*4*2mm\ROHS | PCS | 1.0000 | |
| .2 | 200-0102080-011 | Screw\PA 2*8mm\Caps 4mm\black\RoHS | PCS | 2.0000 | Battery cover |
| .2 | 200-0503080-081 | Screw\PWA 3*8mm\W8\black\RoHS | PCS | 8.0000 | Speaker |
| .2 | 200-0503100-081 | Screw\PWA 3*10mm\W8\RoHS | PCS | 2.0000 | Guide duct |
| .2 | 200-0103080-011 | Screw\PA 3*8mm\Hat head 5mm\black\RoHS | PCS | 3.0000 | The main board PCB |
| .2 | 200-0103140-001 | Screw\PA 3*14mm\Hat head 5mm\black\RoHS | PCS | 9.0000 | The shell before and after |
| .2 | 527-0401210-001 | Single post EVA\40*12*1mm\black\RoHS | PCS | 1.0000 | Speaker wire seal |
| .2 | 527-1306050-001 | EVA Single post\24*13*5mmmm\There is hole\Alien \black\RoHS | PCS | 1.0000 | According to the keypad prevention |
| .2 | 527-3045050-001 | Single post EVA\30*45*5mm\black\RoHS | PCS | 2.0000 | Stick on the battery |
| .2 | 527-8060600-001 | Single post EVA\80*6*0.6mm\black\RoHS | PCS | 1.0000 | Guide duct front-end |
| .2 | 501-1500500-001 | 3 m double-sided adhesive\wide 5mm, Chief 50000mm\RoHS | 卷 | 0.0036 | Article four article lamp, each lamp post 180 mm |
| .2 | 527-1706010-001 | Single post EVA170*6*1mm\black\RoHS | PCS | 2.0000 | Speaker |
| .2 | 527-4808060-001 | Single post EVA\480*8*0.6mm\black\RoHS | PCS | 1.0000 | Before the shell |
| .2 | 501-0138138-001 | 3 m double-sided adhesive\diam13.8mm\RoHS | PCS | 1.0000 | Used for light control button |
| .2 | 501-0638138-001 | 3 m double-sided adhesive\63.8*13.8mm\alien\RoHS | PCS | 1.0000 | For the four key groups |
| .2 | 527-1002504-001 | Article sponge\L100*W25*H4\Black single for glue\RoHS | PCS | 1.0000 | The horn line |
| .2 | 527-7510015-001 | Sound-absorbing cotton\100*75*20mm\white\RoHS | PCS | 1.0000 | In the body cavity |
| .2 | 529-2444151-001 | Cloth weaving \CK308L \ non-woven white 2 + 1 layer black mesh cloth\244*151*3.5mm\with double-sided adhesive, | PCS | 1.0000 | Loudspeaker stents |
| .2 | 527-2381443-001 | After the shell anti-dust mesh, CK308, single for glue, black\238*144*0.3mm\RoHS | PCS | 1.0000 | Stick on the shell after |
| .2 | 551-0000108-001 | 108 glue | G | 3.0000 | pan |
| .2 | 514-0000000-000 | Strip | KG | 0.0030 | Article lamp |
| .2 | 537-0000000-001 | Chloroform | KG | 0.0050 | Pilot phase tube |
| .2 | 119-0303522-011 | Built-in lithium battery\3.7V/2400mA\3VAs the voltage,Since the consumption within 6 uA,Flow more than 10 a protection board and # 22,2P/2.54plug,Tin line on red\L=180mm\,two ϕ 18*65mm\RoHS | PCS | 1.0000 | |
| .2 | 116-0604100-051 | All frequency horn\CK308(BK3254)\2 r\3 Ω 6W\Flat arc basin of baking black frame \ magnetic rubber edge\53*53mm\Dragon rhyme is strongLY-0001424\RoHS | PCS | 2.0000 | |
| .2 | 109-0426550-021 | Single-ended row line 24#\2P\UL2468\White, black,L=265mm,PH2.0 plug at one end,One end of the wire stripping immersion tin 5mm\RoHS | PCS | 1.0000 | The left speaker - SP1 amplifier board |
| .2 | 109-0428050-021 | Single-ended row line 24#\2P\UL2468Red, black,L=280mm,Wire stripping immersion tin PH2.0 plug at one end, and end 5mm\RoHS | PCS | 2.0000 | Right speaker - amplifier board SP2 |
| .2 | 109-1012010-091 | FCC line 8P\L=120mm\0.5mm spacing\Both ends with inserted\Synthetic \ blue edge hard plastic limit3.5mm\RoHS | PCS | 1.0000 | The mainboard to the keypad |

| | | | | | |
|------|-----------------|--|-----|---------|---|
| ..2 | 109-1010010-121 | FCC line\12PL=100mm\0.5mm spacing\Both ends with inserted\Synthetic \ blue edge hard plastic limit3.5mm\RoHS | PCS | 4.0000 | Lamp panel to power amplifier boards, ABCD note |
| ..2 | 600-0CK308B-001 | Main components\CK308B(BK3254(48Foot)/Hands Free/TF/AUX IN/5W*2 Glaring LED/3.7V,2400mA Li- polymer)\RoHS | PCS | 1.0000 | |
| ..3 | 600-0CK308B-011 | Main components\CK308B(BK3254(48Foot)/Hands Free/TF/AUX IN/5W*2 Glaring LED/3.7V,2400mA Li- polymer)\SMT\RoHS | PCS | 1.0000 | |
| ...4 | 101-0108351-071 | PCB amplifier board \ CK308 \ double panel, FR4 tin plate, the thickness of 1.2 mm, green white oi, 97*73.3mm\RoHS | PCS | 1.0000 | |
| ...4 | 106-1000004-221 | SMD Resistor\0 Ω /16W \pm 5%\0603\RoHS | PCS | 4.0000 | R1 R11 R28 R65 |
| ...4 | 106-1000004-231 | SMD Resistor\0 Ω /16W \pm 5%\0805\RoHS | PCS | 3.0000 | R2 R38 L11 |
| ...4 | 106-1101004-220 | SMD Resistor\100 Ω /16W \pm 5%\0603\ROHS | PCS | 6.0000 | R3 R4 R13 R63 R64 R68 |
| ...4 | 106-1102004-221 | SMD Resistor\1K Ω /16W \pm 5%\0603\RoHS | PCS | 3.0000 | R35 R47 R48 |
| ...4 | 106-1122004-221 | SMD Resistor\1.2K Ω /16W \pm 5%\0603\RoHS | PCS | 1.0000 | R10 |
| ...4 | 106-1270104-221 | SMD Resistor\2.7K Ω /16W \pm 5%\0603\RoHS | PCS | 2.0000 | R14 R69 |
| ...4 | 106-1472004-221 | SMD Resistor\4.7K Ω /16W \pm 5%\0603\RoHS | PCS | 1.0000 | R44 |
| ...4 | 106-1103004-221 | SMD Resistor\10K Ω /16W \pm 5%\0603\RoHS | PCS | 9.0000 | R5 R21 R26 R27 R76 R32 R34 R42 R49 |
| ...4 | 106-1223004-221 | SMD Resistor\22K Ω /16W \pm 5%\0603\RoHS | PCS | 1.0000 | R59 |
| ...4 | 106-1273004-221 | SMD Resistor\27K Ω /16W \pm 5%\0603\RoHS | PCS | 2.0000 | R27 R76 |
| ...4 | 106-1433004-221 | SMD Resistor\43K Ω /16W \pm 5%\0603\RoHS | PCS | 5.0000 | R20 R22 R23 R24 R45 |
| ...4 | 106-1473004-221 | SMD Resistor\47K Ω /16W \pm 5%\0603\RoHS | PCS | 2.0000 | R33 R36 |
| ...4 | 106-1683004-221 | SMD Resistor\68K Ω /16W \pm 5%\0603\RoHS | PCS | 1.0000 | R46 |
| ...4 | 106-1753004-221 | SMD Resistor\75K Ω /16W \pm 5%\0603\RoHS | PCS | 1.0000 | R31 |
| ...4 | 106-1104004-221 | SMD Resistor\100K Ω /16W \pm 5%\0603\RoHS | PCS | 2.0000 | R29 R67 |
| ...4 | 108-1270003-001 | (SMD Inductors\2.7nH\50V \pm 5%\0603\RoHS | PCS | 1.0000 | C18 |
| ...4 | 107-1068053-021 | SMD MLCC\6.8pF\50V \pm 5%\0603\RoHS | PCS | 1.0000 | C29 |
| ...4 | 107-1100053-021 | SMD MLCC\10pF\50V \pm 5%\0603\RoHS | PCS | 1.0000 | L1 |
| ...4 | 107-1101033-021 | SMD MLCC\100pF\16V \pm 5%\0603\RoHS | PCS | 7.0000 | C31 C44 C45 C46 C49 C50 C52 |
| ...4 | 107-1472054-021 | SMD MLCC\4700PF\50V \pm 10%\0603\RoHS | PCS | 1.0000 | C51 |
| ...4 | 107-1104053-021 | SMD MLCC\0.1uF\50V \pm 5%\0603\RoHS | PCS | 14.0000 | C1 C6 C10 C11 C12 C15 C23 C24 C25 C33 C36 |
| ...4 | 107-1105033-021 | SMD MLCC\1uF\16V \pm 5%\0603\RoHS | PCS | 7.0000 | C2 C17 C22 C26 C30 C48 C78 |
| ...4 | 107-1475035-021 | SMD MLCC\4.7uF\16V \pm 20%\0603\RoHS | PCS | 3.0000 | C27 C32 C35 |
| ...4 | 107-1106035-021 | SMD MLCC\10uF\16V \pm 20%\0603\RoHS | PCS | 1.0000 | C5 |
| ...4 | 107-1106035-131 | SMD MLCC\10uF\16V \pm 20%\0805\RoHS | PCS | 9.0000 | C4 C16 C38 C39 C40 C41 C42 C43 C47 |
| ...4 | 107-1226034-031 | SMD MLCC\22uF\16V \pm 20%\0805\RoHS | PCS | 2.0000 | C55 C56 |
| ...4 | 102-0BK3254-041 | Bluetooth IC\CK308\BK3254_QFN48_6X6XZX,\Burn the customer matching model:CK308\ROHS | PCS | 1.0000 | U1 |

| | | | | | |
|------|-----------------|--|-----|--------|-----------------------|
| ...4 | 102-P621210-041 | SMD booster IC\FP6291\SOT23-6RoHS | PCS | 1.0000 | U9 |
| ...4 | 102-M280810-491 | SMD Amplifier IC\MIX2808\SOP8RoHS | PCS | 2.0000 | U5 U6 |
| ...4 | 102-X600110-431 | SMD booster IC\MIX6001\SOP8RoHS | PCS | 1.0000 | U4 |
| ...4 | 102-S126810-041 | SMD drive IC\SM1628\SOP28RoHS | PCS | 2.0000 | U2 U3 |
| ...4 | 108-1472212-001 | SMD Open power inductors\4.7UH\4A\CD54\5.8*5.2*4.8mmRoHS | PCS | 1.0000 | L8 |
| ...4 | 108-1682212-181 | SMD Open power inductors\6.8UH\4A\CD75\7*5.6mmRoHS | PCS | 1.0000 | L2 |
| ...4 | 105-0900540-001 | SMD Schottky diode\SS54\5A,DO-214ACRoHS | PCS | 2.0000 | D6 D9 |
| ...4 | 105-0558190-001 | SMD DIODE\5819\1A\1206RoHS | PCS | 2.0000 | D4 D5 |
| ...4 | 105-0500340-011 | SMD DIODE\SS34\DO-214ACRoHS | PCS | 1.0000 | D8 |
| ...4 | 104-1230100-061 | SMD field-effect transistor\APM2305AAC-TR\SOT23RoHS | PCS | 1.0000 | Q17 |
| ...4 | 122-0000242-151 | crystals\26MHz\3225_4\9pF 10PPMRoHS | PCS | 1.0000 | Y1 |
| ...4 | 104-1901400-041 | SMD TRANSISTOR\S9014HFE=100-300VA foot BCE\SOT-23RoHS | PCS | 1.0000 | Q16 |
| ...4 | 121-1708011-001 | SMD FFC socket\8P\0.5mm\Vertical is feetRoHS | PCS | 1.0000 | CON5 |
| ...4 | 121-1712011-001 | SMD FFC socket\12P\0.5mm\Vertical \ braid is feetRoHS | PCS | 4.0000 | CON1 CON2 CON3 CON4 |
| ...4 | 108-2105003-021 | SMD Beads\FB600(600Ω)\100MHz±10%\0603RoHS | PCS | 6.0000 | R3 R4 R13 R63 R64 R68 |
| ..3 | 600-0CK308B-021 | Main components\CK308B(BK3254(48Foot)/Hands Free/TF/AUX IN/5W*2 Glaring LED/3.7V,2400mALi- polymer) | PCS | 1.0000 | |
| ...4 | 107-2107036-021 | Electrolytic capacitor\100uF\16V\+80/-20%\5.0x7.0mm\剪脚 10mmRoHS | PCS | 2.0000 | EC1 EC3 |
| ...4 | 107-2477026-431 | Electrolytic capacitor\470uF\10V\+80/-20%\6x5mmRoHS | PCS | 2.0000 | EC4 EC5 |
| ...4 | 121-0802031-001 | Exhaust outlet\2P\spacing2.0mm\vertical\whiteRoHS | PCS | 2.0000 | SP1 SP2 |
| ...4 | 121-0802051-001 | Exhaust outlet\2P\spacing 2.54mm\Into the\whiteRoHS | PCS | 1.0000 | BAT1 |
| .2 | 601-0CK308B-001 | DC panel component\CK308B(BK3254(48Foot)/Hands Free/TF/AUX IN/5W*2 Glaring LED/3.7V,2400mALi- | PCS | 1.0000 | |
| ..3 | 601-0CK308B-011 | DC panel component\CK308B(BK3254(48Foot)/Hands Free/TF/AUX IN/5W*2 Glaring LED/3.7V,2400mA Li- polymer) \SMTRoHS | PCS | 1.0000 | |
| ...4 | 101-0308351-031 | PCB DC plateCK308B\Double panel, FR4 spray tin plate, white, green oil thickness1.2mm,75*25.8mm\ROHS | PCS | 1.0000 | |
| ...4 | 106-1000004-231 | SMD Resistor\0.2Ω\1/16W±5%\0805RoHS | PCS | 1.0000 | R30 |
| ...4 | 106-1002204-221 | SMD Resistor\2.2Ω\1/16W±5%\0603RoHS | PCS | 1.0000 | R8 |
| ...4 | 106-1201004-221 | SMD Resistor\200Ω\1/16W±5%\0603RoHS | PCS | 2.0000 | R15 R19 |
| ...4 | 106-1102004-221 | SMD Resistor\1KΩ\1/16W±5%\0603RoHS | PCS | 2.0000 | R7 R18 |
| ...4 | 106-1133201-221 | SMD Resistor\1.33KΩ\1/16W±1%\0603RoHS | PCS | 1.0000 | R25 |
| ...4 | 106-1332004-221 | SMD Resistor\3.3KΩ\1/16W±5%\0603RoHS | PCS | 1.0000 | R9 |
| ...4 | 106-1103004-221 | SMD Resistor\10KΩ\1/16W±5%\0603RoHS | PCS | 2.0000 | R16 R17 |
| ...4 | 107-1105054-021 | SMD MLCC\1uF\50V±10%\0603RoHS | PCS | 4.0000 | C7 C13 C19 C28 |
| ...4 | 107-1475055-021 | SMD MLCC\4.7uF\50V±20%\0603RoHS | PCS | 1.0000 | C21 |

| | | | | | |
|------|---------------------|---|-----|---------|-------------------------------------|
| ...4 | 107-1106035-031 | SMD MLCC\10uF\16V\±20%\0805\RoHS | PCS | 3.0000 | C3 C8 C9 |
| ...4 | 105-1000002-011 | SMD LED\Red led\0603\RoHS | PCS | 1.0000 | D7 |
| ...4 | 105-1050851-041 | SMD ESD Diodes\ESD\0603\RoHS | PCS | 13.0000 | ESD3~14 ESD19 |
| ...4 | 102-T405611-391 | SMD charging IC\SR4056\SOP8\RoHS | PCS | 1.0000 | U7 |
| ...4 | 102-S620610-421 | SMD steady state IC\SM6206\3.3V\SOT23\RoHS | PCS | 1.0000 | Q1 |
| ...4 | 121-1105002-001 | SMD DC socket\DC-042,DC Diameter 4mm,SMT,5P leg, \RoHS | PCS | 1.0000 | JK101 |
| ...4 | 121-0320002-001 | SMD Headphone socket\PJ320D\3.5mm\horizontal 4P\RoHS | PCS | 1.0000 | J1 |
| ...4 | 121-1090000-001 | SMD TF booth\TFP09-2-12B\horizontal 9P\RoHS | PCS | 1.0000 | TF1 |
| ...4 | 120-1845152-001 | SMD Tact switch\Four foot patch\4.5*1.8*1.2mm\braid\RoHS | PCS | 1.0000 | K6 |
| ...4 | 108-2105003-021 | SMD Beads \FB600(600Ω)\100MHz±10%\0603\RoHS | PCS | 1.0000 | L12 |
| ..3 | 601-0CK308B-02 1 | DC Plate component\CK308B(BK3254(48Foot)/ SpeakerPhone/TF/AUX IN/5W*2 Colorful LED/3.7V,2400mA | PCS | 1.0000 | |
| ...4 | 121-1004002-041 | Plug-in USB socket \AM90 degrees straight feet flat flat rubber, starfire, RoHS | PCS | 1.0000 | USB |
| ...4 | 107-2477026-271 | Electrolytic capacitor\470uF\16V\+80/-20%\6×7mm\RoHS | PCS | 1.0000 | EC2 |
| .2 | 602-0CK308B-00 1 | According to the keypad components\CK308B(BK3254(48Foot)/SpeakerPhone/TF/ AUX IN/5W*2 Colorful LED/3.7V,2400mA Built-in battery) \RoHS | PCS | 1.0000 | |
| ..3 | 602-0CK308B-01 1 | According to the keypad components\CK308B(BK3254(48Foot)/SpeakerPhone/TF/ | PCS | 1.0000 | |
| ...4 | 101-0308352-031 | PCB by the keypad\CK308B(BK3254(48Foot)) \Single panel,FR4 tin plate, ply 1.2,177.3*13.6mm\RoHS | PCS | 1.0000 | |
| ...4 | 106-1185004-221 | SMD Resistor\1.8KΩ\1/16W\±5%\0603\RoHS | PCS | 1.0000 | R58 |
| ...4 | 106-1471004-221 | SMD Resistor\470Ω\1/16W\±5%\0603\RoHS | PCS | 3.0000 | R54 R56 R57 |
| ...4 | 106-1362004-221 | SMD Resistor\3.6KΩ\1/16W\±5%\0603\RoHS | PCS | 1.0000 | R62 |
| ...4 | 106-1682004-221 | SMD Resistor\6.8KΩ\1/16W\±5%\0603\RoHS | PCS | 1.0000 | R60 |
| ...4 | 106-1153004-221 | SMD Resistor\15KΩ\1/16W\±5%\0603\RoHS | PCS | 1.0000 | R61 |
| ...4 | 105-1050851-041 | SMD ESD Diodes\ESD\0603\RoHS | PCS | 6.0000 | ESD18 SD1 ESD2 ESD15 ESD16 ESD17 |
| ...4 | 105-1000003-011 | SMD LED\Blue LED\0603\RoHS | PCS | 1.0000 | D3 |
| ...4 | 105-1000001011 | SMD LED\Green LED\0603\RoHS | PCS | 1.0000 | D2 |
| ...4 | 105-1000002-011 | SMD LED\Red led\0603\RoHS | PCS | 1.0000 | D1 |
| ...4 | 121-1708012-001 | FFC SMD socket\8P\spacing0.5mm\horizontal\RoHS | PCS | 1.0000 | CN3 |
| ...4 | 120-1866432-001 | SMD Tact switch\6*6*4.3mm\180g\SMT\braid\RoHS | PCS | 5.0000 | K1 K2 K3 K4 K5 |
| ..3 | 602-0CK308B-02 1 | According to the keypad components\CK308B(BK3254(48Foot)/SpeakerPhone/TF/ AUX IN/5W*2Colorful LED/3.7V,2400mA Built-in battery) \PCBA\RoHS | PCS | 1.0000 | |
| ...4 | 112-0208003-001 | Microphone\CK208\circular Φ4*1.5mm, plug-in ,The length of the pin is greater than 8 mm\ -42dB+/-3dB\With silica gel set \RoHS | PCS | 1.0000 | MIC1 |
| ...4 | 109-0215000-051 | PVC wire 28# L=150mm, outside diameter 0.9mm\2P(red/ black And lines)\Two head welding\RoHS | PCS | 1.0000 | MIC2 To the mainboard MIC3 |

| | | | | | |
|-----|-----------------|---|-----|----------------------------------|------------|
| .2 | 606-0CK308B-001 | Lamp plate component\CK308B(BK3254(48Foot)/SpeakerPhone/TF/AUX IN/5W*2 Colorful LED灯/3.7V, 2400mA Built-in battery\RoHS | PCS | 1.0000 | |
| ..3 | 101-0308351-061 | PCB lamp plate A\CK308\Double panel,FR4 tin plate, shortening in thickness 1.2mm,205*9.7mm\ROHS | PCS | 1.0000 | |
| ..3 | 101-0308352-061 | PCB lamp plate \CK308\Double panel,FR4 tin plate, shortening in thickness 1.2mm,210*9.7mm\V01\ROHS | PCS | 1.0000 | |
| ..3 | 101-0308353-061 | PCB lamp plateC\CK308\Double panel,FR4 tin plate, shortening in thickness1.2mm,217.4*9.7mm\V01\ROHS | PCS | 1.0000 | |
| ..3 | 101-0308354-061 | PCB lamp plateD\CK308\Double panel,FR4 tin plate, shortening in thickness 1.2mm,225.5*9.7mm\V01\ROHS | PCS | 1.0000 | |
| ..3 | 105-1050500-001 | SMD lights\RGB Red, green, blue\Pu Liang\5050encapsulation\enduring 265 degree of high | PCS | 32.0000 | LED1-LED32 |
| ..3 | 121-1712012-001 | Patch buckles the FCC socket\12P\0.5mm\90Degrees, horizontal, under contact\RoHS | PCS | 4.0000 | |
| | | | | Table number:SKON-QR-R&D-012(A0) | |