## GT-T/Onic/

## Request for Modular Approval FCC ID: ZKJ-BLEB001

| Item | Requirements   | EUT  |
|------|--|--|
| 1    | Have its own RF shielding  | Yes  |
| 2    | Have buffered modulation/data inputs (if such inputs are provided)   | All inputs to the modules are buffered through logic and microprocessor inputs |
| 3    | Have its own power supply regulation   | Yes  |
| 4    | Meet the antenna requirements of section 15.203  | The device contains a PCB antenna, and the maximum antenna gain is -2.65dBi.   |
| 5    | Demonstrate compliance in a stand-alone configuration  | Device is tested in a test fixture in a standalone configuration               |
| 6    | The licensed module must have a FCC ID label on the module itself. That FCC ID label must be visible through a window on the final device or it must be visible when an access panel, door or cover is easily removed. If not, a second label must be placed on the outside of the final device that contains the following text: Contains "FCC ID: ZKJ-BLEB001" | FCC ID label format will be included in the filling.                           |
| 7    | The module must comply with all specific rules applicable to the transmitter. The grantee must provide comprehensive instructions to explain compliance requirements.  | Please refer to "User Manual" Exhibit  |
| 8    | The module must comply with RF exposure requirements. See FCC Rules. Spread Spectrum transmitters must comply with RF exposure limits in 15.247.   | RF exposure evaluation is exempted because of low output power (EIRP: 5.05mW). |

Thank you for your attention to this matter. Yours Sincerely,

Admin Asst Dennis Wong