

GE Home & Business Solutions **Appliances**

Rob Bultman Principal - Software Architecture

Appliance Park Louisville KY, 40225 USA

T 502 452 5806 F 502 452 0371 Rob.Bultman@ge.com

RE FCC ID:

To the certification reviewer:

We are hereby applying for [full Aimited] modular approval of the above-referenced FCC ID, based on compliance with [all most] of the criteria as detailed below.

Sincerely,
[signature] ROBERT M. BULTMAN

Itile PRINCIPIC ENGINEER SOFTWARE ANCHITECTURE

Part 15 Unlicensed Single Modular Transmitter Approval Justification per 15.212

Requirement per 15.212		reference
(i)	The radio elements of the modular transmitter must have their own RF shielding.	Shielding is provided by a ground plane on the printed wiring board.
(ii)	The modular transmitter must have buffered modulation/data inputs (if such inputs are provided.	All modulation and data inputs are buffered by circuitry on the transmitter chip.
(iii)	The modular transmitter must have its own power supply regulation.	Power supply regulation is provided by circuitry on the module regulated to 3.3V +/- 5%.
(iv)	The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b) and 15.204(c).	The antenna is permanently attached.
(v)	The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing for compliance with Part 15 parameters.	Testing was performed with the module extended outside of the host on a special extender board, as shown in the test setup photos.



(vi)	The modular transmitter must be equipped with either a permanently affixed label or	A sample of the host label is provided as an exhibit.
		showing the FCC identifier of the module. The ID
	must be capable of electronically displaying	number will be printed on a label affixed to the
	its FCC identification number. If the FCC	outside of the enclosure and will also be printed on
	ID is not visible when the module is	the PCB silkscreen.
	installed inside another device, then the	
	outside of the device into which the module	
	is installed must also display a label	
	referring to the enclosed module.	
(vii)	The modular transmitter must comply with	The module complies fully with the operating
	any specific rules or operating requirements	requirements of Part 15 section [] as
	that ordinarily apply to a complete	demonstrated in the test report exhibit.
	transmitter and the manufacturer must	F
	provide adequate instructions along with the	
	module to explain any such requirements.	
	A copy of these instructions must be	
	included in the application for equipment	
	authorization.	
(viii)	The modular transmitter must comply with	This module operates under Part 15 section [].
	any applicable RF exposure requirements in	which is exempt from RF exposure evaluation
	its final configuration.	owing to the very low operating power: