



(802.11ac40_5755MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8751.000	33.38	1.66	35.04	54.00	-18.96	AVG	PASS
8900.000	41.23	1.61	42.84	68.20	-25.36	peak	PASS
10481.000	31.09	3.08	34.17	54.00	-19.83	AVG	PASS
10483.000	39.84	3.09	42.93	68.20	-25.27	peak	PASS
12452.000	29.90	4.86	34.76	54.00	-19.24	AVG	PASS
12489.500	38.20	5.17	43.37	74.00	-30.63	peak	PASS
14097.000	29.09	8.20	37.29	54.00	-16.71	AVG	PASS
14150.500	37.58	8.26	45.84	68.20	-22.36	peak	PASS
15436.000	37.30	10.44	47.74	74.00	-26.26	peak	PASS
15647.000	28.14	10.88	39.02	54.00	-14.98	AVG	PASS
17017.500	30.26	11.12	41.38	54.00	-12.62	AVG	PASS
17031.000	39.21	11.09	50.30	68.20	-17.90	peak	PASS




(802.11ac40 _5755MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
30.6110	11.61	12.81	24.42	40.00	-15.58	peak	PASS
66.0111	6.66	13.10	19.76	40.00	-20.24	peak	PASS
166.5930	8.06	11.47	19.53	43.50	-23.97	peak	PASS
333.2775	10.69	17.21	27.90	46.00	-18.10	peak	PASS
533.2708	5.31	22.23	27.54	46.00	-18.46	peak	PASS
796.4622	7.06	26.17	33.23	46.00	-12.77	peak	PASS



(802.11ac40 _5755MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1642.250	39.70	-14.95	24.75	54.00	-29.25	AVG	PASS
1703.150	48.00	-14.74	33.26	74.00	-40.74	peak	PASS
2998.850	37.18	-7.26	29.92	54.00	-24.08	AVG	PASS
3014.600	45.01	-7.43	37.58	68.20	-30.62	peak	PASS
3719.500	45.06	-6.76	38.30	74.00	-35.70	peak	PASS
3774.450	36.63	-6.19	30.44	54.00	-23.56	AVG	PASS
4850.000	44.27	-4.03	40.24	74.00	-33.76	peak	PASS
4967.250	35.01	-3.44	31.57	54.00	-22.43	AVG	PASS
6500.250	33.89	-2.05	31.84	54.00	-22.16	AVG	PASS
6528.950	41.60	-2.03	39.57	68.20	-28.63	peak	PASS
7846.000	40.60	-0.72	39.88	68.20	-28.32	peak	PASS
7891.500	32.18	-0.65	31.53	54.00	-22.47	AVG	PASS




(802.11ac40 _5755MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9232.000	41.13	1.97	43.10	68.20	-25.10	peak	PASS
9455.000	32.31	2.18	34.49	54.00	-19.51	AVG	PASS
10822.000	39.51	3.08	42.59	74.00	-31.41	peak	PASS
11039.500	30.98	3.40	34.38	54.00	-19.62	AVG	PASS
12076.000	39.03	4.77	43.80	74.00	-30.20	peak	PASS
12129.000	30.53	4.38	34.91	54.00	-19.09	AVG	PASS
13730.500	38.82	7.19	46.01	68.20	-22.19	peak	PASS
13885.500	28.68	7.70	36.38	54.00	-17.62	AVG	PASS
15937.500	37.18	11.32	48.50	74.00	-25.50	peak	PASS
16067.000	28.81	11.30	40.11	54.00	-13.89	AVG	PASS
17715.000	38.20	14.52	52.72	74.00	-21.28	peak	PASS
17721.000	29.36	14.58	43.94	54.00	-10.06	AVG	PASS




Plots for Channel = 159




(802.11ac40_5795MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.9735	0.57	15.27	15.84	40.00	-24.16	peak	PASS
99.8777	-0.39	15.09	14.70	43.50	-28.80	peak	PASS
166.4178	9.29	11.43	20.72	43.50	-22.78	peak	PASS
333.2190	11.28	17.21	28.49	46.00	-17.51	peak	PASS
531.0316	4.20	22.21	26.41	46.00	-19.59	peak	PASS
886.2104	1.43	27.76	29.19	46.00	-16.81	peak	PASS




(802.11ac40_5795MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1854.350	47.92	-14.24	33.68	68.20	-34.52	peak	PASS
2019.550	38.96	-12.73	26.23	54.00	-27.77	AVG	PASS
2972.250	45.98	-9.56	36.42	68.20	-31.78	peak	PASS
3003.400	38.79	-9.25	29.54	54.00	-24.46	AVG	PASS
3981.650	37.68	-7.36	30.32	54.00	-23.68	AVG	PASS
3988.300	46.38	-7.52	38.86	74.00	-35.14	peak	PASS
4939.950	42.90	-3.46	39.44	74.00	-34.56	peak	PASS
5091.150	35.87	-4.10	31.77	54.00	-22.23	AVG	PASS
6501.300	43.57	-3.24	40.33	68.20	-27.87	peak	PASS
6528.600	34.85	-2.88	31.97	54.00	-22.03	AVG	PASS
7540.450	41.31	-0.89	40.42	74.00	-33.58	peak	PASS
7602.050	32.21	-0.78	31.43	54.00	-22.57	AVG	PASS




(802.11ac40_5795MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8751.000	42.60	1.66	44.26	68.20	-23.94	peak	PASS
8751.000	33.38	1.66	35.04	54.00	-18.96	AVG	PASS
10481.000	31.09	3.08	34.17	54.00	-19.83	AVG	PASS
10483.000	39.84	3.09	42.93	68.20	-25.27	peak	PASS
12108.500	30.95	3.99	34.94	54.00	-19.06	AVG	PASS
12135.500	39.61	4.18	43.79	74.00	-30.21	peak	PASS
14016.000	37.04	8.47	45.51	68.20	-22.69	peak	PASS
14097.000	29.09	8.20	37.29	54.00	-16.71	AVG	PASS
15678.500	37.14	11.27	48.41	74.00	-25.59	peak	PASS
15899.000	29.31	11.13	40.44	54.00	-13.56	AVG	PASS
17501.000	36.87	13.76	50.63	68.20	-17.57	peak	PASS
17699.000	28.09	14.36	42.45	54.00	-11.55	AVG	PASS




(802.11ac40_5795MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
30.6110	11.61	12.81	24.42	40.00	-15.58	peak	PASS
66.0111	6.66	13.10	19.76	40.00	-20.24	peak	PASS
166.5930	8.06	11.47	19.53	43.50	-23.97	peak	PASS
333.2775	10.69	17.21	27.90	46.00	-18.10	peak	PASS
533.2708	5.85	22.23	28.08	46.00	-17.92	peak	PASS
796.6019	8.06	26.17	34.23	46.00	-11.77	peak	PASS



(802.11ac40_5795MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1974.750	47.65	-13.08	34.57	68.20	-33.63	peak	PASS
2003.450	38.64	-11.89	26.75	54.00	-27.25	AVG	PASS
2998.850	37.51	-7.26	30.25	54.00	-23.75	AVG	PASS
3069.900	47.48	-8.74	38.74	68.20	-29.46	peak	PASS
4220.350	45.41	-5.02	40.39	74.00	-33.61	peak	PASS
4304.350	36.71	-4.47	32.24	54.00	-21.76	AVG	PASS
4842.300	36.69	-3.99	32.70	54.00	-21.30	AVG	PASS
5042.850	44.57	-4.12	40.45	74.00	-33.55	peak	PASS
6380.550	44.24	-2.55	41.69	68.20	-26.51	peak	PASS
6507.600	34.78	-2.05	32.73	54.00	-21.27	AVG	PASS
7273.750	41.73	-1.34	40.39	74.00	-33.61	peak	PASS
7276.200	33.20	-1.34	31.86	54.00	-22.14	AVG	PASS




(802.11ac40_5795MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9232.000	41.13	1.97	43.10	68.20	-25.10	peak	PASS
9438.000	33.02	2.13	35.15	54.00	-18.85	AVG	PASS
11184.000	40.68	3.11	43.79	74.00	-30.21	peak	PASS
11203.000	31.41	3.07	34.48	54.00	-19.52	AVG	PASS
12871.500	38.36	5.11	43.47	68.20	-24.73	peak	PASS
13089.500	29.41	5.91	35.32	54.00	-18.68	AVG	PASS
14558.000	37.77	8.97	46.74	68.20	-21.46	peak	PASS
14576.000	29.03	8.95	37.98	54.00	-16.02	AVG	PASS
16105.500	37.69	11.23	48.92	74.00	-25.08	peak	PASS
16336.500	29.13	11.35	40.48	54.00	-13.52	AVG	PASS
17641.000	37.14	13.73	50.87	68.20	-17.33	peak	PASS
17721.000	29.36	14.58	43.94	54.00	-10.06	AVG	PASS




802.11ac80 Test mode

Plots for Channel = 42




(802.11ac80 _5210MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
48.0445	0.21	15.51	15.72	40.00	-24.28	peak	PASS
98.6767	0.66	14.11	14.77	43.50	-28.73	peak	PASS
202.1005	4.89	13.95	18.84	43.50	-24.66	peak	PASS
350.3539	5.92	17.78	23.70	46.00	-22.30	peak	PASS
405.5899	8.15	19.15	27.30	46.00	-18.70	peak	PASS
798.2796	2.68	26.15	28.83	46.00	-17.17	peak	PASS




(802.11ac80_5210MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2401.750	51.19	-12.20	38.99	54.00	-15.01	AVG	PASS
2402.100	54.45	-12.20	42.25	68.20	-25.95	peak	PASS
3485.350	39.75	-8.02	31.73	54.00	-22.27	AVG	PASS
3498.300	48.64	-8.48	40.16	68.20	-28.04	peak	PASS
4811.150	45.10	-3.92	41.18	74.00	-32.82	peak	PASS
4936.100	35.82	-3.50	32.32	54.00	-21.68	AVG	PASS
6003.600	36.68	-3.77	32.91	54.00	-21.09	AVG	PASS
6086.200	44.91	-3.40	41.51	68.20	-26.69	peak	PASS
7241.900	41.97	-1.44	40.53	68.20	-27.67	peak	PASS
7289.500	33.30	-1.30	32.00	54.00	-22.00	AVG	PASS
7587.700	41.82	-0.80	41.02	74.00	-32.98	peak	PASS
7726.650	33.25	-0.92	32.33	54.00	-21.67	AVG	PASS




(802.11ac80_5210MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8805.000	33.13	1.82	34.95	54.00	-19.05	AVG	PASS
8885.500	41.49	1.75	43.24	68.20	-24.96	peak	PASS
10494.500	39.53	3.16	42.69	68.20	-25.51	peak	PASS
10637.500	31.33	2.65	33.98	54.00	-20.02	AVG	PASS
12108.500	30.95	3.99	34.94	54.00	-19.06	AVG	PASS
12139.500	39.07	4.22	43.29	74.00	-30.71	peak	PASS
13387.500	39.01	6.62	45.63	74.00	-28.37	peak	PASS
13500.500	29.73	6.73	36.46	54.00	-17.54	AVG	PASS
15056.000	36.93	10.42	47.35	68.20	-20.85	peak	PASS
15077.500	28.12	10.51	38.63	54.00	-15.37	AVG	PASS
16979.000	29.80	11.48	41.28	54.00	-12.72	AVG	PASS
17031.000	39.21	11.09	50.30	68.20	-17.90	peak	PASS




(802.11ac80_5210MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
36.6696	11.29	13.42	24.71	40.00	-15.29	peak	PASS
65.8146	6.03	13.15	19.18	40.00	-20.82	peak	PASS
166.0389	6.82	11.34	18.16	43.50	-25.34	peak	PASS
332.9854	9.09	17.20	26.29	46.00	-19.71	peak	PASS
532.2434	6.64	22.22	28.86	46.00	-17.14	peak	PASS
937.5167	7.53	28.29	35.82	46.00	-10.18	peak	PASS



(802.11ac80_5210MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2454.600	47.77	-11.67	36.10	54.00	-17.90	AVG	PASS
2458.100	52.49	-11.63	40.86	68.20	-27.34	peak	PASS
3479.400	37.25	-6.09	31.16	54.00	-22.84	AVG	PASS
3496.900	45.97	-5.71	40.26	68.20	-27.94	peak	PASS
4351.250	36.33	-4.19	32.14	54.00	-21.86	AVG	PASS
4492.300	44.93	-4.09	40.84	68.20	-27.36	peak	PASS
6028.100	44.47	-2.32	42.15	68.20	-26.05	peak	PASS
6042.450	35.11	-2.34	32.77	54.00	-21.23	AVG	PASS
6884.900	43.47	-2.17	41.30	68.20	-26.90	peak	PASS
6924.800	34.39	-2.02	32.37	54.00	-21.63	AVG	PASS
7698.300	32.97	-0.87	32.10	54.00	-21.90	AVG	PASS
7765.850	41.71	-0.90	40.81	68.20	-27.39	peak	PASS




(802.11ac80_5210MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9090.500	32.49	1.38	33.87	54.00	-20.13	AVG	PASS
9228.500	41.16	1.94	43.10	68.20	-25.10	peak	PASS
11039.500	30.98	3.40	34.38	54.00	-19.62	AVG	PASS
11188.000	40.69	3.10	43.79	74.00	-30.21	peak	PASS
12479.000	39.35	4.70	44.05	74.00	-29.95	peak	PASS
12483.000	30.20	4.71	34.91	54.00	-19.09	AVG	PASS
14142.000	37.75	8.20	45.95	68.20	-22.25	peak	PASS
14142.000	29.29	8.20	37.49	54.00	-16.51	AVG	PASS
15730.500	37.92	10.55	48.47	74.00	-25.53	peak	PASS
16048.500	28.50	11.33	39.83	54.00	-14.17	AVG	PASS
16974.000	28.03	13.04	41.07	54.00	-12.93	AVG	PASS
17099.000	37.69	12.43	50.12	68.20	-18.08	peak	PASS




Plots for Channel = 155




(802.11ac80_5775MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.2597	-0.09	15.29	15.20	40.00	-24.80	peak	PASS
66.3592	2.93	12.95	15.88	40.00	-24.12	peak	PASS
162.1551	6.23	11.77	18.00	43.50	-25.50	peak	PASS
298.4250	6.70	16.98	23.68	46.00	-22.32	peak	PASS
405.5899	8.15	19.15	27.30	46.00	-18.70	peak	PASS
798.2796	2.68	26.15	28.83	46.00	-17.17	peak	PASS




(802.11ac80_5775MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2005.200	48.36	-13.27	35.09	68.20	-33.11	peak	PASS
2023.400	39.09	-12.68	26.41	54.00	-27.59	AVG	PASS
3481.500	38.23	-7.88	30.35	54.00	-23.65	AVG	PASS
3510.200	47.94	-8.42	39.52	68.20	-28.68	peak	PASS
4243.100	45.33	-4.99	40.34	74.00	-33.66	peak	PASS
4384.500	35.99	-4.60	31.39	54.00	-22.61	AVG	PASS
4955.000	34.66	-3.44	31.22	54.00	-22.78	AVG	PASS
5126.150	44.80	-4.02	40.78	74.00	-33.22	peak	PASS
6469.800	34.74	-3.10	31.64	54.00	-22.36	AVG	PASS
6502.350	43.51	-3.22	40.29	68.20	-27.91	peak	PASS
7532.750	32.40	-0.90	31.50	54.00	-22.50	AVG	PASS
7546.400	40.23	-0.88	39.35	74.00	-34.65	peak	PASS




(802.11ac80_5775MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8751.000	33.38	1.66	35.04	54.00	-18.96	AVG	PASS
8900.000	41.23	1.61	42.84	68.20	-25.36	peak	PASS
10481.000	31.09	3.08	34.17	54.00	-19.83	AVG	PASS
10483.000	39.84	3.09	42.93	68.20	-25.27	peak	PASS
12452.000	29.90	4.86	34.76	54.00	-19.24	AVG	PASS
12489.500	38.20	5.17	43.37	74.00	-30.63	peak	PASS
14097.000	29.09	8.20	37.29	54.00	-16.71	AVG	PASS
14150.500	37.58	8.26	45.84	68.20	-22.36	peak	PASS
15436.000	37.30	10.44	47.74	74.00	-26.26	peak	PASS
15647.000	28.14	10.88	39.02	54.00	-14.98	AVG	PASS
17017.500	30.26	11.12	41.38	54.00	-12.62	AVG	PASS
17031.000	39.21	11.09	50.30	68.20	-17.90	peak	PASS




(802.11ac80_5775MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
36.6696	11.29	13.42	24.71	40.00	-15.29	peak	PASS
65.2745	6.93	13.31	20.24	40.00	-19.76	peak	PASS
182.8796	4.79	12.47	17.26	43.50	-26.24	peak	PASS
332.9854	9.09	17.20	26.29	46.00	-19.71	peak	PASS
382.1186	7.75	18.95	26.70	46.00	-19.30	peak	PASS
937.5167	7.53	28.29	35.82	46.00	-10.18	peak	PASS



(802.11ac80_5775MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2003.450	38.28	-11.89	26.39	54.00	-27.61	AVG	PASS
2006.950	47.58	-12.24	35.34	68.20	-32.86	peak	PASS
3468.550	45.09	-6.34	38.75	68.20	-29.45	peak	PASS
3504.600	35.92	-5.89	30.03	54.00	-23.97	AVG	PASS
4456.250	36.20	-4.88	31.32	54.00	-22.68	AVG	PASS
4483.900	43.98	-4.27	39.71	68.20	-28.49	peak	PASS
5374.650	43.58	-3.82	39.76	74.00	-34.24	peak	PASS
5489.800	35.16	-3.28	31.88	54.00	-22.12	AVG	PASS
6491.150	42.14	-2.12	40.02	68.20	-28.18	peak	PASS
6491.150	33.93	-2.12	31.81	54.00	-22.19	AVG	PASS
7496.350	32.33	-1.08	31.25	54.00	-22.75	AVG	PASS
7514.200	40.61	-1.02	39.59	74.00	-34.41	peak	PASS



(802.11ac80_5775MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9232.000	41.13	1.97	43.10	68.20	-25.10	peak	PASS
9455.000	32.31	2.18	34.49	54.00	-19.51	AVG	PASS
10822.000	39.51	3.08	42.59	74.00	-31.41	peak	PASS
11039.500	30.98	3.40	34.38	54.00	-19.62	AVG	PASS
12076.000	39.03	4.77	43.80	74.00	-30.20	peak	PASS
12129.000	30.53	4.38	34.91	54.00	-19.09	AVG	PASS
13730.500	38.82	7.19	46.01	68.20	-22.19	peak	PASS
13885.500	28.68	7.70	36.38	54.00	-17.62	AVG	PASS
15937.500	37.18	11.32	48.50	74.00	-25.50	peak	PASS
16067.000	28.81	11.30	40.11	54.00	-13.89	AVG	PASS
17715.000	38.20	14.52	52.72	74.00	-21.28	peak	PASS
17721.000	29.36	14.58	43.94	54.00	-10.06	AVG	PASS



2.9. Automatically discontinue transmission requirement

2.9.1. Requirement

According to 15.407(c), the device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met

2.9.2. Result

The EUT will automatically discontinue transmission in case of either absence of information to transmit or operational failure.



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Peak Output Power	$\pm 2.22\text{dB}$
Power spectral density (PSD)	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Restricted Frequency Bands	$\pm 5\%$
Radiated Emission	$\pm 3.1\text{dB}$
Conducted Emission	$\pm 1.8\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Kehu-Morlab Test Laboratory
Laboratory Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) , P.R. China
Telephone:	+86 592 5612050
Facsimile:	+86 592 5612095

2. Identification of the Responsible Testing Location

Name:	Kehu-Morlab Test Laboratory
Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) , P.R. China

3. Accreditation Certificate

Accredited Testing Laboratory:	The FCC designation number is CN1249. (Kehu-Morlab Test Laboratory)
---------------------------------------	--

4. Test Equipments Utilized

4.1 Conducted Test Equipments

No	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	MXA Signal Analyzer	MY53421845	N9020A	Keysight	2021.03.08
2	RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2021.03.06
3	Coaxial cable	RF02	N/A	Morlab	2021.03.06
4	SMA connector	RF03	N/A	Xingbo	2021.03.06
5	USB Power Sensor	MY56410006	U2021XA	Keysight	2021.06.04

4.2 Conducted Emission Test Equipments

No	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	EMI Receiver	102174	ESR3	ESR3	2021.03.15
2	LISN	101338	ENV432	ENV432	2021.03.09
3	Pulse Limiter (10dB)	317	VTSD 9561 F	VTSD 9561 F	2021.03.13
4	Coaxial cable(BNC) (30MHz-3GHz)	EMC01	N/A	Morlab	2021.03.13



4.4 List of Software Used

No	Model	Version Number	Producer	Test Item
1	EMC32	V10.00.00	Rode&Schwarz	RE
2	EMC32	V10.20.01	Rode&Schwarz	CE

4.5 Radiated Test Equipments

RSE Test System					
No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2022.07.20
2	Signal Analyzer	101294	FSV40	R&S	2021.06.04
3	Active Ring Antenna	FMZB 1513 #269	FMZB 1513	Schwarzbeck	2022.01.11
4	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2021.09.24
5	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2022.01.18
6	Steatite Antennas	17868	QSH-SL-18 -26-S-20	Seibersdorf	2021.03.11
7	Ultra-Wideband Horn Antenna	17989	QSH-26-40	Schwarzbeck	2021.03.11
8	RF Switch and Control Platform	N/A	RSC	CDSI	N/A
9	Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	2021.03.23
10	Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2021.03.23
11	Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2021.03.23
12	Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2021.03.23
13	Pre-amplifier (1GHz-18GHz)	8810011	PAP-1G18	CDSI	2021.03.23
14	Pre-amplifier (18GHz-40GHz)	17021-1702 4	PAP-1840	CDSI	2021.03.23



REPORT No. : XM20070009W07

15	Band stop Filter	EMC23	BJF5150/53 50-50	CDSI	2021.03.23
16	Band stop Filter	EMC25	BJF5725/58 50-50	CDSI	2021.03.23
17	High Pass Filter	EMC26	HFP-8.0/18 G-60	CDSI	2021.03.23

————— END OF REPORT —————