



(1XEVD0 Rev A BC 0 _ CH 1013 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
2608.200	-61.24	0.77	-60.47	-13.00	-47.47	peak	PASS
4989.050	-64.02	8.74	-55.28	-13.00	-42.28	peak	PASS
7511.850	-65.54	10.36	-55.18	-13.00	-42.18	peak	PASS
10265.000	-67.42	13.53	-53.89	-13.00	-40.89	peak	PASS
13315.650	-70.74	16.27	-54.47	-13.00	-41.47	peak	PASS
15935.350	-71.24	21.08	-50.16	-13.00	-37.16	peak	PASS



(1XEVD0 Rev A BC 0 _ CH 384 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.5282	-87.01	29.66	-57.35	-13.00	-44.35	peak	PASS
73.5009	-87.22	21.63	-65.59	-13.00	-52.59	peak	PASS
152.3166	-85.19	19.95	-65.24	-13.00	-52.24	peak	PASS
273.0425	-87.69	28.92	-58.77	-13.00	-45.77	peak	PASS
483.4007	-86.20	30.74	-55.46	-13.00	-42.46	peak	PASS
836.3910	-20.89	36.97	16.08	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 0 _ CH 384 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3146.250	-62.69	5.13	-57.56	-13.00	-44.56	peak	PASS
5010.300	-63.79	8.64	-55.15	-13.00	-42.15	peak	PASS
8272.600	-66.45	11.49	-54.96	-13.00	-41.96	peak	PASS
11183.850	-67.74	13.22	-54.52	-13.00	-41.52	peak	PASS
13878.350	-69.67	17.76	-51.91	-13.00	-38.91	peak	PASS
17286.850	-71.04	23.29	-47.75	-13.00	-34.75	peak	PASS



(1XEVD0 Rev A BC 0 _ CH 384 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.6839	-79.92	21.66	-58.26	-13.00	-45.26	peak	PASS
73.7333	-87.29	22.24	-65.05	-13.00	-52.05	peak	PASS
141.6523	-89.64	23.42	-66.22	-13.00	-53.22	peak	PASS
283.1837	-85.95	27.25	-58.70	-13.00	-45.70	peak	PASS
523.3599	-87.39	32.57	-54.82	-13.00	-41.82	peak	PASS
836.3910	-28.69	37.01	8.32	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 0 _ CH 384 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3108.000	-62.04	4.37	-57.67	-13.00	-44.67	peak	PASS
6132.300	-64.02	9.82	-54.20	-13.00	-41.20	peak	PASS
9513.600	-66.95	13.40	-53.55	-13.00	-40.55	peak	PASS
12287.150	-68.74	14.52	-54.22	-13.00	-41.22	peak	PASS
14442.750	-71.09	18.71	-52.38	-13.00	-39.38	peak	PASS
16533.750	-72.26	22.03	-50.23	-13.00	-37.23	peak	PASS



(1XEVD0 Rev A BC 0 _ CH 777 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.8606	-86.17	29.65	-56.52	-13.00	-43.52	peak	PASS
80.4324	-87.82	21.44	-66.38	-13.00	-53.38	peak	PASS
139.0928	-87.32	18.98	-68.34	-13.00	-55.34	peak	PASS
266.6089	-87.63	29.00	-58.63	-13.00	-45.63	peak	PASS
507.0122	-87.43	31.19	-56.24	-13.00	-43.24	peak	PASS
848.6513	-22.98	37.14	14.16	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 0 _ CH 777 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3187.050	-62.03	5.09	-56.94	-13.00	-43.94	peak	PASS
5771.050	-64.05	9.02	-55.03	-13.00	-42.03	peak	PASS
8828.500	-66.22	12.91	-53.31	-13.00	-40.31	peak	PASS
11731.250	-69.05	14.04	-55.01	-13.00	-42.01	peak	PASS
14020.300	-71.39	18.16	-53.23	-13.00	-40.23	peak	PASS
16547.350	-72.85	22.65	-50.20	-13.00	-37.20	peak	PASS



(1XEVD0 Rev A BC 0 _ CH 777 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.8811	-79.35	21.64	-57.71	-13.00	-44.71	peak	PASS
73.8886	-86.52	22.25	-64.27	-13.00	-51.27	peak	PASS
147.6105	-88.15	22.96	-65.19	-13.00	-52.19	peak	PASS
264.5601	-83.59	25.63	-57.96	-13.00	-44.96	peak	PASS
503.8221	-87.44	31.72	-55.72	-13.00	-42.72	peak	PASS
848.0563	-25.01	37.07	12.06	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 0 _ CH 777 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
2019.150	-60.28	-0.85	-61.13	-13.00	-48.13	peak	PASS
4546.200	-62.62	7.65	-54.97	-13.00	-41.97	peak	PASS
7229.650	-66.20	10.21	-55.99	-13.00	-42.99	peak	PASS
9979.400	-67.26	13.46	-53.80	-13.00	-40.80	peak	PASS
12582.100	-69.01	15.18	-53.83	-13.00	-40.83	peak	PASS
15245.150	-71.87	20.69	-51.18	-13.00	-38.18	peak	PASS




(CDMA BC 1 _ CH 25 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
31.6590	-86.51	27.48	-59.03	-13.00	-46.03	peak	PASS
53.0941	-86.88	30.03	-56.85	-13.00	-43.85	peak	PASS
100.0705	-85.92	22.23	-63.69	-13.00	-50.69	peak	PASS
241.7187	-86.81	28.57	-58.24	-13.00	-45.24	peak	PASS
596.2818	-85.96	35.65	-50.31	-13.00	-37.31	peak	PASS
989.8825	-84.87	39.22	-45.65	-13.00	-32.65	peak	PASS




(CDMA BC 1 _ CH 25 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1012.547	-74.25	38.83	-35.62	-13.00	-22.62	peak	PASS
1243.270	-75.46	41.33	-34.43	-13.00	-21.43	peak	PASS
1523.215	-75.25	43.74	-31.31	-13.00	-18.31	peak	PASS
1851.391	-27.33	46.43	19.20	N/A	N/A	peak	N/A
2323.118	-74.67	50.52	-24.05	-13.00	-11.05	peak	PASS
2984.386	-74.44	55.73	-18.78	-13.00	-5.78	peak	PASS




(CDMA BC 1 _ CH 25 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3200.250	-59.17	6.79	-52.38	-13.00	-39.38	peak	PASS
6135.750	-61.60	10.95	-50.65	-13.00	-37.65	peak	PASS
9519.750	-64.27	14.32	-49.95	-13.00	-36.95	peak	PASS
12399.000	-66.66	16.06	-50.60	-13.00	-37.60	peak	PASS
14863.500	-68.05	20.10	-47.95	-13.00	-34.95	peak	PASS
17735.250	-71.10	25.90	-45.20	-13.00	-32.20	peak	PASS




(CDMA BC 1 _ CH 25 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.3758	-74.33	19.65	-54.68	-13.00	-41.68	peak	PASS
53.1313	-80.96	23.43	-57.53	-13.00	-44.53	peak	PASS
94.6273	-91.64	26.99	-64.65	-13.00	-51.65	peak	PASS
274.0977	-83.47	26.29	-57.18	-13.00	-44.18	peak	PASS
601.5320	-84.74	34.32	-50.42	-13.00	-37.42	peak	PASS
980.5548	-85.61	39.02	-46.59	-13.00	-33.59	peak	PASS



(CDMA BC 1 _ CH 25 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1046.460	-77.30	39.80	-37.57	-13.00	-24.57	peak	PASS
1291.542	-77.70	42.17	-35.43	-13.00	-22.43	peak	PASS
1575.126	-77.11	44.11	-33.12	-13.00	-20.12	peak	PASS
1851.367	-46.64	46.31	-0.34	N/A	N/A	peak	N/A
2211.783	-76.58	50.22	-26.13	-13.00	-13.13	peak	PASS
2637.213	-74.77	53.76	-21.50	-13.00	-8.50	peak	PASS




(CDMA BC 1 _ CH 25 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3888.750	-60.02	8.20	-51.82	-13.00	-38.82	peak	PASS
6104.250	-60.86	10.89	-49.97	-13.00	-36.97	peak	PASS
8934.750	-64.40	14.56	-49.84	-13.00	-36.84	peak	PASS
11886.750	-64.95	14.77	-50.18	-13.00	-37.18	peak	PASS
14480.250	-67.18	19.23	-47.95	-13.00	-34.95	peak	PASS
17708.250	-69.35	24.27	-45.08	-13.00	-32.08	peak	PASS




(CDMA BC 1 _ CH 600 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.7832	-87.16	27.69	-59.47	-13.00	-46.47	peak	PASS
46.7811	-87.42	29.73	-57.69	-13.00	-44.69	peak	PASS
100.1056	-87.47	22.24	-65.23	-13.00	-52.23	peak	PASS
242.7805	-87.43	28.61	-58.82	-13.00	-45.82	peak	PASS
586.2267	-85.56	34.69	-50.87	-13.00	-37.87	peak	PASS
914.1434	-85.58	38.20	-47.38	-13.00	-34.38	peak	PASS




(CDMA BC 1 _ CH 600 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1074.497	-75.14	39.83	-35.51	-13.00	-22.51	peak	PASS
1336.734	-74.61	41.87	-32.64	-13.00	-19.64	peak	PASS
1606.123	-75.00	44.33	-30.69	-13.00	-17.69	peak	PASS
1879.541	-28.61	46.88	18.37	N/A	N/A	peak	N/A
2204.374	-75.00	49.82	-25.28	-13.00	-12.28	peak	PASS
2739.953	-74.25	53.84	-20.47	-13.00	-7.47	peak	PASS




(CDMA BC 1 _ CH 600 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3455.250	-59.87	6.90	-52.97	-13.00	-39.97	peak	PASS
6997.500	-61.72	11.20	-50.52	-13.00	-37.52	peak	PASS
9336.000	-64.11	14.07	-50.04	-13.00	-37.04	peak	PASS
11745.750	-66.05	15.14	-50.91	-13.00	-37.91	peak	PASS
14903.250	-67.40	19.93	-47.47	-13.00	-34.47	peak	PASS
17517.750	-70.97	25.04	-45.93	-13.00	-32.93	peak	PASS




(CDMA BC 1 _ CH 600 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.5199	-73.97	19.70	-54.27	-13.00	-41.27	peak	PASS
60.6299	-82.53	24.07	-58.46	-13.00	-45.46	peak	PASS
94.5444	-92.06	26.95	-65.11	-13.00	-52.11	peak	PASS
240.4085	-83.26	24.81	-58.45	-13.00	-45.45	peak	PASS
622.7808	-84.79	34.25	-50.54	-13.00	-37.54	peak	PASS
981.7590	-85.80	39.04	-46.76	-13.00	-33.76	peak	PASS




(CDMA BC 1 _ CH 600 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1014.596	-73.65	38.37	-35.58	-13.00	-22.58	peak	PASS
1216.752	-75.27	41.12	-34.16	-13.00	-21.16	peak	PASS
1446.433	-75.14	43.33	-31.83	-13.00	-18.83	peak	PASS
1880.366	-33.98	46.75	12.79	N/A	N/A	peak	N/A
2222.431	-75.22	50.17	-25.55	-13.00	-12.55	peak	PASS
2874.747	-74.32	54.89	-19.40	-13.00	-6.40	peak	PASS




(CDMA BC 1 _ CH 600 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3115.500	-59.91	7.25	-52.66	-13.00	-39.66	peak	PASS
6324.000	-61.65	11.17	-50.48	-13.00	-37.48	peak	PASS
9240.750	-64.60	14.75	-49.85	-13.00	-36.85	peak	PASS
12783.000	-67.30	16.86	-50.44	-13.00	-37.44	peak	PASS
15730.500	-69.19	22.46	-46.73	-13.00	-33.73	peak	PASS
17700.000	-69.45	24.10	-45.35	-13.00	-32.35	peak	PASS




(CDMA BC 1 _ CH 1175 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
31.9098	-86.95	27.46	-59.49	-13.00	-46.49	peak	PASS
53.7685	-87.25	29.86	-57.39	-13.00	-44.39	peak	PASS
93.6370	-87.22	22.45	-64.77	-13.00	-51.77	peak	PASS
255.7576	-87.40	28.90	-58.50	-13.00	-45.50	peak	PASS
612.6010	-86.14	35.48	-50.66	-13.00	-37.66	peak	PASS
992.6633	-86.19	39.07	-47.12	-13.00	-34.12	peak	PASS




(CDMA BC 1 _ CH 1175 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1049.673	-75.55	39.88	-35.57	-13.00	-22.57	peak	PASS
1363.642	-75.24	42.15	-33.19	-13.00	-20.19	peak	PASS
1611.539	-75.15	44.33	-30.72	-13.00	-17.72	peak	PASS
1908.884	-29.34	47.03	17.59	N/A	N/A	peak	N/A
2342.713	-74.52	50.69	-23.93	-13.00	-10.93	peak	PASS
2981.540	-74.06	55.71	-18.64	-13.00	-5.64	peak	PASS




(CDMA BC 1 _ CH 1175 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3816.750	-58.87	7.70	-51.17	-13.00	-38.17	peak	PASS
6560.250	-61.52	11.55	-49.97	-13.00	-36.97	peak	PASS
8958.750	-64.70	14.64	-50.06	-13.00	-37.06	peak	PASS
11052.750	-64.43	14.36	-50.07	-13.00	-37.07	peak	PASS
14504.250	-67.75	19.59	-48.16	-13.00	-35.16	peak	PASS
17320.500	-69.19	24.38	-44.81	-13.00	-31.81	peak	PASS




(CDMA BC 1 _ CH 1175 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.3918	-75.28	19.65	-55.63	-13.00	-42.63	peak	PASS
61.0459	-81.76	23.83	-57.93	-13.00	-44.93	peak	PASS
94.5941	-91.35	26.97	-64.38	-13.00	-51.38	peak	PASS
239.6930	-83.63	24.76	-58.87	-13.00	-45.87	peak	PASS
591.0774	-85.95	34.33	-51.62	-13.00	-38.62	peak	PASS
966.7278	-85.61	38.16	-47.45	-13.00	-34.45	peak	PASS




(CDMA BC 1 _ CH 1175 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1011.613	-73.67	38.46	-35.51	-13.00	-22.51	peak	PASS
1260.446	-75.20	41.58	-33.42	-13.00	-20.42	peak	PASS
1415.371	-74.13	42.39	-31.34	-13.00	-18.34	peak	PASS
1909.837	-36.04	47.32	11.58	N/A	N/A	peak	N/A
2430.949	-74.06	51.51	-22.45	-13.00	-9.45	peak	PASS
2972.354	-74.44	55.78	-18.76	-13.00	-5.76	peak	PASS




(CDMA BC 1 _ CH 1175 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3145.500	-59.07	6.81	-52.26	-13.00	-39.26	peak	PASS
6103.500	-61.81	10.90	-50.91	-13.00	-37.91	peak	PASS
8876.250	-63.42	14.15	-49.27	-13.00	-36.27	peak	PASS
13299.750	-66.12	16.99	-49.13	-13.00	-36.13	peak	PASS
16080.750	-68.86	22.03	-46.83	-13.00	-33.83	peak	PASS
17715.750	-69.66	24.41	-45.25	-13.00	-32.25	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 25 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.6057	-73.96	19.72	-54.24	-13.00	-41.24	peak	PASS
59.2013	-81.27	23.53	-57.74	-13.00	-44.74	peak	PASS
94.5278	-90.25	26.93	-63.32	-13.00	-50.32	peak	PASS
254.2821	-83.68	25.22	-58.46	-13.00	-45.46	peak	PASS
618.6454	-84.74	34.30	-50.44	-13.00	-37.44	peak	PASS
982.9646	-85.41	39.07	-46.34	-13.00	-33.34	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 25 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1148.148	-76.90	40.20	-36.70	-13.00	-23.70	peak	PASS
1301.552	-76.12	42.22	-33.90	-13.00	-20.90	peak	PASS
1595.146	-76.43	44.32	-32.11	-13.00	-19.11	peak	PASS
1851.391	-34.99	46.43	11.44	N/A	N/A	peak	N/A
2193.520	-75.17	49.37	-25.80	-13.00	-12.80	peak	PASS
2610.464	-74.34	53.15	-21.19	-13.00	-8.19	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 25 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
4881.750	-63.82	9.72	-54.10	-13.00	-41.10	peak	PASS
6956.250	-65.64	11.29	-54.35	-13.00	-41.35	peak	PASS
9539.250	-67.36	14.56	-52.80	-13.00	-39.80	peak	PASS
11731.500	-68.87	15.14	-53.73	-13.00	-40.73	peak	PASS
14369.250	-71.58	20.22	-51.36	-13.00	-38.36	peak	PASS
17112.000	-72.62	23.47	-49.15	-13.00	-36.15	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 25 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.5574	-72.99	19.71	-53.28	-13.00	-40.28	peak	PASS
53.5428	-80.16	23.32	-56.84	-13.00	-43.84	peak	PASS
94.5444	-90.66	26.95	-63.71	-13.00	-50.71	peak	PASS
251.6653	-82.70	25.20	-57.50	-13.00	-44.50	peak	PASS
595.4460	-84.40	34.59	-49.81	-13.00	-36.81	peak	PASS
976.6087	-85.15	38.79	-46.36	-13.00	-33.36	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 25 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1172.109	-76.64	40.25	-36.39	-13.00	-23.39	peak	PASS
1402.509	-75.41	42.39	-33.02	-13.00	-20.02	peak	PASS
1662.235	-75.89	44.39	-31.50	-13.00	-18.50	peak	PASS
1851.391	-35.03	46.31	11.28	N/A	N/A	peak	N/A
2227.764	-74.80	49.99	-24.81	-13.00	-11.81	peak	PASS
2640.896	-75.09	53.81	-21.28	-13.00	-8.28	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 25 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
5336.250	-64.21	9.88	-54.33	-13.00	-41.33	peak	PASS
7277.250	-65.53	11.24	-54.29	-13.00	-41.29	peak	PASS
9555.000	-68.01	14.94	-53.07	-13.00	-40.07	peak	PASS
11728.500	-68.90	15.09	-53.81	-13.00	-40.81	peak	PASS
13649.250	-70.48	18.23	-52.25	-13.00	-39.25	peak	PASS
16095.000	-71.92	22.01	-49.91	-13.00	-36.91	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 600 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.0000	-78.06	19.51	-58.55	-13.00	-45.55	peak	PASS
52.3454	-82.06	23.29	-58.77	-13.00	-45.77	peak	PASS
94.6937	-92.82	27.04	-65.78	-13.00	-52.78	peak	PASS
252.0627	-83.58	25.22	-58.36	-13.00	-45.36	peak	PASS
609.0668	-85.36	34.35	-51.01	-13.00	-38.01	peak	PASS
948.5947	-85.97	38.66	-47.31	-13.00	-34.31	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 600 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1074.497	-75.14	39.83	-35.51	-13.00	-22.51	peak	PASS
1336.734	-74.61	41.87	-32.64	-13.00	-19.64	peak	PASS
1606.123	-75.00	44.33	-30.69	-13.00	-17.69	peak	PASS
1879.541	-28.61	46.88	18.37	N/A	N/A	peak	N/A
2204.374	-75.00	49.82	-25.28	-13.00	-12.28	peak	PASS
2739.953	-74.25	53.84	-20.47	-13.00	-7.47	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 600 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
4125.000	-61.83	8.57	-53.26	-13.00	-40.26	peak	PASS
6004.500	-64.06	10.66	-53.40	-13.00	-40.40	peak	PASS
9910.500	-67.49	14.35	-53.14	-13.00	-40.14	peak	PASS
13592.250	-70.27	17.57	-52.70	-13.00	-39.70	peak	PASS
14841.000	-70.95	20.15	-50.80	-13.00	-37.80	peak	PASS
16924.500	-72.77	23.36	-49.41	-13.00	-36.41	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 600 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.2270	-74.10	19.59	-54.51	-13.00	-41.51	peak	PASS
52.6860	-81.59	23.41	-58.18	-13.00	-45.18	peak	PASS
96.2841	-91.03	27.27	-63.76	-13.00	-50.76	peak	PASS
243.0787	-83.19	24.89	-58.30	-13.00	-45.30	peak	PASS
623.4363	-85.38	34.25	-51.13	-13.00	-38.13	peak	PASS
985.2076	-85.99	39.11	-46.88	-13.00	-33.88	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 600 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1172.817	-76.42	40.26	-36.16	-13.00	-23.16	peak	PASS
1425.499	-75.59	42.54	-33.05	-13.00	-20.05	peak	PASS
1641.457	-76.20	44.00	-32.20	-13.00	-19.20	peak	PASS
1879.880	-36.13	46.74	10.61	N/A	N/A	peak	N/A
2165.506	-74.95	49.02	-25.93	-13.00	-12.93	peak	PASS
2563.007	-74.41	52.97	-21.44	-13.00	-8.44	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 600 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
5025.000	-61.66	9.82	-51.84	-13.00	-38.84	peak	PASS
7805.250	-66.12	11.75	-54.37	-13.00	-41.37	peak	PASS
9470.250	-67.07	14.41	-52.66	-13.00	-39.66	peak	PASS
11729.250	-68.93	15.09	-53.84	-13.00	-40.84	peak	PASS
14409.750	-72.05	20.15	-51.90	-13.00	-38.90	peak	PASS
16661.250	-71.92	22.70	-49.22	-13.00	-36.22	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 1175 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.3013	-73.15	19.62	-53.53	-13.00	-40.53	peak	PASS
53.1686	-80.24	23.43	-56.81	-13.00	-43.81	peak	PASS
93.9495	-90.50	26.51	-63.99	-13.00	-50.99	peak	PASS
231.4743	-82.47	24.25	-58.22	-13.00	-45.22	peak	PASS
606.9348	-83.35	34.31	-49.04	-13.00	-36.04	peak	PASS
996.4996	-85.71	38.84	-46.87	-13.00	-33.87	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 1175 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1181.612	-76.37	40.68	-35.69	-13.00	-22.69	peak	PASS
1377.466	-75.54	42.20	-33.34	-13.00	-20.34	peak	PASS
1656.493	-75.66	44.34	-31.32	-13.00	-18.32	peak	PASS
1879.776	-31.18	46.88	15.70	N/A	N/A	peak	N/A
2198.587	-75.04	49.55	-25.49	-13.00	-12.49	peak	PASS
2630.328	-74.16	53.75	-20.41	-13.00	-7.41	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 1175 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
4986.000	-64.17	9.84	-54.33	-13.00	-41.33	peak	PASS
8955.000	-66.22	14.62	-51.60	-13.00	-38.60	peak	PASS
10624.500	-68.24	14.41	-53.83	-13.00	-40.83	peak	PASS
13283.250	-68.44	17.03	-51.41	-13.00	-38.41	peak	PASS
15261.000	-71.82	21.01	-50.81	-13.00	-37.81	peak	PASS
16912.500	-73.14	23.38	-49.76	-13.00	-36.76	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 1175 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.4131	-74.00	19.66	-54.34	-13.00	-41.34	peak	PASS
58.3256	-80.60	22.67	-57.93	-13.00	-44.93	peak	PASS
94.0814	-89.63	26.62	-63.01	-13.00	-50.01	peak	PASS
244.0181	-83.50	25.03	-58.47	-13.00	-45.47	peak	PASS
598.4813	-84.77	34.48	-50.29	-13.00	-37.29	peak	PASS
977.9794	-85.05	38.91	-46.14	-13.00	-33.14	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 1175 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1170.757	-76.12	40.23	-35.89	-13.00	-22.89	peak	PASS
1296.200	-75.08	42.06	-33.02	-13.00	-20.02	peak	PASS
1559.451	-75.80	44.20	-31.60	-13.00	-18.60	peak	PASS
1908.283	-35.51	47.33	11.82	N/A	N/A	peak	N/A
2322.608	-74.86	50.82	-24.04	-13.00	-11.04	peak	PASS
2655.589	-74.23	53.75	-20.48	-13.00	-7.48	peak	PASS




(1XEVD0 Rev 0 BC 1 _ CH 1175 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
5176.500	-62.36	9.55	-52.81	-13.00	-39.81	peak	PASS
7633.500	-66.98	12.23	-54.75	-13.00	-41.75	peak	PASS
9455.250	-67.24	14.52	-52.72	-13.00	-39.72	peak	PASS
11685.000	-68.41	15.01	-53.40	-13.00	-40.40	peak	PASS
13725.750	-70.71	18.05	-52.66	-13.00	-39.66	peak	PASS
16311.000	-71.36	22.63	-48.73	-13.00	-35.73	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 25 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.7246	-88.82	29.66	-59.16	-13.00	-46.16	peak	PASS
60.0375	-90.12	28.85	-61.27	-13.00	-48.27	peak	PASS
95.0930	-89.31	22.80	-66.51	-13.00	-53.51	peak	PASS
247.8122	-89.97	28.92	-61.05	-13.00	-48.05	peak	PASS
599.9521	-85.89	35.61	-50.28	-13.00	-37.28	peak	PASS
983.8267	-87.96	39.41	-48.55	-13.00	-35.55	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 25 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1132.427	-75.66	39.89	-35.77	-13.00	-22.77	peak	PASS
1410.854	-74.57	42.94	-31.63	-13.00	-18.63	peak	PASS
1683.554	-74.89	44.48	-30.41	-13.00	-17.41	peak	PASS
1850.780	-27.20	46.41	19.21	N/A	N/A	peak	N/A
2179.348	-74.91	49.28	-25.63	-13.00	-12.63	peak	PASS
2673.885	-73.98	53.47	-20.51	-13.00	-7.51	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 25 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
5019.000	-65.10	9.99	-55.11	-13.00	-42.11	peak	PASS
6984.750	-64.79	11.23	-53.56	-13.00	-40.56	peak	PASS
8905.500	-66.56	14.18	-52.38	-13.00	-39.38	peak	PASS
11749.500	-69.97	15.14	-54.83	-13.00	-41.83	peak	PASS
14553.000	-70.87	20.16	-50.71	-13.00	-37.71	peak	PASS
16952.250	-71.60	23.39	-48.21	-13.00	-35.21	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 25 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.5467	-79.06	19.71	-59.35	-13.00	-46.35	peak	PASS
60.3118	-83.05	24.18	-58.87	-13.00	-45.87	peak	PASS
94.7601	-92.53	27.07	-65.46	-13.00	-52.46	peak	PASS
261.1040	-85.93	25.59	-60.34	-13.00	-47.34	peak	PASS
626.7241	-86.24	34.15	-52.09	-13.00	-39.09	peak	PASS
990.0561	-86.51	38.99	-47.52	-13.00	-34.52	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 25 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1125.172	-76.71	39.72	-36.99	-13.00	-23.99	peak	PASS
1307.930	-75.54	41.63	-33.91	-13.00	-20.91	peak	PASS
1586.756	-76.07	43.90	-32.17	-13.00	-19.17	peak	PASS
1850.882	-40.21	46.29	6.08	N/A	N/A	peak	N/A
2090.814	-76.08	47.95	-28.13	-13.00	-15.13	peak	PASS
2445.014	-74.58	51.46	-23.12	-13.00	-10.12	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 25 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
5005.500	-63.67	9.85	-53.82	-13.00	-40.82	peak	PASS
7187.250	-66.40	11.48	-54.92	-13.00	-41.92	peak	PASS
9061.500	-66.26	14.01	-52.25	-13.00	-39.25	peak	PASS
10998.000	-66.82	14.30	-52.52	-13.00	-39.52	peak	PASS
14405.250	-69.77	20.15	-49.62	-13.00	-36.62	peak	PASS
16311.750	-72.55	22.64	-49.91	-13.00	-36.91	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 600 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.4291	-89.02	27.57	-61.45	-13.00	-48.45	peak	PASS
53.2806	-91.04	30.00	-61.04	-13.00	-48.04	peak	PASS
87.2187	-89.55	21.89	-67.66	-13.00	-54.66	peak	PASS
281.4019	-89.14	28.88	-60.26	-13.00	-47.26	peak	PASS
621.5809	-86.74	35.30	-51.44	-13.00	-38.44	peak	PASS
973.0195	-87.30	38.93	-48.37	-13.00	-35.37	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 600 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1159.557	-77.34	40.24	-37.10	-13.00	-24.10	peak	PASS
1342.211	-76.24	41.90	-34.34	-13.00	-21.34	peak	PASS
1587.890	-76.40	44.27	-32.13	-13.00	-19.13	peak	PASS
1879.776	-23.86	46.88	23.02	N/A	N/A	peak	N/A
2222.386	-76.03	50.06	-25.97	-13.00	-12.97	peak	PASS
2662.161	-74.42	53.71	-20.71	-13.00	-7.71	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 600 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
5325.750	-63.80	9.88	-53.92	-13.00	-40.92	peak	PASS
7642.500	-65.65	12.35	-53.30	-13.00	-40.30	peak	PASS
9136.500	-65.54	13.81	-51.73	-13.00	-38.73	peak	PASS
11773.500	-68.91	14.95	-53.96	-13.00	-40.96	peak	PASS
14391.750	-71.79	20.21	-51.58	-13.00	-38.58	peak	PASS
16114.500	-69.79	22.27	-47.52	-13.00	-34.52	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 600 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
32.2190	-87.37	27.41	-59.96	-13.00	-46.96	peak	PASS
60.5131	-86.48	28.66	-57.82	-13.00	-44.82	peak	PASS
93.5386	-88.04	22.40	-65.64	-13.00	-52.64	peak	PASS
244.5749	-87.77	28.98	-58.79	-13.00	-45.79	peak	PASS
622.0169	-87.23	35.29	-51.94	-13.00	-38.94	peak	PASS
984.5169	-88.07	39.42	-48.65	-13.00	-35.65	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 600 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1124.616	-77.00	39.71	-37.29	-13.00	-24.29	peak	PASS
1306.422	-75.79	41.70	-34.09	-13.00	-21.09	peak	PASS
1540.465	-76.71	44.18	-32.53	-13.00	-19.53	peak	PASS
1880.189	-35.25	46.75	11.50	N/A	N/A	peak	N/A
2208.998	-76.44	50.08	-26.36	-13.00	-13.36	peak	PASS
2659.968	-74.23	53.69	-20.54	-13.00	-7.54	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 600 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
4305.750	-61.93	9.07	-52.86	-13.00	-39.86	peak	PASS
6457.500	-63.85	11.14	-52.71	-13.00	-39.71	peak	PASS
8421.750	-66.39	12.86	-53.53	-13.00	-40.53	peak	PASS
10164.000	-65.22	14.08	-51.14	-13.00	-38.14	peak	PASS
12437.250	-69.20	15.93	-53.27	-13.00	-40.27	peak	PASS
15666.000	-71.37	21.45	-49.92	-13.00	-36.92	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 1175 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.3279	-74.42	19.63	-54.79	-13.00	-41.79	peak	PASS
56.4344	-81.59	21.78	-59.81	-13.00	-46.81	peak	PASS
98.9192	-94.01	28.86	-65.15	-13.00	-52.15	peak	PASS
246.8582	-85.35	25.12	-60.23	-13.00	-47.23	peak	PASS
617.1287	-85.62	34.31	-51.31	-13.00	-38.31	peak	PASS
954.7683	-86.69	38.59	-48.10	-13.00	-35.10	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 1175 _ 1GHz to 3GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1125.667	-76.93	39.56	-37.37	-13.00	-24.37	peak	PASS
1332.953	-74.50	41.79	-32.71	-13.00	-19.71	peak	PASS
1591.645	-76.78	44.29	-32.49	-13.00	-19.49	peak	PASS
1909.122	-26.10	47.03	20.93	N/A	N/A	peak	N/A
2259.312	-75.15	50.09	-25.06	-13.00	-12.06	peak	PASS
2647.578	-74.34	53.99	-20.35	-13.00	-7.35	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 1175 _ 3GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
4755.000	-64.24	9.38	-54.86	-13.00	-41.86	peak	PASS
7647.750	-66.58	12.42	-54.16	-13.00	-41.16	peak	PASS
10377.750	-67.25	14.35	-52.90	-13.00	-39.90	peak	PASS
12429.000	-68.52	16.04	-52.48	-13.00	-39.48	peak	PASS
14778.000	-70.73	19.93	-50.80	-13.00	-37.80	peak	PASS
17032.500	-73.25	23.30	-49.95	-13.00	-36.95	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 1175 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
30.4878	-79.14	19.69	-59.45	-13.00	-46.45	peak	PASS
51.7794	-82.34	22.98	-59.36	-13.00	-46.36	peak	PASS
94.0319	-93.44	26.58	-66.86	-13.00	-53.86	peak	PASS
239.4410	-85.44	24.75	-60.69	-13.00	-47.69	peak	PASS
596.2818	-87.11	34.56	-52.55	-13.00	-39.55	peak	PASS
990.4033	-86.98	38.97	-48.01	-13.00	-35.01	peak	PASS



(1XEVD0 Rev A BC 1 _ CH 1175 _ 1GHz to 3GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1103.747	-77.12	39.84	-37.28	-13.00	-24.28	peak	PASS
1309.224	-74.77	41.62	-33.15	-13.00	-20.15	peak	PASS
1553.722	-76.13	44.13	-32.00	-13.00	-19.00	peak	PASS
1908.492	-41.30	47.33	6.03	N/A	N/A	peak	N/A
2331.812	-74.57	50.84	-23.73	-13.00	-10.73	peak	PASS
2671.536	-75.09	53.48	-21.61	-13.00	-8.61	peak	PASS




(1XEVD0 Rev A BC 1 _ CH 1175 _ 3GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
5384.250	-64.14	10.29	-53.85	-13.00	-40.85	peak	PASS
7950.000	-66.05	12.62	-53.43	-13.00	-40.43	peak	PASS
10917.000	-67.33	14.63	-52.70	-13.00	-39.70	peak	PASS
13454.250	-70.27	17.42	-52.85	-13.00	-39.85	peak	PASS
15966.750	-72.02	21.83	-50.19	-13.00	-37.19	peak	PASS
17667.750	-72.06	23.69	-48.37	-13.00	-35.37	peak	PASS



(CDMA BC 10 _ CH 476 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
50.0040	0.69	16.20	16.89	40.00	-23.11	peak	PASS
99.6853	-0.45	14.94	14.49	43.50	-29.01	peak	PASS
140.3667	5.78	11.94	17.72	43.50	-25.78	peak	PASS
271.2770	7.21	15.35	22.56	46.00	-23.44	peak	PASS
498.4624	11.25	21.70	32.95	46.00	-13.05	peak	PASS
798.5596	6.46	26.15	32.61	N/A	N/A	peak	N/A




(CDMA BC 10 _ CH 476 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3127.550	-61.81	4.81	-57.00	-13.00	-44.00	peak	PASS
7640.200	-64.19	10.83	-53.36	-13.00	-40.36	peak	PASS
10631.350	-67.30	13.04	-54.26	-13.00	-41.26	peak	PASS
13144.800	-69.28	15.72	-53.56	-13.00	-40.56	peak	PASS
15258.750	-71.37	20.69	-50.68	-13.00	-37.68	peak	PASS
16929.000	-71.56	22.66	-48.90	-13.00	-35.90	peak	PASS



(CDMA BC 10 _ CH 476 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
52.6860	-82.89	23.41	-59.48	-13.00	-46.48	peak	PASS
75.1823	-83.51	21.78	-61.73	-13.00	-48.73	peak	PASS
150.3004	-88.66	23.28	-65.38	-13.00	-52.38	peak	PASS
273.2820	-85.66	26.05	-59.61	-13.00	-46.61	peak	PASS
496.8918	-88.17	31.83	-56.34	-13.00	-43.34	peak	PASS
817.9731	-38.42	36.75	-1.67	N/A	N/A	peak	N/A




(CDMA BC 10 _ CH 476 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3326.450	-62.10	5.31	-56.79	-13.00	-43.79	peak	PASS
5839.050	-63.31	8.68	-54.63	-13.00	-41.63	peak	PASS
8667.000	-65.45	12.22	-53.23	-13.00	-40.23	peak	PASS
11715.950	-68.50	13.99	-54.51	-13.00	-41.51	peak	PASS
14746.200	-71.28	19.15	-52.13	-13.00	-39.13	peak	PASS
16900.950	-72.14	22.41	-49.73	-13.00	-36.73	peak	PASS



(CDMA BC 10 _ CH 526 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
40.9306	-88.90	28.51	-60.39	-13.00	-47.39	peak	PASS
66.6857	-87.55	25.00	-62.55	-13.00	-49.55	peak	PASS
151.3051	-87.98	19.98	-68.00	-13.00	-55.00	peak	PASS
307.2382	-88.85	27.25	-61.60	-13.00	-48.60	peak	PASS
587.8735	-87.86	34.90	-52.96	-13.00	-39.96	peak	PASS
819.2649	-28.13	37.20	9.07	N/A	N/A	peak	N/A




(CDMA BC 10 _ CH 526 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
2456.900	-59.10	0.09	-59.01	-13.00	-46.01	peak	PASS
4498.600	-63.44	8.20	-55.24	-13.00	-42.24	peak	PASS
8273.450	-64.64	11.48	-53.16	-13.00	-40.16	peak	PASS
11505.150	-68.30	13.54	-54.76	-13.00	-41.76	peak	PASS
13982.900	-71.37	18.08	-53.29	-13.00	-40.29	peak	PASS
16770.050	-71.72	22.64	-49.08	-13.00	-36.08	peak	PASS



(CDMA BC 10 _ CH 526 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
47.1433	-81.30	22.40	-58.90	-13.00	-45.90	peak	PASS
94.1309	-92.17	26.67	-65.50	-13.00	-52.50	peak	PASS
157.3105	-91.92	23.47	-68.45	-13.00	-55.45	peak	PASS
311.0321	-89.63	27.72	-61.91	-13.00	-48.91	peak	PASS
535.7073	-87.69	32.58	-55.11	-13.00	-42.11	peak	PASS
818.8341	-40.18	36.76	-3.42	N/A	N/A	peak	N/A




(CDMA BC 10_ CH 526 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
2745.900	-60.34	0.99	-59.35	-13.00	-46.35	peak	PASS
5544.100	-63.88	9.30	-54.58	-13.00	-41.58	peak	PASS
7842.500	-68.43	10.68	-57.75	-13.00	-44.75	peak	PASS
11718.500	-65.65	13.99	-51.66	-13.00	-38.66	peak	PASS
14081.500	-71.34	18.20	-53.14	-13.00	-40.14	peak	PASS
16406.250	-71.96	21.14	-50.82	-13.00	-37.82	peak	PASS




(CDMA BC 10 _ CH 684 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
45.0970	-89.15	29.54	-59.11	-13.00	-46.11	peak	PASS
80.3494	-87.44	21.41	-66.33	-13.00	-53.33	peak	PASS
144.7158	-85.99	19.87	-66.62	-13.00	-53.62	peak	PASS
275.6390	-86.30	29.21	-57.19	-13.00	-44.19	peak	PASS
493.3923	-87.96	30.81	-57.05	-13.00	-44.05	peak	PASS
822.8648	-27.48	37.24	9.78	N/A	N/A	peak	N/A




(CDMA BC 10 _ CH 684 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3125.850	-62.29	4.77	-57.52	-13.00	-44.52	peak	PASS
6927.050	-64.61	9.69	-54.92	-13.00	-41.92	peak	PASS
9203.350	-66.14	12.75	-53.39	-13.00	-40.39	peak	PASS
11902.950	-68.68	13.91	-54.77	-13.00	-41.77	peak	PASS
13573.200	-71.18	16.76	-54.42	-13.00	-41.42	peak	PASS
15886.900	-72.54	21.24	-51.30	-13.00	-38.30	peak	PASS




(CDMA BC 10 _ CH 684 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
39.3681	-79.78	21.51	-58.27	-13.00	-45.27	peak	PASS
59.9113	-81.04	24.13	-56.91	-13.00	-43.91	peak	PASS
117.4632	-98.77	31.05	-67.72	-13.00	-54.72	peak	PASS
262.3430	-85.22	25.61	-59.61	-13.00	-46.61	peak	PASS
507.7238	-89.26	31.75	-57.51	-13.00	-44.51	peak	PASS
823.4411	-43.22	36.93	-6.29	N/A	N/A	peak	N/A




(CDMA BC 10 _ CH 684 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3172.600	-62.18	5.12	-57.06	-13.00	-44.06	peak	PASS
6026.050	-65.37	9.74	-55.63	-13.00	-42.63	peak	PASS
9210.150	-68.64	13.08	-55.56	-13.00	-42.56	peak	PASS
11694.700	-68.71	14.02	-54.69	-13.00	-41.69	peak	PASS
14347.550	-70.99	18.64	-52.35	-13.00	-39.35	peak	PASS
16964.700	-73.26	22.30	-50.96	-13.00	-37.96	peak	PASS




(1XEVD0 Rev 0 BC 10 _ CH 476 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.9425	-88.21	29.63	-58.58	-13.00	-45.58	peak	PASS
58.0807	-87.69	28.11	-59.58	-13.00	-46.58	peak	PASS
94.7933	-88.13	22.78	-65.35	-13.00	-52.35	peak	PASS
297.2762	-87.70	27.80	-59.90	-13.00	-46.90	peak	PASS
547.1936	-86.46	32.51	-53.95	-13.00	-40.95	peak	PASS
817.6864	-21.86	37.21	15.35	N/A	N/A	peak	N/A




(1XEVD0 Rev 0 BC 10 _ CH 476 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1635.800	-57.61	-3.16	-60.77	-13.00	-47.77	peak	PASS
3722.550	-60.79	6.27	-54.52	-13.00	-41.52	peak	PASS
8169.750	-66.46	11.28	-55.18	-13.00	-42.18	peak	PASS
10697.650	-66.16	13.24	-52.92	-13.00	-39.92	peak	PASS
12833.700	-69.49	15.91	-53.58	-13.00	-40.58	peak	PASS
15992.300	-71.90	21.36	-50.54	-13.00	-37.54	peak	PASS




(1XEVD0 Rev 0 BC 10 _ CH 476 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
42.0582	-78.82	21.39	-57.43	-13.00	-44.43	peak	PASS
90.1730	-87.45	24.04	-63.41	-13.00	-50.41	peak	PASS
146.1171	-86.35	23.39	-62.96	-13.00	-49.96	peak	PASS
274.5306	-85.29	26.40	-58.89	-13.00	-45.89	peak	PASS
528.1532	-87.07	32.41	-54.66	-13.00	-41.66	peak	PASS
817.6864	-26.83	36.75	9.92	N/A	N/A	peak	N/A




(1XEVD0 Rev 0 BC 10 _ CH 476 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3163.250	-62.31	5.13	-57.18	-13.00	-44.18	peak	PASS
5994.600	-64.18	9.48	-54.70	-13.00	-41.70	peak	PASS
9291.750	-66.06	13.48	-52.58	-13.00	-39.58	peak	PASS
12638.200	-69.54	15.34	-54.20	-13.00	-41.20	peak	PASS
14594.050	-70.36	19.00	-51.36	-13.00	-38.36	peak	PASS
17121.100	-71.98	22.52	-49.46	-13.00	-36.46	peak	PASS




(1XEVD0 Rev 0 BC 10 _ CH 526 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
46.6500	-87.61	29.73	-57.88	-13.00	-44.88	peak	PASS
83.6834	-86.71	20.64	-66.07	-13.00	-53.07	peak	PASS
140.4405	-87.51	18.87	-68.64	-13.00	-55.64	peak	PASS
284.3778	-87.66	28.44	-59.22	-13.00	-46.22	peak	PASS
521.8938	-86.93	32.14	-54.79	-13.00	-41.79	peak	PASS
818.9777	-20.81	37.20	16.39	N/A	N/A	peak	N/A




(1XEVD0 Rev 0 BC 10 _ CH 526 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1634.950	-57.47	-3.17	-60.64	-13.00	-47.64	peak	PASS
4842.000	-63.25	8.63	-54.62	-13.00	-41.62	peak	PASS
7923.250	-65.94	10.60	-55.34	-13.00	-42.34	peak	PASS
11703.200	-67.31	14.03	-53.28	-13.00	-40.28	peak	PASS
14188.600	-70.39	18.17	-52.22	-13.00	-39.22	peak	PASS
16753.050	-72.04	22.81	-49.23	-13.00	-36.23	peak	PASS




(1XEVD0 Rev 0 BC 10 _ CH 526 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.4877	-79.31	21.66	-57.65	-13.00	-44.65	peak	PASS
65.5497	-85.52	23.51	-62.01	-13.00	-49.01	peak	PASS
106.2545	-96.70	31.33	-65.37	-13.00	-52.37	peak	PASS
275.4949	-84.11	26.63	-57.48	-13.00	-44.48	peak	PASS
434.4458	-84.38	29.86	-54.52	-13.00	-41.52	peak	PASS
819.5522	-23.07	36.78	13.71	N/A	N/A	peak	N/A




(1XEVD0 Rev 0 BC 10 _ CH 526 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3048.500	-62.25	4.17	-58.08	-13.00	-45.08	peak	PASS
6791.900	-63.09	9.54	-53.55	-13.00	-40.55	peak	PASS
9514.450	-67.06	13.40	-53.66	-13.00	-40.66	peak	PASS
11918.250	-68.38	13.86	-54.52	-13.00	-41.52	peak	PASS
14832.900	-71.20	19.15	-52.05	-13.00	-39.05	peak	PASS
17296.200	-72.33	22.69	-49.64	-13.00	-36.64	peak	PASS



(1XEVD0 Rev 0 BC 10 _ CH 684 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
39.1890	-88.54	29.57	-58.97	-13.00	-45.97	peak	PASS
94.0979	-88.70	22.69	-66.01	-13.00	-53.01	peak	PASS
198.5183	-87.61	24.12	-63.49	-13.00	-50.49	peak	PASS
344.4459	-88.39	28.59	-59.80	-13.00	-46.80	peak	PASS
500.1257	-87.61	31.15	-56.46	-13.00	-43.46	peak	PASS
822.8638	-21.93	37.24	15.31	N/A	N/A	peak	N/A




(1XEVD0 Rev 0 BC 10 _ CH 684 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
1635.800	-57.62	-3.16	-60.78	-13.00	-47.78	peak	PASS
4398.300	-62.58	8.21	-54.37	-13.00	-41.37	peak	PASS
7475.300	-66.78	10.33	-56.45	-13.00	-43.45	peak	PASS
10706.150	-68.13	13.23	-54.90	-13.00	-41.90	peak	PASS
13912.350	-71.10	17.89	-53.21	-13.00	-40.21	peak	PASS
16963.850	-72.00	22.70	-49.30	-13.00	-36.30	peak	PASS




(1XEVD0 Rev 0 BC 10 _ CH 684 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
46.3240	-81.76	23.16	-58.60	-13.00	-45.60	peak	PASS
94.8598	-92.23	27.14	-65.09	-13.00	-52.09	peak	PASS
159.5325	-88.79	23.35	-65.44	-13.00	-52.44	peak	PASS
324.4561	-88.65	28.69	-59.96	-13.00	-46.96	peak	PASS
554.5337	-85.90	32.70	-53.20	-13.00	-40.20	peak	PASS
822.8638	-28.60	36.90	8.30	N/A	N/A	peak	N/A




(1XEVD0 Rev 0 BC 10 _ CH 684 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3035.750	-62.51	4.17	-58.34	-13.00	-45.34	peak	PASS
6139.950	-63.15	9.89	-53.26	-13.00	-40.26	peak	PASS
9002.750	-65.69	13.13	-52.56	-13.00	-39.56	peak	PASS
11328.350	-67.67	13.31	-54.36	-13.00	-41.36	peak	PASS
13879.200	-70.45	17.76	-52.69	-13.00	-39.69	peak	PASS
16572.850	-70.97	22.20	-48.77	-13.00	-35.77	peak	PASS




(1XEVD0 Rev A BC 10 _ CH 476 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
40.5520	-87.13	28.72	-58.41	-13.00	-45.41	peak	PASS
93.7192	-87.63	22.49	-65.14	-13.00	-52.14	peak	PASS
177.8207	-87.43	22.56	-64.87	-13.00	-51.87	peak	PASS
291.9559	-87.02	27.92	-59.10	-13.00	-46.10	peak	PASS
564.6389	-87.38	33.75	-53.63	-13.00	-40.63	peak	PASS
818.1166	-22.93	37.20	14.27	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 10 _ CH 476 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
2688.100	-60.84	1.23	-59.61	-13.00	-46.61	peak	PASS
4483.300	-62.96	8.20	-54.76	-13.00	-41.76	peak	PASS
7182.900	-65.32	10.39	-54.93	-13.00	-41.93	peak	PASS
9486.400	-66.83	13.21	-53.62	-13.00	-40.62	peak	PASS
13002.000	-70.21	15.90	-54.31	-13.00	-41.31	peak	PASS
16333.150	-72.64	22.09	-50.55	-13.00	-37.55	peak	PASS



(1XEVD0 Rev A BC 10 _ CH 476 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
46.2104	-81.83	23.47	-58.36	-13.00	-45.36	peak	PASS
87.4790	-86.59	23.62	-62.97	-13.00	-49.97	peak	PASS
157.2277	-87.67	23.46	-64.21	-13.00	-51.21	peak	PASS
278.0181	-85.08	26.33	-58.75	-13.00	-45.75	peak	PASS
545.7564	-86.67	32.57	-54.10	-13.00	-41.10	peak	PASS
818.1166	-26.98	36.75	9.77	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 10 _ CH 476 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
2535.950	-61.78	0.49	-61.29	-13.00	-48.29	peak	PASS
6135.700	-64.08	9.84	-54.24	-13.00	-41.24	peak	PASS
8510.600	-66.52	11.80	-54.72	-13.00	-41.72	peak	PASS
10129.000	-66.49	13.21	-53.28	-13.00	-40.28	peak	PASS
12226.800	-68.58	14.58	-54.00	-13.00	-41.00	peak	PASS
15636.150	-71.75	20.66	-51.09	-13.00	-38.09	peak	PASS



(1XEVD0 Rev A BC 10 _ CH 526 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
46.3240	-87.23	29.72	-57.51	-13.00	-44.51	peak	PASS
91.4788	-86.97	21.63	-65.34	-13.00	-52.34	peak	PASS
150.5642	-84.83	19.91	-64.92	-13.00	-51.92	peak	PASS
285.1267	-87.31	28.34	-58.97	-13.00	-45.97	peak	PASS
508.4365	-86.76	31.25	-55.51	-13.00	-42.51	peak	PASS
818.6905	-21.24	37.20	15.96	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 10 _ CH 526 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3172.600	-62.78	5.31	-57.47	-13.00	-44.47	peak	PASS
7413.250	-65.55	9.85	-55.70	-13.00	-42.70	peak	PASS
10280.300	-68.02	13.20	-54.82	-13.00	-41.82	peak	PASS
12408.700	-69.65	15.05	-54.60	-13.00	-41.60	peak	PASS
15107.450	-71.84	19.81	-52.03	-13.00	-39.03	peak	PASS
17229.900	-72.63	23.17	-49.46	-13.00	-36.46	peak	PASS




(1XEVD0 Rev A BC 10 _ CH 526 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
39.5410	-79.07	21.47	-57.60	-13.00	-44.60	peak	PASS
73.6170	-87.16	22.24	-64.92	-13.00	-51.92	peak	PASS
138.2418	-92.47	24.44	-68.03	-13.00	-55.03	peak	PASS
240.2821	-83.08	24.79	-58.29	-13.00	-45.29	peak	PASS
458.8730	-86.85	30.78	-56.07	-13.00	-43.07	peak	PASS
819.5522	-28.21	36.78	8.57	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 10 _ CH 526 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3714.050	-63.21	5.98	-57.23	-13.00	-44.23	peak	PASS
6028.600	-64.29	9.76	-54.53	-13.00	-41.53	peak	PASS
8684.850	-65.26	12.30	-52.96	-13.00	-39.96	peak	PASS
11990.500	-68.84	14.10	-54.74	-13.00	-41.74	peak	PASS
14146.100	-71.47	18.10	-53.37	-13.00	-40.37	peak	PASS
16552.450	-72.12	22.19	-49.93	-13.00	-36.93	peak	PASS




(1XEVD0 Rev A BC 10 _ CH 684 _ 30MHz to 1GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
38.5282	-87.18	29.66	-57.52	-13.00	-44.52	peak	PASS
61.5402	-87.58	27.56	-60.02	-13.00	-47.02	peak	PASS
115.1589	-88.25	20.51	-67.74	-13.00	-54.74	peak	PASS
258.8251	-88.05	29.07	-58.98	-13.00	-45.98	peak	PASS
528.4311	-86.75	32.15	-54.60	-13.00	-41.60	peak	PASS
822.8638	-21.36	37.24	15.88	N/A	N/A	peak	N/A




(1XEVD0 Rev A BC 10 _ CH 684 _ 1GHz to 18GHz _ Horizontal)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
2445.850	-61.52	0.03	-61.49	-13.00	-48.49	peak	PASS
4702.600	-62.29	7.95	-54.34	-13.00	-41.34	peak	PASS
7247.500	-65.42	10.16	-55.26	-13.00	-42.26	peak	PASS
9783.050	-66.85	13.22	-53.63	-13.00	-40.63	peak	PASS
12859.200	-68.50	15.90	-52.60	-13.00	-39.60	peak	PASS
15629.350	-70.49	20.65	-49.84	-13.00	-36.84	peak	PASS



(1XEVD0 Rev A BC 10 _ CH 684 _ 30MHz to 1GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
43.0580	-80.27	21.47	-58.80	-13.00	-45.80	peak	PASS
93.7520	-90.14	26.31	-63.83	-13.00	-50.83	peak	PASS
177.7272	-85.69	23.09	-62.60	-13.00	-49.60	peak	PASS
315.0386	-88.08	28.16	-59.92	-13.00	-46.92	peak	PASS
538.9103	-86.57	32.79	-53.78	-13.00	-40.78	peak	PASS
823.4411	-29.67	36.93	7.26	N/A	N/A	peak	N/A



(1XEVD0 Rev A BC 10 _ CH 684 _ 1GHz to 18GHz _ Vertical)

Frequency (MHz)	Reading (dBm)	Factor (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	Det.	Verdict
3153.900	-62.86	5.14	-57.72	-13.00	-44.72	peak	PASS
5510.950	-63.32	8.95	-54.37	-13.00	-41.37	peak	PASS
8807.250	-65.78	13.00	-52.78	-13.00	-39.78	peak	PASS
11271.400	-68.63	13.72	-54.91	-13.00	-41.91	peak	PASS
13312.250	-70.20	16.25	-53.95	-13.00	-40.95	peak	PASS
15542.650	-70.94	21.14	-49.80	-13.00	-36.80	peak	PASS



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Kehu-Morlab Test Laboratory
Laboratory Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China
Telephone:	+86 592 5612050
Facsimile:	+86 592 5612095

2. Identification of the Responsible Testing Location

Name:	Kehu-Morlab Test Laboratory
Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China

3. Accreditation Certificate

Accredited Testing Laboratory:	The FCC designation number is CN1249. (Kehu-Morlab Test Laboratory)
---------------------------------------	--



4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Due
Power Splitter	1723	U2021XA	Agilent	2022.01.07
Attenuator 1	(N/A.)	10dB	Resnet	2021.04.16
Attenuator 2	(N/A.)	3dB	Resnet	2021.04.16
PXA Signal Analyzer	MY57150136	N9030A	KEYSIGHT	2022.01.03
USB Power Sensor	MY54210011	U2021XA	Agilent	2021.04.16
System Simulator	100915	CMW500	R&S	2022.01.05
SMA connector	RF03	N/A	Xingbo	N/A
Temperature Chamber	(N/A)	HTC-1	(N/A)	2022.01.09

Software Version: 2.0.0.0

4.3 Radiated Test Equipments

RSE Test System					
No.	Equipment Name	Serial No.	Type	Manufacturer	Cal.Due Date
1	Anechoic Chamber	KH-B-0004	9m*6m*6m	ETS-Lindgren	2020.07.20
2	Signal Analyzer	101294	FSV40	R&S	2021.06.04
3	Wideband Radio Communication Tester	100915	CMW500	R&S	2021.03.10
4	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2021.09.24
5	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2022.01.18
6	RF Switch and Control Platform	N/A	RSC	CDSI	N/A

————— END OF REPORT —————