





11AX40MIMO_Ant9_2452



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Test Mode	TX Mod.	Freq. [MHz]	Ant.	Average power [dBm]	Peak power [dBm]	Peak power [mw]	Conducted Power Limit [dBm]	EIRP power [dBm]	EIRP power [mw]	EIRP Limit [dBm]	Verdict	Power Setting
11B	CDD	2412	ANT 8	14.52	17.11	51.40	≤30.00	17.51	56.36	≤36.00	PASS	15
			ANT 9	13.33	16.01	39.90	≤30.00	16.41	43.75	≤36.00	PASS	15
			Total	16.976	19.61	91.31	≤30.00	20.01	100.12	≤36.00	PASS	15
		2437	ANT 8	13.65	16.07	40.46	≤30.00	16.47	44.36	≤36.00	PASS	15
			ANT 9	13.14	15.67	36.90	≤30.00	16.07	40.46	≤36.00	PASS	15
			Total	16.413	18.88	77.36	≤30.00	19.28	84.82	≤36.00	PASS	15
		2462	ANT 8	14.38	17.04	50.58	≤30.00	17.44	55.46	≤36.00	PASS	15
			ANT 9	13.85	16.23	41.98	≤30.00	16.63	46.03	≤36.00	PASS	15
			Total	17.133	19.66	92.56	≤30.00	20.06	101.49	≤36.00	PASS	15
11G	CDD	2412	ANT 8	12.5	20.71	117.76	≤30.00	21.11	129.12	≤36.00	PASS	13
			ANT 9	12.53	21.05	127.35	≤30.00	21.45	139.64	≤36.00	PASS	13
			Total	15.525	23.89	245.11	≤30.00	24.29	268.76	≤36.00	PASS	13
		2437	ANT 8	11.92	19.84	96.38	≤30.00	20.24	105.68	≤36.00	PASS	13
			ANT 9	12.03	20.41	109.90	≤30.00	20.81	120.50	≤36.00	PASS	13
			Total	14.986	23.14	206.28	≤30.00	23.54	226.19	≤36.00	PASS	13
		2462	ANT 8	12.34	20.34	108.14	≤30.00	20.74	118.58	≤36.00	PASS	13



Reference No.: W7L-P24090003RF02

			ANT 9	12.45	20.5 6	113.7 6	≤30.00	20.9 6	124.7 4	≤36.0 0	PASS	13
			Total	15.406	23.4 6	221.9 1	≤30.00	23.8 6	243.3 2	≤36.0 0	PASS	13
11N2 0	MIM O	2412	ANT 8	10.43	18.8 6	76.91	≤30.00	19.2 6	84.33	≤36.0 0	PASS	11
			ANT 9	10.05	18.6	72.44	≤30.00	19.0 0	79.43	≤36.0 0	PASS	11
			Total	13.254	21.7 4	149.3 6	≤30.00	22.1 4	163.7 7	≤36.0 0	PASS	11
		2437	ANT 8	10.02	18.2 7	67.14	≤30.00	18.6 7	73.62	≤36.0 0	PASS	11
			ANT 9	10.17	18.3 5	68.39	≤30.00	18.7 5	74.99	≤36.0 0	PASS	11
			Total	13.106	21.3 2	135.5 3	≤30.00	21.7 2	148.6 1	≤36.0 0	PASS	11
	MIM O	2462	ANT 8	10.14	18.4 7	70.31	≤30.00	18.8 7	77.09	≤36.0 0	PASS	11
			ANT 9	10.18	18.2 5	66.83	≤30.00	18.6 5	73.28	≤36.0 0	PASS	11
			Total	13.17	21.3 7	137.1 4	≤30.00	21.7 7	150.3 7	≤36.0 0	PASS	11
		2422	ANT 8	10.29	18.1 1	64.71	≤30.00	18.5 1	70.96	≤36.0 0	PASS	11
			ANT 9	9.76	17.5 2	56.49	≤30.00	17.9 2	61.94	≤36.0 0	PASS	11
			Total	13.043	20.8 4	121.2 1	≤30.00	21.2 4	132.9 0	≤36.0 0	PASS	11
11N4 0	MIM O	2437	ANT 8	10.24	18.0 7	64.12	≤30.00	18.4 7	70.31	≤36.0 0	PASS	11
			ANT 9	10.23	18.0 5	63.83	≤30.00	18.4 5	69.98	≤36.0 0	PASS	11
			Total	13.245	21.0 7	127.9 5	≤30.00	21.4 7	140.2 9	≤36.0 0	PASS	11
		2452	ANT 8	10.13	18.0 6	63.97	≤30.00	18.4 6	70.15	≤36.0 0	PASS	11
			ANT 9	10.01	17.9	61.66	≤30.00	18.3 0	67.61	≤36.0 0	PASS	11
			Total	13.081	20.9 9	125.6 3	≤30.00	21.3 9	137.7 5	≤36.0 0	PASS	11

11AX20	MIMO	2412	ANT8	10.341	19.27	84.53	≤30.00	19.67	92.68	≤36.00	PASS	11
			ANT9	10.01	19.2	83.18	≤30.00	19.60	91.20	≤36.00	PASS	11
			Total	13.189	22.245	167.70	≤30.00	22.65	183.88	≤36.00	PASS	11
		2437	ANT8	10.08	19.11	81.47	≤30.00	19.51	89.33	≤36.00	PASS	11
			ANT9	10.23	19.52	89.54	≤30.00	19.92	98.17	≤36.00	PASS	11
			Total	13.166	22.33	171.01	≤30.00	22.73	187.51	≤36.00	PASS	11
		2462	ANT8	10.15	19.11	81.47	≤30.00	19.51	89.33	≤36.00	PASS	11
			ANT9	10.29	19.46	88.31	≤30.00	19.86	96.83	≤36.00	PASS	11
			Total	13.231	22.299	169.78	≤30.00	22.70	186.16	≤36.00	PASS	11
11AX40	MIMO	2412	ANT8	10.14	19.21	83.37	≤30.00	19.61	91.41	≤36.00	PASS	11
			ANT9	9.6	18.49	70.63	≤30.00	18.89	77.45	≤36.00	PASS	11
			Total	12.889	21.875	154.00	≤30.00	22.28	168.86	≤36.00	PASS	11
		2437	ANT8	10.2	19.01	79.62	≤30.00	19.41	87.30	≤36.00	PASS	11
			ANT9	10.1	18.76	75.16	≤30.00	19.16	82.41	≤36.00	PASS	11
			Total	13.161	21.897	154.78	≤30.00	22.30	169.71	≤36.00	PASS	11
		2462	ANT8	10.09	18.56	71.78	≤30.00	18.96	78.70	≤36.00	PASS	11
			ANT9	9.96	18.52	71.12	≤30.00	18.92	77.98	≤36.00	PASS	11
			Total	13.036	21.55	142.90	≤30.00	21.95	156.69	≤36.00	PASS	11
Tx 11ax20_FULL_RU	MIMO	2412	ANT8	10.31	19.23	83.75	≤30.00	19.63	91.83	≤36.00	PASS	11
			ANT9	10.01	19.13	81.85	≤30.00	19.53	89.74	≤36.00	PASS	11
			Total	13.173	22.191	165.60	≤30.00	22.59	181.58	≤36.00	PASS	11
		2437	ANT8	9.56	18.91	77.80	≤30.00	19.31	85.31	≤36.00	PASS	11
			ANT9	10.22	19.47	88.51	≤30.00	19.87	97.05	≤36.00	PASS	11
			Total	12.913	22.191	165.60	≤30.00	22.59	181.58	≤36.00	PASS	11
		2462	ANT8	9.47	18.91	77.80	≤30.00	19.31	85.31	≤36.00	PASS	11
			ANT9	10.17	19.01	79.62	≤30.00	19.41	87.30	≤36.00	PASS	11
			Total	12.844	21.971	157.42	≤30.00	22.37	172.61	≤36.00	PASS	11
Tx 11ax40_FULL_RU	MIMO	2422	ANT8	10.06	18.73	74.64	≤30.00	19.13	81.85	≤36.00	PASS	11
			ANT9	9.51	18.25	66.83	≤30.00	18.65	73.28	≤36.00	PASS	11



Reference No.: W7L-P24090003RF02

		2437	Total	12.804	21.507	141.48	≤30.00	21.91	155.13	≤36.00	PASS	11
			ANT8	10.1	18.45	69.98	≤30.00	18.85	76.74	≤36.00	PASS	11
			ANT9	10.05	18.26	66.99	≤30.00	18.66	73.45	≤36.00	PASS	11
			Total	13.085	21.366	136.97	≤30.00	21.77	150.19	≤36.00	PASS	11
		2452	ANT8	10.07	18.34	68.23	≤30.00	18.74	74.82	≤36.00	PASS	11
			ANT9	9.92	18.21	66.22	≤30.00	18.61	72.61	≤36.00	PASS	11
			Total	13.006	21.286	134.46	≤30.00	21.69	147.43	≤36.00	PASS	11

Note: The Average power with duty cycle factor.

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT


TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B-CDD	Ant8	2412	-8.35	≤8.00	PASS
	Ant9	2412	-9.64	≤8.00	PASS
	total	2412	-5.94	≤8.00	PASS
	Ant8	2437	-9.02	≤8.00	PASS
	Ant9	2437	-8.69	≤8.00	PASS
	total	2437	-5.84	≤8.00	PASS
	Ant8	2462	-7.89	≤8.00	PASS
	Ant9	2462	-8.37	≤8.00	PASS
11G-CDD	total	2462	-5.11	≤8.00	PASS
	Ant8	2412	-10.23	≤8.00	PASS
	Ant9	2412	-10.45	≤8.00	PASS
	total	2412	-7.33	≤8.00	PASS
	Ant8	2437	-11.50	≤8.00	PASS
	Ant9	2437	-10.84	≤8.00	PASS
	total	2437	-8.15	≤8.00	PASS
	Ant8	2462	-10.52	≤8.00	PASS
11N20MIMO	Ant9	2462	-10.92	≤8.00	PASS
	total	2462	-7.71	≤8.00	PASS
	Ant8	2412	-12.96	≤8.00	PASS
	Ant9	2412	-13.90	≤8.00	PASS
	total	2412	-10.39	≤8.00	PASS
	Ant8	2437	-13.50	≤8.00	PASS
	Ant9	2437	-12.85	≤8.00	PASS
	total	2437	-10.15	≤8.00	PASS
11N40MIMO	Ant8	2462	-13.41	≤8.00	PASS
	Ant9	2462	-13.32	≤8.00	PASS
	total	2462	-10.35	≤8.00	PASS
	Ant8	2422	-15.91	≤8.00	PASS
	Ant9	2422	-16.61	≤8.00	PASS
	total	2422	-13.24	≤8.00	PASS
	Ant8	2437	-16.39	≤8.00	PASS
	Ant9	2437	-16.38	≤8.00	PASS
11AX20MIMO	total	2437	-13.37	≤8.00	PASS
	Ant8	2452	-15.86	≤8.00	PASS
	Ant9	2452	-16.75	≤8.00	PASS
	total	2452	-13.27	≤8.00	PASS
	Ant8	2412	-14.15	≤8.00	PASS
	Ant9	2412	-15.22	≤8.00	PASS
	total	2412	-11.64	≤8.00	PASS
	Ant8	2437	-15.07	≤8.00	PASS
11AX20MIMO	Ant9	2437	-15.20	≤8.00	PASS
	total	2437	-12.12	≤8.00	PASS
	Ant8	2462	-14.91	≤8.00	PASS
	Ant9	2462	-14.76	≤8.00	PASS
	total	2462	-11.82	≤8.00	PASS





Reference No.: W7L-P24090003RF02

11AX40MIMO	Ant8	2422	-16.62	≤8.00	PASS
	Ant9	2422	-16.74	≤8.00	PASS
	total	2422	-13.67	≤8.00	PASS
	Ant8	2437	-17.19	≤8.00	PASS
	Ant9	2437	-17.13	≤8.00	PASS
	total	2437	-14.15	≤8.00	PASS
	Ant8	2452	-16.89	≤8.00	PASS
	Ant9	2452	-17.44	≤8.00	PASS
	total	2452	-14.15	≤8.00	PASS

TEST GRAPHS











BUREAU
VERITAS


Reference No.: W7L-P24090003RF02




11G-CDD Ant9 2412



11G-CDD Ant8 2437








11G-CDD Ant9 2462




11N20MIMO Ant8 2412











11N40MIMO Ant9 2422



11N40MIMO Ant8 2437






11N40MIMO_Ant9_2452



11AX20MIMO_Ant8_2412






BUREAU
VERITAS

Reference No.: W7L-P24090003RF02



11AX20MIMO_Ant9_2437



11AX20MIMO_Ant8_2462




BUREAU
VERITAS


Reference No.: W7L-P24090003RF02




11AX20MIMO_Ant9_2462




11AX40MIMO_Ant8_2422






11AX40MIMO_Ant9_2437




11AX40MIMO_Ant8_2452




BAND EDGE MEASUREMENTS TEST RESULT


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B-CDD	Ant8	Low	2412	7.06	-35.38	≤-12.94	PASS
	Ant9	Low	2412	5.96	-35.1	≤-14.04	PASS
	Ant8	High	2462	5.71	-34.81	≤-14.29	PASS
	Ant9	High	2462	5.13	-34.7	≤-14.87	PASS
11G-CDD	Ant8	Low	2412	2.12	-35.33	≤-17.88	PASS
	Ant9	Low	2412	1.57	-34.91	≤-18.43	PASS
	Ant8	High	2462	1.87	-34.47	≤-18.13	PASS
	Ant9	High	2462	0.90	-35.23	≤-19.1	PASS
11N20MIMO	Ant8	Low	2412	-0.57	-35.51	≤-20.57	PASS
	Ant9	Low	2412	-1.31	-34.98	≤-21.31	PASS
	Ant8	High	2462	-1.47	-34.63	≤-21.47	PASS
	Ant9	High	2462	-1.24	-34.47	≤-21.24	PASS
11N40MIMO	Ant8	Low	2422	-3.36	-35.8	≤-23.36	PASS
	Ant9	Low	2422	-5.88	-35.24	≤-25.88	PASS
	Ant8	High	2452	-4.37	-34.81	≤-24.37	PASS
	Ant9	High	2452	-5.09	-34.73	≤-25.09	PASS
11AX20MIMO	Ant8	Low	2412	-1.62	-35.19	≤-21.62	PASS
	Ant9	Low	2412	-1.47	-35.02	≤-21.47	PASS
	Ant8	High	2462	-1.04	-34.32	≤-21.04	PASS
	Ant9	High	2462	-0.44	-34.51	≤-20.44	PASS
11AX40MIMO	Ant8	Low	2422	-2.45	-35.39	≤-22.45	PASS
	Ant9	Low	2422	-3.54	-34.32	≤-23.54	PASS
	Ant8	High	2452	-4.90	-35.27	≤-24.9	PASS
	Ant9	High	2452	-3.42	-34.99	≤-23.42	PASS

TEST GRAPHS







11B-CDD Ant9 High 2462




11G-CDD Ant8 Low 2412




11G-CDD Ant9 Low 2412




11G-CDD Ant8 High 2462



11G-CDD Ant9 High 2462




11N20MIMO Ant8 Low 2412




11N20MIMO Ant9 Low 2412



11N20MIMO Ant8 High 2462




11N20MIMO Ant9 High 2462




11N40MIMO Ant8 Low 2422




11N40MIMO Ant9 Low 2422



11N40MIMO Ant8 High 2452




11N40MIMO Ant9 High 2452




11AX20MIMO Ant8 Low 2412



11AX20MIMO_Ant9_Low_2412




11AX20MIMO_Ant8_High_2462




11AX20MIMO_Ant9_High_2462



11AX40MIMO_Ant8_Low_2422



11AX40MIMO_Ant9_Low_2422



11AX40MIMO_Ant8_High_2452