



ABOVE 1GHz


Note: For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

LTE BAND 48

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7256.000	-48.88	-60.69	-40.00	-8.88	11.81	Peak	Horizontal
2	PP10875.000	-45.44	-65.05	-40.00	-5.44	19.61	Peak	Horizontal





MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7250.000	-49.11	-62.82	-40.00	-9.11	13.71	Peak	Vertical
2	PP10877.000	-45.70	-65.38	-40.00	-5.70	19.68	Peak	Vertical






CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7256.000	-51.57	-63.38	-40.00	-11.57	11.81	Peak	Horizontal
2	PP10875.000	-45.83	-65.44	-40.00	-5.83	19.61	Peak	Horizontal





MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7256.000	-49.10	-62.84	-40.00	-9.10	13.74	Peak	Vertical
2	PP10875.000	-45.41	-65.08	-40.00	-5.41	19.67	Peak	Vertical






CHANNEL BANDWIDTH: 15MHz / QPSK

CH55315

MODE	TX channel 55315	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7120.000	-51.20	-63.23	-40.00	-11.20	12.03	Peak	Horizontal
2	PP10672.500	-48.54	-67.60	-40.00	-8.54	19.06	Peak	Horizontal





MODE	TX channel 55315	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7115.000	-51.01	-64.19	-40.00	-11.01	13.18	Peak	Vertical
2	PP10673.000	-48.09	-66.81	-40.00	-8.09	18.72	Peak	Vertical






CH55990

MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7250.000	-50.34	-62.16	-40.00	-10.34	11.82	Peak	Horizontal
2	PP10877.000	-45.27	-64.89	-40.00	-5.27	19.62	Peak	Horizontal





MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7256.000	-48.50	-62.24	-40.00	-8.50	13.74	Peak	Vertical
2	PP10875.000	-45.57	-65.24	-40.00	-5.57	19.67	Peak	Vertical






CH56665

MODE	TX channel 56665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7385.000	-51.76	-63.36	-40.00	-11.76	11.60	Peak	Horizontal
2	PP11081.000	-44.08	-64.14	-40.00	-4.08	20.06	Peak	Horizontal





MODE	TX channel 56665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7392.000	-49.46	-63.73	-40.00	-9.46	14.27	Peak	Vertical
2	PP11077.500	-44.91	-64.75	-40.00	-4.91	19.84	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7256.000	-51.13	-62.94	-40.00	-11.13	11.81	Peak	Horizontal
2	PP10875.000	-46.00	-65.61	-40.00	-6.00	19.61	Peak	Horizontal





MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7250.000	-48.98	-62.69	-40.00	-8.98	13.71	Peak	Vertical
2	PP10877.000	-45.40	-65.08	-40.00	-5.40	19.68	Peak	Vertical






LTE Band CA_48C

Note: For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

CHANNEL BANDWIDTH: 5 MHz + 20MHz

MODE	TX channel PCC 55898	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56015		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7231.600	-53.15	-65.00	-40.00	-13.15	11.85	Peak	Horizontal
2	PP10843.000	-48.12	-67.65	-40.00	-8.12	19.53	Peak	Horizontal





MODE	TX channel PCC 55898	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56015		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.40	-65.07	-40.00	-11.40	13.67	Peak	Vertical
2	PP10847.400	-48.37	-67.91	-40.00	-8.37	19.54	Peak	Vertical






CHANNEL BANDWIDTH: 10MHz + 20MHz

MODE	TX channel PCC 55896	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56040		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7231.200	-53.57	-65.42	-40.00	-13.57	11.85	Peak	Horizontal
2	PP10843.000	-49.06	-68.59	-40.00	-9.06	19.53	Peak	Horizontal





MODE	TX channel PCC 55896	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56040		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.52	-65.19	-40.00	-11.52	13.67	Peak	Vertical
2	PP10846.800	-47.82	-67.36	-40.00	-7.82	19.54	Peak	Vertical






CHANNEL BANDWIDTH: 15MHz + 20MHz

MODE	TX channel PCC 55893	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55064		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7230.600	-52.88	-64.74	-40.00	-12.88	11.86	Peak	Horizontal
2	PP10843.000	-47.84	-67.37	-40.00	-7.84	19.53	Peak	Horizontal





MODE	TX channel PCC 55893	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55064		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.00	-64.67	-40.00	-11.00	13.67	Peak	Vertical
2	PP10845.900	-48.70	-68.23	-40.00	-8.70	19.53	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 5MHz

MODE	TX channel PCC 55965	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56082		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-52.72	-64.56	-40.00	-12.72	11.84	Peak	Horizontal
2	PP10867.500	-47.69	-67.28	-40.00	-7.69	19.59	Peak	Horizontal





MODE	TX channel PCC 55965	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56082		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7245.000	-51.02	-64.71	-40.00	-11.02	13.69	Peak	Vertical
2	PP10860.000	-48.12	-67.72	-40.00	-8.12	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel PCC 55340	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55484		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7120.000	-53.09	-65.12	-40.00	-13.09	12.03	Peak	Horizontal
2	PP10860.000	-48.65	-68.22	-40.00	-8.65	19.57	Peak	Horizontal





MODE	TX channel PCC 55340	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55484		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7120.000	-52.09	-65.29	-40.00	-12.09	13.20	Peak	Vertical
2	PP10860.000	-47.98	-67.58	-40.00	-7.98	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel PCC 55941	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56085		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-52.98	-64.82	-40.00	-12.98	11.84	Peak	Horizontal
2	PP10860.300	-48.67	-68.24	-40.00	-8.67	19.57	Peak	Horizontal





MODE	TX channel PCC 55941	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56085		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7240.200	-50.80	-64.47	-40.00	-10.80	13.67	Peak	Vertical
2	PP10860.000	-47.41	-67.01	-40.00	-7.41	19.60	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P23030016RF10

CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel PCC 56541	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56685		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7358.000	-53.33	-64.98	-40.00	-13.33	11.65	Peak	Horizontal
2	PP11040.300	-46.36	-66.37	-40.00	-6.36	20.01	Peak	Horizontal





MODE	TX channel PCC 56541	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56685		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	PoI/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7360.200	-50.07	-64.22	-40.00	-10.07	14.15	Peak	Vertical
2	PP11047.000	-46.01	-66.01	-40.00	-6.01	20.00	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 15MHz

MODE	TX channel PCC 55916	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56087		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-53.02	-64.86	-40.00	-13.02	11.84	Peak	Horizontal
2	PP10852.800	-48.32	-67.87	-40.00	-8.32	19.55	Peak	Horizontal





MODE	TX channel PCC 55916	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56087		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7235.200	-51.27	-64.93	-40.00	-11.27	13.66	Peak	Vertical
2	PP10860.000	-48.91	-68.51	-40.00	-8.91	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 20MHz

MODE	TX channel PCC 55891	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56089		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7222.000	-51.85	-63.72	-40.00	-11.85	11.87	Peak	Horizontal
2	PP10845.300	-48.84	-68.37	-40.00	-8.84	19.53	Peak	Horizontal





MODE	TX channel PCC 55891	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56089		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7230.230	-51.49	-65.13	-40.00	-11.49	13.64	Peak	Vertical
2	PP10843.000	-48.42	-67.94	-40.00	-8.42	19.52	Peak	Vertical






3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



**BUREAU
VERITAS**

Test Report No.: W7L-P23030016RF10

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



BUREAU
VERITAS

Test Report No.: W7L-P23030016RF10

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.