



07:10:17 AM 12/29/2023

BLE\_S2\_Ant1\_2402\_2000~26500




07:19:49 AM 12/29/2023


BLE\_S2\_Ant1\_2440\_30~3000




BLE\_S2\_Ant1\_2440\_2000~26500




BLE\_S2\_Ant1\_2480\_30~3000



BLE\_S2\_Ant1\_2480\_2000~26500




BLE\_S8\_Ant1\_2402\_30~3000




06:55:02 AM 12/29/2023

BLE\_S8\_Ant1\_2402\_2000~26500




06:59:45 AM 12/29/2023

BLE\_S8\_Ant1\_2440\_30~3000



07:00:20 AM 12/29/2023

BLE\_S8\_Ant1\_2440\_2000~26500



07:03:26 AM 12/29/2023

BLE\_S8\_Ant1\_2480\_30~3000

Huarui 7layers High Technology  
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zhuyi Road,  
High-tech District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008






## DUTY CYCLE

### TEST RESULT


TestMode	Antenna	Channel	ON Time [ms]	Period[ ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	Ant1	2402	1.631	1.876	0.8694	86.94	0.61	---	PASS
BLE_2M	Ant1	2402	0.828	1.252	0.6613	66.13	1.80	---	PASS
BLE_S2	Ant1	2402	3.553	4.386	0.8101	81.01	0.91	---	PASS
BLE_S8	Ant1	2402	12.996	13.75	0.9452	94.52	0.24	---	PASS



### TEST GRAPHS




BLE\_1M\_Ant1\_2402








### BLE\_2M\_Ant1\_2440



01:54:50 AM 12/28/2023

### BLE\_S2\_Ant1\_2402



01:53:48 AM 12/28/2023

### BLE\_S8\_Ant1\_2402

--END--