

Collocated MPE analysis:

The modem may transmit simultaneously with other collocated radio transmitters within a host device, provided the following conditions are met:

- Each collocated radio transmitter has been certified by FCC/IC for mobile application (that will be met since SQNS module will have its own FCC ID and host device will have its own FCC ID)
- At least 20 cm separation distance between the antennas of the collocated transmitters and the user's body must be maintained at all times (host installation should taking care of that)

The output power and antenna gain in a collocated configuration must not exceed the limits and configurations stipulated in the following table 1. The power density calculations for the individual transmitters per wireless technology at an exposure minimum separation distance of 20cm.

Exclusion of test condition:

Simultaneous transmission MPE test exclusion applies when the sum of the MPE ratios for all simultaneous transmitting antennas incorporated in a host device, based on calculated or measured field strengths or power density, is ≤ 1.0 .

$$\sum MPE\ ratio1 + MPE\ ratio2 + MPE\ ratio3 \leq 1.0$$

The spreadsheet as FCC deduces, and releases is employed to conduct the measurement:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

產業園區五工路 134 號

台灣檢驗科技股份有限公司

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Table 1 : Collocated MPE Calculation (Worse-case table)

Technology	Frequency (MHz)	Max Conducted Power (dBm)	Max Gain (dBi)	Duty Cycle	FCC Power Density @20cm (mW/cm ²)	IC Power Density @20cm (W/m ²)	FCC MPE Limit (mW/cm ²)	IC MPE Limit (W/m ²)
Zigbee	2480	4.16	3.6	0.05	0	0.001	1.000	5.469
2.4GHz WLAN (SISO)	2462	8.58	3.6	0.96	0.003	0.032	1.000	5.442
2.4GHz WLAN (MIMO)	2412	11.52	6.61	0.93	0.012	0.12	1.000	5.366
5GHz WLAN (SISO)	5500	15.53	4.7	0.95	0.02	0.199	1.000	9.425
5GHz WLAN (MIMO)	5580	15.16	7.71	0.95	0.037	0.366	1.000	9.519

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北

產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

(FCC)

Scenario 1:

Zigbee +2.4GHz WLAN (SISO) + 5GHz WLAN (SISO)

Zigbee (mW/cm ²)	FCC MPE limit (mW/cm ²)	(Zigbee) / MPE limit	WLAN (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN) / MPE limit	WLAN A (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN A) / MPE limit	(Zigbee +WLAN + WLAN A)	FCC Limit (mW/cm ²)
0	1.000	0	0.003	1.000	0.003	0.02	1.000	0.02	0.023	1.000

Scenario 2:

Zigbee +2.4GHz WLAN (SISO) + 5GHz WLAN (MIMO)

Zigbee (mW/cm ²)	FCC MPE limit (mW/cm ²)	(Zigbee) / MPE limit	WLAN (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN) / MPE limit	WLAN A MIMO (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN A MIMO) / MPE limit	(Zigbee +WLAN + WLAN A MIMO)	FCC Limit (mW/cm ²)
0	1.000	0	0.003	1.000	0.003	0.037	1.000	0.037	0.04	1.000

Scenario 3:

Zigbee +2.4GHz WLAN (MIMO) + 5GHz WLAN (SISO)

Zigbee (mW/cm ²)	FCC MPE limit (mW/cm ²)	(Zigbee) / MPE limit	WLAN MIMO (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN MIMO) / MPE limit	WLAN A (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN A) / MPE limit	(Zigbee +WLAN MIMO+ WLAN A)	FCC Limit (mW/cm ²)
0	1.000	0	0.012	1.000	0.012	0.02	1.000	0.02	0.032	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

產業園區五工路 134 號

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Scenario 4:

Zigbee +2.4GHz WLAN (MIMO) + 5GHz WLAN (MIMO)

Zigbee (mW/cm ²)	FCC MPE limit (mW/cm ²)	(Zigbee) / MPE limit	WLAN MIMO (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN MIMO) / MPE limit	WLAN A MIMO (mW/cm ²)	FCC MPE limit (mW/cm ²)	(WLAN A MIMO) / MPE limit	(Zigbee +WLAN + WLAN A MIMO)	FCC Limit (mW/cm ²)
0	1.000	0	0.012	1.000	0.012	0.037	1.000	0.037	0.049	1.000

(IC)

Scenario 1:

Zigbee +2.4GHz WLAN (SISO) + 5GHz WLAN (SISO)

Zigbee (W/m ²)	IC MPE limit (W/m ²)	(Zigbee) / MPE limit	WLAN (W/m ²)	IC MPE limit (W/m ²)	(WLAN) / MPE limit	WLAN A (W/m ²)	IC MPE limit (W/m ²)	(WLAN A) / MPE limit	(Zigbee +WLAN + WLAN A)	IC Limit (W/m ²)
0.001	5.469	0.00018	0.032	5.442	0.0059	0.199	9.425	0.0211	0.0272	1.000

Scenario 2:

Zigbee +2.4GHz WLAN (SISO) + 5GHz WLAN (MIMO)

Zigbee (W/m ²)	IC MPE limit (W/m ²)	(Zigbee) / MPE limit	WLAN (W/m ²)	IC MPE limit (W/m ²)	(WLAN) / MPE limit	WLAN A MIMO (W/m ²)	IC MPE limit (W/m ²)	(WLAN A MIMO) / MPE limit	(Zigbee +WLAN + WLAN A MIMO)	IC Limit (W/m ²)
0.001	5.469	0.00018	0.032	5.442	0.0059	0.366	9.519	0.0384	0.0445	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北

產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Scenario 3:

Zigbee +2.4GHz WLAN (MIMO) + 5GHz WLAN (SISO)

Zigbee (W/m ²)	IC MPE limit (W/m ²)	(Zigbee) / MPE limit	WLAN MIMO (W/m ²)	IC MPE limit (W/m ²)	(WLAN MIMO) / MPE limit	WLAN A (W/m ²)	IC MPE limit (W/m ²)	(WLAN A) / MPE limit	(Zigbee +WLAN MIMO+ WLAN A)	IC Limit (W/m ²)
0.001	5.469	0.00018	0.12	5.366	0.0224	0.199	9.425	0.0211	0.0437	1.000

Scenario 4:

Zigbee +2.4GHz WLAN (MIMO) + 5GHz WLAN (MIMO)

Zigbee (W/m ²)	IC MPE limit (W/m ²)	(Zigbee) / MPE limit	WLAN MIMO (W/m ²)	IC MPE limit (W/m ²)	(WLAN MIMO) / MPE limit	WLAN A MIMO (W/m ²)	IC MPE limit (W/m ²)	(WLAN A MIMO) / MPE limit	(Zigbee +WLAN MIMO+ WLAN A MIMO)	IC Limit (W/m ²)
0.001	5.469	0.00018	0.12	5.366	0.0224	0.366	9.519	0.0384	0.0610	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

產業園區五工路 134 號

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group