



➤ ANT 3\_5470-5725MHz

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	43.8119	35.71	-11.84	23.87	40.00	-16.13	-	-	peak
2	50.0566	35.02	-11.55	23.47	40.00	-16.53	-	-	peak
3	116.1321	36.08	-13.92	22.16	43.50	-21.34	-	-	peak
4	278.0669	43.07	-10.53	32.54	46.00	-13.46	-	-	peak
5	408.9460	33.11	-6.26	26.85	46.00	-19.15	-	-	peak
6	726.8052	30.34	-1.00	29.34	46.00	-16.66	-	-	peak

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.4372	39.22	-12.19	27.03	40.00	-12.97	-	-	peak
2	44.2752	37.56	-11.83	25.73	40.00	-14.27	-	-	peak
3	56.9912	35.66	-12.97	22.69	40.00	-17.31	-	-	peak
4	107.1337	38.41	-13.31	25.10	43.50	-18.40	-	-	peak
5	115.3205	36.40	-13.84	22.56	43.50	-20.94	-	-	peak
6	133.1511	37.22	-16.73	20.49	43.50	-23.01	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.1780	35.44	-11.73	23.71	40.00	-16.29	-	-	peak
2	51.4807	35.78	-11.96	23.82	40.00	-16.18	-	-	peak
3	106.3850	34.92	-13.31	21.61	43.50	-21.89	-	-	peak
4	127.6645	38.13	-16.35	21.78	43.50	-21.72	-	-	peak
5	274.1939	43.76	-10.77	32.99	46.00	-13.01	-	-	peak
6	677.5798	31.58	-1.86	29.72	46.00	-16.28	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	38.3462	38.01	-12.61	25.40	40.00	-14.60	-	-	peak
2	52.7600	35.40	-12.31	23.09	40.00	-16.91	-	-	peak
3	65.8031	34.98	-14.05	20.93	40.00	-19.07	-	-	peak
4	107.5101	40.81	-13.32	27.49	43.50	-16.01	-	-	peak
5	116.5401	38.17	-13.96	24.21	43.50	-19.29	-	-	peak
6	162.0414	33.10	-15.44	17.66	43.50	-25.84	-	-	peak

802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	44.5868	34.99	-11.82	23.17	40.00	-16.83	-	-	peak
2	51.8430	35.27	-12.04	23.23	40.00	-16.77	-	-	peak
3	55.6094	34.93	-12.95	21.98	40.00	-18.02	-	-	peak
4	126.7723	39.48	-16.12	23.36	43.50	-20.14	-	-	peak
5	276.1236	43.41	-10.68	32.73	46.00	-13.27	-	-	peak
6	463.9696	31.24	-5.16	26.08	46.00	-19.92	-	-	peak


802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.0245	38.63	-12.35	26.28	40.00	-13.72	-	-	peak
2	46.5030	35.92	-11.72	24.20	40.00	-15.80	-	-	peak
3	107.1337	38.15	-13.31	24.84	43.50	-18.66	-	-	peak
4	117.3603	36.36	-14.04	22.32	43.50	-21.18	-	-	peak
5	131.7577	37.18	-16.83	20.35	43.50	-23.15	-	-	peak
6	375.9385	31.86	-7.16	24.70	46.00	-21.30	-	-	peak


➤ ANT 3\_5725-5850MHz

802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	44.5868	34.79	-11.82	22.97	40.00	-17.03	-	-	peak
2	60.2801	35.06	-13.04	22.02	40.00	-17.98	-	-	peak
3	121.9755	36.06	-14.83	21.23	43.50	-22.27	-	-	peak
4	181.9202	34.11	-14.08	20.03	43.50	-23.47	-	-	peak
5	284.9767	43.02	-10.03	32.99	46.00	-13.01	-	-	peak
6	506.4791	30.14	-4.09	26.05	46.00	-19.95	-	-	peak


802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.8542	37.43	-12.03	25.40	40.00	-14.60	-	-	peak
2	50.0566	34.89	-11.55	23.34	40.00	-16.66	-	-	peak
3	74.6569	37.94	-15.94	22.00	40.00	-18.00	-	-	peak
4	96.7749	41.49	-13.86	27.63	43.50	-15.87	-	-	peak
5	106.3850	43.81	-13.31	30.50	43.50	-13.00	-	-	peak
6	273.2341	34.12	-10.76	23.36	46.00	-22.64	-	-	peak




802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	32.4059	39.05	-14.02	25.03	40.00	-14.97	-	-	peak
2	43.6585	35.70	-11.84	23.86	40.00	-16.14	-	-	peak
3	49.8814	35.43	-11.54	23.89	40.00	-16.11	-	-	peak
4	125.0066	37.27	-15.64	21.63	43.50	-21.87	-	-	peak
5	284.9767	42.48	-10.03	32.45	46.00	-13.55	-	-	peak
6	580.7026	31.26	-2.42	28.84	46.00	-17.16	-	-	peak

802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.0245	39.87	-12.35	27.52	40.00	-12.48	-	-	peak
2	51.1209	37.30	-11.85	25.45	40.00	-14.55	-	-	peak
3	58.6126	35.77	-12.98	22.79	40.00	-17.21	-	-	peak
4	106.0126	41.47	-13.31	28.16	43.50	-15.34	-	-	peak
5	119.8556	39.34	-14.28	25.06	43.50	-18.44	-	-	peak
6	129.4678	40.72	-16.83	23.89	43.50	-19.61	-	-	peak

802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.8542	35.54	-12.03	23.51	40.00	-16.49	-	-	peak
2	50.4089	35.03	-11.65	23.38	40.00	-16.62	-	-	peak
3	129.4678	38.42	-16.83	21.59	43.50	-21.91	-	-	peak
4	189.0743	34.15	-13.22	20.93	43.50	-22.57	-	-	peak
5	278.0669	43.54	-10.53	33.01	46.00	-12.99	-	-	peak
6	586.8437	29.40	-2.27	27.13	46.00	-18.87	-	-	peak


802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.1347	37.62	-11.98	25.64	40.00	-14.36	-	-	peak
2	51.1209	35.84	-11.85	23.99	40.00	-16.01	-	-	peak
3	76.5121	37.63	-16.27	21.36	40.00	-18.64	-	-	peak
4	106.3850	37.85	-13.31	24.54	43.50	-18.96	-	-	peak
5	131.2965	37.77	-16.88	20.89	43.50	-22.61	-	-	peak
6	136.9392	36.83	-16.46	20.37	43.50	-23.13	-	-	peak


➤ ANT 4\_5150-5250MHz

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.1616	36.83	-12.30	24.53	40.00	-15.47	-	-	peak
2	43.6585	36.37	-11.84	24.53	40.00	-15.47	-	-	peak
3	58.6126	34.99	-12.98	22.01	40.00	-17.99	-	-	peak
4	118.6014	36.89	-14.17	22.72	43.50	-20.78	-	-	peak
5	173.8135	37.84	-14.75	23.09	43.50	-20.41	-	-	peak
6	282.9852	39.08	-10.17	28.91	46.00	-17.09	-	-	peak

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.8446	37.25	-11.96	25.29	40.00	-14.71	-	-	peak
2	74.3955	39.65	-15.87	23.78	40.00	-16.22	-	-	peak
3	107.5101	38.48	-13.32	25.16	43.50	-18.34	-	-	peak
4	278.0669	36.16	-10.53	25.63	46.00	-20.37	-	-	peak
5	446.4141	32.15	-5.63	26.52	46.00	-19.48	-	-	peak
6	709.1823	30.48	-1.54	28.94	46.00	-17.06	-	-	peak

802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	41.2765	36.82	-11.94	24.88	40.00	-15.12	-	-	peak
2	59.6493	35.26	-12.98	22.28	40.00	-17.72	-	-	peak
3	98.8326	34.30	-13.52	20.78	43.50	-22.72	-	-	peak
4	116.9495	36.86	-13.99	22.87	43.50	-20.63	-	-	peak
5	174.4241	36.67	-14.71	21.96	43.50	-21.54	-	-	peak
6	274.1939	39.71	-10.77	28.94	46.00	-17.06	-	-	peak


802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.2991	37.62	-12.24	25.38	40.00	-14.62	-	-	peak
2	74.9191	37.59	-16.02	21.57	40.00	-18.43	-	-	peak
3	107.5101	38.37	-13.32	25.05	43.50	-18.45	-	-	peak
4	119.4361	38.25	-14.24	24.01	43.50	-19.49	-	-	peak
5	295.1469	34.91	-9.27	25.64	46.00	-20.36	-	-	peak
6	580.7026	30.83	-2.42	28.41	46.00	-17.59	-	-	peak




802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	51.6616	34.34	-12.00	22.34	40.00	-17.66	-	-	peak
2	61.3463	34.81	-13.24	21.57	40.00	-18.43	-	-	peak
3	117.3603	37.17	-14.04	23.13	43.50	-20.37	-	-	peak
4	178.7584	36.96	-14.40	22.56	43.50	-20.94	-	-	peak
5	280.0238	38.76	-10.39	28.37	46.00	-17.63	-	-	peak
6	467.2349	32.29	-5.06	27.23	46.00	-18.77	-	-	peak


802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.5591	37.22	-11.97	25.25	40.00	-14.75	-	-	peak
2	75.7114	37.74	-16.14	21.60	40.00	-18.40	-	-	peak
3	107.1337	38.16	-13.31	24.85	43.50	-18.65	-	-	peak
4	121.9755	38.26	-14.83	23.43	43.50	-20.07	-	-	peak
5	286.9823	35.81	-9.87	25.94	46.00	-20.06	-	-	peak
6	513.6331	30.88	-4.12	26.76	46.00	-19.24	-	-	peak


➤ ANT 4\_5250-5350MHz

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	36.03	-11.69	24.34	40.00	-15.66	-	-	peak
2	75.7114	39.53	-16.14	23.39	40.00	-16.61	-	-	peak
3	96.0986	40.29	-13.96	26.33	43.50	-17.17	-	-	peak
4	123.6985	50.80	-15.30	35.50	43.50	-8.00	-	-	peak
5	166.6514	42.79	-15.20	27.59	43.50	-15.91	-	-	peak
6	309.9977	33.61	-8.94	24.67	46.00	-21.33	-	-	peak

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	47.1599	39.30	-11.68	27.62	40.00	-12.38	-	-	peak
2	67.4382	38.63	-14.27	24.36	40.00	-15.64	-	-	peak
3	119.8556	34.59	-14.28	20.31	43.50	-23.19	-	-	peak
4	166.6514	42.53	-15.20	27.33	43.50	-16.17	-	-	peak
5	248.5519	33.33	-10.99	22.34	46.00	-23.66	-	-	peak
6	345.5952	32.36	-7.70	24.66	46.00	-21.34	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	47.1599	37.68	-11.68	26.00	40.00	-14.00	-	-	peak
2	55.2207	38.70	-12.95	25.75	40.00	-14.25	-	-	peak
3	83.8156	41.09	-16.22	24.87	40.00	-15.13	-	-	peak
4	96.0986	40.78	-13.96	26.82	43.50	-16.68	-	-	peak
5	123.6985	50.80	-15.30	35.50	43.50	-8.00	-	-	peak
6	166.6514	42.81	-15.20	27.61	43.50	-15.89	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	47.1599	39.90	-11.68	28.22	40.00	-11.78	-	-	peak
2	67.4382	38.63	-14.27	24.36	40.00	-15.64	-	-	peak
3	166.6514	43.71	-15.20	28.51	43.50	-14.99	-	-	peak
4	227.6906	35.80	-12.00	23.80	46.00	-22.20	-	-	peak
5	300.3673	33.16	-8.92	24.24	46.00	-21.76	-	-	peak
6	426.5210	32.15	-5.86	26.29	46.00	-19.71	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	36.71	-11.69	25.02	40.00	-14.98	-	-	peak
2	55.2207	37.27	-12.95	24.32	40.00	-15.68	-	-	peak
3	92.1388	40.91	-14.61	26.30	43.50	-17.20	-	-	peak
4	96.0986	41.21	-13.96	27.25	43.50	-16.25	-	-	peak
5	124.5690	50.18	-15.52	34.66	43.50	-8.84	-	-	peak
6	166.6514	43.25	-15.20	28.05	43.50	-15.45	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	39.37	-11.69	27.68	40.00	-12.32	-	-	peak
2	59.2325	38.10	-12.98	25.12	40.00	-14.88	-	-	peak
3	166.6514	43.01	-15.20	27.81	43.50	-15.69	-	-	peak
4	299.3158	33.55	-8.96	24.59	46.00	-21.41	-	-	peak
5	366.8231	32.97	-7.27	25.70	46.00	-20.30	-	-	peak
6	719.1995	30.55	-1.18	29.37	46.00	-16.63	-	-	peak




## ➤ ANT 4\_5470-5725MHz

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.0066	35.24	-11.91	23.33	40.00	-16.67	-	-	peak
2	62.2128	34.00	-13.40	20.60	40.00	-19.40	-	-	peak
3	112.5244	36.61	-13.56	23.05	43.50	-20.45	-	-	peak
4	169.5990	38.18	-15.05	23.13	43.50	-20.37	-	-	peak
5	280.0238	39.05	-10.39	28.66	46.00	-17.34	-	-	peak
6	607.7867	29.55	-2.00	27.55	46.00	-18.45	-	-	peak

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.2991	37.39	-12.24	25.15	40.00	-14.85	-	-	peak
2	51.6616	36.26	-12.00	24.26	40.00	-15.74	-	-	peak
3	98.4866	37.38	-13.57	23.81	43.50	-19.69	-	-	peak
4	110.1816	38.52	-13.32	25.20	43.50	-18.30	-	-	peak
5	114.9169	38.11	-13.79	24.32	43.50	-19.18	-	-	peak
6	293.0842	34.51	-9.42	25.09	46.00	-20.91	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	52.0251	34.79	-12.10	22.69	40.00	-17.31	-	-	peak
2	116.5401	36.84	-13.96	22.88	43.50	-20.62	-	-	peak
3	173.8135	36.58	-14.75	21.83	43.50	-21.67	-	-	peak
4	188.4125	33.79	-13.30	20.49	43.50	-23.01	-	-	peak
5	281.9946	38.97	-10.24	28.73	46.00	-17.27	-	-	peak
6	497.6765	30.77	-4.12	26.65	46.00	-19.35	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.1347	37.62	-11.98	25.64	40.00	-14.36	-	-	peak
2	74.9191	37.61	-16.02	21.59	40.00	-18.41	-	-	peak
3	108.6470	38.72	-13.31	25.41	43.50	-18.09	-	-	peak
4	114.9169	38.36	-13.79	24.57	43.50	-18.93	-	-	peak
5	123.6985	37.44	-15.30	22.14	43.50	-21.36	-	-	peak
6	291.0360	34.86	-9.58	25.28	46.00	-20.72	-	-	peak

802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.5030	36.99	-11.72	25.27	40.00	-14.73	-	-	peak
2	50.5860	35.18	-11.69	23.49	40.00	-16.51	-	-	peak
3	115.7256	36.37	-13.88	22.49	43.50	-21.01	-	-	peak
4	169.0054	37.66	-15.07	22.59	43.50	-20.91	-	-	peak
5	284.9767	38.78	-10.03	28.75	46.00	-17.25	-	-	peak
6	543.2742	31.24	-3.90	27.34	46.00	-18.66	-	-	peak


802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.1347	36.99	-11.98	25.01	40.00	-14.99	-	-	peak
2	75.1823	38.19	-16.07	22.12	40.00	-17.88	-	-	peak
3	98.1419	36.04	-13.62	22.42	43.50	-21.08	-	-	peak
4	107.1337	37.55	-13.31	24.24	43.50	-19.26	-	-	peak
5	117.3603	37.62	-14.04	23.58	43.50	-19.92	-	-	peak
6	284.9767	34.67	-10.03	24.64	46.00	-21.36	-	-	peak


➤ ANT 4\_5725-5850MHz

802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	38.2120	36.30	-12.66	23.64	40.00	-16.36	-	-	peak
2	45.3755	35.46	-11.78	23.68	40.00	-16.32	-	-	peak
3	59.8588	34.68	-12.99	21.69	40.00	-18.31	-	-	peak
4	120.2766	37.47	-14.38	23.09	43.50	-20.41	-	-	peak
5	171.3926	37.26	-14.93	22.33	43.50	-21.17	-	-	peak
6	274.1939	39.65	-10.77	28.88	46.00	-17.12	-	-	peak


802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.7016	37.11	-11.96	25.15	40.00	-14.85	-	-	peak
2	50.5860	34.77	-11.69	23.08	40.00	-16.92	-	-	peak
3	71.3300	37.00	-15.01	21.99	40.00	-18.01	-	-	peak
4	98.8326	36.28	-13.52	22.76	43.50	-20.74	-	-	peak
5	109.4116	38.09	-13.31	24.78	43.50	-18.72	-	-	peak
6	284.9767	35.14	-10.03	25.11	46.00	-20.89	-	-	peak




802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.2991	36.55	-12.24	24.31	40.00	-15.69	-	-	peak
2	50.2325	35.26	-11.60	23.66	40.00	-16.34	-	-	peak
3	116.9495	37.04	-13.99	23.05	43.50	-20.45	-	-	peak
4	177.5092	36.91	-14.49	22.42	43.50	-21.08	-	-	peak
5	276.1236	40.29	-10.68	29.61	46.00	-16.39	-	-	peak
6	535.7073	31.23	-4.02	27.21	46.00	-18.79	-	-	peak

802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.4172	37.44	-11.97	25.47	40.00	-14.53	-	-	peak
2	58.4074	35.16	-12.98	22.18	40.00	-17.82	-	-	peak
3	76.5121	39.52	-16.27	23.25	40.00	-16.75	-	-	peak
4	107.1337	38.53	-13.31	25.22	43.50	-18.28	-	-	peak
5	116.9495	37.84	-13.99	23.85	43.50	-19.65	-	-	peak
6	293.0842	35.15	-9.42	25.73	46.00	-20.27	-	-	peak

802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	33.0950	38.47	-13.98	24.49	40.00	-15.51	-	-	peak
2	40.9881	35.91	-11.95	23.96	40.00	-16.04	-	-	peak
3	50.9420	35.18	-11.80	23.38	40.00	-16.62	-	-	peak
4	115.7256	36.16	-13.88	22.28	43.50	-21.22	-	-	peak
5	169.0054	36.77	-15.07	21.70	43.50	-21.80	-	-	peak
6	274.1939	39.58	-10.77	28.81	46.00	-17.19	-	-	peak


802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.1347	37.00	-11.98	25.02	40.00	-14.98	-	-	peak
2	51.1209	35.83	-11.85	23.98	40.00	-16.02	-	-	peak
3	74.3955	37.71	-15.87	21.84	40.00	-18.16	-	-	peak
4	107.1337	37.83	-13.31	24.52	43.50	-18.98	-	-	peak
5	116.1321	38.42	-13.92	24.50	43.50	-19.00	-	-	peak
6	268.4853	35.31	-10.78	24.53	46.00	-21.47	-	-	peak


➤ ANT 5\_5150-5250MHz

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	49.3594	35.51	-11.57	23.94	40.00	-16.06	-	-	peak
2	94.4284	35.23	-14.24	20.99	43.50	-22.51	-	-	peak
3	112.5244	36.77	-13.56	23.21	43.50	-20.29	-	-	peak
4	133.6188	41.05	-16.70	24.35	43.50	-19.15	-	-	peak
5	171.9946	37.74	-14.88	22.86	43.50	-20.64	-	-	peak
6	282.9852	39.40	-10.17	29.23	46.00	-16.77	-	-	peak

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.9942	37.60	-11.98	25.62	40.00	-14.38	-	-	peak
2	50.9420	34.89	-11.80	23.09	40.00	-16.91	-	-	peak
3	74.6569	38.20	-15.94	22.26	40.00	-17.74	-	-	peak
4	107.8877	38.54	-13.31	25.23	43.50	-18.27	-	-	peak
5	122.8340	38.91	-15.05	23.86	43.50	-19.64	-	-	peak
6	286.9823	34.78	-9.87	24.91	46.00	-21.09	-	-	peak

802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	44.5868	35.34	-11.82	23.52	40.00	-16.48	-	-	peak
2	50.7637	34.95	-11.75	23.20	40.00	-16.80	-	-	peak
3	64.6594	35.26	-13.87	21.39	40.00	-18.61	-	-	peak
4	119.0180	36.80	-14.20	22.60	43.50	-20.90	-	-	peak
5	174.4241	38.03	-14.71	23.32	43.50	-20.18	-	-	peak
6	278.0669	39.33	-10.53	28.80	46.00	-17.20	-	-	peak


802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.4508	37.53	-11.89	25.64	40.00	-14.36	-	-	peak
2	73.1025	36.94	-15.50	21.44	40.00	-18.56	-	-	peak
3	106.0126	38.48	-13.31	25.17	43.50	-18.33	-	-	peak
4	116.9495	37.06	-13.99	23.07	43.50	-20.43	-	-	peak
5	293.0842	34.65	-9.42	25.23	46.00	-20.77	-	-	peak




802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.7147	35.85	-12.09	23.76	40.00	-16.24	-	-	peak
2	49.7068	35.44	-11.55	23.89	40.00	-16.11	-	-	peak
3	65.3432	35.24	-13.98	21.26	40.00	-18.74	-	-	peak
4	118.1862	38.80	-14.12	24.68	43.50	-18.82	-	-	peak
5	171.9946	37.63	-14.88	22.75	43.50	-20.75	-	-	peak
6	273.2341	39.15	-10.76	28.39	46.00	-17.61	-	-	peak


802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.7016	36.65	-11.96	24.69	40.00	-15.31	-	-	peak
2	74.1351	37.27	-15.79	21.48	40.00	-18.52	-	-	peak
3	98.1419	36.05	-13.62	22.43	43.50	-21.07	-	-	peak
4	107.1337	38.08	-13.31	24.77	43.50	-18.73	-	-	peak
5	125.4457	38.01	-15.74	22.27	43.50	-21.23	-	-	peak
6	291.0360	34.92	-9.58	25.34	46.00	-20.66	-	-	peak


➤ ANT 5\_5250-5350MHz

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	55.2207	37.27	-12.95	24.32	40.00	-15.68	-	-	peak
2	83.8156	42.78	-16.22	26.56	40.00	-13.44	-	-	peak
3	92.1388	41.94	-14.61	27.33	43.50	-16.17	-	-	peak
4	96.0986	42.41	-13.96	28.45	43.50	-15.05	-	-	peak
5	123.2655	49.21	-15.17	34.04	43.50	-9.46	-	-	peak
6	166.0680	42.69	-15.23	27.46	43.50	-16.04	-	-	peak

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	40.85	-11.69	29.16	40.00	-10.84	-	-	peak
2	55.2207	40.09	-12.95	27.14	40.00	-12.86	-	-	peak
3	83.8156	39.56	-16.22	23.34	40.00	-16.66	-	-	peak
4	98.8326	34.60	-13.52	21.08	43.50	-22.42	-	-	peak
5	119.8556	34.76	-14.28	20.48	43.50	-23.02	-	-	peak
6	166.6514	43.21	-15.20	28.01	43.50	-15.49	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	83.8156	43.58	-16.22	27.36	40.00	-12.64	-	-	peak
2	88.0329	43.18	-15.38	27.80	43.50	-15.70	-	-	peak
3	92.1388	43.33	-14.61	28.72	43.50	-14.78	-	-	peak
4	123.6985	51.28	-15.30	35.98	43.50	-7.52	-	-	peak
5	166.0680	42.89	-15.23	27.66	43.50	-15.84	-	-	peak
6	338.4001	33.62	-8.14	25.48	46.00	-20.52	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	40.53	-11.69	28.84	40.00	-11.16	-	-	peak
2	92.1388	37.12	-14.61	22.51	43.50	-20.99	-	-	peak
3	123.6985	36.95	-15.30	21.65	43.50	-21.85	-	-	peak
4	166.6514	42.96	-15.20	27.76	43.50	-15.74	-	-	peak
5	250.3012	33.77	-10.92	22.85	46.00	-23.15	-	-	peak
6	547.0977	32.12	-3.85	28.27	46.00	-17.73	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	37.88	-11.69	26.19	40.00	-13.81	-	-	peak
2	79.8003	42.90	-16.77	26.13	40.00	-13.87	-	-	peak
3	83.8156	43.82	-16.22	27.60	40.00	-12.40	-	-	peak
4	92.1388	43.49	-14.61	28.88	43.50	-14.62	-	-	peak
5	124.1330	50.70	-15.40	35.30	43.50	-8.20	-	-	peak
6	166.0680	42.96	-15.23	27.73	43.50	-15.77	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.8998	38.80	-11.87	26.93	40.00	-13.07	-	-	peak
2	46.9948	39.76	-11.69	28.07	40.00	-11.93	-	-	peak
3	55.2207	41.61	-12.95	28.66	40.00	-11.34	-	-	peak
4	75.7114	39.87	-16.14	23.73	40.00	-16.27	-	-	peak
5	96.0986	34.41	-13.96	20.45	43.50	-23.05	-	-	peak
6	166.0680	43.16	-15.23	27.93	43.50	-15.57	-	-	peak




➤ ANT 5\_5470-5725MHz

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.2991	36.70	-12.24	24.46	40.00	-15.54	-	-	peak
2	53.3179	34.69	-12.47	22.22	40.00	-17.78	-	-	peak
3	116.1321	36.60	-13.92	22.68	43.50	-20.82	-	-	peak
4	136.9392	37.06	-16.46	20.60	43.50	-22.90	-	-	peak
5	173.2051	37.44	-14.79	22.65	43.50	-20.85	-	-	peak
6	280.0238	38.60	-10.39	28.21	46.00	-17.79	-	-	peak

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.8446	37.45	-11.96	25.49	40.00	-14.51	-	-	peak
2	51.4807	35.28	-11.96	23.32	40.00	-16.68	-	-	peak
3	75.4464	38.41	-16.11	22.30	40.00	-17.70	-	-	peak
4	107.1337	39.63	-13.31	26.32	43.50	-17.18	-	-	peak
5	115.7256	39.12	-13.88	25.24	43.50	-18.26	-	-	peak
6	284.9767	36.64	-10.03	26.61	46.00	-19.39	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	43.2017	35.09	-11.86	23.23	40.00	-16.77	-	-	peak
2	65.3432	34.11	-13.98	20.13	40.00	-19.87	-	-	peak
3	114.1138	36.31	-13.72	22.59	43.50	-20.91	-	-	peak
4	135.5062	35.72	-16.57	19.15	43.50	-24.35	-	-	peak
5	187.7530	34.39	-13.39	21.00	43.50	-22.50	-	-	peak
6	278.0669	39.42	-10.53	28.89	46.00	-17.11	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	38.8879	37.32	-12.40	24.92	40.00	-15.08	-	-	peak
2	51.4807	34.52	-11.96	22.56	40.00	-17.44	-	-	peak
3	71.5806	37.44	-15.08	22.36	40.00	-17.64	-	-	peak
4	107.8877	38.40	-13.31	25.09	43.50	-18.41	-	-	peak
5	125.0066	38.28	-15.64	22.64	43.50	-20.86	-	-	peak
6	270.3748	36.65	-10.78	25.87	46.00	-20.13	-	-	peak

802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	45.5348	36.22	-11.77	24.45	40.00	-15.55	-	-	peak
2	52.3913	34.50	-12.20	22.30	40.00	-17.70	-	-	peak
3	125.8864	38.89	-15.87	23.02	43.50	-20.48	-	-	peak
4	170.7926	38.19	-14.97	23.22	43.50	-20.28	-	-	peak
5	276.1236	38.72	-10.68	28.04	46.00	-17.96	-	-	peak
6	533.8321	31.54	-4.04	27.50	46.00	-18.50	-	-	peak


802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	35.74	-11.69	24.05	40.00	-15.95	-	-	peak
2	58.6126	35.68	-12.98	22.70	40.00	-17.30	-	-	peak
3	75.1823	38.38	-16.07	22.31	40.00	-17.69	-	-	peak
4	107.5101	37.90	-13.32	24.58	43.50	-18.92	-	-	peak
5	118.6014	41.26	-14.17	27.09	43.50	-16.41	-	-	peak
6	301.4224	34.46	-8.92	25.54	46.00	-20.46	-	-	peak


➤ ANT 5\_5725-5850MHz

802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	45.3755	36.39	-11.78	24.61	40.00	-15.39	-	-	peak
2	58.6126	36.01	-12.98	23.03	40.00	-16.97	-	-	peak
3	111.7380	36.13	-13.48	22.65	43.50	-20.85	-	-	peak
4	170.1948	36.48	-15.01	21.47	43.50	-22.03	-	-	peak
5	276.1236	39.12	-10.68	28.44	46.00	-17.56	-	-	peak
6	595.1329	30.09	-2.05	28.04	46.00	-17.96	-	-	peak


802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.1347	37.77	-11.98	25.79	40.00	-14.21	-	-	peak
2	57.9993	35.68	-12.97	22.71	40.00	-17.29	-	-	peak
3	70.8315	36.93	-14.86	22.07	40.00	-17.93	-	-	peak
4	107.8877	38.19	-13.31	24.88	43.50	-18.62	-	-	peak
5	118.1862	37.72	-14.12	23.60	43.50	-19.90	-	-	peak
6	291.0360	35.01	-9.58	25.43	46.00	-20.57	-	-	peak




802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	43.3534	35.88	-11.86	24.02	40.00	-15.98	-	-	peak
2	49.7068	34.64	-11.55	23.09	40.00	-16.91	-	-	peak
3	98.4866	34.42	-13.57	20.85	43.50	-22.65	-	-	peak
4	115.3205	36.58	-13.84	22.74	43.50	-20.76	-	-	peak
5	170.7926	36.65	-14.97	21.68	43.50	-21.82	-	-	peak
6	282.9852	38.67	-10.17	28.50	46.00	-17.50	-	-	peak

802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.0066	36.71	-11.91	24.80	40.00	-15.20	-	-	peak
2	73.6170	37.67	-15.65	22.02	40.00	-17.98	-	-	peak
3	97.1148	36.81	-13.80	23.01	43.50	-20.49	-	-	peak
4	108.6470	38.01	-13.31	24.70	43.50	-18.80	-	-	peak
5	118.1862	37.48	-14.12	23.36	43.50	-20.14	-	-	peak
6	284.9767	35.41	-10.03	25.38	46.00	-20.62	-	-	peak

802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	45.5348	36.22	-11.77	24.45	40.00	-15.55	-	-	peak
2	72.0843	34.65	-15.22	19.43	40.00	-20.57	-	-	peak
3	98.4866	34.87	-13.57	21.30	43.50	-22.20	-	-	peak
4	125.8864	38.89	-15.87	23.02	43.50	-20.48	-	-	peak
5	171.9946	39.29	-14.88	24.41	43.50	-19.09	-	-	peak
6	272.2776	39.35	-10.77	28.58	46.00	-17.42	-	-	peak


802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.9942	37.56	-11.98	25.58	40.00	-14.42	-	-	peak
2	74.9191	37.47	-16.02	21.45	40.00	-18.55	-	-	peak
3	98.1419	35.16	-13.62	21.54	43.50	-21.96	-	-	peak
4	106.7587	38.46	-13.32	25.14	43.50	-18.36	-	-	peak
5	117.3603	38.27	-14.04	24.23	43.50	-19.27	-	-	peak
6	291.0360	34.82	-9.58	25.24	46.00	-20.76	-	-	peak


➤ ANT 6\_5150-5250MHz

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.2991	36.36	-12.24	24.12	40.00	-15.88	-	-	peak
2	45.3755	35.36	-11.78	23.58	40.00	-16.42	-	-	peak
3	50.5860	35.20	-11.69	23.51	40.00	-16.49	-	-	peak
4	117.7725	36.77	-14.07	22.70	43.50	-20.80	-	-	peak
5	190.4050	32.67	-13.09	19.58	43.50	-23.92	-	-	peak
6	278.0669	43.49	-10.53	32.96	46.00	-13.04	-	-	peak

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	96.0986	38.50	-13.96	24.54	43.50	-18.96	-	-	peak
2	107.8877	38.68	-13.31	25.37	43.50	-18.13	-	-	peak
3	119.8556	40.06	-14.28	25.78	43.50	-17.72	-	-	peak
4	143.8295	37.43	-15.94	21.49	43.50	-22.01	-	-	peak
5	191.7450	39.92	-12.99	26.93	43.50	-16.57	-	-	peak
6	517.2480	34.33	-4.14	30.19	46.00	-15.81	-	-	peak

802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	43.3534	35.44	-11.86	23.58	40.00	-16.42	-	-	peak
2	51.3005	35.46	-11.90	23.56	40.00	-16.44	-	-	peak
3	119.0180	36.02	-14.20	21.82	43.50	-21.68	-	-	peak
4	186.4409	34.11	-13.54	20.57	43.50	-22.93	-	-	peak
5	280.0238	44.66	-10.39	34.27	46.00	-11.73	-	-	peak
6	752.7432	30.83	-1.27	29.56	46.00	-16.44	-	-	peak


802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	41.5670	37.66	-11.93	25.73	40.00	-14.27	-	-	peak
2	50.7637	36.18	-11.75	24.43	40.00	-15.57	-	-	peak
3	106.7587	38.31	-13.32	24.99	43.50	-18.51	-	-	peak
4	289.0021	33.54	-9.72	23.82	46.00	-22.18	-	-	peak
5	396.2415	32.36	-6.57	25.79	46.00	-20.21	-	-	peak
6	677.5798	30.99	-1.86	29.13	46.00	-16.87	-	-	peak




802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.8446	35.54	-11.96	23.58	40.00	-16.42	-	-	peak
2	50.7637	35.38	-11.75	23.63	40.00	-16.37	-	-	peak
3	126.3286	38.63	-15.99	22.64	43.50	-20.86	-	-	peak
4	167.8243	34.88	-15.14	19.74	43.50	-23.76	-	-	peak
5	280.0238	43.07	-10.39	32.68	46.00	-13.32	-	-	peak
6	566.6223	30.99	-2.98	28.01	46.00	-17.99	-	-	peak


802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.7147	37.06	-12.09	24.97	40.00	-15.03	-	-	peak
2	49.1866	34.75	-11.58	23.17	40.00	-16.83	-	-	peak
3	109.0286	37.88	-13.31	24.57	43.50	-18.93	-	-	peak
4	447.9822	32.67	-5.61	27.06	46.00	-18.94	-	-	peak
5	629.4772	30.68	-2.19	28.49	46.00	-17.51	-	-	peak
6	699.3046	30.39	-1.86	28.53	46.00	-17.47	-	-	peak


➤ ANT 6\_5250-5350MHz

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	38.8879	37.00	-12.40	24.60	40.00	-15.40	-	-	peak
2	83.8156	38.72	-16.22	22.50	40.00	-17.50	-	-	peak
3	96.0986	37.98	-13.96	24.02	43.50	-19.48	-	-	peak
4	119.8556	42.22	-14.28	27.94	43.50	-15.56	-	-	peak
5	166.0680	42.59	-15.23	27.36	43.50	-16.14	-	-	peak
6	299.3158	34.87	-8.96	25.91	46.00	-20.09	-	-	peak

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	40.79	-11.69	29.10	40.00	-10.90	-	-	peak
2	67.4382	38.13	-14.27	23.86	40.00	-16.14	-	-	peak
3	83.8156	38.95	-16.22	22.73	40.00	-17.27	-	-	peak
4	123.2655	36.39	-15.17	21.22	43.50	-22.28	-	-	peak
5	166.6514	44.41	-15.20	29.21	43.50	-14.29	-	-	peak
6	366.8231	32.84	-7.27	25.57	46.00	-20.43	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	35.97	-11.69	24.28	40.00	-15.72	-	-	peak
2	96.0986	38.47	-13.96	24.51	43.50	-18.99	-	-	peak
3	122.8340	44.28	-15.05	29.23	43.50	-14.27	-	-	peak
4	166.0680	42.79	-15.23	27.56	43.50	-15.94	-	-	peak
5	185.1379	34.75	-13.69	21.06	43.50	-22.44	-	-	peak
6	306.7537	34.28	-8.93	25.35	46.00	-20.65	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	41.54	-11.69	29.85	40.00	-10.15	-	-	peak
2	75.7114	40.17	-16.14	24.03	40.00	-15.97	-	-	peak
3	106.3850	34.37	-13.31	21.06	43.50	-22.44	-	-	peak
4	166.0680	44.41	-15.23	29.18	43.50	-14.32	-	-	peak
5	300.3673	32.85	-8.92	23.93	46.00	-22.07	-	-	peak
6	482.2156	31.09	-4.59	26.50	46.00	-19.50	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	32.2925	38.30	-14.03	24.27	40.00	-15.73	-	-	peak
2	55.2207	36.36	-12.95	23.41	40.00	-16.59	-	-	peak
3	96.0986	37.31	-13.96	23.35	43.50	-20.15	-	-	peak
4	120.6991	41.77	-14.50	27.27	43.50	-16.23	-	-	peak
5	166.0680	42.19	-15.23	26.96	43.50	-16.54	-	-	peak
6	300.3673	33.60	-8.92	24.68	46.00	-21.32	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	40.90	-11.69	29.21	40.00	-10.79	-	-	peak
2	71.5806	39.73	-15.08	24.65	40.00	-15.35	-	-	peak
3	103.8055	34.44	-13.32	21.12	43.50	-22.38	-	-	peak
4	121.5486	36.35	-14.71	21.64	43.50	-21.86	-	-	peak
5	166.0680	44.69	-15.23	29.46	43.50	-14.04	-	-	peak
6	377.2591	33.57	-7.12	26.45	46.00	-19.55	-	-	peak




➤ ANT 6\_5470-5725MHz

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	50.4089	35.86	-11.65	24.21	40.00	-15.79	-	-	peak
2	57.7962	34.82	-12.97	21.85	40.00	-18.15	-	-	peak
3	115.3205	36.28	-13.84	22.44	43.50	-21.06	-	-	peak
4	167.8243	35.64	-15.14	20.50	43.50	-23.00	-	-	peak
5	282.9852	43.66	-10.17	33.49	46.00	-12.51	-	-	peak
6	649.6597	31.01	-2.37	28.64	46.00	-17.36	-	-	peak

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.2757	36.22	-11.98	24.24	40.00	-15.76	-	-	peak
2	104.1701	37.35	-13.31	24.04	43.50	-19.46	-	-	peak
3	109.7960	38.24	-13.32	24.92	43.50	-18.58	-	-	peak
4	273.2341	33.51	-10.76	22.75	46.00	-23.25	-	-	peak
5	428.0193	31.31	-5.85	25.46	46.00	-20.54	-	-	peak
6	629.4772	31.05	-2.19	28.86	46.00	-17.14	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	41.5670	34.94	-11.93	23.01	40.00	-16.99	-	-	peak
2	50.9420	34.95	-11.80	23.15	40.00	-16.85	-	-	peak
3	118.6014	35.97	-14.17	21.80	43.50	-21.70	-	-	peak
4	167.8243	35.96	-15.14	20.82	43.50	-22.68	-	-	peak
5	282.9852	43.37	-10.17	33.20	46.00	-12.80	-	-	peak
6	566.6223	30.76	-2.98	27.78	46.00	-18.22	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.8542	36.28	-12.03	24.25	40.00	-15.75	-	-	peak
2	51.1209	35.90	-11.85	24.05	40.00	-15.95	-	-	peak
3	58.4074	35.74	-12.98	22.76	40.00	-17.24	-	-	peak
4	109.0286	38.12	-13.31	24.81	43.50	-18.69	-	-	peak
5	281.9946	34.78	-10.24	24.54	46.00	-21.46	-	-	peak
6	684.7454	30.96	-1.86	29.10	46.00	-16.90	-	-	peak

802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.4508	35.23	-11.89	23.34	40.00	-16.66	-	-	peak
2	51.6616	34.50	-12.00	22.50	40.00	-17.50	-	-	peak
3	116.9495	35.60	-13.99	21.61	43.50	-21.89	-	-	peak
4	185.1379	35.45	-13.69	21.76	43.50	-21.74	-	-	peak
5	274.1939	42.62	-10.77	31.85	46.00	-14.15	-	-	peak
6	668.1423	31.16	-2.01	29.15	46.00	-16.85	-	-	peak


802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	44.4308	36.03	-11.82	24.21	40.00	-15.79	-	-	peak
2	96.7749	34.60	-13.86	20.74	43.50	-22.76	-	-	peak
3	107.1337	37.12	-13.31	23.81	43.50	-19.69	-	-	peak
4	119.4361	35.94	-14.24	21.70	43.50	-21.80	-	-	peak
5	339.5888	32.69	-8.06	24.63	46.00	-21.37	-	-	peak
6	665.8035	31.97	-2.05	29.92	46.00	-16.08	-	-	peak


➤ ANT 6\_5725-5850MHz

802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.1616	36.69	-12.30	24.39	40.00	-15.61	-	-	peak
2	43.3534	37.16	-11.86	25.30	40.00	-14.70	-	-	peak
3	51.4807	35.86	-11.96	23.90	40.00	-16.10	-	-	peak
4	114.5146	37.41	-13.76	23.65	43.50	-19.85	-	-	peak
5	278.0669	44.83	-10.53	34.30	46.00	-11.70	-	-	peak
6	609.9217	31.41	-2.02	29.39	46.00	-16.61	-	-	peak


802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.5757	37.06	-12.14	24.92	40.00	-15.08	-	-	peak
2	50.2324	35.18	-11.60	23.58	40.00	-16.42	-	-	peak
3	108.6470	38.40	-13.31	25.09	43.50	-18.41	-	-	peak
4	286.9823	33.15	-9.87	23.28	46.00	-22.72	-	-	peak
5	373.3112	33.24	-7.21	26.03	46.00	-19.97	-	-	peak
6	744.8661	30.66	-1.23	29.43	46.00	-16.57	-	-	peak




802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	45.3755	36.72	-11.78	24.94	40.00	-15.06	-	-	peak
2	111.7380	35.64	-13.48	22.16	43.50	-21.34	-	-	peak
3	276.1236	42.87	-10.68	32.19	46.00	-13.81	-	-	peak
4	284.9767	43.44	-10.03	33.41	46.00	-12.59	-	-	peak
5	524.5541	31.56	-4.18	27.38	46.00	-18.62	-	-	peak
6	768.7482	31.14	-1.14	30.00	46.00	-16.00	-	-	peak

802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.2991	36.77	-12.24	24.53	40.00	-15.47	-	-	peak
2	60.0691	35.33	-13.00	22.33	40.00	-17.67	-	-	peak
3	108.6470	36.87	-13.31	23.56	43.50	-19.94	-	-	peak
4	281.0075	32.97	-10.32	22.65	46.00	-23.35	-	-	peak
5	468.8762	30.45	-5.00	25.45	46.00	-20.55	-	-	peak
6	665.8035	31.96	-2.05	29.91	46.00	-16.09	-	-	peak

802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	44.5868	35.49	-11.82	23.67	40.00	-16.33	-	-	peak
2	50.0566	34.96	-11.55	23.41	40.00	-16.59	-	-	peak
3	121.5486	36.08	-14.71	21.37	43.50	-22.13	-	-	peak
4	278.0669	43.87	-10.53	33.34	46.00	-12.66	-	-	peak
5	289.0021	42.41	-9.72	32.69	46.00	-13.31	-	-	peak
6	638.3686	30.56	-2.27	28.29	46.00	-17.71	-	-	peak


802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.1542	36.28	-11.90	24.38	40.00	-15.62	-	-	peak
2	59.8588	35.52	-12.99	22.53	40.00	-17.47	-	-	peak
3	107.5101	38.32	-13.32	25.00	43.50	-18.50	-	-	peak
4	396.2415	32.22	-6.57	25.65	46.00	-20.35	-	-	peak
5	582.7425	29.79	-2.36	27.43	46.00	-18.57	-	-	peak
6	719.1995	31.05	-1.18	29.87	46.00	-16.13	-	-	peak


➤ ANT 7\_5150-5250MHz

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.9942	35.61	-11.98	23.63	40.00	-16.37	-	-	peak
2	50.5860	35.84	-11.69	24.15	40.00	-15.85	-	-	peak
3	57.9993	35.00	-12.97	22.03	40.00	-17.97	-	-	peak
4	117.3603	36.86	-14.04	22.82	43.50	-20.68	-	-	peak
5	167.8243	38.80	-15.14	23.66	43.50	-19.84	-	-	peak
6	274.1939	39.92	-10.77	29.15	46.00	-16.85	-	-	peak

802.11a			
Test Channel	5180MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	40.1347	37.15	-11.98	25.17	40.00	-14.83	-	-	peak
2	45.6948	36.11	-11.76	24.35	40.00	-15.65	-	-	peak
3	75.7114	38.54	-16.14	22.40	40.00	-17.60	-	-	peak
4	107.5101	37.82	-13.32	24.50	43.50	-19.00	-	-	peak
5	121.9755	38.56	-14.83	23.73	43.50	-19.77	-	-	peak
6	275.1570	36.34	-10.74	25.60	46.00	-20.40	-	-	peak

802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	45.2166	35.74	-11.79	23.95	40.00	-16.05	-	-	peak
2	73.6170	36.92	-15.65	21.27	40.00	-18.73	-	-	peak
3	115.7256	37.11	-13.88	23.23	43.50	-20.27	-	-	peak
4	147.4036	39.69	-15.64	24.05	43.50	-19.45	-	-	peak
5	168.4138	37.59	-15.11	22.48	43.50	-21.02	-	-	peak
6	274.1939	39.73	-10.77	28.96	46.00	-17.04	-	-	peak


802.11n-HT20			
Test Channel	5180MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.5757	37.22	-12.14	25.08	40.00	-14.92	-	-	peak
2	71.3300	36.51	-15.01	21.50	40.00	-18.50	-	-	peak
3	94.7601	35.88	-14.19	21.69	43.50	-21.81	-	-	peak
4	111.3468	37.78	-13.45	24.33	43.50	-19.17	-	-	peak
5	124.5690	38.02	-15.52	22.50	43.50	-21.00	-	-	peak
6	289.0021	35.39	-9.72	25.67	46.00	-20.33	-	-	peak




802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	45.6948	36.24	-11.76	24.48	40.00	-15.52	-	-	peak
2	58.4074	34.47	-12.98	21.49	40.00	-18.51	-	-	peak
3	124.5690	37.90	-15.52	22.38	43.50	-21.12	-	-	peak
4	167.8243	35.63	-15.14	20.49	43.50	-23.01	-	-	peak
5	272.2776	39.32	-10.77	28.55	46.00	-17.45	-	-	peak


802.11n-HT40			
Test Channel	5190MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	38.3462	37.05	-12.61	24.44	40.00	-15.56	-	-	peak
2	51.6616	36.00	-12.00	24.00	40.00	-16.00	-	-	peak
3	76.2442	38.13	-16.23	21.90	40.00	-18.10	-	-	peak
4	107.1337	38.15	-13.31	24.84	43.50	-18.66	-	-	peak
5	118.6014	37.67	-14.17	23.50	43.50	-20.00	-	-	peak
6	278.0669	35.88	-10.53	25.35	46.00	-20.65	-	-	peak


➤ ANT 7\_5250-5350MHz

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	47.1599	36.88	-11.68	25.20	40.00	-14.80	-	-	peak
2	75.7114	39.21	-16.14	23.07	40.00	-16.93	-	-	peak
3	92.1388	39.95	-14.61	25.34	43.50	-18.16	-	-	peak
4	122.8340	49.26	-15.05	34.21	43.50	-9.29	-	-	peak
5	166.0680	42.17	-15.23	26.94	43.50	-16.56	-	-	peak
6	327.8873	33.06	-8.78	24.28	46.00	-21.72	-	-	peak

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.8998	38.27	-11.87	26.40	40.00	-13.60	-	-	peak
2	46.9948	39.81	-11.69	28.12	40.00	-11.88	-	-	peak
3	55.2207	40.05	-12.95	27.10	40.00	-12.90	-	-	peak
4	96.0986	35.44	-13.96	21.48	43.50	-22.02	-	-	peak
5	166.6514	43.95	-15.20	28.75	43.50	-14.75	-	-	peak
6	227.6906	34.44	-12.00	22.44	46.00	-23.56	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	36.03	-11.69	24.34	40.00	-15.66	-	-	peak
2	55.2207	37.71	-12.95	24.76	40.00	-15.24	-	-	peak
3	83.8156	40.52	-16.22	24.30	40.00	-15.70	-	-	peak
4	96.0986	38.71	-13.96	24.75	43.50	-18.75	-	-	peak
5	125.0066	50.93	-15.64	35.29	43.50	-8.21	-	-	peak
6	166.6514	43.27	-15.20	28.07	43.50	-15.43	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	39.08	-11.69	27.39	40.00	-12.61	-	-	peak
2	55.2207	39.68	-12.95	26.73	40.00	-13.27	-	-	peak
3	124.1330	36.99	-15.40	21.59	43.50	-21.91	-	-	peak
4	166.6514	43.00	-15.20	27.80	43.50	-15.70	-	-	peak
5	300.3673	32.58	-8.92	23.66	46.00	-22.34	-	-	peak
6	366.8231	32.81	-7.27	25.54	46.00	-20.46	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	42.8998	38.29	-11.87	26.42	40.00	-13.58	-	-	peak
2	88.0329	39.03	-15.38	23.65	43.50	-19.85	-	-	peak
3	96.0986	39.13	-13.96	25.17	43.50	-18.33	-	-	peak
4	124.1330	50.32	-15.40	34.92	43.50	-8.58	-	-	peak
5	166.6514	42.53	-15.20	27.33	43.50	-16.17	-	-	peak
6	299.3158	32.66	-8.96	23.70	46.00	-22.30	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	46.9948	38.74	-11.69	27.05	40.00	-12.95	-	-	peak
2	51.1209	37.73	-11.85	25.88	40.00	-14.12	-	-	peak
3	67.4382	37.42	-14.27	23.15	40.00	-16.85	-	-	peak
4	124.1330	36.62	-15.40	21.22	43.50	-22.28	-	-	peak
5	166.6514	43.59	-15.20	28.39	43.50	-15.11	-	-	peak
6	580.7026	31.92	-2.42	29.50	46.00	-16.50	-	-	peak




➤ ANT 7\_5470-5725MHz

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	37.8121	37.63	-12.81	24.82	40.00	-15.18	-	-	peak
2	43.9658	35.51	-11.83	23.68	40.00	-16.32	-	-	peak
3	58.2030	35.37	-12.97	22.40	40.00	-17.60	-	-	peak
4	112.5244	35.95	-13.56	22.39	43.50	-21.11	-	-	peak
5	176.2686	36.61	-14.57	22.04	43.50	-21.46	-	-	peak
6	282.9852	38.88	-10.17	28.71	46.00	-17.29	-	-	peak

802.11a			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.1616	37.47	-12.30	25.17	40.00	-14.83	-	-	peak
2	47.9940	35.97	-11.63	24.34	40.00	-15.66	-	-	peak
3	75.7114	38.30	-16.14	22.16	40.00	-17.84	-	-	peak
4	106.3850	38.37	-13.31	25.06	43.50	-18.44	-	-	peak
5	284.9767	35.09	-10.03	25.06	46.00	-20.94	-	-	peak
6	520.8882	31.35	-4.15	27.20	46.00	-18.80	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	38.3462	35.97	-12.61	23.36	40.00	-16.64	-	-	peak
2	42.6000	35.44	-11.89	23.55	40.00	-16.45	-	-	peak
3	50.5860	36.06	-11.69	24.37	40.00	-15.63	-	-	peak
4	120.2766	37.20	-14.38	22.82	43.50	-20.68	-	-	peak
5	175.6516	37.75	-14.62	23.13	43.50	-20.37	-	-	peak
6	274.1939	39.27	-10.77	28.50	46.00	-17.50	-	-	peak

802.11n-HT20			
Test Channel	5500MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	41.8596	37.51	-11.92	25.59	40.00	-14.41	-	-	peak
2	74.9191	38.30	-16.02	22.28	40.00	-17.72	-	-	peak
3	97.7983	37.32	-13.69	23.63	43.50	-19.87	-	-	peak
4	106.3850	39.00	-13.31	25.69	43.50	-17.81	-	-	peak
5	115.7256	38.01	-13.88	24.13	43.50	-19.37	-	-	peak
6	274.1939	36.30	-10.77	25.53	46.00	-20.47	-	-	peak

802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	43.6585	35.39	-11.84	23.55	40.00	-16.45	-	-	peak
2	51.3005	35.97	-11.90	24.07	40.00	-15.93	-	-	peak
3	116.1321	37.06	-13.92	23.14	43.50	-20.36	-	-	peak
4	172.5988	36.85	-14.84	22.01	43.50	-21.49	-	-	peak
5	278.0669	39.01	-10.53	28.48	46.00	-17.52	-	-	peak
6	636.1340	31.74	-2.24	29.50	46.00	-16.50	-	-	peak


802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.5757	37.78	-12.14	25.64	40.00	-14.36	-	-	peak
2	49.7068	36.93	-11.55	25.38	40.00	-14.62	-	-	peak
3	74.3955	38.34	-15.87	22.47	40.00	-17.53	-	-	peak
4	109.0286	38.12	-13.31	24.81	43.50	-18.69	-	-	peak
5	116.5401	36.91	-13.96	22.95	43.50	-20.55	-	-	peak
6	295.1469	34.83	-9.27	25.56	46.00	-20.44	-	-	peak


➤ ANT 7\_5725-5850MHz

802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	55.2207	35.27	-12.95	22.32	40.00	-17.68	-	-	peak
2	118.6014	37.04	-14.17	22.87	43.50	-20.63	-	-	peak
3	173.2051	36.34	-14.79	21.55	43.50	-21.95	-	-	peak
4	286.9823	39.05	-9.87	29.18	46.00	-16.82	-	-	peak
5	580.7026	31.61	-2.42	29.19	46.00	-16.81	-	-	peak
6	729.3583	31.69	-1.03	30.66	46.00	-15.34	-	-	peak


802.11a			
Test Channel	5745MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.4372	37.60	-12.19	25.41	40.00	-14.59	-	-	peak
2	60.4919	35.03	-13.08	21.95	40.00	-18.05	-	-	peak
3	73.8756	37.83	-15.72	22.11	40.00	-17.89	-	-	peak
4	107.5101	38.21	-13.32	24.89	43.50	-18.61	-	-	peak
5	282.9852	35.44	-10.17	25.27	46.00	-20.73	-	-	peak
6	478.8456	31.13	-4.69	26.44	46.00	-19.56	-	-	peak




802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	44.2752	35.40	-11.83	23.57	40.00	-16.43	-	-	peak
2	49.1866	35.68	-11.58	24.10	40.00	-15.90	-	-	peak
3	87.4177	35.10	-15.51	19.59	40.00	-20.41	-	-	peak
4	117.3603	36.93	-14.04	22.89	43.50	-20.61	-	-	peak
5	166.0680	36.39	-15.23	21.16	43.50	-22.34	-	-	peak
6	272.2776	39.18	-10.77	28.41	46.00	-17.59	-	-	peak

802.11n-HT20			
Test Channel	5745MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.5757	37.57	-12.14	25.43	40.00	-14.57	-	-	peak
2	51.3005	34.34	-11.90	22.44	40.00	-17.56	-	-	peak
3	76.7808	38.64	-16.31	22.33	40.00	-17.67	-	-	peak
4	108.2667	38.02	-13.31	24.71	43.50	-18.79	-	-	peak
5	119.8556	37.37	-14.28	23.09	43.50	-20.41	-	-	peak
6	289.0021	35.12	-9.72	25.40	46.00	-20.60	-	-	peak

802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	39.8542	36.44	-12.03	24.41	40.00	-15.59	-	-	peak
2	49.8814	35.13	-11.54	23.59	40.00	-16.41	-	-	peak
3	120.2766	37.13	-14.38	22.75	43.50	-20.75	-	-	peak
4	170.1948	37.58	-15.01	22.57	43.50	-20.93	-	-	peak
5	282.9852	38.76	-10.17	28.59	46.00	-17.41	-	-	peak
6	616.3718	29.72	-2.07	27.65	46.00	-18.35	-	-	peak

802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	76.5121	37.97	-16.27	21.70	40.00	-18.30	-	-	peak
2	107.1337	38.62	-13.31	25.31	43.50	-18.19	-	-	peak
3	122.8340	38.63	-15.05	23.58	43.50	-19.92	-	-	peak
4	291.0360	35.44	-9.58	25.86	46.00	-20.14	-	-	peak
5	504.7062	31.17	-4.07	27.10	46.00	-18.90	-	-	peak

Remark: '- 'Means' the test Degree and Height are not recorded by the test software and only show the worst case in the test report.


- Spurious Emission above 1GHz
- ANT 1

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.916	63.17	-4.32	58.85	74.00	-15.15	-	-	peak

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	46.01	-4.32	41.69	54.00	-12.31	-	-	AVG

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.916	59.81	-4.32	55.49	74.00	-18.51	-	-	peak


802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	43.60	-4.32	39.28	54.00	-14.72	-	-	AVG




802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5145.833	63.98	-4.32	59.66	74.00	-14.34	-	-	peak

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.916	47.84	-4.32	43.52	54.00	-10.48	-	-	AVG

802.11a- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.778	59.52	-4.16	55.36	74.00	-18.64	-	-	peak

802.11a- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	44.89	-4.16	40.73	54.00	-13.27	-	-	AVG

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5458.889	58.27	-4.16	54.11	74.00	-19.89	-	-	peak

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	44.51	-4.16	40.35	54.00	-13.65	-	-	AVG

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5456.001	66.89	-4.16	62.73	74.00	-11.27	-	-	peak

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.111	48.64	-4.16	44.48	54.00	-9.52	-	-	AVG




➤ ANT 2

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.916	61.49	-4.32	57.17	74.00	-16.83	-	-	peak

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	45.18	-4.32	40.86	54.00	-13.14	-	-	AVG

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.916	59.71	-4.32	55.39	74.00	-18.61	-	-	peak

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	43.44	-4.32	39.12	54.00	-14.88	-	-	AVG

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	67.03	-4.32	62.71	74.00	-11.29	-	-	peak

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Vertical(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.916	50.90	-4.32	46.58	54.00	-7.42	-	-	AVG

802.11a- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	61.11	-4.16	56.95	74.00	-17.05	-	-	peak


802.11a- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.444	43.58	-4.16	39.42	54.00	-14.58	-	-	AVG




802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5458.000	59.29	-4.16	55.13	74.00	-18.87	-	-	peak

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.5-5.6GHz	Polarity:	Vertical(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.556	43.55	-4.16	39.39	54.00	-14.61	-	-	AVG