

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-1 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *RS232 interface not mounted.*
- *CAN bus interface not mounted.*
- *2 inputs and 1 output instead of: 4 inputs and 1 output*
- *Small flash memory instead of: large flash memory.*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 1, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-10 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *CAN bus interface not mounted.*
- *RS-232 interface not mounted.*
- *1-wire interface not mounted.*
- *2 inputs and 1 output instead of: 4 inputs and 1 output*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-11 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *RS-232 interface not mounted.*
- *1-wire interface not mounted.*
- *2 inputs and 1 output instead of: 4 inputs and 1 output*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-12 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *RS-232 interface not mounted.*
- *CAN bus interface not mounted*
- *1-wire interface not mounted.*
- *2 inputs and 1 output instead of: 4 inputs and 1 output.*
- *Small flash memory instead of: large flash memory.*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-13 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *RS-232 interface not mounted.*
- *CAN bus interface not mounted*
- *1-wire interface not mounted.*
- *GPS receiver not mounted*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 1, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-2 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *RS232 interface not mounted.*
- *CAN bus interface not mounted.*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 1, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-3 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *1-wire interface not mounted*
- *RS232 interface not mounted.*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-4 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *RS232 interface not mounted.*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 1, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-6 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *CAN bus interface not mounted.*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-7 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *RS232 interface not mounted.*
- *2 inputs and 1 output instead of: 4 inputs and 1 output*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-8 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *CAN bus interface not mounted.*
- *2 inputs and 1 output instead of: 4 inputs and 1 output*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com

Marts 7, 2016

Certification and Engineering Bureau
Industry Canada
Spectrum Engineering Branch
3701 Carling Avenue, Building 94
Ottawa, Ontario K2H 8S2

ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME500-9 with IC Certification Number: 9746A-ME500

is identical in hardware and software to the model ME500-5

The only differences between the models are the baseband input/output I/O configuration:

- *CAN bus interface not mounted.*
- *RS-232 interface not mounted.*
- *1-wire interface not mounted.*
- *Small flash memory instead of: large flash memory.*

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-9232_15-02-02.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,



Joergen Raguse
CEO

M-Tec Trackunit A/S
Industrivej 10, 9490 Pandrup
Denmark
Tel. +45 9673 7400
Fax. +45 9673 7407
www.trackunit.com