

Report No.: SEWM2207000119RG01

Rev.: 01 Page: 1 of 28

Appendix B.10

LTE Cat-M1 Band26(824-849)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.pxpx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

980 www.sgsgroup.com.cn 980 sgs.china@sgs.com



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 2 of 28

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band26	1.4M	QPSK	L	1RB0	20.32	21.17	38.45	PASS
Band26	1.4M	QPSK	L	1RB5	20.14	20.99	38.45	PASS
Band26	1.4M	QPSK	L	6RB0	19.23	20.08	38.45	PASS
Band26	1.4M	QPSK	М	1RB0	20.32	21.17	38.45	PASS
Band26	1.4M	QPSK	М	1RB5	20.41	21.26	38.45	PASS
Band26	1.4M	QPSK	М	6RB0	19.41	20.26	38.45	PASS
Band26	1.4M	QPSK	Н	1RB0	20.36	21.21	38.45	PASS
Band26	1.4M	QPSK	Н	1RB5	20.54	21.39	38.45	PASS
Band26	1.4M	QPSK	Н	6RB0	18.99	19.84	38.45	PASS
Band26	3M	QPSK	L	1RB0	20.41	21.26	38.45	PASS
Band26	3M	QPSK	L	1RB5	20.64	21.49	38.45	PASS
Band26	3M	QPSK	L	6RB0	19.51	20.36	38.45	PASS
Band26	3M	QPSK	М	1RB0	20.32	21.17	38.45	PASS
Band26	3M	QPSK	М	1RB5	20.41	21.26	38.45	PASS
Band26	3M	QPSK	М	6RB0	19.63	20.48	38.45	PASS
Band26	3M	QPSK	Н	1RB0	20.74	21.59	38.45	PASS
Band26	3M	QPSK	Н	1RB5	20.43	21.28	38.45	PASS
Band26	3M	QPSK	Н	6RB0	19.54	20.39	38.45	PASS
Band26	5M	QPSK	L	1RB0	20.43	21.28	38.45	PASS
Band26	5M	QPSK	L	1RB5	20.54	21.39	38.45	PASS
Band26	5M	QPSK	L	6RB0	19.75	20.6	38.45	PASS
Band26	5M	QPSK	М	1RB0	20.63	21.48	38.45	PASS
Band26	5M	QPSK	М	1RB5	20.45	21.3	38.45	PASS
Band26	5M	QPSK	М	6RB0	19.77	20.62	38.45	PASS
Band26	5M	QPSK	Н	1RB0	20.32	21.17	38.45	PASS
Band26	5M	QPSK	Н	1RB5	20.41	21.26	38.45	PASS
Band26	5M	QPSK	Н	6RB0	19.56	20.41	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 3 of 28

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	5MHz	QPSK	26815	6RB#0	8.88	13	PASS
Band26	5MHz	QPSK	26915	6RB#0	8.82	13	PASS
Band26	5MHz	QPSK	27015	6RB#0	8.74	13	PASS






Report No.: SEWM2207000119RG01

Rev.: 01 Page: 4 of 28

Test Graphs








Report No.: SEWM2207000119RG01

Rev.: 01 Page: 5 of 28







Report No.: SEWM2207000119RG01


Rev.: 01 Page: 6 of 28

Modulation Characteristics

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result	Verdict
Band26	5MHz	QPSK	26915	6RB#0	PASS	PASS

Test Graphs







Report No.: SEWM2207000119RG01

Rev.: 01 Page: 7 of 28

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	1.093	1.26	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.09	1.26	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.091	1.26	PASS
Band26	3MHz	QPSK	26805	6RB#0	1.134	1.33	PASS
Band26	3MHz	QPSK	26915	6RB#0	1.114	1.38	PASS
Band26	3MHz	QPSK	27025	6RB#0	1.111	1.38	PASS
Band26	5MHz	QPSK	26815	6RB#0	1.102	1.29	PASS
Band26	5MHz	QPSK	26915	6RB#0	1.14	1.43	PASS
Band26	5MHz	QPSK	27015	6RB#0	1.13	1.41	PASS






Report No.: SEWM2207000119RG01

Rev.: 01

Page: 8 of 28

Test Graphs








Report No.: SEWM2207000119RG01

Rev.: 01 Page: 9 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-en/Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


or email: CM_Doccheck@sgs.com Sudni Mk. BFuth, N. Linusheng Read, Sudnou Indistali Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区周胜路(号的0号厂房南部 邮集: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 10 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-en/Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


or email: CN_Doccheck@sgs.com South of No. Fleat, No. 1, Runsheng Rose, Subrou Industrial Park, Subrou Area, China (Jángsu) Plot Free Trade Zune 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州 | 上型园区湾胜路(日始6号) 房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 11 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


or email: CN_Doccheck@egs.com Sound n/b. 6 Prath, to., Tansharq Read, Subtou Indashia Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区园胜路(号約6号厂房南部 邮集: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 12 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 13 of 28

Band Edge

Test Graphs








Report No.: SEWM2207000119RG01

Rev.: 01

Page: 14 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-


or email: CN_Doccheck@egs.com Sound n/b. 6 Provi, No. (Runsherg Read, Sudou Indashei Park, Sudou Alea, China (Jangsai) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は第区苏州片区苏州工业园区园胜路1号的6号「房南部 邮第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 15 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 16 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-


or email: CN. <u>Doccheck@sgs.com</u> Soundrivos Finku h. Tansharen grada, Ozbrou Indastrial Park, Suchou Area, China (Jángsa) Plat Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上公园区河胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 17 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio


or email: CN_Doccheck(@sgs_com | Sound vNa. Fixet, bu. F, Runsharq Road, Subnou Indastell Park, Subnou Area, Chira (Jiangsu) Pkt Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区海胜数1号的6号厂房南部 - 邮線: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 18 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-

or email: CM_Doccheck@sgs.com Sudni Mk. BFuth, N. Linusheng Read, Sudnou Indistali Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区周胜路(号的0号厂房南部 邮集: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 19 of 28

Conducted Spurious Emission

Test Graphs








Report No.: SEWM2207000119RG01

Rev.: 01

Page: 20 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

or email: CN_Doccheck@sgs_com | 20nd r/Na.6 Pixt, Na, Runshang Road, 20ndun Indasteli Park, Suchou Area, China (Jiangsi) PM Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区河胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 21 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio


or email: CN. Doccheck@sgs_com Sound five. Firth, Vi, Farsharg Pott, Outhout Indatail Park, Suchou Area, Chira (Jiangsi) Pixt Free Trade Zone 215000 中国・苏州・中国(江苏)自由限易试验区苏州上公园区河胜路1号的6号厂房南部 - 邮線: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 22 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-

or email: CN_Doccheck@sgs_com | 20th d/Na.6Fwk, th. Runsheng Road, 20thou Indastell Park, Suthou Area, China (Liangsi) PlxH Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号「房南部 鄭樂: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 23 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio


or email: CN_Doccheck@egs.com Sound n/b. 6 Prath, to., Tansharq Read, Subtou Indashia Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区园胜路(号約6号厂房南部 邮集: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 24 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-

or email: CN_Doccheck@sgs_com | 20th d/Na.6Fwk, th. Runsheng Road, 20thou Indastell Park, Suthou Area, China (Liangsi) PlxH Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号「房南部 鄭樂: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 25 of 28

Field Strength of Spurious Radiation

Test Band = CAT M1 Band 26_ TM1
Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ □[dD /mo1	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1649.6800	65.58	-48.22	25.37	-52.53	-13.00	39.53	157	226	Horizontal
2	2474.5200	74.76	-47.32	27.69	-40.13	-13.00	27.13	215	213	Horizontal
3	3299.3600	53.53	-46.68	29.56	-58.85	-13.00	45.85	269	332	Horizontal
4	4124.2000	52.23	-45.91	30.99	-57.96	-13.00	44.96	194	173	Horizontal
5	4949.0400	50.09	-45.69	32.74	-58.13	-13.00	45.13	251	319	Horizontal
6	5773.8800	48.61	-44.64	33.66	-57.63	-13.00	44.63	167	13	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1649.6800	55.53	-48.22	25.37	-62.58	-13.00	49.58	214	187	Vertical
2	2474.5200	62.32	-47.32	27.69	-52.57	-13.00	39.57	225	133	Vertical
3	3299.3600	51.89	-46.68	29.56	-60.49	-13.00	47.49	186	146	Vertical
4	4124.2000	49.09	-45.91	30.99	-61.10	-13.00	48.10	172	94	Vertical
5	4949.0400	49.96	-45.69	32.74	-58.26	-13.00	45.26	263	8	Vertical
6	5773.8800	49.50	-44.64	33.66	-56.74	-13.00	43.74	254	160	Vertical





Report No.: SEWM2207000119RG01

Rev.: 01

Page: 26 of 28

Test Band = CAT M1 Band 26_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1659.6800	68.06	-48.21	25.37	-50.03	-13.00	37.03	167	200	Horizontal
2	2489.5200	72.91	-47.29	27.74	-41.90	-13.00	28.90	159	252	Horizontal
3	3321.7143	61.57	-46.65	29.53	-50.81	-13.00	37.81	218	239	Horizontal
4	4149.2000	56.10	-45.93	31.02	-54.07	-13.00	41.07	237	226	Horizontal
5	4979.0400	49.11	-45.76	32.82	-59.09	-13.00	46.09	251	66	Horizontal
6	5805.8800	50.30	-44.68	33.76	-55.88	-13.00	42.88	163	360	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1659.6800	57.31	-48.21	25.37	-60.78	-13.00	47.78	217	281	Vertical
2	2489.5200	57.79	-47.29	27.74	-57.02	-13.00	44.02	259	148	Vertical
3	3319.3600	49.89	-46.65	29.53	-62.49	-13.00	49.49	228	188	Vertical
4	4149.2000	49.77	-45.93	31.02	-60.40	-13.00	47.40	164	293	Vertical
5	4979.0400	49.09	-45.76	32.82	-59.11	-13.00	46.11	139	267	Vertical
6	5805.8800	48.87	-44.68	33.76	-57.31	-13.00	44.31	182	67	Vertical





Report No.: SEWM2207000119RG01

Rev.: 01

Page: 27 of 28

Test Band = CAT M1 Band 26_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	1669.6800	72.28	-48.20	25.38	-45.80	-13.00	32.80	167	227	Horizontal
2	2505.1429	75.00	-47.25	27.79	-39.73	-13.00	26.73	251	227	Horizontal
3	3341.7143	62.60	-46.62	29.50	-49.78	-13.00	36.78	224	240	Horizontal
4	4177.1429	58.85	-45.95	31.07	-51.29	-13.00	38.29	231	267	Horizontal
5	5009.0400	49.61	-45.77	32.89	-58.54	-13.00	45.54	246	360	Horizontal
6	5843.8800	48.39	-44.80	33.83	-57.83	-13.00	44.83	259	134	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1669.6800	56.36	-48.20	25.38	-61.72	-13.00	48.72	219	244	Vertical
2	2505.1429	61.06	-47.25	27.79	-53.67	-13.00	40.67	237	126	Vertical
3	3339.3600	49.76	-46.62	29.51	-62.62	-13.00	49.62	184	357	Vertical
4	4174.2000	50.42	-45.94	31.06	-59.72	-13.00	46.72	172	11	Vertical
5	5009.0400	49.39	-45.77	32.89	-58.76	-13.00	45.76	228	297	Vertical
6	5843.8800	49.62	-44.80	33.83	-56.60	-13.00	43.60	261	2	Vertical

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading Level + AF(dB/m) + Factor(dB)

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain (dB)

Margin = Limit(dBm) - Level(dBm)

 $dBm = dB\mu V - 95.26$





Report No.: SEWM2207000119RG01

Rev.: 01

Page: 28 of 28

Frequency Stability

Test Result

					Voltage					
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	5MHz	QPSK	26915	6RB#0	VL	NT	-0.30	-0.000359	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	VN	NT	-0.30	-0.000359	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	VH	NT	-0.30	-0.000359	±2.5	PASS

				7	Temperatui	е				
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	5MHz	QPSK	26915	6RB#0	NV	-30	-2.50	-0.002989	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	-20	-3.90	-0.004662	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	-10	-3.50	-0.004184	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	0	1.70	0.002032	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	10	2.10	0.002510	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	20	-1.10	-0.001315	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	30	-3.40	-0.004065	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	40	-4.60	-0.005499	±2.5	PASS
Band26	5MHz	QPSK	26915	6RB#0	NV	50	-4.20	-0.005021	±2.5	PASS

---End of Attachment---

