





海蕴
HAIYUN

Test Mode	WCDMA-Band II_TX Mid CH	Polarization	Vertical
-----------	-------------------------	--------------	----------



Test Mode	WCDMA-Band II_TX Mid CH	Polarization	Horizontal
-----------	-------------------------	--------------	------------






海蕴
HAIYUN

Test Mode	LTE-B2_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		70.0902	-67.85	-5.47	-73.32	-13.00	-60.32	peak		
2		92.7871	-68.92	-4.59	-73.51	-13.00	-60.51	peak		
3 *		250.3011	-62.21	-3.20	-65.41	-13.00	-52.41	peak		

Test Mode	LTE-B2_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		51.8430	-76.31	0.21	-76.10	-13.00	-63.10	peak		
2 *		250.3012	-59.13	0.00	-59.13	-13.00	-46.13	peak		
3		625.0780	-71.44	5.10	-66.34	-13.00	-53.34	peak		




海蕴
HAIYUN

Test Mode	LTE-B4_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		60.9176	-69.84	-4.91	-74.75	-13.00	-61.75	peak			
2		90.8554	-68.97	-4.81	-73.78	-13.00	-60.78	peak			
3 *		250.3012	-57.24	-3.20	-60.44	-13.00	-47.44	peak			

Test Mode	LTE-B4_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		45.0583	-76.69	0.56	-76.13	-13.00	-63.13	peak			
2		125.0066	-70.44	-8.59	-79.03	-13.00	-66.03	peak			
3 *		250.3012	-55.58	0.00	-55.58	-13.00	-42.58	peak			



海蕴
HAIYUN

Test Mode	LTE-B5_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		50.7637	-70.53	-4.55	-75.08	-13.00	-62.08	peak			
2		78.6888	-67.50	-5.99	-73.49	-13.00	-60.49	peak			
3 *		250.3012	-61.49	-3.20	-64.69	-13.00	-51.69	peak			

Test Mode	LTE-B5_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		59.6493	-77.56	-0.19	-77.75	-13.00	-64.75	peak			
2		125.0066	-72.24	-8.59	-80.83	-13.00	-67.83	peak			
3 *		250.3012	-56.62	0.00	-56.62	-13.00	-43.62	peak			



海蕴
HAIYUN

Test Mode	LTE-B7_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		75.7114	-67.38	-5.81	-73.19	-25.00	-48.19	peak		
2		178.1327	-75.47	-0.25	-75.72	-25.00	-50.72	peak		
3 *		250.3012	-63.75	-3.20	-66.95	-25.00	-41.95	peak		

Test Mode	LTE-B7_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		38.6160	-77.11	0.84	-76.27	-25.00	-51.27	peak		
2		125.0066	-71.01	-8.59	-79.60	-25.00	-54.60	peak		
3 *		250.3012	-58.20	0.00	-58.20	-25.00	-33.20	peak		



海蕴
HAIYUN

Test Mode	LTE-B12_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		59.4405	-71.28	-4.83	-76.11	-13.00	-63.11	peak			
2		91.4947	-68.52	-4.74	-73.26	-13.00	-60.26	peak			
3 *		250.3011	-56.76	-3.20	-59.96	-13.00	-46.96	peak			

Test Mode	LTE-B12_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		51.3005	-77.10	0.24	-76.86	-13.00	-63.86	peak			
2 *		250.3012	-56.50	0.00	-56.50	-13.00	-43.50	peak			
3		473.8347	-76.72	3.31	-73.41	-13.00	-60.41	peak			



海蕴
HAIYUN

Test Mode	LTE-B13_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		60.9176	-65.73	-4.91	-70.64	-13.00	-57.64	peak		
2		139.3613	-79.71	-0.64	-80.35	-13.00	-67.35	peak		
3 *		250.3012	-65.41	-3.20	-68.61	-13.00	-55.61	peak		

Test Mode	LTE-B13_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		38.2120	-74.42	0.84	-73.58	-13.00	-60.58	peak		
2 *		250.3012	-59.16	0.00	-59.16	-13.00	-46.16	peak		
3		625.0780	-72.65	5.10	-67.55	-13.00	-54.55	peak		




海蕴
HAIYUN

Test Mode	LTE-B14_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		68.1514	-67.31	-5.35	-72.66	-13.00	-59.66	peak		
2		158.1123	-75.02	0.87	-74.15	-13.00	-61.15	peak		
3 *		250.3011	-59.98	-3.20	-63.18	-13.00	-50.18	peak		

Test Mode	LTE-B14_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		43.5057	-78.33	0.64	-77.69	-13.00	-64.69	peak		
2		141.8262	-75.99	-4.82	-80.81	-13.00	-67.81	peak		
3 *		250.3012	-55.10	0.00	-55.10	-13.00	-42.10	peak		



海蕴
HAIYUN

Test Mode	LTE-B17_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		60.0691	-64.47	-4.85	-69.32	-13.00	-56.32	peak		
2		125.0066	-77.62	-3.41	-81.03	-13.00	-68.03	peak		
3 *		250.3012	-53.37	-3.20	-56.57	-13.00	-43.57	peak		

Test Mode	LTE-B17_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		38.3462	-73.15	0.84	-72.31	-13.00	-59.31	peak		
2		147.4036	-75.93	-4.95	-80.88	-13.00	-67.88	peak		
3 *		250.3012	-56.34	0.00	-56.34	-13.00	-43.34	peak		



海蕴
HAIYUN

Test Mode	LTE-B25_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		60.0691	-68.97	-4.85	-73.82	-13.00	-60.82	peak			
2		100.2286	-69.96	-3.76	-73.72	-13.00	-60.72	peak			
3 *		250.3012	-66.68	-3.20	-69.88	-13.00	-56.88	peak			

Test Mode	LTE-B25_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		38.0783	-74.91	0.84	-74.07	-13.00	-61.07	peak			
2		140.8351	-74.97	-4.80	-79.77	-13.00	-66.77	peak			
3 *		250.3012	-59.19	0.00	-59.19	-13.00	-46.19	peak			



海蕴
HAIYUN

Test Mode	LTE-B26_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		53.6932	-70.66	-4.64	-75.30	-13.00	-62.30	peak			
2		95.0930	-69.49	-4.32	-73.81	-13.00	-60.81	peak			
3 *		250.3012	-56.77	-3.20	-59.97	-13.00	-46.97	peak			

Test Mode	LTE-B26_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		37.8121	-76.48	0.85	-75.63	-13.00	-62.63	peak			
2		140.8351	-76.17	-4.80	-80.97	-13.00	-67.97	peak			
3 *		250.3012	-61.41	0.00	-61.41	-13.00	-48.41	peak			



海蕴
HAIYUN

Test Mode	LTE-B29_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Antenna Height cm	Table Degree degree	Comment
1		69.1141	-68.29	-5.41	-73.70	-13.00	-60.70	peak			
2		156.4578	-76.19	0.74	-75.45	-13.00	-62.45	peak			
3 *		250.3012	-56.39	-3.20	-59.59	-13.00	-46.59	peak			

Test Mode	LTE-B29_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Antenna Height cm	Table Degree degree	Comment
1		51.6616	-73.10	0.22	-72.88	-13.00	-59.88	peak			
2		93.7685	-64.83	-9.47	-74.30	-13.00	-61.30	peak			
3 *		250.3012	-59.62	0.00	-59.62	-13.00	-46.62	peak			



海蕴
HAIYUN

Test Mode	LTE-B30_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		77.3212	-67.17	-5.91	-73.08	-40.00	-33.08	peak		
2		151.5972	-75.74	0.37	-75.37	-40.00	-35.37	peak		
3 *		250.3012	-59.89	-3.20	-63.09	-40.00	-23.09	peak		

Test Mode	LTE-B30_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		38.3462	-75.76	0.84	-74.92	-40.00	-34.92	peak		
2		138.3873	-70.16	-5.19	-75.35	-40.00	-35.35	peak		
3 *		250.3012	-60.82	0.00	-60.82	-40.00	-20.82	peak		



海蕴
HAIYUN

Test Mode	LTE-B41_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		77.0505	-67.58	-5.89	-73.47	-25.00	-48.47	peak		
2		133.1511	-75.33	-1.84	-77.17	-25.00	-52.17	peak		
3 *		250.3012	-59.02	-3.20	-62.22	-25.00	-37.22	peak		

Test Mode	LTE-B41_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		50.9420	-76.73	0.26	-76.47	-25.00	-51.47	peak		
2		75.7114	-77.42	-5.69	-83.11	-25.00	-58.11	peak		
3 *		250.3012	-55.60	0.00	-55.60	-25.00	-30.60	peak		



海蕴
HAIYUN

Test Mode	LTE-B46_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		71.0803	-69.91	-5.53	-75.44	-13.00	-62.44	peak			
2		143.3261	-75.08	-0.27	-75.35	-13.00	-62.35	peak			
3 *		250.3012	-60.34	-3.20	-63.54	-13.00	-50.54	peak			

Test Mode	LTE-B46_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		51.6616	-76.94	0.22	-76.72	-13.00	-63.72	peak			
2		137.9028	-75.09	-5.31	-80.40	-13.00	-67.40	peak			
3 *		250.3012	-59.06	0.00	-59.06	-13.00	-46.06	peak			



海蕴
HAIYUN

Test Mode	LTE-B66_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Detector Height cm	Table Degree degree	Comment
1		77.3212	-66.64	-5.91	-72.55	-13.00	-59.55	peak		
2		153.2004	-74.41	0.49	-73.92	-13.00	-60.92	peak		
3 *		250.3012	-58.47	-3.20	-61.67	-13.00	-48.67	peak		

Test Mode	LTE-B66_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Detector Height cm	Table Degree degree	Comment
1		38.2120	-74.21	0.84	-73.37	-13.00	-60.37	peak		
2		143.8295	-76.00	-4.87	-80.87	-13.00	-67.87	peak		
3 *		250.3012	-57.98	0.00	-57.98	-13.00	-44.98	peak		




海蕴
HAIYUN

Test Mode	LTE-B71_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------



Test Mode	LTE-B71_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------






海蕴
HAIYUN

Test Mode	LTE CA_5B_TX Mid CH	Polarization	Vertical
-----------	---------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		43.0505	-101.12	20.49	-80.63	-13.00	-67.63	peak			
2		89.9047	-99.42	15.90	-83.52	-13.00	-70.52	peak			
3 *		250.3012	-91.18	17.61	-73.57	-13.00	-60.57	peak			

Test Mode	LTE CA_5B_TX Mid CH	Polarization	Horizontal
-----------	---------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		46.8303	-104.32	20.32	-84.00	-13.00	-71.00	peak			
2		105.6415	-92.15	17.00	-75.15	-13.00	-62.15	peak			
3 *		250.3012	-92.29	17.61	-74.68	-13.00	-61.68	peak			



海蕴
HAIYUN

Test Mode	LTE CA_7C_TX Mid CH	Polarization	Vertical
-----------	---------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		46.6664	-103.02	20.33	-82.69	-13.00	-69.69	peak			
2		102.0014	-96.52	16.80	-79.72	-13.00	-66.72	peak			
3 *		250.3012	-90.67	17.61	-73.06	-13.00	-60.06	peak			

Test Mode	LTE CA_7C_TX Mid CH	Polarization	Horizontal
-----------	---------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		49.3594	-102.39	20.40	-81.99	-13.00	-68.99	peak			
2		114.1138	-101.91	18.21	-83.70	-13.00	-70.70	peak			
3 *		250.3012	-91.18	17.61	-73.57	-13.00	-60.57	peak			




海蕴
HAIYUN

Test Mode	LTE CA_41C_TX Mid CH	Polarization	Vertical
-----------	----------------------	--------------	----------



Test Mode	LTE CA_41C_TX Mid CH	Polarization	Horizontal
-----------	----------------------	--------------	------------



REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.




APPENDIX D - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)



海蕴
HAIYUN

Test Mode	WCDMA-Band V_TX Mid CH	Polarization	Vertical
-----------	------------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		1673.000	-55.33	-3.40	-58.73	-13.00	-45.73	peak			
2 *		2509.500	-57.63	-0.22	-57.85	-13.00	-44.85	peak			

Test Mode	WCDMA-Band V_TX Mid CH	Polarization	Horizontal
-----------	------------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		1673.000	-55.55	-3.65	-59.20	-13.00	-46.20	peak			
2 *		2509.500	-56.70	-0.25	-56.95	-13.00	-43.95	peak			



海蕴
HAIYUN

Test Mode	WCDMA-Band IV_TX Mid CH	Polarization	Vertical
-----------	-------------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Detector	Height cm	Table degree	Comment
1		3465.000	-55.40	2.99	-52.41	-13.00	-39.41	peak			
2 *		5197.500	-58.69	6.31	-52.38	-13.00	-39.38	peak			

Test Mode	WCDMA-Band IV_TX Mid CH	Polarization	Horizontal
-----------	-------------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Detector	Height cm	Table degree	Comment
1 *		3465.000	-54.17	2.72	-51.45	-13.00	-38.45	peak			
2		5197.500	-59.31	7.28	-52.03	-13.00	-39.03	peak			



海蕴
HAIYUN

Test Mode	WCDMA-Band II_TX Mid CH	Polarization	Vertical
-----------	-------------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		3760.000	-58.34	4.28	-54.06	-13.00	-41.06	peak			
2 *		5640.000	-55.25	8.31	-46.94	-13.00	-33.94	peak			

Test Mode	WCDMA-Band II_TX Mid CH	Polarization	Horizontal
-----------	-------------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		3760.000	-57.14	4.18	-52.96	-13.00	-39.96	peak			
2 *		5640.000	-55.06	7.24	-47.82	-13.00	-34.82	peak			



海蕴
HAIYUN

Test Mode	LTE-B2_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		3760.000	-49.31	4.28	-45.03	-13.00	-32.03	peak			
2 *		5640.000	-48.67	8.31	-40.36	-13.00	-27.36	peak			

Test Mode	LTE-B2_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1 *		3760.000	-47.76	4.18	-43.58	-13.00	-30.58	peak			
2		5640.000	-52.33	7.24	-45.09	-13.00	-32.09	peak			



海蕴
HAIYUN

Test Mode	LTE-B4_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	3465.000	-51.87	2.99	-48.88	-13.00	-35.88	peak		
2		5197.500	-55.88	6.31	-49.57	-13.00	-36.57	peak		

Test Mode	LTE-B4_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		3465.000	-52.07	2.72	-49.35	-13.00	-36.35	peak		
2	*	5197.500	-55.59	7.28	-48.31	-13.00	-35.31	peak		



海蕴
HAIYUN

Test Mode	LTE-B5_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Antenna Height cm	Table Degree degree	Comment
1	*	1673.000	-48.49	-3.40	-51.89	-13.00	-38.89	peak			
2		2509.500	-52.45	-0.22	-52.67	-13.00	-39.67	peak			

Test Mode	LTE-B5_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Antenna Height cm	Table Degree degree	Comment
1		1673.000	-51.38	-3.40	-54.78	-13.00	-41.78	peak			
2	*	2509.500	-51.14	-0.22	-51.36	-13.00	-38.36	peak			



海蕴
HAIYUN

Test Mode	LTE-B7_TX Mid CH	Polarization	Vertical
-----------	------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		5070.000	-51.44	6.75	-44.69	-25.00	-19.69	peak		
2 *		7605.000	-56.00	12.57	-43.43	-25.00	-18.43	peak		

Test Mode	LTE-B7_TX Mid CH	Polarization	Horizontal
-----------	------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		5070.000	-51.11	7.27	-43.84	-25.00	-18.84	peak		
2 *		7605.000	-56.04	12.49	-43.55	-25.00	-18.55	peak		




海蕴
HAIYUN

Test Mode	LTE-B12_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------




Test Mode	LTE-B12_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------






海蕴
HAIYUN

Test Mode	LTE-B13_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------




Test Mode	LTE-B13_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------






海蕴
HAIYUN

Test Mode	LTE-B17_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------



Test Mode	LTE-B17_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------






海蕴
HAIYUN

Test Mode	LTE-B25_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		3765.000	-46.56	4.30	-42.26	-13.00	-29.26	peak			
2 *		5647.500	-44.71	8.30	-36.41	-13.00	-23.41	peak			

Test Mode	LTE-B25_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1		3765.000	-47.42	4.20	-43.22	-13.00	-30.22	peak			
2 *		5647.500	-48.10	7.28	-40.82	-13.00	-27.82	peak			




海蕴
HAIYUN

Test Mode	LTE-B26_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------




Test Mode	LTE-B26_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------






海蕴
HAIYUN

Test Mode	LTE-B30_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------



Test Mode	LTE-B30_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------






海蕴
HAIYUN

Test Mode	LTE-B41_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		5186.000	-58.19	6.35	-51.84	-25.00	-26.84	peak			
2 *		7779.000	-58.38	13.27	-45.11	-25.00	-20.11	peak			

Test Mode	LTE-B41_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		5186.000	-60.67	7.28	-53.39	-25.00	-28.39	peak			
2 *		7779.000	-59.33	13.10	-46.23	-25.00	-21.23	peak			



海蕴
HAIYUN

Test Mode	LTE-B66_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		3490.000	-51.18	3.14	-48.04	-13.00	-35.04	peak		
2 *		5235.000	-52.76	6.49	-46.27	-13.00	-33.27	peak		

Test Mode	LTE-B66_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		3490.000	-50.33	2.88	-47.45	-13.00	-34.45	peak		
2 *		5235.000	-54.10	7.06	-47.04	-13.00	-34.04	peak		



海蕴
HAIYUN

Test Mode	LTE-B71_TX Mid CH	Polarization	Vertical
-----------	-------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1	*	1361.000	-48.42	-2.89	-51.31	-13.00	-38.31	peak			
2		2041.500	-52.57	-1.68	-54.25	-13.00	-41.25	peak			

Test Mode	LTE-B71_TX Mid CH	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	
1	*	1361.000	-49.53	-3.17	-52.70	-13.00	-39.70	peak			
2		2041.500	-52.34	-1.81	-54.15	-13.00	-41.15	peak			



海蕴
HAIYUN

Test Mode	LTE CA_5B_TX Mid CH	Polarization	Vertical
-----------	---------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		1673.000	-55.97	-3.40	-59.37	-13.00	-46.37	peak			
2 *		2509.500	-57.56	-0.22	-57.78	-13.00	-44.78	peak			

Test Mode	LTE CA_5B_TX Mid CH	Polarization	Horizontal
-----------	---------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree	Comment
1		1673.000	-56.22	-3.65	-59.87	-13.00	-46.87	peak			
2 *		2509.500	-58.06	-0.25	-58.31	-13.00	-45.31	peak			



海蕴
HAIYUN

Test Mode	LTE CA_7C_TX Mid CH	Polarization	Vertical
-----------	---------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		5070.000	-60.40	6.75	-53.65	-13.00	-40.65	peak		
2 *		7605.000	-59.49	12.57	-46.92	-13.00	-33.92	peak		

Test Mode	LTE CA_7C_TX Mid CH	Polarization	Horizontal
-----------	---------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		5070.000	-59.72	7.27	-52.45	-13.00	-39.45	peak		
2 *		7605.000	-59.33	12.49	-46.84	-13.00	-33.84	peak		



海蕴
HAIYUN

Test Mode	LTE CA_41C_TX Mid CH	Polarization	Vertical
-----------	----------------------	--------------	----------


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		5186.000	-60.04	6.35	-53.69	-13.00	-40.69	peak		
2 *		7779.000	-59.53	13.27	-46.26	-13.00	-33.26	peak		

Test Mode	LTE CA_41C_TX Mid CH	Polarization	Horizontal
-----------	----------------------	--------------	------------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		5186.000	-59.77	7.28	-52.49	-13.00	-39.49	peak		
2 *		7779.000	-58.87	13.10	-45.77	-13.00	-32.77	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Statement

1. The report is invalid without the official seal or special seal of Shenzhen Haiyun Standard Technology Co., Ltd. (hereinafter referred to as the unit).
2. The report is invalid without the signature of the approver.
3. The report is invalid if altered arbitrarily.
4. The report shall not be partially copied without the written approval of the unit.
5. The reported test results are only valid for the tested samples.
6. If there is any objection to the test report, it shall be submitted to the test unit within 15 days from the date of receiving the report, and the overdue shall not be accepted.

Shenzhen Haiyun Standard Technology Co., Ltd.

Address: Room 110, 111, 112, 113, 115, 116, Block B, Jinyuan Business Building, No. 302, Xixiang Avenue, Labor Community, Xixiang Street, Baoan District, Shenzhen, China

Tel: 0755-26024411

Email: service@hy-lab.cn

End of Test Report