



TEST REPORT

APPLICANT : Fibocom Wireless Inc.
PRODUCT NAME : LTE Module
MODEL NAME : FG101-NA
BRAND NAME : Fibocom
FCC ID : ZMOFG101NA20
STANDARD(S) : 47 CFR Part 96.47
RECEIPT DATE : 2023-06-19
TEST DATE : 2023-07-07
ISSUE DATE : 2023-07-18



Edited by: Li Huaijie
Li Huaijie (Rapporteur)
Approved by: Shen Junsheng
Shen Junsheng (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd., the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.





DIRECTORY

- 1. Technical Information 3
 - 1.1. Applicant and Manufacturer Information 3
 - 1.2. Equipment Under Test (EUT) Description 3
- 2. Summary Test Results and Description 4
 - 2.1. Applied Reference Documents 4
 - 2.2. Environmental Conditions 4
 - 2.3. Test Results Lists 4
 - 2.4. Test Equipment list 4
- Annex A Testing Laboratory Information 8

Change History		
Version	Date	Reason for change
1.0	2023-07-18	First edition



1. Technical Information

Note: Provide by applicant.

1.1. Applicant and Manufacturer Information

Applicant:	Fibocom Wireless Inc.
Applicant Address:	1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China
Manufacturer:	Fibocom Wireless Inc.
Manufacturer Address:	1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China

1.2. Equipment Under Test (EUT) Description

Product Name:	LTE Module	
Sample No.:	1#	
Hardware Version:	V1.2	
Software Version:	19101.1000.01.00.20.01	
Modulation Type:	QPSK, 16QAM, 64QAM	
Carrier Aggregation:	Support DL	
Operation Band:	Band 48	
Frequency Range:	LTE Band 48	Tx: 3550MHz–3700MHz
		Rx: 3550MHz–3700MHz
Channel Bandwidth	LTE Band 48	5MHz,10MHz,15MHz,20MHz
Antenna Type:	Fixed External Antenna	
Antenna Gain:	LTE Band 48	-1.18 dBi



2. Summary Test Results and Description

2.1. Applied Reference Documents

Reference documents for testing:

Identity	Document Title
FCC Part 96	CITIZENS BROADBAND RADIO SERVICE
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS

2.2. Environmental Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15-35
Relative Humidity (%):	30-60
Atmospheric Pressure (kPa):	86-106

2.3. Test Results Lists

No.	Test Description	Result
Part96.47	End User Device Additional Requirements (CBSD Protocol)	P

2.4. Test Equipment list

Description	Series Number	Type	Manufacture	Cal. Date	Cal. Due
Spectrum Analyzer	MY54170556	N9030A	Keysight	2022.10.10	2023.10.09



Appendix A: Measurement Results

RUN#1

A.1 End User Device Additional Requirement (CBSD Protocol)

A. 11 Measurement Limit

End user device additional requirements (CBSD Protocol) are tested per the test procedures listed below. During testing, the EUT is connected to a certified CBSD (kingsignal LBS7320 FCC ID: 2AVFNLBS7320) as a companion device to show compliance with Part 96.47. End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation. An End User Device must discontinue operations, change frequencies, or change its operation power level within 10 seconds of receiving instructions from its associated CBSD.

A.1.2 Measurement Method

The EUT was connected via an RF cable to a certified CBSD and spectrum analyzer

1.Run#1:


- a. Setup frequency with 3610MHz - 3630MHz
- b. Check EUT Tx frequency.
- c. Disable AP service and check EUT stop transmission within 10s.

2.Run#2:

- a. Setup frequency with 3660MHz - 3680MHz
- b. Check EUT Tx frequency.
- c. Disable AP service and check EUT stop transmission within 10s



Run#1



Note


Marker 1: CBSD sends instructions to discontinue LTE operations.

Marker 2: EUT discontinues operation





Run#2



Note

Marker 1: CBSD sends instructions to discontinue LTE operations.

Marker 2: EUT discontinues operation





Annex A Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.

—————END OF REPORT—————