



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240200055103
Page: 1 of 8

TEST REPORT

Application No: SZCR2402000551MO
Applicant: Fibocom Wireless Inc
Address of Applicant: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China
Manufacturer: Fibocom Wireless Inc
Address of Manufacturer: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China
EUT Description: 5G RedCap Module
Model No.: FG132-GL
Trade Mark: Fibocom
FCC ID: ZMOFG132GL
Standards: FCC 47 CFR Part 2.1091
 FCC KDB 447498 D01 v06
Date of Receipt: 2024/02/21
Date of Issue: 2024/04/28

Test Result:	PASS*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Keny Xu
Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZCR240200055103
 Page: 2 of 8

1 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2024/04/28		Original

Prepared By	 <hr/> (Jack Huang) / Test Engineer
Checked By	 <hr/> (Flora Wang) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240200055103
Page: 3 of 8

Contents

1	Version	2
2	General Information	4
2.1	Client Information	4
2.2	Test Facility	4
2.3	General Description of EUT	5
3	RF Exposure Evaluation	6
3.1	RF Exposure Compliance Requirement	6



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com


 Report No.: SZCR240200055103
 Page: 4 of 8

2 General Information

2.1 Client Information

Applicant:	Fibocom Wireless Inc
Address of Applicant:	1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China
Manufacturer:	Fibocom Wireless Inc
Address of Manufacturer:	1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

- **VCCI**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

- **Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

- **FCC –Designation Number: CN1336**

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized as an accredited testing laboratory.

Designation Number: CN1336.

Test Firm Registration Number: 787754



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



2.3 General Description of EUT

EUT Description:	5G RedCap Module			
Model No.:	FG132-GL			
Trade Mark:	Fibocom			
Hardware Version:	V1.0			
Software Version:	19003.1000.00.02.01.12			
Power Supply:	DC3.8V			
Antenna Type:	<input checked="" type="checkbox"/> External, <input type="checkbox"/> Integrated			
HPUE Power Class:	Class 2: LTE Band 38; LTE Band 41; LTE Band 42; LTE Band 43;			
Antenna Gain:	LTE Band 2:	2.85dBi (Ant0)	LTE Band 4:	2.98dBi (Ant0)
	LTE Band 5:	1.32dBi (Ant0)	LTE Band 7:	2.21dBi (Ant0)
	LTE Band 12:	1.61dBi (Ant0)	LTE Band 13:	1.83dBi (Ant0)
	LTE Band 14:	2.19dBi (Ant0)	LTE Band 17:	1.61dBi (Ant0)
	LTE Band 25:	2.85dBi (Ant0)	LTE Band 26:	1.32dBi (Ant0)
	LTE Band 30:	0.22dBi (Ant0)	LTE Band 38:	1.71dBi (Ant0)
	LTE Band 41:	2.21dBi (Ant0)	LTE Band 42:	-0.13dBi (Ant0)
	LTE Band 43:	-0.13dBi (Ant0)	LTE Band 48:	-0.13dBi (Ant0)
	LTE Band 66:	2.98dBi (Ant0)	LTE Band 71:	1.61dBi (Ant0)
	NR Band n2:	2.85dBi (Ant0)	NR Band n5:	1.32dBi (Ant0)
	NR Band n7:	2.21dBi (Ant0)	NR Band n12:	1.61dBi (Ant0)
	NR Band n13:	1.83dBi (Ant0)	NR Band n14:	2.19dBi (Ant0)
	NR Band n25:	2.85dBi (Ant0)	NR Band n26:	1.32dBi (Ant0)
	NR Band n30:	0.22dBi (Ant0)	NR Band n38:	1.71dBi (Ant0)
	NR Band n41:	2.21dBi (Ant0)	NR Band n48:	-0.13dBi (Ant0)
	NR Band n66:	2.98dBi (Ant0)	NR Band n70:	2.86dBi (Ant0)
	NR Band n71:	1.61dBi (Ant0)	NR Band n77:	2.95dBi (Ant0)
NR Band n78:	-0.13dBi (Ant0)			
Note:	The antenna gain are derived from the gain information report provided by the manufacturer.			
Remark:	As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.			





3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(A) Limits for Occupational/Controlled Exposures				
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/f	4.89/f	*(900/f ²)	6
30-300	61.4	0.163	1.0	6
300-1500	/	/	f/300	6
1500-100,000	/	/	5	6
(B) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

F=frequency in MHz
 *=Plane-wave equivalent power density
 RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $P_d = (P_{out} * G) / (4 * \pi * R^2)$

Where

P_d = power density in mW/cm²

P_{out} = output power to antenna in mW

G = gain of antenna in linear scale

π = 3.1416

R = distance between observation point and center of the radiator in cm

P_d is the limit of MPE, 1 mW/cm². If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch, Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm ²)	Limit (mW/cm ²)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
LTE Band 2	1850.7	2.85	25.00	27.85	33.00	0.1213	1.0000	8.00	12.01	8.00	Pass
LTE Band 4	1710.7	2.98	25.00	27.98	30.00	0.1249	1.0000	5.00	12.01	5.00	Pass
LTE Band 5	824.7	1.32	25.00	24.17	38.45	0.0853	0.5498	15.60	9.41	9.41	Pass
LTE Band 7	2502.5	2.21	25.00	27.21	33.00	0.1046	1.0000	8.00	12.01	8.00	Pass
LTE Band 12	699.7	1.61	25.00	24.46	34.77	0.0911	0.4665	11.92	8.70	8.70	Pass
LTE Band 13	779.5	1.83	25.00	24.68	34.77	0.0959	0.5197	11.92	9.16	9.16	Pass
LTE Band 14	790.5	2.19	25.00	25.04	34.77	0.1042	0.5270	11.92	9.23	9.23	Pass
LTE Band 17	706.5	1.61	25.00	24.46	34.77	0.0911	0.4710	11.92	8.74	8.74	Pass
LTE Band 25	1850.7	2.85	25.00	27.85	33.00	0.1213	1.0000	8.00	12.01	8.00	Pass
LTE Band 26(814-824)	814.7	1.32	25.00	24.17	NA	0.0853	0.5431	NA	9.36	9.36	Pass
LTE Band 26(824-849)	824.7	1.32	25.00	24.17	38.45	0.0853	0.5498	15.60	9.41	9.41	Pass
LTE Band 30	2307.5	0.22	23.00	23.22	23.98	0.0418	1.0000	0.98	14.01	0.98	Pass
LTE Band 38	2572.5	1.71	25.00	26.71	33.00	0.0933	1.0000	8.00	12.01	8.00	Pass
LTE Band 38(HPUE)	2572.5	1.71	28.00	29.71	33.00	0.1861	1.0000	5.00	9.01	5.00	Pass
LTE Band 41	2498.5	2.21	25.00	27.21	33.00	0.1046	1.0000	8.00	12.01	8.00	Pass
LTE Band 41(HPUE)	2498.5	2.21	28.00	30.21	33.00	0.2088	1.0000	5.00	9.01	5.00	Pass
LTE Band 42(3450-3550)	3452.5	-0.13	25.00	24.87	30.00	0.0611	1.0000	5.00	12.01	5.00	Pass
LTE Band 42(3450-3550)(HPUE)	3452.5	-0.13	28.00	27.87	30.00	0.1218	1.0000	2.00	9.01	2.00	Pass
LTE Band 42(3550-3600)	3552.5	-0.13	25.00	24.87	30.00	0.0611	1.0000	5.00	12.01	5.00	Pass
LTE Band 42(3550-3600)(HPUE)	3552.5	-0.13	28.00	27.87	30.00	0.1218	1.0000	2.00	9.01	2.00	Pass
LTE Band 43(3600-3700)	3602.3	-0.13	25.00	24.87	30.00	0.0611	1.0000	5.00	12.01	5.00	Pass
LTE Band 43(3600-3700)(HPUE)	3602.3	-0.13	28.00	27.87	30.00	0.1218	1.0000	2.00	9.01	2.00	Pass
LTE Band 43(3700-3800)	3702.5	-0.13	25.00	24.87	30.00	0.0611	1.0000	5.00	12.01	5.00	Pass
LTE Band 43(3700-3800)(HPUE)	3702.5	-0.13	28.00	27.87	30.00	0.1218	1.0000	2.00	9.01	2.00	Pass
LTE Band 48	3552.5	-0.13	23.00	22.87	23.00	0.0385	1.0000	0.00	14.01	0.00	Pass
LTE Band 66	1710.7	2.98	25.00	27.98	30.00	0.1249	1.0000	5.00	12.01	5.00	Pass
LTE Band 71	665.5	1.61	25.00	24.46	34.77	0.0911	0.4437	11.92	8.48	8.48	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

