

Report No.: SEWM2309000364RG02

Rev.: 01

Page: 1 of 11

Appendix B.2

ENDC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions Freedertonic Format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-an-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information on the processing of the time of its intervention only anowhithing the limits of the second of the second

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 鄭編: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2309000364RG02

Rev.: 01 2 of 11 Page:

Test Band = NSA DC_14A_n2A_ TM1 **Test Channel = Low Channel**

Final	Final Data List										
NO	Frequency	Reading	Factor	A E [D /]	Level	Limit	Margin	Delegate			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4015.5	44.92	-48.16	29.43	-69.07	-13.00	56.07	Horizontal			
2	5324.25	44.19	-47.77	32.28	-66.56	-13.00	53.56	Horizontal			
3	8358.75	41.44	-44.29	36.70	-61.41	-13.00	48.41	Horizontal			
4	10760.25	38.67	-40.84	39.18	-58.24	-13.00	45.24	Horizontal			
5	13670.25	36.74	-38.29	40.14	-56.67	-13.00	43.67	Horizontal			
6	16900.5	35.60	-36.55	38.83	-57.38	-13.00	44.38	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolority			
NO.	[MHz]	[dBµV]	[dB]	Ar[ub/III]	[dBm]	[dBm]	[dB]	Polarity			
1	3953.25	44.81	-48.23	29.33	-69.35	-13.00	56.35	Vertical			
2	5168.25	43.89	-47.87	31.90	-67.33	-13.00	54.33	Vertical			
3	7658.25	42.36	-44.94	36.61	-61.23	-13.00	48.23	Vertical			
4	10918.5	38.03	-40.14	39.33	-58.04	-13.00	45.04	Vertical			
5	14824.5	36.76	-36.98	40.24	-55.24	-13.00	42.24	Vertical			
6	16881	35.78	-36.78	38.82	-57.44	-13.00	44.44	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2309000364RG02

Rev.: 01

3 of 11 Page:

Test Band = NSA DC_14A_n2A_ TM1 **Test Channel = Mid Channel**

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ [- D /1	Level	Limit	Margin	Delevite			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4233	45.33	-48.17	29.82	-68.28	-13.00	55.28	Horizontal			
2	5556	44.26	-47.66	32.71	-65.95	-13.00	52.95	Horizontal			
3	7273.5	43.85	-46.17	36.26	-61.32	-13.00	48.32	Horizontal			
4	9994.5	39.71	-41.72	38.50	-58.78	-13.00	45.78	Horizontal			
5	12033.75	37.67	-39.49	39.18	-57.90	-13.00	44.90	Horizontal			
6	14829.75	36.68	-37.00	40.24	-55.35	-13.00	42.35	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Delerity			
NO.	[MHz]	[dBµV]	[dB]	AF[db/III]	[dBm]	[dBm]	[dB]	Polarity			
1	3944.25	44.66	-48.24	29.32	-69.52	-13.00	56.52	Vertical			
2	5731.5	44.30	-47.54	32.75	-65.75	-13.00	52.75	Vertical			
3	7748.25	42.46	-45.07	36.50	-61.36	-13.00	48.36	Vertical			
4	10410	38.91	-41.18	38.87	-58.66	-13.00	45.66	Vertical			
5	13728	37.18	-38.26	40.27	-56.07	-13.00	43.07	Vertical			
6	16616.25	36.36	-37.25	38.63	-57.52	-13.00	44.52	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

4 of 11 Page:

Test Band = NSA DC_14A_n2A_ TM1 **Test Channel = High Channel**

Final Data List										
NO	Frequency	Reading	Factor	Λ [[d]D/ma]	Level	Limit	Margin	Delevite		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity		
1	4373.25	45.07	-48.02	30.07	-68.14	-13.00	55.14	Horizontal		
2	5707.5	43.96	-47.50	32.74	-66.06	-13.00	53.06	Horizontal		
3	8404.5	41.23	-44.12	36.77	-61.38	-13.00	48.38	Horizontal		
4	10907.25	38.14	-40.06	39.32	-57.86	-13.00	44.86	Horizontal		
5	13723.5	37.51	-38.21	40.26	-55.70	-13.00	42.70	Horizontal		
6	16881	35.54	-36.78	38.82	-57.68	-13.00	44.68	Horizontal		

Final Data List										
NO	Frequency	Reading	Factor	V [[qD/m]	Level	Limit	Margin	Delerity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity		
1	4601.25	44.50	-48.00	30.54	-68.22	-13.00	55.22	Vertical		
2	5934	44.37	-47.27	32.79	-65.37	-13.00	52.37	Vertical		
3	7276.5	43.30	-46.17	36.26	-61.87	-13.00	48.87	Vertical		
4	10924.5	37.91	-40.18	39.33	-58.20	-13.00	45.20	Vertical		
5	14186.25	37.27	-38.63	40.75	-55.87	-13.00	42.87	Vertical		
6	17750.25	35.64	-37.61	43.70	-53.53	-13.00	40.53	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

5 of 11 Page:

Test Band = NSA DC_14A_n66A_ TM1 **Test Channel = Low Channel**

Final	Final Data List										
NO	Frequency	Reading	Factor	A = []	Level	Limit	Margin	Delegate			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3907.5	44.95	-48.28	29.27	-69.32	-13.00	56.32	Horizontal			
2	4614	44.80	-47.99	30.57	-67.88	-13.00	54.88	Horizontal			
3	6514.5	43.66	-47.00	34.53	-64.07	-13.00	51.07	Horizontal			
4	8286	41.43	-44.50	36.60	-61.73	-13.00	48.73	Horizontal			
5	12698.25	37.95	-39.27	38.78	-57.79	-13.00	44.79	Horizontal			
6	15195	36.09	-36.73	39.73	-56.17	-13.00	43.17	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Delerity			
NO.	[MHz]	[dBµV]	[dB]	AF[db/III]	[dBm]	[dBm]	[dB]	Polarity			
1	3719.25	45.39	-48.45	29.01	-69.31	-13.00	56.31	Vertical			
2	4437.75	44.87	-48.06	30.19	-68.26	-13.00	55.26	Vertical			
3	6668.25	43.82	-46.71	34.87	-63.28	-13.00	50.28	Vertical			
4	8426.25	40.99	-44.15	36.80	-61.63	-13.00	48.63	Vertical			
5	12118.5	38.10	-39.67	39.13	-57.70	-13.00	44.70	Vertical			
6	14640	36.32	-37.44	40.39	-55.99	-13.00	42.99	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

6 of 11 Page:

Test Band = NSA DC_14A_n66A_ TM1 **Test Channel = Mid Channel**

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ [- D /1	Level	Limit	Margin	Delevite			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3680.25	45.15	-48.46	28.95	-69.62	-13.00	56.62	Horizontal			
2	4542	44.70	-47.99	30.40	-68.15	-13.00	55.15	Horizontal			
3	6682.5	43.82	-46.64	34.90	-63.18	-13.00	50.18	Horizontal			
4	7841.25	42.29	-45.13	36.39	-61.71	-13.00	48.71	Horizontal			
5	10006.5	39.55	-41.71	38.51	-58.92	-13.00	45.92	Horizontal			
6	14769.75	36.25	-36.80	40.28	-55.52	-13.00	42.52	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Delerity			
NO.	[MHz]	[dBµV]	[dB]	Ar[ub/III]	[dBm]	[dBm]	[dB]	Polarity			
1	3288.75	45.34	-48.04	28.62	-69.35	-13.00	56.35	Vertical			
2	4983	43.95	-48.01	31.46	-67.86	-13.00	54.86	Vertical			
3	7791	42.43	-44.94	36.45	-61.32	-13.00	48.32	Vertical			
4	9526.5	40.38	-42.34	38.07	-59.14	-13.00	46.14	Vertical			
5	14670	36.34	-37.06	40.36	-55.62	-13.00	42.62	Vertical			
6	17517	35.90	-36.82	42.21	-53.97	-13.00	40.97	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

7 of 11 Page:

Test Band = NSA DC_14A_n66A_ TM1 **Test Channel = High Channel**

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ [- D /1	Level	Limit	Margin	Delevite			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3843	44.84	-48.23	29.18	-69.47	-13.00	56.47	Horizontal			
2	4673.25	45.15	-47.97	30.72	-67.36	-13.00	54.36	Horizontal			
3	6648.75	43.77	-46.81	34.83	-63.47	-13.00	50.47	Horizontal			
4	8988.75	40.59	-43.27	37.58	-60.35	-13.00	47.35	Horizontal			
5	12126	37.85	-39.68	39.12	-57.97	-13.00	44.97	Horizontal			
6	14895.75	35.75	-37.35	40.18	-56.67	-13.00	43.67	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Delerity			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3964.5	44.78	-48.22	29.35	-69.35	-13.00	56.35	Vertical			
2	5320.5	44.37	-47.77	32.27	-66.39	-13.00	53.39	Vertical			
3	8391	41.41	-44.15	36.75	-61.25	-13.00	48.25	Vertical			
4	11390.25	37.97	-40.12	39.32	-58.09	-13.00	45.09	Vertical			
5	14725.5	36.28	-36.72	40.32	-55.38	-13.00	42.38	Vertical			
6	17260.5	35.84	-37.32	40.57	-56.17	-13.00	43.17	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

8 of 11 Page:

Test Band = NSA DC_14A_n77A 3450M-3550M_ TM1 **Test Channel = Mid Channel**

Final	Final Data List												
NO	Frequency	Reading	Factor	A [[- D/1	Level	Limit	Margin	Dalarita					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	7403.7083	43.27	-45.58	36.57	-61.00	-13.00	48.00	Horizontal					
2	8837.8542	41.61	-43.74	37.37	-60.02	-13.00	47.02	Horizontal					
3	10387.4792	39.63	-41.23	38.85	-58.01	-13.00	45.01	Horizontal					
4	12424.8958	36.97	-38.43	38.95	-57.78	-13.00	44.78	Horizontal					
5	14175.7708	36.91	-38.29	40.76	-55.88	-13.00	42.88	Horizontal					
6	17969.8125	36.15	-37.06	45.11	-51.07	-13.00	38.07	Horizontal					

Final	Final Data List												
NO.	Frequency	Reading	Factor	V [[qD/m]	Level	Limit	Margin	Delerity					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	7385.0208	43.53	-45.63	36.52	-60.83	-13.00	47.83	Vertical					
2	9931.7917	39.96	-41.79	38.44	-58.65	-13.00	45.65	Vertical					
3	12325.7083	37.49	-39.07	39.00	-57.83	-13.00	44.83	Vertical					
4	13882.5208	37.44	-38.37	40.63	-55.56	-13.00	42.56	Vertical					
5	15237.6042	36.40	-37.81	39.65	-57.02	-13.00	44.02	Vertical					
6	17513.1667	35.53	-36.20	42.18	-53.75	-13.00	40.75	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

9 of 11 Page:

Test Band = NSA DC_14A_n77A 3700M-3980M_ TM1 **Test Channel = Low Channel**

Final Data List											
NO	Frequency	Reading	Factor	Λ [[d]D/ma]	Level	Limit	Margin	Dalarita			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	7697.4375	43.14	-45.13	36.56	-60.69	-13.00	47.69	Horizontal			
2	8708	42.28	-43.70	37.19	-59.49	-13.00	46.49	Horizontal			
3	10061.6458	40.02	-41.67	38.56	-58.36	-13.00	45.36	Horizontal			
4	12030.0625	37.63	-38.81	39.18	-57.26	-13.00	44.26	Horizontal			
5	13661.1458	37.65	-38.08	40.12	-55.57	-13.00	42.57	Horizontal			
6	15165.7292	36.78	-37.84	39.79	-56.53	-13.00	43.53	Horizontal			

Final	Final Data List												
NO.	Frequency	Reading	Factor	V [[4D/22]	Level	Limit	Margin	Delerity					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	8193.8542	41.25	-44.23	36.47	-61.77	-13.00	48.77	Vertical					
2	8932.25	41.27	-43.58	37.51	-60.06	-13.00	47.06	Vertical					
3	10395.1458	39.12	-41.24	38.86	-58.53	-13.00	45.53	Vertical					
4	11512.5625	38.21	-39.98	39.30	-57.73	-13.00	44.73	Vertical					
5	13730.1458	37.08	-38.12	40.28	-56.02	-13.00	43.02	Vertical					
6	15324.3333	36.95	-38.07	39.48	-56.90	-13.00	43.90	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

10 of 11 Page:

Test Band = NSA DC_14A_n77A 3700M-3980M_ TM1 **Test Channel = Mid Channel**

Final	Final Data List												
NO	Frequency	Reading	Factor	Λ [[d]D/ma]	Level	Limit	Margin	Delevite					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	7662.9375	42.78	-45.04	36.60	-60.92	-13.00	47.92	Horizontal					
2	9120.5625	40.53	-43.07	37.71	-60.09	-13.00	47.09	Horizontal					
3	10748.7708	38.94	-40.63	39.17	-57.78	-13.00	44.78	Horizontal					
4	12920.3542	37.36	-38.50	38.65	-57.75	-13.00	44.75	Horizontal					
5	14831.75	36.59	-37.81	40.23	-56.25	-13.00	43.25	Horizontal					
6	16576.875	36.53	-37.39	38.60	-57.51	-13.00	44.51	Horizontal					

Final	Final Data List												
NO	Frequency	Reading	Factor	A E[dD/m]	Level	Limit	Margin	Delerity					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	8225.4792	42.34	-44.31	36.52	-60.71	-13.00	47.71	Vertical					
2	8800.9583	41.98	-43.86	37.32	-59.82	-13.00	46.82	Vertical					
3	10370.7083	39.62	-41.20	38.83	-58.01	-13.00	45.01	Vertical					
4	11392.2917	38.31	-39.77	39.32	-57.40	-13.00	44.40	Vertical					
5	14330.0625	37.26	-38.76	40.64	-56.12	-13.00	43.12	Vertical					
6	16623.3542	36.31	-37.31	38.64	-57.62	-13.00	44.62	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2309000364RG02

Rev.: 01

Page: 11 of 11

Test Band = NSA DC_14A_n77A 3700M-3980M_ TM1 Test Channel = High Channel

Final	Final Data List												
NO	Frequency	Reading	Factor	A [[- D/1	Level	Limit	Margin	Dalarita					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	7667.25	42.87	-45.05	36.60	-60.85	-13.00	47.85	Horizontal					
2	8954.2917	41.27	-43.59	37.54	-60.05	-13.00	47.05	Horizontal					
3	12291.6875	37.73	-39.36	39.02	-57.87	-13.00	44.87	Horizontal					
4	14191.1042	36.81	-38.20	40.75	-55.91	-13.00	42.91	Horizontal					
5	16240.9792	36.93	-38.01	38.37	-57.97	-13.00	44.97	Horizontal					
6	17966.4583	36.32	-37.07	45.09	-50.93	-13.00	37.93	Horizontal					

Final	Final Data List												
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Delevity					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	7864.1875	43.18	-44.94	36.36	-60.66	-13.00	47.66	Vertical					
2	9273.8958	41.85	-42.95	37.85	-58.51	-13.00	45.51	Vertical					
3	11397.5625	38.30	-39.73	39.32	-57.37	-13.00	44.37	Vertical					
4	13605.5625	36.98	-38.26	39.99	-56.55	-13.00	43.55	Vertical					
5	14828.875	37.21	-37.79	40.24	-55.60	-13.00	42.60	Vertical					
6	16562.9792	36.34	-37.51	38.59	-57.84	-13.00	44.84	Vertical					

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com