

Report No.: ZEWM2304000531RG02

Page: 1 of 8

TEST REPORT

Application No:ZEWM2304000531RGApplicant:Fibocom Wireless Inc

Address of Applicant: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi

1st Rd, Nanshan, Shenzhen, China

Manufacturer: Fibocom Wireless Inc

Address of Manufacturer: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi

1st Rd, Nanshan, Shenzhen, China

EUT Description: 5G Module
Model No.: FM350-GL
Trade Mark: Fibocom

FCC ID: ZMOFM350GL

Standards: FCC 47 CFR Part 2.1091 FCC KDB 447498 D01 v06

Date of Receipt: 2023/04/23 **Date of Issue:** 2023/05/12

Test Result: PASS*

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Ervin Li Regulatory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions for feetcronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing //inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.
中国•深圳•科技园中区M-10株一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZEWM2304000531RG02

Page: 2 of 8

1 Version

Revision Record							
Version	Chapter	Date	Modifier	Remark			
01		2023/05/12		Original			

Prepared By	Dee . Zheng (Dee Zheng) / Test Engineer				
Checked By	Daniel Wang (Daniel Wang) / Reviewer				



Report No.: ZEWM2304000531RG02

Page: 3 of 8

Contents

1	Ver	rsion	2
		neral Information	
		Client Information Test Facility	
	2.3	General Description of EUT	5
		Exposure Evaluation	
	3.1	RF Exposure Compliance Requirement	6
	3.1	.1 Limits	6
	3.1	.2 Test Procedure	7
	3.1	.3 EUT RF Exposure Evaluation	7

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/

Report No.: ZEWM2304000531RG02

Page: 4 of 8

2 General Information

2.1 Client Information

Applicant:	Fibocom Wireless Inc				
Address of Applicant:	1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China				
Manufacturer:	Fibocom Wireless Inc				
Address of Manufacturer:	1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China				

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

• FCC -Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized as an

accredited testing laboratory. Designation Number: CN1336.

Test Firm Registration Number: 787754



Report No.: ZEWM2304000531RG02

Page: 5 of 8

2.3 General Description of EUT

EUT Description:	5G Module					
Model No.:	FM350-GL					
Trade Mark:	Fibocom					
Hardware Version:	V1.0.6					
Software Version:	1600.0000.00.29.22.06					
Antenna Type:	⊠External, ☐Integrated					
	LTE Band 2: 4.0dBi					
	LTE Band 66: 3.0dBi					
	NR Band n48: 1.0dBi					
Antenna Gain:	ENDC:					
	DC_2A_n48A; DC_66A_n48A;					
	Note:					
	The antenna gain are derived from the gain information report provided by the manufacturer.					
Remark:	Remark:					
As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asp. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: ZEWM2304000531RG02

Page: 6 of 8

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0	0.3-3.0 614 1.63 *(100)									
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	1	1	f/300	6						
1500-100,000	1	1	5	6						
(B) Limits for General Population/Uncontrolled Exposure										
0.3-1.34	0.3-1.34 614 1.63 *(100)									
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000	/	/	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asp. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-p-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN De

or email: CN_Doccheck@sgs.com |Mo.1 Workshp, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn |中国・深卯・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

⁼Plane-wave equivalent power density

Report No.: ZEWM2304000531RG02

Page: 7 of 8

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducte d Average Output Power (dBm)	EIRP(ERP) (dBm)) Limit (dBm)	at R = 20	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusio n
LTE Band 2	1850.7	4.00	24.00	28.00	33.00	0.1255	1.0000	9.00	13.01	9.00	Pass
LTE Band 66	1710.7	3.00	24.00	27.00	30.00	0.0997	1.0000	6.00	13.01	6.00	Pass
NR Band n48	3555.0	1.00	22.00	23.00	23.00	0.0397	1.0000	1.00	15.01	1.00	Pass

Report No.: ZEWM2304000531RG02

Page: 8 of 8

Due to the EUT support NR ENDC

Both LTE and NR band can transmit simultaneously, the formula of the calculated the MPE is:

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(DC_2A_n48A) situation is 0.1255+0.0397=0.1652, which is less than "1", this confirmed that the device comply with MPE limit.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asp. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-p-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sus.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN De