





LTE Band 26 / 3MHz

Middle Channel / QPSK




Date: 27.OCT.2015 09:51:07

Middle Channel / 16QAM




Date: 27.OCT.2015 09:52:03

Highest Channel / QPSK



Date: 27.OCT.2015 09:58:23

Highest Channel / 16QAM





Date: 27.OCT.2015 09:59:19



LTE Band 26 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 27.OCT.2015 10:09:38

Date: 27.OCT.2015 10:06:35

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 27.OCT.2015 10:08:14

Date: 27.OCT.2015 10:09:11




LTE Band 26 / 5MHz

Highest Channel / QPSK



Date: 27.OCT.2015 10:15:29


Highest Channel / 16QAM



Date: 27.OCT.2015 10:16:26


LTE Band 26 / 10MHz

Lowest Channel / QPSK



Date: 27.OCT.2015 10:22:44

Lowest Channel / 16QAM





Date: 27.OCT.2015 10:23:40



LTE Band 26 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 27.OCT.2015 10:25:20

Date: 27.OCT.2015 10:26:17

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 27.OCT.2015 10:32:36

Date: 27.OCT.2015 10:33:33



LTE Band 26 / 15MHz


Channel 26765 / QPSK



| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|-------------|-------------|-------------|---------------|------------|-----------|
| 30.000 MHz | 811.000 MHz | 100.000 kHz | 770.99375 MHz | -56.52 dBm | -43.52 dB |
| 827.000 MHz | 1.000 GHz | 100.000 kHz | 992.30919 MHz | -56.14 dBm | -43.14 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 2.85429 GHz | -44.02 dBm | -31.02 dB |
| 3.000 GHz | 7.000 GHz | 1.000 MHz | 6.97525 GHz | -39.37 dBm | -26.37 dB |
| 7.000 GHz | 9.000 GHz | 1.000 MHz | 7.55161 GHz | -40.45 dBm | -27.45 dB |

Date: 7.DEC.2015 16:49:06


Channel 26765 / 16QAM



| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|-------------|-------------|-------------|---------------|------------|-----------|
| 30.000 MHz | 811.000 MHz | 100.000 kHz | 744.45302 MHz | -56.70 dBm | -43.70 dB |
| 827.000 MHz | 1.000 GHz | 100.000 kHz | 942.01648 MHz | -55.94 dBm | -42.94 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 2.88078 GHz | -44.29 dBm | -31.29 dB |
| 3.000 GHz | 7.000 GHz | 1.000 MHz | 6.98225 GHz | -39.54 dBm | -26.54 dB |
| 7.000 GHz | 9.000 GHz | 1.000 MHz | 8.35141 GHz | -40.41 dBm | -27.41 dB |

Date: 7.DEC.2015 16:48:34


Lowest Channel / QPSK



| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|-------------|-------------|-------------|---------------|------------|-----------|
| 30.000 MHz | 815.000 MHz | 100.000 kHz | 811.66542 MHz | -53.36 dBm | -40.36 dB |
| 860.000 MHz | 1.000 GHz | 100.000 kHz | 911.53846 MHz | -55.61 dBm | -42.61 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 2.85929 GHz | -43.50 dBm | -30.50 dB |
| 3.000 GHz | 7.000 GHz | 1.000 MHz | 6.98875 GHz | -39.24 dBm | -26.24 dB |
| 7.000 GHz | 9.000 GHz | 1.000 MHz | 7.53862 GHz | -40.07 dBm | -27.07 dB |

Date: 27.OCT.2015 10:39:58

Lowest Channel / 16QAM



| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|-------------|-------------|-------------|---------------|------------|-----------|
| 30.000 MHz | 815.000 MHz | 100.000 kHz | 811.66542 MHz | -52.58 dBm | -39.58 dB |
| 860.000 MHz | 1.000 GHz | 100.000 kHz | 888.04196 MHz | -55.54 dBm | -42.54 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 2.84529 GHz | -43.72 dBm | -30.72 dB |
| 3.000 GHz | 7.000 GHz | 1.000 MHz | 6.99025 GHz | -38.93 dBm | -25.93 dB |
| 7.000 GHz | 9.000 GHz | 1.000 MHz | 7.54961 GHz | -39.95 dBm | -26.95 dB |



Date: 27.OCT.2015 10:40:55



LTE Band 26 / 15MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 27.OCT.2015 10:42:35

Date: 27.OCT.2015 10:43:31

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 27.OCT.2015 10:49:56

Date: 27.OCT.2015 10:50:53



Frequency Stability

| Test Conditions | | LTE Band 2 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0000 | PASS |
| 40 | Normal Voltage | 0.0021 | |
| 30 | Normal Voltage | 0.0117 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0005 | |
| 0 | Normal Voltage | 0.0021 | |
| -10 | Normal Voltage | 0.0037 | |
| -20 | Normal Voltage | 0.0133 | |
| -30 | Normal Voltage | 0.0122 | |
| 20 | Maximum Voltage | 0.0016 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0021 | |

Note:

1. Normal Voltage = 3.3V. ; Battery End Point (BEP) = 3.135V. ; Maximum Voltage =4.4 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions | | LTE Band 4 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0000 | PASS |
| 40 | Normal Voltage | 0.0139 | |
| 30 | Normal Voltage | 0.0133 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0127 | |
| 0 | Normal Voltage | 0.0139 | |
| -10 | Normal Voltage | 0.0029 | |
| -20 | Normal Voltage | 0.0133 | |
| -30 | Normal Voltage | 0.0012 | |
| 20 | Maximum Voltage | 0.0017 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0029 | |

Note:

1. Normal Voltage = 3.3V. ; Battery End Point (BEP) = 3.135 V. ; Maximum Voltage =4.4 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions | | LTE Band 5 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|------------------------------------|--------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | 2.5ppm |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0024 | PASS |
| 40 | Normal Voltage | 0.0036 | |
| 30 | Normal Voltage | 0.0012 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0167 | |
| 0 | Normal Voltage | 0.0012 | |
| -10 | Normal Voltage | 0.0191 | |
| -20 | Normal Voltage | 0.0012 | |
| -30 | Normal Voltage | 0.0143 | |
| 20 | Maximum Voltage | 0.0036 | |
| 20 | Normal Voltage | 0.0012 | |
| 20 | Battery End Point | 0.0048 | |

Note:

1. Normal Voltage = 3.3V. ; Battery End Point (BEP) = 3.135V. ; Maximum Voltage =4.4V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions | | LTE Band 7 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0110 | PASS |
| 40 | Normal Voltage | 0.0016 | |
| 30 | Normal Voltage | 0.0091 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0095 | |
| 0 | Normal Voltage | 0.0103 | |
| -10 | Normal Voltage | 0.0020 | |
| -20 | Normal Voltage | 0.0114 | |
| -30 | Normal Voltage | 0.0036 | |
| 20 | Maximum Voltage | 0.0008 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0012 | |

Note:

- 1. Normal Voltage = 3.3V. ; Battery End Point (BEP) = 3.315 V. ; Maximum Voltage =4.4V
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions | | LTE Band 13 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|-------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0013 | PASS |
| 40 | Normal Voltage | 0.0038 | |
| 30 | Normal Voltage | 0.0153 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0128 | |
| 0 | Normal Voltage | 0.0141 | |
| -10 | Normal Voltage | 0.0038 | |
| -20 | Normal Voltage | 0.0153 | |
| -30 | Normal Voltage | 0.0026 | |
| 20 | Maximum Voltage | 0.0026 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0038 | |

Note:

1. Normal Voltage = 3.3V. ; Battery End Point (BEP) = 3.135V. ; Maximum Voltage =4.4 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions | | LTE Band 17 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|-------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0028 | PASS |
| 40 | Normal Voltage | 0.0155 | |
| 30 | Normal Voltage | 0.0127 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0127 | |
| 0 | Normal Voltage | 0.0028 | |
| -10 | Normal Voltage | 0.0113 | |
| -20 | Normal Voltage | 0.0014 | |
| -30 | Normal Voltage | 0.0000 | |
| 20 | Maximum Voltage | 0.0028 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0014 | |

Note:

1. Normal Voltage = 3.3V. ; Battery End Point (BEP) = 3.135V. ; Maximum Voltage =4.4 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions | | LTE Band 26 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|-------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0116 | PASS |
| 40 | Normal Voltage | 0.087 | |
| 30 | Normal Voltage | 0.0115 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0067 | |
| 0 | Normal Voltage | 0.0087 | |
| -10 | Normal Voltage | 0.0112 | |
| -20 | Normal Voltage | 0.058 | |
| -30 | Normal Voltage | 0.078 | |
| 20 | Maximum Voltage | 0.0021 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0017 | |

Note:

1. Normal Voltage = 3.3V. ; Battery End Point (BEP) = 3.135V. ; Maximum Voltage =4.4 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission



| LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3758.92 | -48.33 | -13 | -35.33 | -61.10 | -55.52 | 0.81 | 8.00 | H |
| | 5638.38 | -49.47 | -13 | -36.47 | -68.22 | -59.46 | 1.01 | 11.00 | H |
| | 7517.84 | -47.64 | -13 | -34.64 | -69.81 | -59.88 | 1.46 | 13.70 | H |
| | 3758.92 | -48.73 | -13 | -35.73 | -61.8 | -55.92 | 0.81 | 8.00 | V |
| | 5638.38 | -49.36 | -13 | -36.36 | -68.42 | -59.35 | 1.01 | 11.00 | V |
| | 7517.84 | -47.37 | -13 | -34.37 | -69.86 | -59.61 | 1.46 | 13.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3758.92 | -49.07 | -13 | -36.07 | -61.84 | -56.26 | 0.81 | 8.00 | H |
| | 5638.38 | -49.76 | -13 | -36.76 | -68.51 | -59.75 | 1.01 | 11.00 | H |
| | 7517.84 | -46.91 | -13 | -33.91 | -69.08 | -59.15 | 1.46 | 13.70 | H |
| | 3758.92 | -49.32 | -13 | -36.32 | -62.39 | -56.51 | 0.81 | 8.00 | V |
| | 5638.38 | -49.31 | -13 | -36.31 | -68.37 | -59.30 | 1.01 | 11.00 | V |
| | 7517.84 | -47.42 | -13 | -34.42 | -69.91 | -59.66 | 1.46 | 13.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3755.68 | -49.75 | -13 | -36.75 | -62.52 | -56.94 | 0.81 | 8.00 | H |
| | 5633.52 | -48.65 | -13 | -35.65 | -67.40 | -58.64 | 1.01 | 11.00 | H |
| | 7511.36 | -47.84 | -13 | -34.84 | -70.01 | -60.08 | 1.46 | 13.70 | H |
| | 3755.68 | -49.13 | -13 | -36.13 | -62.2 | -56.32 | 0.81 | 8.00 | V |
| | 5633.52 | -48.93 | -13 | -35.93 | -67.99 | -58.92 | 1.01 | 11.00 | V |
| | 7511.36 | -47.54 | -13 | -34.54 | -70.03 | -59.78 | 1.46 | 13.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3751.18 | -49.53 | -13 | -36.53 | -62.30 | -56.72 | 0.81 | 8.00 | H |
| | 5626.77 | -49.36 | -13 | -36.36 | -68.11 | -59.35 | 1.01 | 11.00 | H |
| | 7502.36 | -47.96 | -13 | -34.96 | -70.13 | -60.20 | 1.46 | 13.70 | H |
| | 3751.18 | -48.84 | -13 | -35.84 | -61.91 | -56.03 | 0.81 | 8.00 | V |
| | 5626.77 | -49.51 | -13 | -36.51 | -68.57 | -59.50 | 1.01 | 11.00 | V |
| | 7502.36 | -47.88 | -13 | -34.88 | -70.37 | -60.12 | 1.46 | 13.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3746.68 | -47.99 | -13 | -34.99 | -60.76 | -55.18 | 0.81 | 8.00 | H |
| | 5620.02 | -49.96 | -13 | -36.96 | -68.71 | -59.95 | 1.01 | 11.00 | H |
| | 7493.36 | -45.94 | -13 | -32.94 | -68.11 | -58.18 | 1.46 | 13.70 | H |
| | 3746.68 | -49.22 | -13 | -36.22 | -62.29 | -56.41 | 0.81 | 8.00 | V |
| | 5620.02 | -49.42 | -13 | -36.42 | -68.48 | -59.41 | 1.01 | 11.00 | V |
| | 7493.36 | -47.91 | -13 | -34.91 | -70.4 | -60.15 | 1.46 | 13.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3742.18 | -49.61 | -13 | -36.61 | -62.38 | -56.80 | 0.81 | 8.00 | H |
| | 5613.27 | -49.12 | -13 | -36.12 | -67.87 | -59.11 | 1.01 | 11.00 | H |
| | 7484.36 | -47.55 | -13 | -34.55 | -69.72 | -59.79 | 1.46 | 13.70 | H |
| | 3742.18 | -50.15 | -13 | -37.15 | -63.22 | -57.34 | 0.81 | 8.00 | V |
| | 5613.27 | -48.78 | -13 | -35.78 | -67.84 | -58.77 | 1.01 | 11.00 | V |
| | 7484.36 | -47.70 | -13 | -34.70 | -70.19 | -59.94 | 1.46 | 13.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3463.92 | -50.72 | -13 | -37.72 | -63.55 | -57.91 | 0.81 | 8.00 | H |
| | 5195.88 | -43.50 | -13 | -30.50 | -62.03 | -52.55 | 0.95 | 10.00 | H |
| | 6927.84 | -46.81 | -13 | -33.81 | -68.15 | -59.08 | 1.13 | 13.40 | H |
| | 3463.92 | -51.60 | -13 | -38.60 | -64.94 | -63.39 | 0.81 | 12.60 | V |
| | 5195.88 | -46.57 | -13 | -33.57 | -65.2 | -58.32 | 0.95 | 12.70 | V |
| | 6927.84 | -47.68 | -13 | -34.68 | -68.67 | -58.25 | 1.13 | 11.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3462.48 | -52.18 | -13 | -39.18 | -65.01 | -59.37 | 0.81 | 8.00 | H |
| | 5193.72 | -43.20 | -13 | -30.20 | -61.73 | -52.25 | 0.95 | 10.00 | H |
| | 6924.96 | -47.29 | -13 | -34.29 | -68.63 | -59.56 | 1.13 | 13.40 | H |
| | 3462.48 | -51.03 | -13 | -38.03 | -64.37 | -62.82 | 0.81 | 12.60 | V |
| | 5193.72 | -45.56 | -13 | -32.56 | -64.19 | -57.31 | 0.95 | 12.70 | V |
| | 6924.96 | -47.15 | -13 | -34.15 | -68.14 | -57.72 | 1.13 | 11.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3460.68 | -51.00 | -13 | -38.00 | -63.83 | -58.19 | 0.81 | 8.00 | H |
| | 5191.02 | -41.18 | -13 | -28.18 | -59.71 | -50.23 | 0.95 | 10.00 | H |
| | 6921.36 | -46.34 | -13 | -33.34 | -67.68 | -58.61 | 1.13 | 13.40 | H |
| | 3460.68 | -50.84 | -13 | -37.84 | -64.18 | -62.63 | 0.81 | 12.60 | V |
| | 5191.02 | -45.55 | -13 | -32.55 | -64.18 | -57.30 | 0.95 | 12.70 | V |
| | 6921.36 | -46.95 | -13 | -33.95 | -67.94 | -57.52 | 1.13 | 11.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3456.18 | -53.02 | -13 | -40.02 | -65.85 | -60.21 | 0.81 | 8.00 | H |
| | 5184.27 | -45.94 | -13 | -32.94 | -64.47 | -54.99 | 0.95 | 10.00 | H |
| | 6912.36 | -47.46 | -13 | -34.46 | -68.80 | -59.73 | 1.13 | 13.40 | H |
| | 3456.18 | -51.40 | -13 | -38.40 | -64.74 | -63.19 | 0.81 | 12.60 | V |
| | 5184.27 | -46.12 | -13 | -33.12 | -64.75 | -57.87 | 0.95 | 12.70 | V |
| | 6912.36 | -48.52 | -13 | -35.52 | -69.51 | -59.09 | 1.13 | 11.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3451.68 | -53.60 | -13 | -40.60 | -66.43 | -60.79 | 0.81 | 8.00 | H |
| | 5177.52 | -43.27 | -13 | -30.27 | -61.80 | -52.32 | 0.95 | 10.00 | H |
| | 6903.36 | -46.86 | -13 | -33.86 | -68.20 | -59.13 | 1.13 | 13.40 | H |
| | 3451.68 | -52.65 | -13 | -39.65 | -65.99 | -64.44 | 0.81 | 12.60 | V |
| | 5177.52 | -46.76 | -13 | -33.76 | -65.39 | -58.51 | 0.95 | 12.70 | V |
| | 6903.36 | -47.39 | -13 | -34.39 | -68.38 | -57.96 | 1.13 | 11.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3447.18 | -53.60 | -13 | -40.60 | -66.43 | -60.79 | 0.81 | 8.00 | H |
| | 5170.77 | -45.56 | -13 | -32.56 | -64.09 | -54.61 | 0.95 | 10.00 | H |
| | 6894.36 | -47.42 | -13 | -34.42 | -68.76 | -59.69 | 1.13 | 13.40 | H |
| | 3447.18 | -52.64 | -13 | -39.64 | -65.98 | -64.43 | 0.81 | 12.60 | V |
| | 5170.77 | -48.74 | -13 | -35.74 | -67.37 | -60.49 | 0.95 | 12.70 | V |
| | 6894.36 | -48.26 | -13 | -35.26 | -69.25 | -58.83 | 1.13 | 11.70 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1671.92 | -59.47 | -13 | -46.47 | -62.02 | -63.29 | 0.53 | 6.50 | H |
| | 2507.88 | -57.23 | -13 | -44.23 | -62.65 | -60.10 | 0.68 | 5.70 | H |
| | 3343.84 | -55.56 | -13 | -42.56 | -65.58 | -60.60 | 0.81 | 8.00 | H |
| | 1671.92 | -60.35 | -13 | -47.35 | -63.26 | -64.17 | 0.53 | 6.50 | V |
| | 2507.88 | -56.65 | -13 | -43.65 | -60.97 | -59.52 | 0.68 | 5.70 | V |
| | 3343.84 | -56.42 | -13 | -43.42 | -65.43 | -61.46 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1670.48 | -59.90 | -13 | -46.90 | -62.45 | -63.72 | 0.53 | 6.50 | H |
| | 2505.72 | -58.09 | -13 | -45.09 | -63.51 | -60.96 | 0.68 | 5.70 | H |
| | 3340.96 | -56.35 | -13 | -43.35 | -66.37 | -61.39 | 0.81 | 8.00 | H |
| | 1670.48 | -60.73 | -13 | -47.73 | -63.64 | -64.55 | 0.53 | 6.50 | V |
| | 2505.72 | -57.48 | -13 | -44.48 | -61.80 | -60.35 | 0.68 | 5.70 | V |
| | 3340.96 | -56.73 | -13 | -43.73 | -65.74 | -61.77 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1668.68 | -59.27 | -13 | -46.27 | -61.82 | -63.09 | 0.53 | 6.50 | H |
| | 2503.02 | -57.10 | -13 | -44.10 | -62.52 | -59.97 | 0.68 | 5.70 | H |
| | 3337.36 | -56.32 | -13 | -43.32 | -66.34 | -61.36 | 0.81 | 8.00 | H |
| | 1668.68 | -60.65 | -13 | -47.65 | -63.56 | -64.47 | 0.53 | 6.50 | V |
| | 2503.02 | -55.72 | -13 | -42.72 | -60.04 | -58.59 | 0.68 | 5.70 | V |
| | 3337.36 | -56.46 | -13 | -43.46 | -65.47 | -61.50 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1664.18 | -59.72 | -13 | -46.72 | -62.27 | -63.54 | 0.53 | 6.50 | H |
| | 2496.27 | -58.36 | -13 | -45.36 | -63.78 | -61.23 | 0.68 | 5.70 | H |
| | 3328.36 | -56.19 | -13 | -43.19 | -66.21 | -61.23 | 0.81 | 8.00 | H |
| | 1664.18 | -60.59 | -13 | -47.59 | -63.50 | -64.41 | 0.53 | 6.50 | V |
| | 2496.27 | -56.91 | -13 | -43.91 | -61.23 | -59.78 | 0.68 | 5.70 | V |
| | 3328.36 | -57.61 | -13 | -44.61 | -66.62 | -62.65 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 5065.68 | -44.70 | -25 | -19.70 | -62.33 | -53.75 | 0.95 | 10.00 | H |
| | 7598.52 | -44.34 | -25 | -19.34 | -69.96 | -56.58 | 1.46 | 13.70 | H |
| | 10131.36 | -45.73 | -25 | -20.73 | -73.28 | -57.62 | 1.31 | 13.20 | H |
| | 5065.68 | -43.79 | -25 | -18.79 | -61.69 | -52.8356 | 0.95 | 10.00 | V |
| | 7598.52 | -45.43 | -25 | -20.43 | -69.76 | -57.6656 | 1.46 | 13.70 | V |
| | 10131.36 | -43.30 | -25 | -18.30 | -69.78 | -55.1856 | 1.31 | 13.20 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 5061.18 | -43.51 | -25 | -18.51 | -61.14 | -52.56 | 0.95 | 10.00 | H |
| | 7591.77 | -44.00 | -25 | -19.00 | -69.62 | -56.24 | 1.46 | 13.70 | H |
| | 10122.36 | -44.93 | -25 | -19.93 | -72.48 | -56.82 | 1.31 | 13.20 | H |
| | 5061.18 | -41.89 | -25 | -16.89 | -59.79 | -50.9356 | 0.95 | 10.00 | V |
| | 7591.77 | -44.84 | -25 | -19.84 | -69.17 | -57.0756 | 1.46 | 13.70 | V |
| | 10122.36 | -46.30 | -25 | -21.30 | -72.78 | -58.1856 | 1.31 | 13.20 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 5056.68 | -45.03 | -25 | -20.03 | -62.66 | -54.08 | 0.95 | 10.00 | H |
| | 7585.02 | -44.14 | -25 | -19.14 | -69.76 | -56.38 | 1.46 | 13.70 | H |
| | 10131.36 | -45.36 | -25 | -20.36 | -72.91 | -57.25 | 1.31 | 13.20 | H |
| | 5056.68 | -43.45 | -25 | -18.45 | -61.35 | -52.4956 | 0.95 | 10.00 | V |
| | 7585.02 | -45.44 | -25 | -20.44 | -69.77 | -57.6756 | 1.46 | 13.70 | V |
| | 10131.36 | -46.29 | -25 | -21.29 | -72.77 | -58.1756 | 1.31 | 13.20 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 5052.18 | -44.28 | -25 | -19.28 | -61.91 | -53.33 | 0.95 | 10.00 | H |
| | 7578.27 | -44.67 | -25 | -19.67 | -70.29 | -56.91 | 1.46 | 13.70 | H |
| | 10104.36 | -45.31 | -25 | -20.31 | -72.86 | -57.20 | 1.31 | 13.20 | H |
| | 5052.18 | -43.71 | -25 | -18.71 | -61.61 | -52.7556 | 0.95 | 10.00 | V |
| | 7578.27 | -45.34 | -25 | -20.34 | -69.67 | -57.5756 | 1.46 | 13.70 | V |
| | 10104.36 | -46.28 | -25 | -21.28 | -72.76 | -58.1656 | 1.31 | 13.20 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1559.5 | -60.89 | -40 | -20.89 | -63.44 | -64.71 | 0.53 | 6.50 | H |
| | 2339.25 | -57.31 | -13 | -44.31 | -62.73 | -60.18 | 0.68 | 5.70 | H |
| | 3119 | -56.02 | -13 | -43.02 | -66.04 | -61.06 | 0.81 | 8.00 | H |
| | 1559.5 | -60.07 | -40 | -20.07 | -62.98 | -63.89 | 0.53 | 6.50 | V |
| | 2339.25 | -56.04 | -13 | -43.04 | -60.36 | -58.91 | 0.68 | 5.70 | V |
| | 3119 | -56.03 | -13 | -43.03 | -65.04 | -61.07 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1555.18 | -60.79 | -13 | -47.79 | -63.34 | -64.61 | 0.53 | 6.50 | H |
| | 2332.77 | -57.22 | -13 | -44.22 | -62.64 | -60.09 | 0.68 | 5.70 | H |
| | 3110.36 | -56.27 | -13 | -43.27 | -66.29 | -61.31 | 0.81 | 8.00 | H |
| | 1555.18 | -60.22 | -13 | -47.22 | -63.13 | -64.04 | 0.53 | 6.50 | V |
| | 2332.77 | -57.38 | -13 | -44.38 | -61.70 | -60.25 | 0.68 | 5.70 | V |
| | 3110.36 | -56.27 | -13 | -43.27 | -65.28 | -61.31 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1415.68 | -59.20 | -13 | -46.20 | -61.75 | -63.02 | 0.53 | 6.50 | H |
| | 2123.52 | -57.59 | -13 | -44.59 | -63.01 | -60.46 | 0.68 | 5.70 | H |
| | 2831.36 | -54.98 | -13 | -41.98 | -65.00 | -60.02 | 0.81 | 8.00 | H |
| | 1415.68 | -58.99 | -13 | -45.99 | -61.90 | -62.81 | 0.53 | 6.50 | V |
| | 2123.52 | -56.55 | -13 | -43.55 | -60.87 | -59.42 | 0.68 | 5.70 | V |
| | 2831.36 | -55.89 | -13 | -42.89 | -64.90 | -60.93 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1411.18 | -60.26 | -13 | -47.26 | -62.81 | -64.08 | 0.53 | 6.50 | H |
| | 2116.77 | -46.01 | -13 | -33.01 | -52.38 | -48.88 | 0.68 | 5.70 | H |
| | 2822.36 | -54.57 | -13 | -41.57 | -64.59 | -59.61 | 0.81 | 8.00 | H |
| | 1411.18 | -59.58 | -13 | -46.58 | -62.49 | -63.40 | 0.53 | 6.50 | V |
| | 2116.77 | -55.99 | -13 | -42.99 | -60.31 | -58.86 | 0.68 | 5.70 | V |
| | 2822.36 | -55.45 | -13 | -42.45 | -64.46 | -60.49 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 26 / 1.4MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1672 | -60.82 | -13 | -47.82 | -63.37 | -64.64 | 0.53 | 6.50 | H |
| | 2507.47 | -58.72 | -13 | -45.72 | -64.14 | -61.59 | 0.68 | 5.70 | H |
| | 3343.3 | -56.97 | -13 | -43.97 | -66.99 | -62.01 | 0.81 | 8.00 | H |
| | 1672 | -60.40 | -13 | -47.40 | -63.31 | -64.22 | 0.53 | 6.50 | V |
| | 2507.47 | -56.71 | -13 | -43.71 | -61.03 | -59.58 | 0.68 | 5.70 | V |
| | 3343.3 | -57.45 | -13 | -44.45 | -66.46 | -62.49 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 26 / 3MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1669 | -61.06 | -13 | -48.06 | -63.61 | -64.88 | 0.53 | 6.50 | H |
| | 2505.45 | -58.48 | -13 | -45.48 | -63.90 | -61.35 | 0.68 | 5.70 | H |
| | 3340.6 | -56.19 | -13 | -43.19 | -66.21 | -61.23 | 0.81 | 8.00 | H |
| | 1669 | -60.72 | -13 | -47.72 | -63.63 | -64.54 | 0.53 | 6.50 | V |
| | 2505.45 | -56.78 | -13 | -43.78 | -61.10 | -59.65 | 0.68 | 5.70 | V |
| | 3340.6 | -57.43 | -13 | -44.43 | -66.44 | -62.47 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 26 / 5MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1669 | -60.93 | -13 | -47.93 | -63.48 | -64.75 | 0.53 | 6.50 | H |
| | 2502.75 | -58.31 | -13 | -45.31 | -63.73 | -61.18 | 0.68 | 5.70 | H |
| | 3337 | -57.26 | -13 | -44.26 | -67.28 | -62.30 | 0.81 | 8.00 | H |
| | 1669 | -59.93 | -13 | -46.93 | -62.84 | -63.75 | 0.53 | 6.50 | V |
| | 2502.75 | -55.81 | -13 | -42.81 | -60.13 | -58.68 | 0.68 | 5.70 | V |
| | 3337 | -57.97 | -13 | -44.97 | -66.98 | -63.01 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 26 / 10MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1664 | -61.87 | -13 | -48.87 | -64.42 | -65.69 | 0.53 | 6.50 | H |
| | 2496 | -58.97 | -13 | -45.97 | -64.39 | -61.84 | 0.68 | 5.70 | H |
| | 3328 | -56.85 | -13 | -43.85 | -66.87 | -61.89 | 0.81 | 8.00 | H |
| | 1664 | -60.78 | -13 | -47.78 | -63.69 | -64.60 | 0.53 | 6.50 | V |
| | 2496 | -56.77 | -13 | -43.77 | -61.09 | -59.64 | 0.68 | 5.70 | V |
| | 3328 | -57.58 | -13 | -44.58 | -66.59 | -62.62 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 26 / 15MHz / QPSK / RB Size 1 Offset 0 | | | | | | | | | |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| 26765 | 1629.5 | -57.84 | -13 | -44.84 | -65.41 | -64.52 | 0.57 | 9.40 | H |
| | 2444.25 | -58.48 | -13 | -45.48 | -70.76 | -66.19 | 0.74 | 10.60 | H |
| | 3259 | -56.22 | -13 | -43.22 | -71.82 | -65.82 | 0.85 | 12.60 | H |
| | 1629.5 | -59.33 | -13 | -46.33 | -66.16 | -66.01 | 0.57 | 9.40 | V |
| | 2444.25 | -58.58 | -13 | -45.58 | -70.08 | -66.29 | 0.74 | 10.60 | V |
| | 3259 | -57.22 | -13 | -44.22 | -71.83 | -66.82 | 0.85 | 12.60 | V |
| Middle | 1660 | -60.69 | -13 | -47.69 | -63.24 | -64.51 | 0.53 | 6.50 | H |
| | 2489.25 | -58.67 | -13 | -45.67 | -64.09 | -61.54 | 0.68 | 5.70 | H |
| | 3319 | -56.95 | -13 | -43.95 | -66.97 | -61.99 | 0.81 | 8.00 | H |
| | 1660 | -60.89 | -13 | -47.89 | -63.80 | -64.71 | 0.53 | 6.50 | V |
| | 2489.25 | -57.16 | -13 | -44.16 | -61.48 | -60.03 | 0.68 | 5.70 | V |
| | 3319 | -57.71 | -13 | -44.71 | -66.72 | -62.75 | 0.81 | 8.00 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.