


Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


**1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.31	-13	Pass	2986
30	1000	0.1	RMS	931.8	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-48.99	-13	Pass	841
1840	1920	1	RMS	1850.2	22.1	60	Pass	401
1920	3000	1	RMS	2650	-46.81	-13	Pass	1081
3000	12000	1	RMS	11961	-40.69	-13	Pass	9001
12000	20000	1	RMS	19998	-28.87	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-49.31	-13	Pass	841
1840	1920	1	RMS	1850.2	21.14	60	Pass	401
1920	3000	1	RMS	2657	-46.86	-13	Pass	1081
3000	12000	1	RMS	11952	-40.7	-13	Pass	9001
12000	20000	1	RMS	19999	-28.76	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1920	1	RMS	1879.6	22.18	60	Pass	401
1920	3000	1	RMS	2655	-46.86	-13	Pass	1081
3000	12000	1	RMS	11957	-40.71	-13	Pass	9001
12000	20000	1	RMS	19999	-28.79	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	906.1	-62.17	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1920	1	RMS	1879.6	21.29	60	Pass	401
1920	3000	1	RMS	2651	-46.81	-13	Pass	1081
3000	12000	1	RMS	11993	-40.69	-13	Pass	9001
12000	20000	1	RMS	19999	-28.83	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1908.8	21.55	60	Pass	401
1920	3000	1	RMS	2656	-46.87	-13	Pass	1081
3000	12000	1	RMS	11979	-40.71	-13	Pass	9001
12000	20000	1	RMS	19999	-28.8	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.06	-13	Pass	9701
1000	1840	1	RMS	1839	-50.43	-13	Pass	841
1840	1920	1	RMS	1908.8	21.15	60	Pass	401
1920	3000	1	RMS	2653	-46.9	-13	Pass	1081
3000	12000	1	RMS	11969	-40.69	-13	Pass	9001
12000	20000	1	RMS	19996	-28.82	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	919.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-49.71	-13	Pass	841
1840	1920	1	RMS	1850.2	22.22	60	Pass	401
1920	3000	1	RMS	2654	-46.81	-13	Pass	1081
3000	12000	1	RMS	11993	-40.76	-13	Pass	9001
12000	20000	1	RMS	20000	-28.88	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.91	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-49.1	-13	Pass	841
1840	1920	1	RMS	1850.2	21.69	60	Pass	401
1920	3000	1	RMS	2659	-46.87	-13	Pass	1081
3000	12000	1	RMS	11974	-40.71	-13	Pass	9001
12000	20000	1	RMS	19997	-28.83	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	945.3	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1878.8	22.62	60	Pass	401
1920	3000	1	RMS	2654	-46.9	-13	Pass	1081
3000	12000	1	RMS	11956	-40.69	-13	Pass	9001
12000	20000	1	RMS	20000	-28.81	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	Pass	841
1840	1920	1	RMS	1878.8	21.67	60	Pass	401
1920	3000	1	RMS	2652	-46.86	-13	Pass	1081
3000	12000	1	RMS	11980	-40.69	-13	Pass	9001
12000	20000	1	RMS	19999	-28.88	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	914.9	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	Pass	841
1840	1920	1	RMS	1907.2	21.57	60	Pass	401
1920	3000	1	RMS	2656	-46.91	-13	Pass	1081
3000	12000	1	RMS	11951	-40.76	-13	Pass	9001
12000	20000	1	RMS	19997	-28.85	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	932.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1907.2	21.07	60	Pass	401
1920	3000	1	RMS	2651	-46.86	-13	Pass	1081
3000	12000	1	RMS	11987	-40.66	-13	Pass	9001
12000	20000	1	RMS	19999	-28.96	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	1000	0.1	RMS	902.1	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-49.27	-13	Pass	841
1840	1920	1	RMS	1850.4	22.29	60	Pass	401
1920	3000	1	RMS	2650	-46.88	-13	Pass	1081
3000	12000	1	RMS	11975	-40.65	-13	Pass	9001
12000	20000	1	RMS	19999	-28.83	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	1000	0.1	RMS	965.4	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-48.68	-13	Pass	841
1840	1920	1	RMS	1850.4	21.73	60	Pass	401
1920	3000	1	RMS	2646	-46.86	-13	Pass	1081
3000	12000	1	RMS	11966	-40.7	-13	Pass	9001
12000	20000	1	RMS	19998	-28.78	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.33	-13	Pass	841
1840	1920	1	RMS	1877.8	22.77	60	Pass	401
1920	3000	1	RMS	2656	-46.91	-13	Pass	1081
3000	12000	1	RMS	11963	-40.7	-13	Pass	9001
12000	20000	1	RMS	20000	-28.69	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.54	-13	Pass	2986
30	1000	0.1	RMS	902.5	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1877.8	21.97	60	Pass	401
1920	3000	1	RMS	2655	-46.86	-13	Pass	1081
3000	12000	1	RMS	11941	-40.72	-13	Pass	9001
12000	20000	1	RMS	20000	-28.85	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	910.3	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.14	-13	Pass	841
1840	1920	1	RMS	1905.4	21.72	60	Pass	401
1920	3000	1	RMS	2647	-46.88	-13	Pass	1081
3000	12000	1	RMS	11978	-40.69	-13	Pass	9001
12000	20000	1	RMS	19996	-28.76	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.19	-13	Pass	841
1840	1920	1	RMS	1905.4	21.43	60	Pass	401
1920	3000	1	RMS	2651	-46.88	-13	Pass	1081
3000	12000	1	RMS	11966	-40.66	-13	Pass	9001
12000	20000	1	RMS	19999	-28.82	-13	Pass	8001




**1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	1000	0.1	RMS	936.2	-62.23	-13	Pass	9701
1000	1840	1	RMS	1833	-48.22	-13	Pass	841
1840	1920	1	RMS	1850.6	22.58	60	Pass	401
1920	3000	1	RMS	2650	-46.83	-13	Pass	1081
3000	12000	1	RMS	11995	-40.72	-13	Pass	9001
12000	20000	1	RMS	19995	-28.94	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.25	-13	Pass	9701
1000	1840	1	RMS	1833	-45.65	-13	Pass	841
1840	1920	1	RMS	1850.6	22.13	60	Pass	401
1920	3000	1	RMS	2651	-46.88	-13	Pass	1081
3000	12000	1	RMS	11996	-40.69	-13	Pass	9001
12000	20000	1	RMS	20000	-28.82	-13	Pass	8001




**1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	900	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1920	1	RMS	1875.6	22.95	60	Pass	401
1920	3000	1	RMS	2657	-46.87	-13	Pass	1081
3000	12000	1	RMS	11970	-40.73	-13	Pass	9001
12000	20000	1	RMS	20000	-28.82	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	1000	0.1	RMS	929.8	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.08	-13	Pass	841
1840	1920	1	RMS	1875.6	21.99	60	Pass	401
1920	3000	1	RMS	2651	-46.87	-13	Pass	1081
3000	12000	1	RMS	11991	-40.77	-13	Pass	9001
12000	20000	1	RMS	20000	-28.89	-13	Pass	8001




**1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.24	-13	Pass	9701
1000	1840	1	RMS	1839	-49.58	-13	Pass	841
1840	1920	1	RMS	1900.6	22.49	60	Pass	401
1920	3000	1	RMS	2646	-46.93	-13	Pass	1081
3000	12000	1	RMS	11961	-40.72	-13	Pass	9001
12000	20000	1	RMS	19999	-28.87	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.36	-13	Pass	841
1840	1920	1	RMS	1900.6	22.1	60	Pass	401
1920	3000	1	RMS	2652	-46.86	-13	Pass	1081
3000	12000	1	RMS	11982	-40.72	-13	Pass	9001
12000	20000	1	RMS	19999	-28.84	-13	Pass	8001




**1.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	889.5	-62.17	-13	Pass	9701
1000	1840	1	RMS	1838	-42.56	-13	Pass	841
1840	1920	1	RMS	1850.8	22.42	60	Pass	401
1920	3000	1	RMS	2648	-46.89	-13	Pass	1081
3000	12000	1	RMS	11956	-40.76	-13	Pass	9001
12000	20000	1	RMS	19999	-28.84	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.18	-13	Pass	2986
30	1000	0.1	RMS	919.2	-62.17	-13	Pass	9701
1000	1840	1	RMS	1838	-39.99	-13	Pass	841
1840	1920	1	RMS	1850.8	22.1	60	Pass	401
1920	3000	1	RMS	2660	-46.88	-13	Pass	1081
3000	12000	1	RMS	11977	-40.61	-13	Pass	9001
12000	20000	1	RMS	20000	-28.83	-13	Pass	8001




**1.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-49.78	-13	Pass	841
1840	1920	1	RMS	1873.4	22.91	60	Pass	401
1920	3000	1	RMS	2651	-46.82	-13	Pass	1081
3000	12000	1	RMS	11978	-40.73	-13	Pass	9001
12000	20000	1	RMS	19999	-28.82	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	915.5	-62.17	-13	Pass	9701
1000	1840	1	RMS	1839	-49.69	-13	Pass	841
1840	1920	1	RMS	1873.4	21.95	60	Pass	401
1920	3000	1	RMS	2653	-46.85	-13	Pass	1081
3000	12000	1	RMS	11978	-40.75	-13	Pass	9001
12000	20000	1	RMS	20000	-28.82	-13	Pass	8001




**1.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1839	-50.18	-13	Pass	841
1840	1920	1	RMS	1895.8	23.01	60	Pass	401
1920	3000	1	RMS	1922	-42.27	-13	Pass	1081
3000	12000	1	RMS	11999	-40.7	-13	Pass	9001
12000	20000	1	RMS	19997	-28.83	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	916.4	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.26	-13	Pass	841
1840	1920	1	RMS	1895.8	22.26	60	Pass	401
1920	3000	1	RMS	1922	-42.1	-13	Pass	1081
3000	12000	1	RMS	11995	-40.73	-13	Pass	9001
12000	20000	1	RMS	19999	-28.86	-13	Pass	8001




**1.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	941.9	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-46.91	-13	Pass	841
1840	1920	1	RMS	1851	22.8	60	Pass	401
1920	3000	1	RMS	2643	-46.86	-13	Pass	1081
3000	12000	1	RMS	11971	-40.72	-13	Pass	9001
12000	20000	1	RMS	19995	-28.86	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-46.28	-13	Pass	841
1840	1920	1	RMS	1851	22.08	60	Pass	401
1920	3000	1	RMS	2653	-46.84	-13	Pass	1081
3000	12000	1	RMS	11971	-40.68	-13	Pass	9001
12000	20000	1	RMS	20000	-28.84	-13	Pass	8001




**1.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	938.7	-62.24	-13	Pass	9701
1000	1840	1	RMS	1835	-43.46	-13	Pass	841
1840	1920	1	RMS	1871	23.07	60	Pass	401
1920	3000	1	RMS	2651	-46.91	-13	Pass	1081
3000	12000	1	RMS	11995	-40.73	-13	Pass	9001
12000	20000	1	RMS	19998	-28.84	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	910.2	-62.12	-13	Pass	9701
1000	1840	1	RMS	1836	-44.76	-13	Pass	841
1840	1920	1	RMS	1871	22.15	60	Pass	401
1920	3000	1	RMS	2652	-46.87	-13	Pass	1081
3000	12000	1	RMS	11956	-40.67	-13	Pass	9001
12000	20000	1	RMS	19997	-28.81	-13	Pass	8001




**1.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.15	-13	Pass	9701
1000	1840	1	RMS	1838	-49.52	-13	Pass	841
1840	1920	1	RMS	1891	22.97	60	Pass	401
1920	3000	1	RMS	2657	-46.87	-13	Pass	1081
3000	12000	1	RMS	11973	-40.75	-13	Pass	9001
12000	20000	1	RMS	19999	-28.83	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2986
30	1000	0.1	RMS	907.8	-62.22	-13	Pass	9701
1000	1840	1	RMS	1838	-49.9	-13	Pass	841
1840	1920	1	RMS	1891	22.16	60	Pass	401
1920	3000	1	RMS	2650	-46.85	-13	Pass	1081
3000	12000	1	RMS	11986	-40.68	-13	Pass	9001
12000	20000	1	RMS	19995	-28.83	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.42	-13	Pass	2986
30	1000	0.1	RMS	921.8	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-49.71	-13	Pass	701
1700	1765	1	RMS	1710.238	22.56	60	Pass	401
1765	3000	1	RMS	2646	-46.86	-13	Pass	1236
3000	12000	1	RMS	11980	-40.71	-13	Pass	9001
12000	20000	1	RMS	19999	-28.75	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-49.8	-13	Pass	701
1700	1765	1	RMS	1710.238	21.78	60	Pass	401
1765	3000	1	RMS	2651	-46.92	-13	Pass	1236
3000	12000	1	RMS	12000	-40.76	-13	Pass	9001
12000	20000	1	RMS	19999	-28.85	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.02	-13	Pass	701
1700	1765	1	RMS	1732.013	22.41	60	Pass	401
1765	3000	1	RMS	2652	-46.91	-13	Pass	1236
3000	12000	1	RMS	11963	-40.76	-13	Pass	9001
12000	20000	1	RMS	20000	-28.83	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	951.4	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1765	1	RMS	1732.013	21.57	60	Pass	401
1765	3000	1	RMS	2654	-46.85	-13	Pass	1236
3000	12000	1	RMS	11998	-40.68	-13	Pass	9001
12000	20000	1	RMS	19998	-28.83	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2986
30	1000	0.1	RMS	940.2	-62.27	-13	Pass	9701
1000	1700	1	RMS	1699	-51.13	-13	Pass	701
1700	1765	1	RMS	1753.788	22.66	60	Pass	401
1765	3000	1	RMS	2641	-46.9	-13	Pass	1236
3000	12000	1	RMS	11970	-40.75	-13	Pass	9001
12000	20000	1	RMS	20000	-28.73	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	896.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1698	-51.15	-13	Pass	701
1700	1765	1	RMS	1753.788	21.84	60	Pass	401
1765	3000	1	RMS	2654	-46.84	-13	Pass	1236
3000	12000	1	RMS	11939	-40.73	-13	Pass	9001
12000	20000	1	RMS	19995	-28.81	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-49.78	-13	Pass	701
1700	1765	1	RMS	1710.238	22.58	60	Pass	401
1765	3000	1	RMS	2654	-46.86	-13	Pass	1236
3000	12000	1	RMS	11999	-40.75	-13	Pass	9001
12000	20000	1	RMS	19998	-28.92	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	888.8	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-49.82	-13	Pass	701
1700	1765	1	RMS	1710.238	21.88	60	Pass	401
1765	3000	1	RMS	2651	-46.84	-13	Pass	1236
3000	12000	1	RMS	11999	-40.71	-13	Pass	9001
12000	20000	1	RMS	20000	-28.84	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	907.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1765	1	RMS	1731.2	22.56	60	Pass	401
1765	3000	1	RMS	2649	-46.88	-13	Pass	1236
3000	12000	1	RMS	11991	-40.76	-13	Pass	9001
12000	20000	1	RMS	19998	-28.85	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	913.5	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1765	1	RMS	1731.2	21.78	60	Pass	401
1765	3000	1	RMS	2647	-46.87	-13	Pass	1236
3000	12000	1	RMS	11948	-40.73	-13	Pass	9001
12000	20000	1	RMS	19998	-28.77	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2986
30	1000	0.1	RMS	917.7	-62.19	-13	Pass	9701
1000	1700	1	RMS	1699	-51.02	-13	Pass	701
1700	1765	1	RMS	1752.325	22.79	60	Pass	401
1765	3000	1	RMS	2659	-46.79	-13	Pass	1236
3000	12000	1	RMS	11993	-40.7	-13	Pass	9001
12000	20000	1	RMS	20000	-28.86	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-51.12	-13	Pass	701
1700	1765	1	RMS	1752.163	22.06	60	Pass	401
1765	3000	1	RMS	2658	-46.9	-13	Pass	1236
3000	12000	1	RMS	11949	-40.74	-13	Pass	9001
12000	20000	1	RMS	20000	-28.62	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-49.02	-13	Pass	701
1700	1765	1	RMS	1710.4	22.6	60	Pass	401
1765	3000	1	RMS	2645	-46.88	-13	Pass	1236
3000	12000	1	RMS	11961	-40.7	-13	Pass	9001
12000	20000	1	RMS	19991	-28.9	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	911.7	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-49.32	-13	Pass	701
1700	1765	1	RMS	1710.4	21.86	60	Pass	401
1765	3000	1	RMS	2647	-46.86	-13	Pass	1236
3000	12000	1	RMS	11954	-40.72	-13	Pass	9001
12000	20000	1	RMS	19997	-28.83	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.71	-13	Pass	2986
30	1000	0.1	RMS	937	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1765	1	RMS	1730.388	22.61	60	Pass	401
1765	3000	1	RMS	2650	-46.88	-13	Pass	1236
3000	12000	1	RMS	11990	-40.55	-13	Pass	9001
12000	20000	1	RMS	19996	-28.89	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1765	1	RMS	1730.388	21.9	60	Pass	401
1765	3000	1	RMS	2654	-46.85	-13	Pass	1236
3000	12000	1	RMS	11946	-40.72	-13	Pass	9001
12000	20000	1	RMS	20000	-28.79	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	1000	0.1	RMS	920.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1698	-51.1	-13	Pass	701
1700	1765	1	RMS	1750.375	22.88	60	Pass	401
1765	3000	1	RMS	2649	-46.87	-13	Pass	1236
3000	12000	1	RMS	11981	-40.67	-13	Pass	9001
12000	20000	1	RMS	19997	-28.78	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	968	-62.11	-13	Pass	9701
1000	1700	1	RMS	1697	-51.16	-13	Pass	701
1700	1765	1	RMS	1750.375	22.34	60	Pass	401
1765	3000	1	RMS	2655	-46.9	-13	Pass	1236
3000	12000	1	RMS	11982	-40.69	-13	Pass	9001
12000	20000	1	RMS	19997	-28.91	-13	Pass	8001




**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.27	-13	Pass	9701
1000	1700	1	RMS	1693	-35.28	-13	Pass	701
1700	1765	1	RMS	1710.563	22.69	60	Pass	401
1765	3000	1	RMS	2649	-46.81	-13	Pass	1236
3000	12000	1	RMS	11981	-40.75	-13	Pass	9001
12000	20000	1	RMS	19996	-28.79	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	926.2	-61.94	-13	Pass	9701
1000	1700	1	RMS	1693	-37.22	-13	Pass	701
1700	1765	1	RMS	1710.563	22.08	60	Pass	401
1765	3000	1	RMS	2659	-46.85	-13	Pass	1236
3000	12000	1	RMS	11962	-40.7	-13	Pass	9001
12000	20000	1	RMS	19998	-28.8	-13	Pass	8001




**2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1765	1	RMS	1728.113	22.68	60	Pass	401
1765	3000	1	RMS	2647	-46.84	-13	Pass	1236
3000	12000	1	RMS	11999	-40.7	-13	Pass	9001
12000	20000	1	RMS	19999	-28.91	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	1000	0.1	RMS	927.7	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1765	1	RMS	1728.113	21.77	60	Pass	401
1765	3000	1	RMS	2651	-46.75	-13	Pass	1236
3000	12000	1	RMS	12000	-40.77	-13	Pass	9001
12000	20000	1	RMS	19997	-28.78	-13	Pass	8001




**2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	910.5	-62.15	-13	Pass	9701
1000	1700	1	RMS	1696	-51.03	-13	Pass	701
1700	1765	1	RMS	1745.663	23.03	60	Pass	401
1765	3000	1	RMS	1765	-46.22	-13	Pass	1236
3000	12000	1	RMS	11998	-40.69	-13	Pass	9001
12000	20000	1	RMS	19999	-28.88	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.31	-13	Pass	9701
1000	1700	1	RMS	1699	-51.16	-13	Pass	701
1700	1765	1	RMS	1745.663	22.35	60	Pass	401
1765	3000	1	RMS	2647	-46.86	-13	Pass	1236
3000	12000	1	RMS	11962	-40.66	-13	Pass	9001
12000	20000	1	RMS	20000	-28.83	-13	Pass	8001




**2.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	928.2	-62.24	-13	Pass	9701
1000	1700	1	RMS	1698	-39.89	-13	Pass	701
1700	1765	1	RMS	1710.888	22.61	60	Pass	401
1765	3000	1	RMS	2655	-46.83	-13	Pass	1236
3000	12000	1	RMS	11963	-40.74	-13	Pass	9001
12000	20000	1	RMS	19999	-28.78	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	915.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1698	-42.49	-13	Pass	701
1700	1765	1	RMS	1710.888	22.04	60	Pass	401
1765	3000	1	RMS	2643	-46.85	-13	Pass	1236
3000	12000	1	RMS	11961	-40.69	-13	Pass	9001
12000	20000	1	RMS	19995	-28.8	-13	Pass	8001




**2.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	1000	0.1	RMS	936	-62.2	-13	Pass	9701
1000	1700	1	RMS	1699	-33.32	-13	Pass	701
1700	1765	1	RMS	1725.838	22.48	60	Pass	401
1765	3000	1	RMS	2659	-46.88	-13	Pass	1236
3000	12000	1	RMS	11962	-40.68	-13	Pass	9001
12000	20000	1	RMS	19994	-28.78	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	930.3	-62.3	-13	Pass	9701
1000	1700	1	RMS	1699	-34.39	-13	Pass	701
1700	1765	1	RMS	1725.838	21.69	60	Pass	401
1765	3000	1	RMS	2650	-46.92	-13	Pass	1236
3000	12000	1	RMS	11989	-40.72	-13	Pass	9001
12000	20000	1	RMS	20000	-28.75	-13	Pass	8001




**2.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	928.5	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1765	1	RMS	1740.788	22.87	60	Pass	401
1765	3000	1	RMS	1767	-22.32	-13	Pass	1236
3000	12000	1	RMS	11977	-40.72	-13	Pass	9001
12000	20000	1	RMS	20000	-28.78	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	952.9	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1740.788	22.29	60	Pass	401
1765	3000	1	RMS	1767	-26.14	-13	Pass	1236
3000	12000	1	RMS	11999	-40.73	-13	Pass	9001
12000	20000	1	RMS	19995	-28.87	-13	Pass	8001




**2.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	949	-62.23	-13	Pass	9701
1000	1700	1	RMS	1693	-41.76	-13	Pass	701
1700	1765	1	RMS	1711.05	22.59	60	Pass	401
1765	3000	1	RMS	2651	-46.86	-13	Pass	1236
3000	12000	1	RMS	11984	-40.74	-13	Pass	9001
12000	20000	1	RMS	20000	-28.78	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2986
30	1000	0.1	RMS	943.6	-62.11	-13	Pass	9701
1000	1700	1	RMS	1693	-43.75	-13	Pass	701
1700	1765	1	RMS	1711.05	22.04	60	Pass	401
1765	3000	1	RMS	2658	-46.86	-13	Pass	1236
3000	12000	1	RMS	11963	-40.74	-13	Pass	9001
12000	20000	1	RMS	20000	-28.75	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62.11	-13	Pass	9701
1000	1700	1	RMS	1688	-44	-13	Pass	701
1700	1765	1	RMS	1723.563	22.49	60	Pass	401
1765	3000	1	RMS	2646	-46.88	-13	Pass	1236
3000	12000	1	RMS	11981	-40.73	-13	Pass	9001
12000	20000	1	RMS	19999	-28.84	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.53	-13	Pass	2986
30	1000	0.1	RMS	938.5	-62.24	-13	Pass	9701
1000	1700	1	RMS	1688	-45.21	-13	Pass	701
1700	1765	1	RMS	1723.563	21.72	60	Pass	401
1765	3000	1	RMS	2640	-46.89	-13	Pass	1236
3000	12000	1	RMS	11978	-40.72	-13	Pass	9001
12000	20000	1	RMS	19997	-28.82	-13	Pass	8001




**2.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	914.6	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-34.32	-13	Pass	701
1700	1765	1	RMS	1736.075	22.77	60	Pass	401
1765	3000	1	RMS	1772	-21.06	-13	Pass	1236
3000	12000	1	RMS	11998	-40.73	-13	Pass	9001
12000	20000	1	RMS	19999	-28.73	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.31	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-34.81	-13	Pass	701
1700	1765	1	RMS	1736.075	22.15	60	Pass	401
1765	3000	1	RMS	1772	-25.91	-13	Pass	1236
3000	12000	1	RMS	11980	-40.72	-13	Pass	9001
12000	20000	1	RMS	20000	-28.77	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	814	0.1	RMS	797.8	-62.33	-13	Pass	7841
814	860	0.1	RMS	824.3	18.8	60	Pass	461
860	1000	0.1	RMS	920.5	-62.48	-13	Pass	1401
1000	3000	1	RMS	2473	-44.48	-13	Pass	2001
3000	10000	1	RMS	7701	-43.03	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	814	0.1	RMS	809.5	-62.43	-13	Pass	7841
814	860	0.1	RMS	824.3	18.06	60	Pass	461
860	1000	0.1	RMS	962.5	-62.48	-13	Pass	1401
1000	3000	1	RMS	2473	-45.08	-13	Pass	2001
3000	10000	1	RMS	7716	-43.06	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	814	0.1	RMS	791.1	-62.5	-13	Pass	7841
814	860	0.1	RMS	836.1	18.7	60	Pass	461
860	1000	0.1	RMS	941.1	-62.47	-13	Pass	1401
1000	3000	1	RMS	2508	-45.56	-13	Pass	2001
3000	10000	1	RMS	7700	-43.03	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	814	0.1	RMS	804.9	-62.42	-13	Pass	7841
814	860	0.1	RMS	836.1	17.83	60	Pass	461
860	1000	0.1	RMS	932.3	-62.44	-13	Pass	1401
1000	3000	1	RMS	2508	-46.02	-13	Pass	2001
3000	10000	1	RMS	7723	-43.03	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.7	-13	Pass	2986
30	814	0.1	RMS	798.8	-62.46	-13	Pass	7841
814	860	0.1	RMS	847.9	18.73	60	Pass	461
860	1000	0.1	RMS	923.9	-62.56	-13	Pass	1401
1000	3000	1	RMS	2544	-45.18	-13	Pass	2001
3000	10000	1	RMS	7724	-43.05	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	814	0.1	RMS	794	-62.4	-13	Pass	7841
814	860	0.1	RMS	847.9	18.03	60	Pass	461
860	1000	0.1	RMS	926.6	-62.53	-13	Pass	1401
1000	3000	1	RMS	2544	-45.59	-13	Pass	2001
3000	10000	1	RMS	7715	-43.11	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	814	0.1	RMS	799.9	-62.43	-13	Pass	7841
814	860	0.1	RMS	824.2	18.71	60	Pass	461
860	1000	0.1	RMS	951.4	-62.53	-13	Pass	1401
1000	3000	1	RMS	2473	-44.67	-13	Pass	2001
3000	10000	1	RMS	7703	-43.08	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.39	-13	Pass	2986
30	814	0.1	RMS	796.7	-62.51	-13	Pass	7841
814	860	0.1	RMS	824.2	17.93	60	Pass	461
860	1000	0.1	RMS	902.7	-62.63	-13	Pass	1401
1000	3000	1	RMS	2473	-45	-13	Pass	2001
3000	10000	1	RMS	7704	-43.05	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.15	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.4	-13	Pass	7841
814	860	0.1	RMS	835.2	18.7	60	Pass	461
860	1000	0.1	RMS	925.2	-62.52	-13	Pass	1401
1000	3000	1	RMS	2506	-45.35	-13	Pass	2001
3000	10000	1	RMS	7732	-42.99	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	814	0.1	RMS	783	-62.36	-13	Pass	7841
814	860	0.1	RMS	835.2	17.91	60	Pass	461
860	1000	0.1	RMS	925.6	-62.44	-13	Pass	1401
1000	3000	1	RMS	2506	-45.84	-13	Pass	2001
3000	10000	1	RMS	7732	-43.04	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	814	0.1	RMS	804.8	-62.49	-13	Pass	7841
814	860	0.1	RMS	846.2	18.69	60	Pass	461
860	1000	0.1	RMS	860.1	-62.43	-13	Pass	1401
1000	3000	1	RMS	2539	-44.93	-13	Pass	2001
3000	10000	1	RMS	7730	-43.06	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	814	0.1	RMS	809.6	-62.34	-13	Pass	7841
814	860	0.1	RMS	846.2	17.86	60	Pass	461
860	1000	0.1	RMS	929.9	-62.57	-13	Pass	1401
1000	3000	1	RMS	2539	-45.45	-13	Pass	2001
3000	10000	1	RMS	7719	-42.98	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.18	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.4	-13	Pass	7841
814	860	0.1	RMS	824.3	18.79	60	Pass	461
860	1000	0.1	RMS	926.7	-62.47	-13	Pass	1401
1000	3000	1	RMS	2473	-44.24	-13	Pass	2001
3000	10000	1	RMS	7707	-43.08	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	814	0.1	RMS	806	-62.34	-13	Pass	7841
814	860	0.1	RMS	824.3	17.92	60	Pass	461
860	1000	0.1	RMS	924.1	-62.5	-13	Pass	1401
1000	3000	1	RMS	2473	-44.85	-13	Pass	2001
3000	10000	1	RMS	7711	-43.06	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	814	0.1	RMS	779.3	-62.45	-13	Pass	7841
814	860	0.1	RMS	834.3	18.86	60	Pass	461
860	1000	0.1	RMS	918.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2503	-44.63	-13	Pass	2001
3000	10000	1	RMS	7710	-43.05	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.45	-13	Pass	7841
814	860	0.1	RMS	834.3	18.19	60	Pass	461
860	1000	0.1	RMS	935.7	-62.25	-13	Pass	1401
1000	3000	1	RMS	2503	-45.16	-13	Pass	2001
3000	10000	1	RMS	7709	-43.08	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.49	-13	Pass	7841
814	860	0.1	RMS	844.3	18.58	60	Pass	461
860	1000	0.1	RMS	953.4	-62.5	-13	Pass	1401
1000	3000	1	RMS	2533	-44.37	-13	Pass	2001
3000	10000	1	RMS	7699	-43.05	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	814	0.1	RMS	808.8	-62.42	-13	Pass	7841
814	860	0.1	RMS	844.3	18.02	60	Pass	461
860	1000	0.1	RMS	891.5	-62.43	-13	Pass	1401
1000	3000	1	RMS	2533	-44.89	-13	Pass	2001
3000	10000	1	RMS	7708	-43.08	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	814	0.1	RMS	807	-60.4	-13	Pass	7841
814	860	0.1	RMS	824.6	19.45	60	Pass	461
860	1000	0.1	RMS	944.5	-62.51	-13	Pass	1401
1000	3000	1	RMS	2474	-44.61	-13	Pass	2001
3000	10000	1	RMS	7707	-43.09	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2986
30	814	0.1	RMS	806.9	-60.91	-13	Pass	7841
814	860	0.1	RMS	824.6	18.8	60	Pass	461
860	1000	0.1	RMS	941.5	-62.53	-13	Pass	1401
1000	3000	1	RMS	2474	-44.99	-13	Pass	2001
3000	10000	1	RMS	7714	-43.07	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	814	0.1	RMS	814	-61.19	-13	Pass	7841
814	860	0.1	RMS	832.1	19.72	60	Pass	461
860	1000	0.1	RMS	979.8	-62.51	-13	Pass	1401
1000	3000	1	RMS	2496	-44.21	-13	Pass	2001
3000	10000	1	RMS	7726	-43.11	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	814	0.1	RMS	814	-61.75	-13	Pass	7841
814	860	0.1	RMS	832.1	18.8	60	Pass	461
860	1000	0.1	RMS	904.6	-62.52	-13	Pass	1401
1000	3000	1	RMS	2496	-44.79	-13	Pass	2001
3000	10000	1	RMS	7717	-43.05	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	814	0.1	RMS	802.8	-62.4	-13	Pass	7841
814	860	0.1	RMS	839.6	19.5	60	Pass	461
860	1000	0.1	RMS	860.2	-62.43	-13	Pass	1401
1000	3000	1	RMS	2519	-45.09	-13	Pass	2001
3000	10000	1	RMS	7715	-42.96	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	814	0.1	RMS	808.8	-62.46	-13	Pass	7841
814	860	0.1	RMS	839.6	18.69	60	Pass	461
860	1000	0.1	RMS	922.6	-62.46	-13	Pass	1401
1000	3000	1	RMS	2519	-45.64	-13	Pass	2001
3000	10000	1	RMS	7706	-43.07	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.57	-25	Pass	2986
30	1000	0.1	RMS	842.7	-63.93	-25	Pass	9701
1000	2490	1	RMS	2490	-50.21	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.4	60	Pass	401
2580	3000	1	RMS	2953	-49.4	-25	Pass	421
3000	12000	1	RMS	10001	-49.44	-25	Pass	9002
12000	26000	1	RMS	26000	-37.08	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-25	Pass	2986
30	1000	0.1	RMS	833.3	-64.04	-25	Pass	9701
1000	2490	1	RMS	2490	-50.16	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.81	60	Pass	401
2580	3000	1	RMS	2965	-49.39	-25	Pass	421
3000	12000	1	RMS	10001	-49.5	-25	Pass	9002
12000	26000	1	RMS	25996	-36.03	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-25	Pass	2986
30	1000	0.1	RMS	827.8	-63.86	-25	Pass	9701
1000	2490	1	RMS	2486	-50.94	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.21	60	Pass	401
2580	3000	1	RMS	2955	-49.4	-25	Pass	421
3000	12000	1	RMS	10131	-48.99	-25	Pass	9002
12000	26000	1	RMS	25997	-36	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-25	Pass	2986
30	1000	0.1	RMS	837.9	-64.05	-25	Pass	9701
1000	2490	1	RMS	2486	-51.03	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.58	60	Pass	401
2580	3000	1	RMS	2944	-49.41	-25	Pass	421
3000	12000	1	RMS	10131	-49.44	-25	Pass	9002
12000	26000	1	RMS	25992	-36.02	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.77	-25	Pass	2986
30	1000	0.1	RMS	604.7	-63.92	-25	Pass	9701
1000	2490	1	RMS	2490	-50.95	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.55	60	Pass	401
2580	3000	1	RMS	2964	-49.41	-25	Pass	421
3000	12000	1	RMS	10261	-48.76	-25	Pass	9002
12000	26000	1	RMS	26000	-35.98	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.92	-25	Pass	9701
1000	2490	1	RMS	2488	-50.9	-25	Pass	1491
2490	2580	1	RMS	2565.15	20.86	60	Pass	401
2580	3000	1	RMS	2960	-49.42	-25	Pass	421
3000	12000	1	RMS	10261	-49.23	-25	Pass	9002
12000	26000	1	RMS	25998	-36.02	-25	Pass	14002




**4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.9	-25	Pass	2986
30	1000	0.1	RMS	837.4	-64.08	-25	Pass	9701
1000	2490	1	RMS	2483	-48.98	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.66	60	Pass	401
2580	3000	1	RMS	2956	-49.41	-25	Pass	421
3000	12000	1	RMS	10002	-49.18	-25	Pass	9002
12000	26000	1	RMS	26000	-36	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-25	Pass	2986
30	1000	0.1	RMS	849.1	-64.03	-25	Pass	9701
1000	2490	1	RMS	2483	-49.02	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.06	60	Pass	401
2580	3000	1	RMS	2963	-49.4	-25	Pass	421
3000	12000	1	RMS	10002	-49.58	-25	Pass	9002
12000	26000	1	RMS	25985	-36.02	-25	Pass	14002




4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-25	Pass	2986
30	1000	0.1	RMS	839	-64.06	-25	Pass	9701
1000	2490	1	RMS	2490	-50.82	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.28	60	Pass	401
2580	3000	1	RMS	2942	-49.37	-25	Pass	421
3000	12000	1	RMS	10122	-49.19	-25	Pass	9002
12000	26000	1	RMS	25981	-36.08	-25	Pass	14002




4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-25	Pass	2986
30	1000	0.1	RMS	998.299	-64.05	-25	Pass	9701
1000	2490	1	RMS	2490	-50.86	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.55	60	Pass	401
2580	3000	1	RMS	2966	-49.4	-25	Pass	421
3000	12000	1	RMS	10122	-49.5	-25	Pass	9002
12000	26000	1	RMS	25993	-35.93	-25	Pass	14002




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.02	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.73	-25	Pass	9701
1000	2490	1	RMS	2490	-50.91	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.81	60	Pass	401
2580	3000	1	RMS	2964	-49.38	-25	Pass	421
3000	12000	1	RMS	10242	-48.52	-25	Pass	9002
12000	26000	1	RMS	26000	-36.04	-25	Pass	14002




4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.55	-25	Pass	9701
1000	2490	1	RMS	2470	-50.99	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.12	60	Pass	401
2580	3000	1	RMS	2954	-49.41	-25	Pass	421
3000	12000	1	RMS	10242	-48.93	-25	Pass	9002
12000	26000	1	RMS	25994	-36.04	-25	Pass	14002




**4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.87	-25	Pass	2986
30	1000	0.1	RMS	843.3	-63.92	-25	Pass	9701
1000	2490	1	RMS	2488	-33.74	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.81	60	Pass	401
2580	3000	1	RMS	2967	-49.37	-25	Pass	421
3000	12000	1	RMS	10003	-49.21	-25	Pass	9002
12000	26000	1	RMS	25985	-36.02	-25	Pass	14002




4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.13	-25	Pass	2986
30	1000	0.1	RMS	849.1	-64.03	-25	Pass	9701
1000	2490	1	RMS	2488	-34.64	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.22	60	Pass	401
2580	3000	1	RMS	2970	-49.39	-25	Pass	421
3000	12000	1	RMS	10003	-49.66	-25	Pass	9002
12000	26000	1	RMS	25998	-35.82	-25	Pass	14002




**4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.45	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.92	-25	Pass	2986
30	1000	0.1	RMS	853.203	-63.96	-25	Pass	9701
1000	2490	1	RMS	2490	-50.65	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.23	60	Pass	401
2580	3000	1	RMS	2948	-49.36	-25	Pass	421
3000	12000	1	RMS	10113	-49.15	-25	Pass	9002
12000	26000	1	RMS	25994	-35.95	-25	Pass	14002




4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-25	Pass	2986
30	1000	0.1	RMS	816.7	-64.01	-25	Pass	9701
1000	2490	1	RMS	2490	-50.57	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.54	60	Pass	401
2580	3000	1	RMS	2955	-49.4	-25	Pass	421
3000	12000	1	RMS	10113	-49.56	-25	Pass	9002
12000	26000	1	RMS	25978	-36.03	-25	Pass	14002




**4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-25	Pass	2986
30	1000	0.1	RMS	595.2	-63.41	-25	Pass	9701
1000	2490	1	RMS	2490	-50.87	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.97	60	Pass	401
2580	3000	1	RMS	2582	-38.99	-25	Pass	421
3000	12000	1	RMS	10223	-48.07	-25	Pass	9002
12000	26000	1	RMS	25999	-35.88	-25	Pass	14002




4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.62	-25	Pass	9701
1000	2490	1	RMS	2488	-50.93	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.35	60	Pass	401
2580	3000	1	RMS	2582	-39.54	-25	Pass	421
3000	12000	1	RMS	10223	-48.41	-25	Pass	9002
12000	26000	1	RMS	25994	-35.98	-25	Pass	14002




**4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-25	Pass	2986
30	1000	0.1	RMS	835.9	-64.08	-25	Pass	9701
1000	2490	1	RMS	2483	-39.87	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.96	60	Pass	401
2580	3000	1	RMS	2955	-49.4	-25	Pass	421
3000	12000	1	RMS	10004	-49.15	-25	Pass	9002
12000	26000	1	RMS	25996	-36.01	-25	Pass	14002




4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.83	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.48	-25	Pass	2986
30	1000	0.1	RMS	833.8	-64.03	-25	Pass	9701
1000	2490	1	RMS	2483	-40.98	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.35	60	Pass	401
2580	3000	1	RMS	2955	-49.36	-25	Pass	421
3000	12000	1	RMS	10004	-49.46	-25	Pass	9002
12000	26000	1	RMS	25998	-35.94	-25	Pass	14002




4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-25	Pass	2986
30	1000	0.1	RMS	831.5	-64.01	-25	Pass	9701
1000	2490	1	RMS	2490	-46.59	-25	Pass	1491
2490	2580	1	RMS	2526	22.27	60	Pass	401
2580	3000	1	RMS	2945	-49.4	-25	Pass	421
3000	12000	1	RMS	10104	-49.07	-25	Pass	9002
12000	26000	1	RMS	25999	-35.98	-25	Pass	14002




4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-25	Pass	2986
30	1000	0.1	RMS	839.9	-63.97	-25	Pass	9701
1000	2490	1	RMS	2490	-47.14	-25	Pass	1491
2490	2580	1	RMS	2526	21.56	60	Pass	401
2580	3000	1	RMS	2943	-49.41	-25	Pass	421
3000	12000	1	RMS	10104	-49.46	-25	Pass	9002
12000	26000	1	RMS	25997	-36	-25	Pass	14002




**4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.88	-25	Pass	9701
1000	2490	1	RMS	2490	-50.87	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.07	60	Pass	401
2580	3000	1	RMS	2586	-40.86	-25	Pass	421
3000	12000	1	RMS	10204	-48.26	-25	Pass	9002
12000	26000	1	RMS	25997	-36.06	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.07	-25	Pass	9701
1000	2490	1	RMS	2490	-50.82	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.27	60	Pass	401
2580	3000	1	RMS	2586	-41.5	-25	Pass	421
3000	12000	1	RMS	10204	-48.94	-25	Pass	9002
12000	26000	1	RMS	25999	-36.03	-25	Pass	14002



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-49.61	-13	Pass	701
1700	1790	1	RMS	1710.35	22.29	60	Pass	401
1790	3000	1	RMS	2651	-46.85	-13	Pass	1211
3000	12000	1	RMS	11980	-40.7	-13	Pass	9001
12000	20000	1	RMS	19999	-28.76	-13	Pass	8001




**5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	960.2	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-49.78	-13	Pass	701
1700	1790	1	RMS	1710.35	21.48	60	Pass	401
1790	3000	1	RMS	2654	-46.89	-13	Pass	1211
3000	12000	1	RMS	11961	-40.7	-13	Pass	9001
12000	20000	1	RMS	19999	-28.78	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.1	-13	Pass	701
1700	1790	1	RMS	1744.55	22.79	60	Pass	401
1790	3000	1	RMS	2648	-46.89	-13	Pass	1211
3000	12000	1	RMS	11996	-40.71	-13	Pass	9001
12000	20000	1	RMS	19991	-28.78	-13	Pass	8001




**5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	924	-62.08	-13	Pass	9701
1000	1700	1	RMS	1699	-51.15	-13	Pass	701
1700	1790	1	RMS	1744.55	21.92	60	Pass	401
1790	3000	1	RMS	2655	-46.89	-13	Pass	1211
3000	12000	1	RMS	11963	-40.71	-13	Pass	9001
12000	20000	1	RMS	19999	-28.78	-13	Pass	8001




**5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	955.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1692	-51.2	-13	Pass	701
1700	1790	1	RMS	1778.75	22.22	60	Pass	401
1790	3000	1	RMS	2657	-46.95	-13	Pass	1211
3000	12000	1	RMS	11995	-40.73	-13	Pass	9001
12000	20000	1	RMS	19999	-28.78	-13	Pass	8001




**5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	914.5	-62.2	-13	Pass	9701
1000	1700	1	RMS	1696	-51.17	-13	Pass	701
1700	1790	1	RMS	1778.75	21.51	60	Pass	401
1790	3000	1	RMS	2661	-46.87	-13	Pass	1211
3000	12000	1	RMS	11980	-40.72	-13	Pass	9001
12000	20000	1	RMS	20000	-28.75	-13	Pass	8001




**5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.05	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-49.79	-13	Pass	701
1700	1790	1	RMS	1710.35	22.48	60	Pass	401
1790	3000	1	RMS	2659	-46.91	-13	Pass	1211
3000	12000	1	RMS	11991	-40.65	-13	Pass	9001
12000	20000	1	RMS	19991	-28.87	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	896.6	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-49.79	-13	Pass	701
1700	1790	1	RMS	1710.35	21.79	60	Pass	401
1790	3000	1	RMS	2646	-46.9	-13	Pass	1211
3000	12000	1	RMS	11981	-40.72	-13	Pass	9001
12000	20000	1	RMS	19996	-28.73	-13	Pass	8001




**5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	956.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1743.65	22.82	60	Pass	401
1790	3000	1	RMS	2657	-46.84	-13	Pass	1211
3000	12000	1	RMS	11977	-40.74	-13	Pass	9001
12000	20000	1	RMS	19997	-28.68	-13	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	1000	0.1	RMS	946.5	-62.12	-13	Pass	9701
1000	1700	1	RMS	1698	-51.17	-13	Pass	701
1700	1790	1	RMS	1743.65	22.07	60	Pass	401
1790	3000	1	RMS	2650	-46.92	-13	Pass	1211
3000	12000	1	RMS	11969	-40.72	-13	Pass	9001
12000	20000	1	RMS	19999	-28.79	-13	Pass	8001




**5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	Pass	2986
30	1000	0.1	RMS	933	-62.18	-13	Pass	9701
1000	1700	1	RMS	1698	-51.17	-13	Pass	701
1700	1790	1	RMS	1777.175	22.45	60	Pass	401
1790	3000	1	RMS	2646	-46.84	-13	Pass	1211
3000	12000	1	RMS	11969	-40.7	-13	Pass	9001
12000	20000	1	RMS	20000	-28.8	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	884.6	-62.14	-13	Pass	9701
1000	1700	1	RMS	1695	-51.19	-13	Pass	701
1700	1790	1	RMS	1777.175	21.74	60	Pass	401
1790	3000	1	RMS	2647	-46.9	-13	Pass	1211
3000	12000	1	RMS	11949	-40.67	-13	Pass	9001
12000	20000	1	RMS	19996	-28.81	-13	Pass	8001




**5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	1000	0.1	RMS	907.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-48.89	-13	Pass	701
1700	1790	1	RMS	1710.35	22.69	60	Pass	401
1790	3000	1	RMS	2657	-46.89	-13	Pass	1211
3000	12000	1	RMS	11973	-40.75	-13	Pass	9001
12000	20000	1	RMS	20000	-28.77	-13	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-49.24	-13	Pass	701
1700	1790	1	RMS	1710.35	21.96	60	Pass	401
1790	3000	1	RMS	2651	-46.91	-13	Pass	1211
3000	12000	1	RMS	11952	-40.76	-13	Pass	9001
12000	20000	1	RMS	19996	-28.79	-13	Pass	8001




**5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.01	-13	Pass	9701
1000	1700	1	RMS	1697	-51.08	-13	Pass	701
1700	1790	1	RMS	1742.75	22.86	60	Pass	401
1790	3000	1	RMS	2657	-46.89	-13	Pass	1211
3000	12000	1	RMS	11964	-40.7	-13	Pass	9001
12000	20000	1	RMS	19998	-28.88	-13	Pass	8001




5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2986
30	1000	0.1	RMS	944	-62.28	-13	Pass	9701
1000	1700	1	RMS	1699	-51.07	-13	Pass	701
1700	1790	1	RMS	1742.75	22.16	60	Pass	401
1790	3000	1	RMS	2658	-46.92	-13	Pass	1211
3000	12000	1	RMS	11989	-40.71	-13	Pass	9001
12000	20000	1	RMS	19997	-28.83	-13	Pass	8001




**5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1775.375	22.67	60	Pass	401
1790	3000	1	RMS	2659	-46.89	-13	Pass	1211
3000	12000	1	RMS	11968	-40.77	-13	Pass	9001
12000	20000	1	RMS	19998	-28.79	-13	Pass	8001




5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	972	-62.2	-13	Pass	9701
1000	1700	1	RMS	1697	-51.15	-13	Pass	701
1700	1790	1	RMS	1775.375	22.11	60	Pass	401
1790	3000	1	RMS	2657	-46.91	-13	Pass	1211
3000	12000	1	RMS	11941	-40.72	-13	Pass	9001
12000	20000	1	RMS	19996	-28.77	-13	Pass	8001




**5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	949.1	-62.17	-13	Pass	9701
1000	1700	1	RMS	1693	-34.92	-13	Pass	701
1700	1790	1	RMS	1710.575	22.79	60	Pass	401
1790	3000	1	RMS	2655	-46.92	-13	Pass	1211
3000	12000	1	RMS	11965	-40.79	-13	Pass	9001
12000	20000	1	RMS	19997	-28.78	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	926.7	-62.12	-13	Pass	9701
1000	1700	1	RMS	1693	-36.92	-13	Pass	701
1700	1790	1	RMS	1710.575	22.19	60	Pass	401
1790	3000	1	RMS	2645	-46.91	-13	Pass	1211
3000	12000	1	RMS	11981	-40.75	-13	Pass	9001
12000	20000	1	RMS	19999	-28.78	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.22	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1740.5	23.03	60	Pass	401
1790	3000	1	RMS	2650	-46.9	-13	Pass	1211
3000	12000	1	RMS	11982	-40.67	-13	Pass	9001
12000	20000	1	RMS	19991	-28.8	-13	Pass	8001




5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	1000	0.1	RMS	938.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1790	1	RMS	1740.5	22.29	60	Pass	401
1790	3000	1	RMS	2643	-46.88	-13	Pass	1211
3000	12000	1	RMS	11993	-40.72	-13	Pass	9001
12000	20000	1	RMS	19989	-28.82	-13	Pass	8001




**5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	913.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1696	-51.13	-13	Pass	701
1700	1790	1	RMS	1770.65	22.75	60	Pass	401
1790	3000	1	RMS	1790	-46.89	-13	Pass	1211
3000	12000	1	RMS	11962	-40.69	-13	Pass	9001
12000	20000	1	RMS	19999	-28.84	-13	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	937.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1697	-51.21	-13	Pass	701
1700	1790	1	RMS	1770.65	22.08	60	Pass	401
1790	3000	1	RMS	2653	-46.88	-13	Pass	1211
3000	12000	1	RMS	11953	-40.73	-13	Pass	9001
12000	20000	1	RMS	19995	-28.79	-13	Pass	8001




**5.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.98	-13	Pass	2986
30	1000	0.1	RMS	910.1	-61.93	-13	Pass	9701
1000	1700	1	RMS	1697	-39.36	-13	Pass	701
1700	1790	1	RMS	1710.8	22.72	60	Pass	401
1790	3000	1	RMS	2654	-46.85	-13	Pass	1211
3000	12000	1	RMS	11985	-40.68	-13	Pass	9001
12000	20000	1	RMS	20000	-28.78	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-42.23	-13	Pass	701
1700	1790	1	RMS	1710.8	22.11	60	Pass	401
1790	3000	1	RMS	2650	-46.93	-13	Pass	1211
3000	12000	1	RMS	12000	-40.65	-13	Pass	9001
12000	20000	1	RMS	20000	-28.7	-13	Pass	8001




**5.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	942.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1790	1	RMS	1738.25	22.61	60	Pass	401
1790	3000	1	RMS	2657	-46.93	-13	Pass	1211
3000	12000	1	RMS	11968	-40.76	-13	Pass	9001
12000	20000	1	RMS	19998	-28.93	-13	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	1000	0.1	RMS	879.2	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1738.25	21.91	60	Pass	401
1790	3000	1	RMS	2649	-46.94	-13	Pass	1211
3000	12000	1	RMS	11947	-40.82	-13	Pass	9001
12000	20000	1	RMS	19997	-28.93	-13	Pass	8001




**5.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	913.2	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1765.925	22.72	60	Pass	401
1790	3000	1	RMS	1792	-24.26	-13	Pass	1211
3000	12000	1	RMS	11950	-40.79	-13	Pass	9001
12000	20000	1	RMS	19999	-28.93	-13	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	895.7	-62.31	-13	Pass	9701
1000	1700	1	RMS	1699	-51.18	-13	Pass	701
1700	1790	1	RMS	1765.925	22.17	60	Pass	401
1790	3000	1	RMS	1792	-28.43	-13	Pass	1211
3000	12000	1	RMS	11959	-40.8	-13	Pass	9001
12000	20000	1	RMS	19999	-28.91	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-13	Pass	2986
30	1000	0.1	RMS	913.9	-62.21	-13	Pass	9701
1000	1700	1	RMS	1693	-41.56	-13	Pass	701
1700	1790	1	RMS	1711.025	22.66	60	Pass	401
1790	3000	1	RMS	2651	-46.94	-13	Pass	1211
3000	12000	1	RMS	11996	-40.8	-13	Pass	9001
12000	20000	1	RMS	19988	-28.97	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	1000	0.1	RMS	930	-62.23	-13	Pass	9701
1000	1700	1	RMS	1693	-43.83	-13	Pass	701
1700	1790	1	RMS	1711.025	22.1	60	Pass	401
1790	3000	1	RMS	2660	-46.93	-13	Pass	1211
3000	12000	1	RMS	11972	-40.79	-13	Pass	9001
12000	20000	1	RMS	20000	-28.83	-13	Pass	8001




**5.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	960	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-33.81	-13	Pass	701
1700	1790	1	RMS	1736	22.77	60	Pass	401
1790	3000	1	RMS	2646	-46.96	-13	Pass	1211
3000	12000	1	RMS	11999	-40.79	-13	Pass	9001
12000	20000	1	RMS	20000	-28.91	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	921.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-34.9	-13	Pass	701
1700	1790	1	RMS	1736.225	22.1	60	Pass	401
1790	3000	1	RMS	2646	-46.91	-13	Pass	1211
3000	12000	1	RMS	11974	-40.77	-13	Pass	9001
12000	20000	1	RMS	19999	-28.86	-13	Pass	8001




**5.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2986
30	1000	0.1	RMS	948.9	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1761.2	22.74	60	Pass	401
1790	3000	1	RMS	1797	-24.2	-13	Pass	1211
3000	12000	1	RMS	11985	-40.82	-13	Pass	9001
12000	20000	1	RMS	19999	-28.85	-13	Pass	8001



**5.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	907	-62.22	-13	Pass	9701
1000	1700	1	RMS	1699	-51.17	-13	Pass	701
1700	1790	1	RMS	1760.975	22.05	60	Pass	401
1790	3000	1	RMS	1797	-28.37	-13	Pass	1211
3000	12000	1	RMS	11944	-40.81	-13	Pass	9001
12000	20000	1	RMS	19999	-28.89	-13	Pass	8001



--BLANK BELOW--