



Title	Test Mode	Antenna	5815MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII4	802.11ac VHT160	Chain0	0	-12.765
NII4	802.11ac VHT160	Chain1	0	-12.692
NII4	802.11ac VHT160	MIMO	0.000	-9.718
NII4	802.11ax HE160	Chain0	0	-27.614
NII4	802.11ax HE160	Chain1	0	-29.612
NII4	802.11ax HE160	MIMO	0.000	-25.489

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode: 802.11a



Test Mode: 802.11n HT20





Test Mode: 802.11ac VHT20



Mode:802.11ac VHT20 Frequency:5845MHz Ant:Chain0
scope:NII4

Mode:802.11ac VHT20 Frequency:5845MHz Ant:Chain1
scope:NII4



Test Mode: 802.11ax HE20



Mode:802.11ax HE20 Tone:106TR Frequency:5845MHz
Ant:Chain0 scope:NII4

Mode:802.11ax HE20 Tone:106TR Frequency:5845MHz
Ant:Chain1 scope:NII4


Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5835MHz Ant:Chain0
scope:NII4

Mode:802.11n HT40 Frequency:5835MHz Ant:Chain1
scope:NII4


Test Mode: 802.11ac VHT40




Test Mode: 802.11ax HE40




Test Mode: 802.11ac VHT80



Test Mode: 802.11ax HE80



Test Mode: 802.11ac VHT160



Test Mode: 802.11ax HE160

