

Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	819	26740	10	1	0	Fig.1
26	819	26740	10	1	0	Fig.2
26	819	26740	10	1	0	Fig.3




Fig.1




Fig.2




Fig.3

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						16QAM
26	819	26740	10	1	0	Fig.4
26	819	26740	10	1	0	Fig.5
26	819	26740	10	1	0	Fig.6




Fig.4




Fig.5




Fig.6

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						64QAM
26	819	26740	10	1	0	Fig.7
26	819	26740	10	1	0	Fig.8
26	819	26740	10	1	0	Fig.9




Fig.7




Fig.8




Fig.9

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	814.7	26697	1.4	1	0	Fig.1
26	QPSK	814.7	26697	1.4	6	0	Fig.2
26	QPSK	823.3	26783	1.4	1	5	Fig.3
26	QPSK	823.3	26783	1.4	6	0	Fig.4
26	QPSK	815.5	26705	3	1	0	Fig.5
26	QPSK	815.5	26705	3	15	0	Fig.6
26	QPSK	822.5	26775	3	1	14	Fig.7
26	QPSK	822.5	26775	3	15	0	Fig.8
26	QPSK	816.5	26715	5	1	0	Fig.9
26	QPSK	816.5	26715	5	25	0	Fig.10
26	QPSK	821.5	26765	5	1	24	Fig.11
26	QPSK	821.5	26765	5	25	0	Fig.12
26	QPSK	819	26740	10	1	0	Fig.13
26	QPSK	819	26740	10	50	0	Fig.14
26	QPSK	819	26740	10	1	49	Fig.15
26	QPSK	819	26740	10	50	0	Fig.16

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	16QAM	814.7	26697	1.4	1	0	Fig.17
26	16QAM	814.7	26697	1.4	6	0	Fig.18
26	16QAM	823.3	26783	1.4	1	5	Fig.19
26	16QAM	823.3	26783	1.4	6	0	Fig.20
26	16QAM	815.5	26705	3	1	0	Fig.21
26	16QAM	815.5	26705	3	15	0	Fig.22
26	16QAM	822.5	26775	3	1	14	Fig.23
26	16QAM	822.5	26775	3	15	0	Fig.24
26	16QAM	816.5	26715	5	1	0	Fig.25
26	16QAM	816.5	26715	5	25	0	Fig.26
26	16QAM	821.5	26765	5	1	24	Fig.27
26	16QAM	821.5	26765	5	25	0	Fig.28
26	16QAM	819	26740	10	1	0	Fig.29
26	16QAM	819	26740	10	50	0	Fig.30
26	16QAM	819	26740	10	1	49	Fig.31
26	16QAM	819	26740	10	50	0	Fig.32

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	64QAM	814.7	26697	1.4	1	0	Fig.33
26	64QAM	814.7	26697	1.4	6	0	Fig.34
26	64QAM	823.3	26783	1.4	1	5	Fig.35
26	64QAM	823.3	26783	1.4	6	0	Fig.36
26	64QAM	815.5	26705	3	1	0	Fig.37
26	64QAM	815.5	26705	3	15	0	Fig.38
26	64QAM	822.5	26775	3	1	14	Fig.39
26	64QAM	822.5	26775	3	15	0	Fig.40
26	64QAM	816.5	26715	5	1	0	Fig.41
26	64QAM	816.5	26715	5	25	0	Fig.42
26	64QAM	821.5	26765	5	1	24	Fig.43
26	64QAM	821.5	26765	5	25	0	Fig.44
26	64QAM	819	26740	10	1	0	Fig.45
26	64QAM	819	26740	10	50	0	Fig.46
26	64QAM	819	26740	10	1	49	Fig.47
26	64QAM	819	26740	10	50	0	Fig.48

Test Mode: QPSK




Fig.1




Fig.2





Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9

Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

Test Mode: 16QAM




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32

Test Mode: 64QAM




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26 Low Channel QPSK			
		1.4M	3M	5M	10M
-30	NV	0.003	-0.005	0.003	0.004
-20	NV	0.014	0.004	-0.001	0.005
-10	NV	-0.019	0.002	0.000	0.007
0	NV	0.003	0.008	0.005	0.006
+10	NV	-0.006	0.006	0.001	0.005
+20	NV	0.023	0.007	0.002	0.006
+30	NV	-0.026	-0.006	0.002	-0.004
+40	NV	0.006	0.009	-0.002	0.003
+50	NV	0.016	0.003	-0.001	0.006
+20	LV	0.016	0.001	-0.003	0.007
+20	HV	-0.001	0.005	0.001	-0.007

Temperature(°C)	Voltage	Test Result (ppm) Band 26 High Channel QPSK			
		1.4M	3M	5M	10M
-30	NV	-0.022	-0.008	-0.007	0.006
-20	NV	-0.027	0.004	0.005	0.005
-10	NV	0.011	0.004	0.008	0.006
0	NV	-0.022	0.003	0.004	0.004
+10	NV	0.016	0.006	-0.004	0.005
+20	NV	-0.021	0.005	0.005	-0.005
+30	NV	0.010	-0.009	0.004	0.006
+40	NV	0.021	0.005	-0.005	-0.005
+50	NV	0.013	0.007	0.006	0.005
+20	LV	-0.018	0.006	0.006	0.005
+20	HV	-0.025	-0.009	0.004	0.005

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	814.7	26697	1.4	1	0	22.60	24.95	0.313
QPSK	814.7	26697	1.4	1	3	22.40	24.75	0.299
QPSK	814.7	26697	1.4	1	5	22.32	24.67	0.293
QPSK	814.7	26697	1.4	3	0	22.26	24.61	0.289
QPSK	814.7	26697	1.4	3	1	22.29	24.64	0.291
QPSK	814.7	26697	1.4	3	3	22.29	24.64	0.291
QPSK	814.7	26697	1.4	6	0	21.23	23.58	0.228
QPSK	819	26740	1.4	1	0	22.35	24.70	0.295
QPSK	819	26740	1.4	1	3	22.44	24.79	0.301
QPSK	819	26740	1.4	1	5	22.54	24.89	0.308
QPSK	819	26740	1.4	3	0	22.41	24.76	0.299
QPSK	819	26740	1.4	3	1	22.48	24.83	0.304
QPSK	819	26740	1.4	3	3	22.48	24.83	0.304
QPSK	819	26740	1.4	6	0	21.38	23.73	0.236
QPSK	823.3	26783	1.4	1	0	22.22	24.57	0.286
QPSK	823.3	26783	1.4	1	3	22.31	24.66	0.292
QPSK	823.3	26783	1.4	1	5	22.36	24.71	0.296
QPSK	823.3	26783	1.4	3	0	22.26	24.61	0.289
QPSK	823.3	26783	1.4	3	1	22.32	24.67	0.293
QPSK	823.3	26783	1.4	3	3	22.32	24.67	0.293
QPSK	823.3	26783	1.4	6	0	21.24	23.59	0.229

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	814.7	26697	1.4	1	0	21.50	23.85	0.243
16QAM	814.7	26697	1.4	1	3	21.52	23.87	0.244
16QAM	814.7	26697	1.4	1	5	21.79	24.14	0.259
16QAM	814.7	26697	1.4	3	0	21.30	23.65	0.232
16QAM	814.7	26697	1.4	3	1	21.33	23.68	0.233
16QAM	814.7	26697	1.4	3	3	21.40	23.75	0.237
16QAM	814.7	26697	1.4	6	0	20.20	22.55	0.180
16QAM	819	26740	1.4	1	0	21.27	23.62	0.230
16QAM	819	26740	1.4	1	3	21.62	23.97	0.249
16QAM	819	26740	1.4	1	5	21.93	24.28	0.268
16QAM	819	26740	1.4	3	0	21.63	23.98	0.250
16QAM	819	26740	1.4	3	1	21.27	23.62	0.230
16QAM	819	26740	1.4	3	3	21.62	23.97	0.249
16QAM	819	26740	1.4	6	0	20.42	22.77	0.189
16QAM	823.3	26783	1.4	1	0	21.67	24.02	0.252
16QAM	823.3	26783	1.4	1	3	21.81	24.16	0.261
16QAM	823.3	26783	1.4	1	5	21.39	23.74	0.237
16QAM	823.3	26783	1.4	3	0	21.58	23.93	0.247
16QAM	823.3	26783	1.4	3	1	21.40	23.75	0.237
16QAM	823.3	26783	1.4	3	3	21.58	23.93	0.247
16QAM	823.3	26783	1.4	6	0	20.31	22.66	0.185
64QAM	814.7	26697	1.4	1	0	21.41	23.76	0.238
64QAM	814.7	26697	1.4	1	3	21.64	23.99	0.251
64QAM	814.7	26697	1.4	1	5	21.52	23.87	0.244
64QAM	814.7	26697	1.4	3	0	21.47	23.82	0.241
64QAM	814.7	26697	1.4	3	1	21.53	23.88	0.244
64QAM	814.7	26697	1.4	3	3	21.47	23.82	0.241
64QAM	814.7	26697	1.4	6	0	20.28	22.63	0.183
64QAM	819	26740	1.4	1	0	21.35	23.70	0.234
64QAM	819	26740	1.4	1	3	21.36	23.71	0.235
64QAM	819	26740	1.4	1	5	21.36	23.71	0.235
64QAM	819	26740	1.4	3	0	21.53	23.88	0.244
64QAM	819	26740	1.4	3	1	21.33	23.68	0.233
64QAM	819	26740	1.4	3	3	21.70	24.05	0.254
64QAM	819	26740	1.4	6	0	20.55	22.90	0.195
64QAM	823.3	26783	1.4	1	0	21.29	23.64	0.231
64QAM	823.3	26783	1.4	1	3	21.46	23.81	0.240
64QAM	823.3	26783	1.4	1	5	21.62	23.97	0.249
64QAM	823.3	26783	1.4	3	0	21.37	23.72	0.236
64QAM	823.3	26783	1.4	3	1	21.49	23.84	0.242
64QAM	823.3	26783	1.4	3	3	21.36	23.71	0.235
64QAM	823.3	26783	1.4	6	0	20.43	22.78	0.190

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	815.5	26705	3	1	0	22.62	24.97	0.314
QPSK	815.5	26705	3	1	8	22.60	24.95	0.313
QPSK	815.5	26705	3	1	14	22.76	25.11	0.324
QPSK	815.5	26705	3	8	0	21.38	23.73	0.236
QPSK	815.5	26705	3	8	4	21.53	23.88	0.244
QPSK	815.5	26705	3	8	7	21.60	23.95	0.248
QPSK	815.5	26705	3	15	0	21.47	23.82	0.241
QPSK	819	26740	3	1	0	22.95	25.30	0.339
QPSK	819	26740	3	1	8	23.12	25.47	0.352
QPSK	819	26740	3	1	14	23.09	25.44	0.350
QPSK	819	26740	3	8	0	21.93	24.28	0.268
QPSK	819	26740	3	8	4	22.05	24.40	0.275
QPSK	819	26740	3	8	7	22.08	24.43	0.277
QPSK	819	26740	3	15	0	22.02	24.37	0.274
QPSK	822.5	26775	3	1	0	23.12	25.47	0.352
QPSK	822.5	26775	3	1	8	23.19	25.54	0.358
QPSK	822.5	26775	3	1	14	23.17	25.52	0.356
QPSK	822.5	26775	3	8	0	22.12	24.47	0.280
QPSK	822.5	26775	3	8	4	22.16	24.51	0.282
QPSK	822.5	26775	3	8	7	22.16	24.51	0.282
QPSK	822.5	26775	3	15	0	22.17	24.52	0.283

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	815.5	26705	3	1	0	21.85	24.20	0.263
16QAM	815.5	26705	3	1	8	22.06	24.41	0.276
16QAM	815.5	26705	3	1	14	22.35	24.70	0.295
16QAM	815.5	26705	3	8	0	20.42	22.77	0.189
16QAM	815.5	26705	3	8	4	20.65	23.00	0.200
16QAM	815.5	26705	3	8	7	20.66	23.01	0.200
16QAM	815.5	26705	3	15	0	20.48	22.83	0.192
16QAM	819	26740	3	1	0	22.25	24.60	0.288
16QAM	819	26740	3	1	8	22.71	25.06	0.321
16QAM	819	26740	3	1	14	22.51	24.86	0.306
16QAM	819	26740	3	8	0	21.05	23.40	0.219
16QAM	819	26740	3	8	4	21.20	23.55	0.226
16QAM	819	26740	3	8	7	21.14	23.49	0.223
16QAM	819	26740	3	15	0	20.99	23.34	0.216
16QAM	822.5	26775	3	1	0	22.29	24.64	0.291
16QAM	822.5	26775	3	1	8	22.49	24.84	0.305
16QAM	822.5	26775	3	1	14	22.44	24.79	0.301
16QAM	822.5	26775	3	8	0	21.08	23.43	0.220
16QAM	822.5	26775	3	8	4	21.23	23.58	0.228
16QAM	822.5	26775	3	8	7	21.15	23.50	0.224
16QAM	822.5	26775	3	15	0	21.23	23.58	0.228
64QAM	815.5	26705	3	1	0	21.43	23.78	0.239
64QAM	815.5	26705	3	1	8	21.84	24.19	0.262
64QAM	815.5	26705	3	1	14	21.86	24.21	0.264
64QAM	815.5	26705	3	8	0	20.45	22.80	0.191
64QAM	815.5	26705	3	8	4	20.45	22.80	0.191
64QAM	815.5	26705	3	8	7	20.60	22.95	0.197
64QAM	815.5	26705	3	15	0	20.47	22.82	0.191
64QAM	819	26740	3	1	0	22.31	24.66	0.292
64QAM	819	26740	3	1	8	22.29	24.64	0.291
64QAM	819	26740	3	1	14	22.35	24.70	0.295
64QAM	819	26740	3	8	0	21.09	23.44	0.221
64QAM	819	26740	3	8	4	21.01	23.36	0.217
64QAM	819	26740	3	8	7	20.96	23.31	0.214
64QAM	819	26740	3	15	0	21.01	23.36	0.217
64QAM	822.5	26775	3	1	0	22.42	24.77	0.300
64QAM	822.5	26775	3	1	8	21.98	24.33	0.271
64QAM	822.5	26775	3	1	14	22.41	24.76	0.299
64QAM	822.5	26775	3	8	0	21.03	23.38	0.218
64QAM	822.5	26775	3	8	4	21.24	23.59	0.229
64QAM	822.5	26775	3	8	7	21.26	23.61	0.230
64QAM	822.5	26775	3	15	0	21.24	23.59	0.229

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	816.5	26715	5	1	0	22.80	25.15	0.327
QPSK	816.5	26715	5	1	12	22.78	25.13	0.326
QPSK	816.5	26715	5	1	24	23.07	25.42	0.348
QPSK	816.5	26715	5	12	0	21.49	23.84	0.242
QPSK	816.5	26715	5	12	7	21.72	24.07	0.255
QPSK	816.5	26715	5	12	13	21.87	24.22	0.264
QPSK	816.5	26715	5	25	0	21.67	24.02	0.252
QPSK	819	26740	5	1	0	22.83	25.18	0.330
QPSK	819	26740	5	1	12	23.00	25.35	0.343
QPSK	819	26740	5	1	24	23.09	25.44	0.350
QPSK	819	26740	5	12	0	21.85	24.20	0.263
QPSK	819	26740	5	12	7	22.02	24.37	0.274
QPSK	819	26740	5	12	13	22.09	24.44	0.278
QPSK	819	26740	5	25	0	21.99	24.34	0.272
QPSK	821.5	26765	5	1	0	23.14	25.49	0.354
QPSK	821.5	26765	5	1	12	23.16	25.51	0.356
QPSK	821.5	26765	5	1	24	23.14	25.49	0.354
QPSK	821.5	26765	5	12	0	22.14	24.49	0.281
QPSK	821.5	26765	5	12	7	22.14	24.49	0.281
QPSK	821.5	26765	5	12	13	22.13	24.48	0.281
QPSK	821.5	26765	5	25	0	22.14	24.49	0.281

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	816.5	26715	5	1	0	21.60	23.95	0.248
16QAM	816.5	26715	5	1	12	21.45	23.80	0.240
16QAM	816.5	26715	5	1	24	21.83	24.18	0.262
16QAM	816.5	26715	5	12	0	20.47	22.82	0.191
16QAM	816.5	26715	5	12	7	20.69	23.04	0.201
16QAM	816.5	26715	5	12	13	20.86	23.21	0.209
16QAM	816.5	26715	5	25	0	20.69	23.04	0.201
16QAM	819	26740	5	1	0	21.89	24.24	0.265
16QAM	819	26740	5	1	12	22.68	25.03	0.318
16QAM	819	26740	5	1	24	22.72	25.07	0.321
16QAM	819	26740	5	12	0	20.87	23.22	0.210
16QAM	819	26740	5	12	7	21.05	23.40	0.219
16QAM	819	26740	5	12	13	21.17	23.52	0.225
16QAM	819	26740	5	25	0	21.00	23.35	0.216
16QAM	821.5	26765	5	1	0	22.31	24.66	0.292
16QAM	821.5	26765	5	1	12	22.56	24.91	0.310
16QAM	821.5	26765	5	1	24	22.63	24.98	0.315
16QAM	821.5	26765	5	12	0	21.08	23.43	0.220
16QAM	821.5	26765	5	12	7	21.23	23.58	0.228
16QAM	821.5	26765	5	12	13	21.25	23.60	0.229
16QAM	821.5	26765	5	25	0	21.20	23.55	0.226
64QAM	816.5	26715	5	1	0	21.55	23.90	0.245
64QAM	816.5	26715	5	1	12	21.47	23.82	0.241
64QAM	816.5	26715	5	1	24	22.18	24.53	0.284
64QAM	816.5	26715	5	12	0	20.45	22.80	0.191
64QAM	816.5	26715	5	12	7	20.71	23.06	0.202
64QAM	816.5	26715	5	12	13	20.72	23.07	0.203
64QAM	816.5	26715	5	25	0	20.63	22.98	0.199
64QAM	819	26740	5	1	0	21.80	24.15	0.260
64QAM	819	26740	5	1	12	22.14	24.49	0.281
64QAM	819	26740	5	1	24	22.33	24.68	0.294
64QAM	819	26740	5	12	0	20.91	23.26	0.212
64QAM	819	26740	5	12	7	21.05	23.40	0.219
64QAM	819	26740	5	12	13	21.10	23.45	0.221
64QAM	819	26740	5	25	0	21.04	23.39	0.218
64QAM	821.5	26765	5	1	0	22.27	24.62	0.290
64QAM	821.5	26765	5	1	12	22.40	24.75	0.299
64QAM	821.5	26765	5	1	24	22.41	24.76	0.299
64QAM	821.5	26765	5	12	0	21.15	23.50	0.224
64QAM	821.5	26765	5	12	7	21.25	23.60	0.229
64QAM	821.5	26765	5	12	13	21.21	23.56	0.227
64QAM	821.5	26765	5	25	0	21.17	23.52	0.225

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	819	26740	10	1	0	22.68	25.03	0.318
QPSK	819	26740	10	1	25	23.19	25.54	0.358
QPSK	819	26740	10	1	49	23.30	25.65	0.367
QPSK	819	26740	10	25	0	21.78	24.13	0.259
QPSK	819	26740	10	25	12	22.10	24.45	0.279
QPSK	819	26740	10	25	25	22.18	24.53	0.284
QPSK	819	26740	10	50	0	21.98	24.33	0.271
QPSK	819	26740	10	1	0	22.23	24.58	0.287
QPSK	819	26740	10	1	25	23.03	25.38	0.345
QPSK	819	26740	10	1	49	23.08	25.43	0.349
QPSK	819	26740	10	25	0	21.63	23.98	0.250
QPSK	819	26740	10	25	12	21.96	24.31	0.270
QPSK	819	26740	10	25	25	22.06	24.41	0.276
QPSK	819	26740	10	50	0	21.85	24.20	0.263
QPSK	819	26740	10	1	0	22.18	24.53	0.284
QPSK	819	26740	10	1	25	22.99	25.34	0.342
QPSK	819	26740	10	1	49	23.10	25.45	0.351
QPSK	819	26740	10	25	0	21.61	23.96	0.249
QPSK	819	26740	10	25	12	21.94	24.29	0.269
QPSK	819	26740	10	25	25	22.03	24.38	0.274
QPSK	819	26740	10	50	0	21.84	24.19	0.262

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	819	26740	10	1	0	21.72	24.07	0.255
16QAM	819	26740	10	1	25	22.00	24.35	0.272
16QAM	819	26740	10	1	49	22.25	24.60	0.288
16QAM	819	26740	10	25	0	20.77	23.12	0.205
16QAM	819	26740	10	25	12	21.09	23.44	0.221
16QAM	819	26740	10	25	25	21.24	23.59	0.229
16QAM	819	26740	10	50	0	20.89	23.24	0.211
16QAM	819	26740	10	1	0	21.29	23.64	0.231
16QAM	819	26740	10	1	25	22.20	24.55	0.285
16QAM	819	26740	10	1	49	22.49	24.84	0.305
16QAM	819	26740	10	25	0	20.71	23.06	0.202
16QAM	819	26740	10	25	12	21.01	23.36	0.217
16QAM	819	26740	10	25	25	21.16	23.51	0.224
16QAM	819	26740	10	50	0	20.82	23.17	0.207
16QAM	819	26740	10	1	0	21.32	23.67	0.233
16QAM	819	26740	10	1	25	22.24	24.59	0.288
16QAM	819	26740	10	1	49	22.40	24.75	0.299
16QAM	819	26740	10	25	0	20.65	23.00	0.200
16QAM	819	26740	10	25	12	20.97	23.32	0.215
16QAM	819	26740	10	25	25	21.09	23.44	0.221
16QAM	819	26740	10	50	0	20.90	23.25	0.211
64QAM	819	26740	10	1	0	21.54	23.89	0.245
64QAM	819	26740	10	1	25	22.19	24.54	0.284
64QAM	819	26740	10	1	49	22.28	24.63	0.290
64QAM	819	26740	10	25	0	20.75	23.10	0.204
64QAM	819	26740	10	25	12	21.06	23.41	0.219
64QAM	819	26740	10	25	25	21.20	23.55	0.226
64QAM	819	26740	10	50	0	20.94	23.29	0.213
64QAM	819	26740	10	1	0	21.20	23.55	0.226
64QAM	819	26740	10	1	25	22.07	24.42	0.277
64QAM	819	26740	10	1	49	22.20	24.55	0.285
64QAM	819	26740	10	25	0	20.70	23.05	0.202
64QAM	819	26740	10	25	12	21.03	23.38	0.218
64QAM	819	26740	10	25	25	21.05	23.40	0.219
64QAM	819	26740	10	50	0	20.90	23.25	0.211
64QAM	819	26740	10	1	0	21.16	23.51	0.224
64QAM	819	26740	10	1	25	21.95	24.30	0.269
64QAM	819	26740	10	1	49	22.29	24.64	0.291
64QAM	819	26740	10	25	0	20.65	23.00	0.200
64QAM	819	26740	10	25	12	20.96	23.31	0.214
64QAM	819	26740	10	25	25	21.02	23.37	0.217
64QAM	819	26740	10	50	0	20.88	23.23	0.210