

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 4

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1710.7	19957	1.4	1	0	22.37
QPSK	1710.7	19957	1.4	1	3	22.03
QPSK	1710.7	19957	1.4	1	5	22.03
QPSK	1710.7	19957	1.4	3	0	22.08
QPSK	1710.7	19957	1.4	3	1	22.10
QPSK	1710.7	19957	1.4	3	3	22.10
QPSK	1710.7	19957	1.4	6	0	21.04
QPSK	1732.5	20175	1.4	1	0	22.35
QPSK	1732.5	20175	1.4	1	3	22.36
QPSK	1732.5	20175	1.4	1	5	22.29
QPSK	1732.5	20175	1.4	3	0	22.43
QPSK	1732.5	20175	1.4	3	1	22.31
QPSK	1732.5	20175	1.4	3	3	22.38
QPSK	1732.5	20175	1.4	6	0	21.41
QPSK	1754.3	20393	1.4	1	0	22.48
QPSK	1754.3	20393	1.4	1	3	22.30
QPSK	1754.3	20393	1.4	1	5	22.29
QPSK	1754.3	20393	1.4	3	0	22.43
QPSK	1754.3	20393	1.4	3	1	22.42
QPSK	1754.3	20393	1.4	3	3	22.42
QPSK	1754.3	20393	1.4	6	0	21.41

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1710.7	19957	1.4	1	0	21.23
16QAM	1710.7	19957	1.4	1	3	21.60
16QAM	1710.7	19957	1.4	1	5	20.99
16QAM	1710.7	19957	1.4	3	0	21.30
16QAM	1710.7	19957	1.4	3	1	21.37
16QAM	1710.7	19957	1.4	3	3	21.27
16QAM	1710.7	19957	1.4	6	0	20.32
16QAM	1732.5	20175	1.4	1	0	21.84
16QAM	1732.5	20175	1.4	1	3	21.53
16QAM	1732.5	20175	1.4	1	5	22.00
16QAM	1732.5	20175	1.4	3	0	21.18
16QAM	1732.5	20175	1.4	3	1	21.41
16QAM	1732.5	20175	1.4	3	3	21.48
16QAM	1732.5	20175	1.4	6	0	20.46
16QAM	1754.3	20393	1.4	1	0	21.75
16QAM	1754.3	20393	1.4	1	3	21.85
16QAM	1754.3	20393	1.4	1	5	21.73
16QAM	1754.3	20393	1.4	3	0	21.59
16QAM	1754.3	20393	1.4	3	1	21.41
16QAM	1754.3	20393	1.4	3	3	21.41
16QAM	1754.3	20393	1.4	6	0	20.67
64QAM	1710.7	19957	1.4	1	0	21.13
64QAM	1710.7	19957	1.4	1	3	21.15
64QAM	1710.7	19957	1.4	1	5	20.94
64QAM	1710.7	19957	1.4	3	0	21.32
64QAM	1710.7	19957	1.4	3	1	21.15
64QAM	1710.7	19957	1.4	3	3	21.17
64QAM	1710.7	19957	1.4	6	0	20.04
64QAM	1732.5	20175	1.4	1	0	21.54
64QAM	1732.5	20175	1.4	1	3	21.36
64QAM	1732.5	20175	1.4	1	5	21.54
64QAM	1732.5	20175	1.4	3	0	21.61
64QAM	1732.5	20175	1.4	3	1	21.43
64QAM	1732.5	20175	1.4	3	3	21.31
64QAM	1732.5	20175	1.4	6	0	20.46
64QAM	1754.3	20393	1.4	1	0	21.20
64QAM	1754.3	20393	1.4	1	3	21.64
64QAM	1754.3	20393	1.4	1	5	21.53
64QAM	1754.3	20393	1.4	3	0	21.48
64QAM	1754.3	20393	1.4	3	1	21.39
64QAM	1754.3	20393	1.4	3	3	21.66
64QAM	1754.3	20393	1.4	6	0	20.56

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1711.5	19965	3	1	0	22.03
QPSK	1711.5	19965	3	1	8	22.09
QPSK	1711.5	19965	3	1	14	22.13
QPSK	1711.5	19965	3	8	0	21.10
QPSK	1711.5	19965	3	8	4	21.21
QPSK	1711.5	19965	3	8	7	21.14
QPSK	1711.5	19965	3	15	0	21.08
QPSK	1732.5	20175	3	1	0	22.33
QPSK	1732.5	20175	3	1	8	22.44
QPSK	1732.5	20175	3	1	14	22.34
QPSK	1732.5	20175	3	8	0	21.34
QPSK	1732.5	20175	3	8	4	21.42
QPSK	1732.5	20175	3	8	7	21.33
QPSK	1732.5	20175	3	15	0	21.27
QPSK	1753.5	20385	3	1	0	22.40
QPSK	1753.5	20385	3	1	8	22.39
QPSK	1753.5	20385	3	1	14	22.43
QPSK	1753.5	20385	3	8	0	21.51
QPSK	1753.5	20385	3	8	4	21.47
QPSK	1753.5	20385	3	8	7	21.48
QPSK	1753.5	20385	3	15	0	21.48

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1711.5	19965	3	1	0	21.42
16QAM	1711.5	19965	3	1	8	21.58
16QAM	1711.5	19965	3	1	14	21.03
16QAM	1711.5	19965	3	8	0	20.13
16QAM	1711.5	19965	3	8	4	20.22
16QAM	1711.5	19965	3	8	7	20.17
16QAM	1711.5	19965	3	15	0	20.09
16QAM	1732.5	20175	3	1	0	21.50
16QAM	1732.5	20175	3	1	8	21.40
16QAM	1732.5	20175	3	1	14	21.76
16QAM	1732.5	20175	3	8	0	20.20
16QAM	1732.5	20175	3	8	4	20.66
16QAM	1732.5	20175	3	8	7	20.49
16QAM	1732.5	20175	3	15	0	20.35
16QAM	1753.5	20385	3	1	0	21.81
16QAM	1753.5	20385	3	1	8	21.75
16QAM	1753.5	20385	3	1	14	21.53
16QAM	1753.5	20385	3	8	0	20.34
16QAM	1753.5	20385	3	8	4	20.65
16QAM	1753.5	20385	3	8	7	20.71
16QAM	1753.5	20385	3	15	0	20.47
64QAM	1711.5	19965	3	1	0	21.10
64QAM	1711.5	19965	3	1	8	21.42
64QAM	1711.5	19965	3	1	14	21.38
64QAM	1711.5	19965	3	8	0	20.30
64QAM	1711.5	19965	3	8	4	20.22
64QAM	1711.5	19965	3	8	7	20.19
64QAM	1711.5	19965	3	15	0	20.06
64QAM	1732.5	20175	3	1	0	21.27
64QAM	1732.5	20175	3	1	8	21.13
64QAM	1732.5	20175	3	1	14	21.43
64QAM	1732.5	20175	3	8	0	20.41
64QAM	1732.5	20175	3	8	4	20.62
64QAM	1732.5	20175	3	8	7	20.33
64QAM	1732.5	20175	3	15	0	20.29
64QAM	1753.5	20385	3	1	0	21.81
64QAM	1753.5	20385	3	1	8	21.34
64QAM	1753.5	20385	3	1	14	21.64
64QAM	1753.5	20385	3	8	0	20.55
64QAM	1753.5	20385	3	8	4	20.57
64QAM	1753.5	20385	3	8	7	20.40
64QAM	1753.5	20385	3	15	0	20.47

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1712.5	19975	5	1	0	21.95
QPSK	1712.5	19975	5	1	12	22.17
QPSK	1712.5	19975	5	1	24	22.11
QPSK	1712.5	19975	5	12	0	21.12
QPSK	1712.5	19975	5	12	7	21.17
QPSK	1712.5	19975	5	12	13	21.12
QPSK	1712.5	19975	5	25	0	21.12
QPSK	1732.5	20175	5	1	0	22.29
QPSK	1732.5	20175	5	1	12	22.26
QPSK	1732.5	20175	5	1	24	22.31
QPSK	1732.5	20175	5	12	0	21.39
QPSK	1732.5	20175	5	12	7	21.33
QPSK	1732.5	20175	5	12	13	21.42
QPSK	1732.5	20175	5	25	0	21.27
QPSK	1752.5	20375	5	1	0	22.34
QPSK	1752.5	20375	5	1	12	22.40
QPSK	1752.5	20375	5	1	24	22.44
QPSK	1752.5	20375	5	12	0	21.39
QPSK	1752.5	20375	5	12	7	21.53
QPSK	1752.5	20375	5	12	13	21.45
QPSK	1752.5	20375	5	25	0	21.49

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1712.5	19975	5	1	0	21.66
16QAM	1712.5	19975	5	1	12	21.56
16QAM	1712.5	19975	5	1	24	21.34
16QAM	1712.5	19975	5	12	0	20.17
16QAM	1712.5	19975	5	12	7	20.14
16QAM	1712.5	19975	5	12	13	20.22
16QAM	1712.5	19975	5	25	0	20.15
16QAM	1732.5	20175	5	1	0	21.27
16QAM	1732.5	20175	5	1	12	21.74
16QAM	1732.5	20175	5	1	24	21.68
16QAM	1732.5	20175	5	12	0	20.20
16QAM	1732.5	20175	5	12	7	20.41
16QAM	1732.5	20175	5	12	13	20.40
16QAM	1732.5	20175	5	25	0	20.27
16QAM	1752.5	20375	5	1	0	21.81
16QAM	1752.5	20375	5	1	12	22.07
16QAM	1752.5	20375	5	1	24	22.02
16QAM	1752.5	20375	5	12	0	20.44
16QAM	1752.5	20375	5	12	7	20.50
16QAM	1752.5	20375	5	12	13	20.47
16QAM	1752.5	20375	5	25	0	20.46
64QAM	1712.5	19975	5	1	0	21.20
64QAM	1712.5	19975	5	1	12	21.39
64QAM	1712.5	19975	5	1	24	21.40
64QAM	1712.5	19975	5	12	0	20.20
64QAM	1712.5	19975	5	12	7	20.21
64QAM	1712.5	19975	5	12	13	20.12
64QAM	1712.5	19975	5	25	0	20.14
64QAM	1732.5	20175	5	1	0	21.64
64QAM	1732.5	20175	5	1	12	21.23
64QAM	1732.5	20175	5	1	24	21.66
64QAM	1732.5	20175	5	12	0	20.36
64QAM	1732.5	20175	5	12	7	20.42
64QAM	1732.5	20175	5	12	13	20.48
64QAM	1732.5	20175	5	25	0	20.29
64QAM	1752.5	20375	5	1	0	21.72
64QAM	1752.5	20375	5	1	12	21.57
64QAM	1752.5	20375	5	1	24	21.70
64QAM	1752.5	20375	5	12	0	20.42
64QAM	1752.5	20375	5	12	7	20.40
64QAM	1752.5	20375	5	12	13	20.50
64QAM	1752.5	20375	5	25	0	20.45

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1715	20000	10	1	0	22.00
QPSK	1715	20000	10	1	25	22.22
QPSK	1715	20000	10	1	49	22.23
QPSK	1715	20000	10	25	0	21.12
QPSK	1715	20000	10	25	12	21.21
QPSK	1715	20000	10	25	25	21.29
QPSK	1715	20000	10	50	0	21.15
QPSK	1732.5	20175	10	1	0	22.42
QPSK	1732.5	20175	10	1	25	22.33
QPSK	1732.5	20175	10	1	49	22.37
QPSK	1732.5	20175	10	25	0	21.30
QPSK	1732.5	20175	10	25	12	21.39
QPSK	1732.5	20175	10	25	25	21.47
QPSK	1732.5	20175	10	50	0	21.38
QPSK	1750	20350	10	1	0	22.32
QPSK	1750	20350	10	1	25	22.42
QPSK	1750	20350	10	1	49	22.47
QPSK	1750	20350	10	25	0	21.38
QPSK	1750	20350	10	25	12	21.34
QPSK	1750	20350	10	25	25	21.46
QPSK	1750	20350	10	50	0	21.39

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1715	20000	10	1	0	21.28
16QAM	1715	20000	10	1	25	20.94
16QAM	1715	20000	10	1	49	21.59
16QAM	1715	20000	10	25	0	20.12
16QAM	1715	20000	10	25	12	20.23
16QAM	1715	20000	10	25	25	20.30
16QAM	1715	20000	10	50	0	20.29
16QAM	1732.5	20175	10	1	0	21.55
16QAM	1732.5	20175	10	1	25	21.72
16QAM	1732.5	20175	10	1	49	22.01
16QAM	1732.5	20175	10	25	0	20.39
16QAM	1732.5	20175	10	25	12	20.46
16QAM	1732.5	20175	10	25	25	20.53
16QAM	1732.5	20175	10	50	0	20.33
16QAM	1750	20350	10	1	0	21.67
16QAM	1750	20350	10	1	25	21.26
16QAM	1750	20350	10	1	49	21.56
16QAM	1750	20350	10	25	0	20.40
16QAM	1750	20350	10	25	12	20.37
16QAM	1750	20350	10	25	25	20.41
16QAM	1750	20350	10	50	0	20.44
64QAM	1715	20000	10	1	0	21.12
64QAM	1715	20000	10	1	25	21.52
64QAM	1715	20000	10	1	49	21.49
64QAM	1715	20000	10	25	0	20.12
64QAM	1715	20000	10	25	12	20.21
64QAM	1715	20000	10	25	25	20.24
64QAM	1715	20000	10	50	0	20.27
64QAM	1732.5	20175	10	1	0	20.98
64QAM	1732.5	20175	10	1	25	21.85
64QAM	1732.5	20175	10	1	49	21.46
64QAM	1732.5	20175	10	25	0	20.41
64QAM	1732.5	20175	10	25	12	20.49
64QAM	1732.5	20175	10	25	25	20.28
64QAM	1732.5	20175	10	50	0	20.43
64QAM	1750	20350	10	1	0	21.26
64QAM	1750	20350	10	1	25	21.24
64QAM	1750	20350	10	1	49	21.66
64QAM	1750	20350	10	25	0	20.47
64QAM	1750	20350	10	25	12	20.41
64QAM	1750	20350	10	25	25	20.53
64QAM	1750	20350	10	50	0	20.51

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1717.5	20025	15	1	0	21.91
QPSK	1717.5	20025	15	1	37	22.22
QPSK	1717.5	20025	15	1	74	22.23
QPSK	1717.5	20025	15	36	0	20.98
QPSK	1717.5	20025	15	36	29	21.18
QPSK	1717.5	20025	15	36	30	21.22
QPSK	1717.5	20025	15	75	0	21.14
QPSK	1732.5	20175	15	1	0	22.13
QPSK	1732.5	20175	15	1	37	22.20
QPSK	1732.5	20175	15	1	74	22.21
QPSK	1732.5	20175	15	36	0	21.23
QPSK	1732.5	20175	15	36	29	21.29
QPSK	1732.5	20175	15	36	30	21.27
QPSK	1732.5	20175	15	75	0	21.23
QPSK	1747.5	20325	15	1	0	22.15
QPSK	1747.5	20325	15	1	37	22.21
QPSK	1747.5	20325	15	1	74	22.23
QPSK	1747.5	20325	15	36	0	21.32
QPSK	1747.5	20325	15	36	29	21.33
QPSK	1747.5	20325	15	36	30	21.36
QPSK	1747.5	20325	15	75	0	21.38

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1717.5	20025	15	1	0	21.09
16QAM	1717.5	20025	15	1	37	21.50
16QAM	1717.5	20025	15	1	74	21.39
16QAM	1717.5	20025	15	36	0	20.14
16QAM	1717.5	20025	15	36	29	20.17
16QAM	1717.5	20025	15	36	30	20.10
16QAM	1717.5	20025	15	75	0	20.21
16QAM	1732.5	20175	15	1	0	21.39
16QAM	1732.5	20175	15	1	37	21.55
16QAM	1732.5	20175	15	1	74	21.55
16QAM	1732.5	20175	15	36	0	20.26
16QAM	1732.5	20175	15	36	29	20.16
16QAM	1732.5	20175	15	36	30	20.27
16QAM	1732.5	20175	15	75	0	20.28
16QAM	1747.5	20325	15	1	0	21.59
16QAM	1747.5	20325	15	1	37	21.47
16QAM	1747.5	20325	15	1	74	21.47
16QAM	1747.5	20325	15	36	0	20.33
16QAM	1747.5	20325	15	36	29	20.31
16QAM	1747.5	20325	15	36	30	20.23
16QAM	1747.5	20325	15	75	0	20.38
64QAM	1717.5	20025	15	1	0	20.88
64QAM	1717.5	20025	15	1	37	21.31
64QAM	1717.5	20025	15	1	74	21.31
64QAM	1717.5	20025	15	36	0	19.96
64QAM	1717.5	20025	15	36	29	20.05
64QAM	1717.5	20025	15	36	30	20.21
64QAM	1717.5	20025	15	75	0	20.15
64QAM	1732.5	20175	15	1	0	21.50
64QAM	1732.5	20175	15	1	37	21.21
64QAM	1732.5	20175	15	1	74	21.11
64QAM	1732.5	20175	15	36	0	20.17
64QAM	1732.5	20175	15	36	29	20.27
64QAM	1732.5	20175	15	36	30	20.29
64QAM	1732.5	20175	15	75	0	20.26
64QAM	1747.5	20325	15	1	0	21.16
64QAM	1747.5	20325	15	1	37	21.26
64QAM	1747.5	20325	15	1	74	21.35
64QAM	1747.5	20325	15	36	0	20.22
64QAM	1747.5	20325	15	36	29	20.38
64QAM	1747.5	20325	15	36	30	20.39
64QAM	1747.5	20325	15	75	0	20.37

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1720	20050	20	1	0	22.03
QPSK	1720	20050	20	1	49	22.06
QPSK	1720	20050	20	1	99	22.17
QPSK	1720	20050	20	50	0	21.01
QPSK	1720	20050	20	50	24	21.26
QPSK	1720	20050	20	50	50	21.30
QPSK	1720	20050	20	100	0	21.11
QPSK	1732.5	20175	20	1	0	22.24
QPSK	1732.5	20175	20	1	49	22.18
QPSK	1732.5	20175	20	1	99	22.41
QPSK	1732.5	20175	20	50	0	21.28
QPSK	1732.5	20175	20	50	24	21.25
QPSK	1732.5	20175	20	50	50	21.32
QPSK	1732.5	20175	20	100	0	21.25
QPSK	1745	20300	20	1	0	22.22
QPSK	1745	20300	20	1	49	22.14
QPSK	1745	20300	20	1	99	22.35
QPSK	1745	20300	20	50	0	21.18
QPSK	1745	20300	20	50	24	21.37
QPSK	1745	20300	20	50	50	21.36
QPSK	1745	20300	20	100	0	21.33

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1720	20050	20	1	0	21.22
16QAM	1720	20050	20	1	49	21.50
16QAM	1720	20050	20	1	99	21.41
16QAM	1720	20050	20	50	0	20.07
16QAM	1720	20050	20	50	24	20.24
16QAM	1720	20050	20	50	50	20.29
16QAM	1720	20050	20	100	0	20.12
16QAM	1732.5	20175	20	1	0	21.73
16QAM	1732.5	20175	20	1	49	21.44
16QAM	1732.5	20175	20	1	99	21.54
16QAM	1732.5	20175	20	50	0	20.34
16QAM	1732.5	20175	20	50	24	20.24
16QAM	1732.5	20175	20	50	50	20.34
16QAM	1732.5	20175	20	100	0	20.17
16QAM	1745	20300	20	1	0	21.78
16QAM	1745	20300	20	1	49	21.54
16QAM	1745	20300	20	1	99	21.62
16QAM	1745	20300	20	50	0	20.18
16QAM	1745	20300	20	50	24	20.40
16QAM	1745	20300	20	50	50	20.35
16QAM	1745	20300	20	100	0	20.34
64QAM	1720	20050	20	1	0	21.31
64QAM	1720	20050	20	1	49	21.20
64QAM	1720	20050	20	1	99	21.31
64QAM	1720	20050	20	50	0	20.00
64QAM	1720	20050	20	50	24	20.29
64QAM	1720	20050	20	50	50	20.33
64QAM	1720	20050	20	100	0	20.22
64QAM	1732.5	20175	20	1	0	21.41
64QAM	1732.5	20175	20	1	49	21.30
64QAM	1732.5	20175	20	1	99	21.46
64QAM	1732.5	20175	20	50	0	20.24
64QAM	1732.5	20175	20	50	24	20.27
64QAM	1732.5	20175	20	50	50	20.38
64QAM	1732.5	20175	20	100	0	20.28
64QAM	1745	20300	20	1	0	21.35
64QAM	1745	20300	20	1	49	21.60
64QAM	1745	20300	20	1	99	21.50
64QAM	1745	20300	20	50	0	20.21
64QAM	1745	20300	20	50	24	20.31
64QAM	1745	20300	20	50	50	20.40
64QAM	1745	20300	20	100	0	20.34

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
4	QPSK	1710.7	19957	1.4	6	0	1.074	Fig.1
4	QPSK	1732.5	20175	1.4	6	0	1.076	Fig.2
4	QPSK	1754.3	20393	1.4	6	0	1.074	Fig.3
4	QPSK	1711.5	19965	3	15	0	2.675	Fig.4
4	QPSK	1732.5	20175	3	15	0	2.682	Fig.5
4	QPSK	1753.5	20385	3	15	0	2.665	Fig.6
4	QPSK	1712.5	19975	5	25	0	4.447	Fig.7
4	QPSK	1732.5	20175	5	25	0	4.462	Fig.8
4	QPSK	1752.5	20375	5	25	0	4.453	Fig.9
4	QPSK	1715	20000	10	50	0	8.936	Fig.10
4	QPSK	1732.5	20175	10	50	0	8.915	Fig.11
4	QPSK	1750	20350	10	50	0	8.919	Fig.12
4	QPSK	1717.5	20025	15	75	0	13.369	Fig.13
4	QPSK	1732.5	20175	15	75	0	13.323	Fig.14
4	QPSK	1747.5	20325	15	75	0	13.344	Fig.15
4	QPSK	1720	20050	20	100	0	17.883	Fig.16
4	QPSK	1732.5	20175	20	100	0	17.876	Fig.17
4	QPSK	1745	20300	20	100	0	17.794	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
4	16QAM	1710.7	19957	1.4	6	0	1.076	Fig.19
4	16QAM	1732.5	20175	1.4	6	0	1.074	Fig.20
4	16QAM	1754.3	20393	1.4	6	0	1.079	Fig.21
4	16QAM	1711.5	19965	3	15	0	2.682	Fig.22
4	16QAM	1732.5	20175	3	15	0	2.682	Fig.23
4	16QAM	1753.5	20385	3	15	0	2.678	Fig.24
4	16QAM	1712.5	19975	5	25	0	4.459	Fig.25
4	16QAM	1732.5	20175	5	25	0	4.467	Fig.26
4	16QAM	1752.5	20375	5	25	0	4.436	Fig.27
4	16QAM	1715	20000	10	50	0	8.876	Fig.28
4	16QAM	1732.5	20175	10	50	0	8.938	Fig.29
4	16QAM	1750	20350	10	50	0	8.913	Fig.30
4	16QAM	1717.5	20025	15	75	0	13.396	Fig.31
4	16QAM	1732.5	20175	15	75	0	13.390	Fig.32
4	16QAM	1747.5	20325	15	75	0	13.389	Fig.33
4	16QAM	1720	20050	20	100	0	17.837	Fig.34
4	16QAM	1732.5	20175	20	100	0	17.839	Fig.35
4	16QAM	1745	20300	20	100	0	17.885	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
4	64QAM	1710.7	19957	1.4	6	0	1.075	Fig.37
4	64QAM	1732.5	20175	1.4	6	0	1.076	Fig.38
4	64QAM	1754.3	20393	1.4	6	0	1.075	Fig.39
4	64QAM	1711.5	19965	3	15	0	2.672	Fig.40
4	64QAM	1732.5	20175	3	15	0	2.684	Fig.41
4	64QAM	1753.5	20385	3	15	0	2.681	Fig.42
4	64QAM	1712.5	19975	5	25	0	4.465	Fig.43
4	64QAM	1732.5	20175	5	25	0	4.457	Fig.44
4	64QAM	1752.5	20375	5	25	0	4.464	Fig.45
4	64QAM	1715	20000	10	50	0	8.906	Fig.46
4	64QAM	1732.5	20175	10	50	0	8.880	Fig.47
4	64QAM	1750	20350	10	50	0	8.925	Fig.48
4	64QAM	1717.5	20025	15	75	0	13.400	Fig.49
4	64QAM	1732.5	20175	15	75	0	13.389	Fig.50
4	64QAM	1747.5	20325	15	75	0	13.344	Fig.51
4	64QAM	1720	20050	20	100	0	17.782	Fig.52
4	64QAM	1732.5	20175	20	100	0	17.828	Fig.53
4	64QAM	1745	20300	20	100	0	17.838	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54

3 Emission Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
4	QPSK	1710.7	19957	1.4	6	0	1.287	Fig.1
4	QPSK	1732.5	20175	1.4	6	0	1.267	Fig.2
4	QPSK	1754.3	20393	1.4	6	0	1.217	Fig.3
4	QPSK	1711.5	19965	3	15	0	2.956	Fig.4
4	QPSK	1732.5	20175	3	15	0	2.896	Fig.5
4	QPSK	1753.5	20385	3	15	0	2.916	Fig.6
4	QPSK	1712.5	19975	5	25	0	4.744	Fig.7
4	QPSK	1732.5	20175	5	25	0	4.685	Fig.8
4	QPSK	1752.5	20375	5	25	0	4.745	Fig.9
4	QPSK	1715	20000	10	50	0	9.225	Fig.10
4	QPSK	1732.5	20175	10	50	0	9.430	Fig.11
4	QPSK	1750	20350	10	50	0	9.355	Fig.12
4	QPSK	1717.5	20025	15	75	0	14.198	Fig.13
4	QPSK	1732.5	20175	15	75	0	13.852	Fig.14
4	QPSK	1747.5	20325	15	75	0	14.075	Fig.15
4	QPSK	1720	20050	20	100	0	18.464	Fig.16
4	QPSK	1732.5	20175	20	100	0	18.743	Fig.17
4	QPSK	1745	20300	20	100	0	18.475	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
4	16QAM	1710.7	19957	1.4	6	0	1.228	Fig.19
4	16QAM	1732.5	20175	1.4	6	0	1.221	Fig.20
4	16QAM	1754.3	20393	1.4	6	0	1.255	Fig.21
4	16QAM	1711.5	19965	3	15	0	2.918	Fig.22
4	16QAM	1732.5	20175	3	15	0	2.838	Fig.23
4	16QAM	1753.5	20385	3	15	0	2.838	Fig.24
4	16QAM	1712.5	19975	5	25	0	4.779	Fig.25
4	16QAM	1732.5	20175	5	25	0	4.830	Fig.26
4	16QAM	1752.5	20375	5	25	0	4.868	Fig.27
4	16QAM	1715	20000	10	50	0	9.264	Fig.28
4	16QAM	1732.5	20175	10	50	0	9.348	Fig.29
4	16QAM	1750	20350	10	50	0	9.266	Fig.30
4	16QAM	1717.5	20025	15	75	0	13.882	Fig.31
4	16QAM	1732.5	20175	15	75	0	13.922	Fig.32
4	16QAM	1747.5	20325	15	75	0	13.998	Fig.33
4	16QAM	1720	20050	20	100	0	18.480	Fig.34
4	16QAM	1732.5	20175	20	100	0	18.681	Fig.35
4	16QAM	1745	20300	20	100	0	18.633	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
4	64QAM	1710.7	19957	1.4	6	0	1.279	Fig.37
4	64QAM	1732.5	20175	1.4	6	0	1.273	Fig.38
4	64QAM	1754.3	20393	1.4	6	0	1.252	Fig.39
4	64QAM	1711.5	19965	3	15	0	2.878	Fig.40
4	64QAM	1732.5	20175	3	15	0	2.869	Fig.41
4	64QAM	1753.5	20385	3	15	0	2.864	Fig.42
4	64QAM	1712.5	19975	5	25	0	4.779	Fig.43
4	64QAM	1732.5	20175	5	25	0	4.696	Fig.44
4	64QAM	1752.5	20375	5	25	0	4.769	Fig.45
4	64QAM	1715	20000	10	50	0	9.301	Fig.46
4	64QAM	1732.5	20175	10	50	0	9.456	Fig.47
4	64QAM	1750	20350	10	50	0	9.322	Fig.48
4	64QAM	1717.5	20025	15	75	0	14.087	Fig.49
4	64QAM	1732.5	20175	15	75	0	14.133	Fig.50
4	64QAM	1747.5	20325	15	75	0	14.033	Fig.51
4	64QAM	1720	20050	20	100	0	18.538	Fig.52
4	64QAM	1732.5	20175	20	100	0	18.542	Fig.53
4	64QAM	1745	20300	20	100	0	18.543	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
4	1710.7	19957	1.4	1	5	Fig.1	Fig.2	Fig.3
4	1710.7	19957	1.4	6	0	Fig.4	Fig.5	Fig.6
4	1732.5	20175	1.4	1	5	Fig.7	Fig.8	Fig.9
4	1732.5	20175	1.4	6	0	Fig.10	Fig.11	Fig.12
4	1754.3	20393	1.4	1	5	Fig.13	Fig.14	Fig.15
4	1754.3	20393	1.4	6	0	Fig.16	Fig.17	Fig.18
4	1711.5	19965	3	1	14	Fig.19	Fig.20	Fig.21
4	1711.5	19965	3	15	0	Fig.22	Fig.23	Fig.24
4	1732.5	20175	3	1	14	Fig.25	Fig.26	Fig.27
4	1732.5	20175	3	15	0	Fig.28	Fig.29	Fig.30
4	1753.5	20385	3	1	14	Fig.31	Fig.32	Fig.33
4	1753.5	20385	3	15	0	Fig.34	Fig.35	Fig.36
4	1712.5	19975	5	1	24	Fig.37	Fig.38	Fig.39
4	1712.5	19975	5	25	0	Fig.40	Fig.41	Fig.42
4	1732.5	20175	5	1	24	Fig.43	Fig.44	Fig.45
4	1732.5	20175	5	25	0	Fig.46	Fig.47	Fig.48
4	1752.5	20375	5	1	24	Fig.49	Fig.50	Fig.51
4	1752.5	20375	5	25	0	Fig.52	Fig.53	Fig.54
4	1715	20000	10	1	49	Fig.55	Fig.56	Fig.57
4	1715	20000	10	50	0	Fig.58	Fig.59	Fig.60
4	1732.5	20175	10	1	49	Fig.61	Fig.62	Fig.63
4	1732.5	20175	10	50	0	Fig.64	Fig.65	Fig.66
4	1750	20350	10	1	49	Fig.67	Fig.68	Fig.69
4	1750	20350	10	50	0	Fig.70	Fig.71	Fig.72
4	1717.5	20025	15	1	74	Fig.73	Fig.74	Fig.75
4	1717.5	20025	15	75	0	Fig.76	Fig.77	Fig.78
4	1732.5	20175	15	1	74	Fig.79	Fig.80	Fig.81
4	1732.5	20175	15	75	0	Fig.82	Fig.83	Fig.84
4	1747.5	20325	15	1	74	Fig.85	Fig.86	Fig.87
4	1747.5	20325	15	75	0	Fig.88	Fig.89	Fig.90
4	1720	20050	20	1	99	Fig.91	Fig.92	Fig.93
4	1720	20050	20	100	0	Fig.94	Fig.95	Fig.96
4	1732.5	20175	20	1	99	Fig.97	Fig.98	Fig.99
4	1732.5	20175	20	100	0	Fig.100	Fig.101	Fig.102
4	1745	20300	20	1	99	Fig.103	Fig.104	Fig.105
4	1745	20300	20	100	0	Fig.106	Fig.107	Fig.108




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
4	1710.7	19957	1.4	1	0	Fig.1
4	1732.5	20175	1.4	1	0	Fig.2
4	1754.3	20393	1.4	1	0	Fig.3
4	1711.5	19965	3	1	0	Fig.4
4	1732.5	20175	3	1	0	Fig.5
4	1753.5	20385	3	1	0	Fig.6
4	1712.5	19975	5	1	0	Fig.7
4	1732.5	20175	5	1	0	Fig.8
4	1752.5	20375	5	1	0	Fig.9
4	1715	20000	10	1	0	Fig.10
4	1732.5	20175	10	1	0	Fig.11
4	1750	20350	10	1	0	Fig.12
4	1717.5	20025	15	1	0	Fig.13
4	1732.5	20175	15	1	0	Fig.14
4	1747.5	20325	15	1	0	Fig.15
4	1720	20050	20	1	0	Fig.16
4	1732.5	20175	20	1	0	Fig.17
4	1745	20300	20	1	0	Fig.18



Fig.1



Fig.2




Fig.3




Fig.4




Fig.5




Fig.6



Fig.7



Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15



Fig.16




Fig.17




Fig.18

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						16QAM
4	1710.7	19957	1.4	1	0	Fig.19
4	1732.5	20175	1.4	1	0	Fig.20
4	1754.3	20393	1.4	1	0	Fig.21
4	1711.5	19965	3	1	0	Fig.22
4	1732.5	20175	3	1	0	Fig.23
4	1753.5	20385	3	1	0	Fig.24
4	1712.5	19975	5	1	0	Fig.25
4	1732.5	20175	5	1	0	Fig.26
4	1752.5	20375	5	1	0	Fig.27
4	1715	20000	10	1	0	Fig.28
4	1732.5	20175	10	1	0	Fig.29
4	1750	20350	10	1	0	Fig.30
4	1717.5	20025	15	1	0	Fig.31
4	1732.5	20175	15	1	0	Fig.32
4	1747.5	20325	15	1	0	Fig.33
4	1720	20050	20	1	0	Fig.34
4	1732.5	20175	20	1	0	Fig.35
4	1745	20300	20	1	0	Fig.36



Fig.19



Fig.20




Fig.21




Fig.22




Fig.23




Fig.24



Fig.25




Fig.26



Fig.27



Fig.28




Fig.29



Fig.30



Fig.31



Fig.32



Fig.33



Fig.34



Fig.35




Fig.36

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						64QAM
4	1710.7	19957	1.4	1	0	Fig.37
4	1732.5	20175	1.4	1	0	Fig.38
4	1754.3	20393	1.4	1	0	Fig.39
4	1711.5	19965	3	1	0	Fig.40
4	1732.5	20175	3	1	0	Fig.41
4	1753.5	20385	3	1	0	Fig.42
4	1712.5	19975	5	1	0	Fig.43
4	1732.5	20175	5	1	0	Fig.44
4	1752.5	20375	5	1	0	Fig.45
4	1715	20000	10	1	0	Fig.46
4	1732.5	20175	10	1	0	Fig.47
4	1750	20350	10	1	0	Fig.48
4	1717.5	20025	15	1	0	Fig.49
4	1732.5	20175	15	1	0	Fig.50
4	1747.5	20325	15	1	0	Fig.51
4	1720	20050	20	1	0	Fig.52
4	1732.5	20175	20	1	0	Fig.53
4	1745	20300	20	1	0	Fig.54



Fig.37



Fig.38




Fig.39




Fig.40




Fig.41




Fig.42



Fig.43




Fig.44



Fig.45



Fig.46




Fig.47




Fig.48



Fig.49




Fig.50



Fig.51



Fig.52




Fig.53



Fig.54

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
4	QPSK	1710.7	19957	1.4	1	0	Fig.1
4	QPSK	1710.7	19957	1.4	6	0	Fig.2
4	QPSK	1754.3	20393	1.4	1	5	Fig.3
4	QPSK	1754.3	20393	1.4	6	0	Fig.4
4	QPSK	1711.5	19965	3	1	0	Fig.5
4	QPSK	1711.5	19965	3	15	0	Fig.6
4	QPSK	1753.5	20385	3	1	14	Fig.7
4	QPSK	1753.5	20385	3	15	0	Fig.8
4	QPSK	1712.5	19975	5	1	0	Fig.9
4	QPSK	1712.5	19975	5	25	0	Fig.10
4	QPSK	1752.5	20375	5	1	24	Fig.11
4	QPSK	1752.5	20375	5	25	0	Fig.12
4	QPSK	1715	20000	10	1	0	Fig.13
4	QPSK	1715	20000	10	50	0	Fig.14
4	QPSK	1750	20350	10	1	49	Fig.15
4	QPSK	1750	20350	10	50	0	Fig.16
4	QPSK	1717.5	20025	15	1	0	Fig.17
4	QPSK	1717.5	20025	15	75	0	Fig.18
4	QPSK	1747.5	20325	15	1	74	Fig.19
4	QPSK	1747.5	20325	15	75	0	Fig.20
4	QPSK	1720	20050	20	1	0	Fig.21
4	QPSK	1720	20050	20	100	0	Fig.22
4	QPSK	1745	20300	20	1	99	Fig.23
4	QPSK	1745	20300	20	100	0	Fig.24

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
4	16QAM	1710.7	19957	1.4	1	0	Fig.25
4	16QAM	1710.7	19957	1.4	6	0	Fig.26
4	16QAM	1754.3	20393	1.4	1	5	Fig.27
4	16QAM	1754.3	20393	1.4	6	0	Fig.28
4	16QAM	1711.5	19965	3	1	0	Fig.29
4	16QAM	1711.5	19965	3	15	0	Fig.30
4	16QAM	1753.5	20385	3	1	14	Fig.31
4	16QAM	1753.5	20385	3	15	0	Fig.32
4	16QAM	1712.5	19975	5	1	0	Fig.33
4	16QAM	1712.5	19975	5	25	0	Fig.34
4	16QAM	1752.5	20375	5	1	24	Fig.35
4	16QAM	1752.5	20375	5	25	0	Fig.36
4	16QAM	1715	20000	10	1	0	Fig.37
4	16QAM	1715	20000	10	50	0	Fig.38
4	16QAM	1750	20350	10	1	49	Fig.39
4	16QAM	1750	20350	10	50	0	Fig.40
4	16QAM	1717.5	20025	15	1	0	Fig.41
4	16QAM	1717.5	20025	15	75	0	Fig.42
4	16QAM	1747.5	20325	15	1	74	Fig.43
4	16QAM	1747.5	20325	15	75	0	Fig.44
4	16QAM	1720	20050	20	1	0	Fig.45
4	16QAM	1720	20050	20	100	0	Fig.46
4	16QAM	1745	20300	20	1	99	Fig.47
4	16QAM	1745	20300	20	100	0	Fig.48

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
4	64QAM	1710.7	19957	1.4	1	0	Fig.49
4	64QAM	1710.7	19957	1.4	6	0	Fig.50
4	64QAM	1754.3	20393	1.4	1	5	Fig.51
4	64QAM	1754.3	20393	1.4	6	0	Fig.52
4	64QAM	1711.5	19965	3	1	0	Fig.53
4	64QAM	1711.5	19965	3	15	0	Fig.54
4	64QAM	1753.5	20385	3	1	14	Fig.55
4	64QAM	1753.5	20385	3	15	0	Fig.56
4	64QAM	1712.5	19975	5	1	0	Fig.57
4	64QAM	1712.5	19975	5	25	0	Fig.58
4	64QAM	1752.5	20375	5	1	24	Fig.59
4	64QAM	1752.5	20375	5	25	0	Fig.60
4	64QAM	1715	20000	10	1	0	Fig.61
4	64QAM	1715	20000	10	50	0	Fig.62
4	64QAM	1750	20350	10	1	49	Fig.63
4	64QAM	1750	20350	10	50	0	Fig.64
4	64QAM	1717.5	20025	15	1	0	Fig.65
4	64QAM	1717.5	20025	15	75	0	Fig.66
4	64QAM	1747.5	20325	15	1	74	Fig.67
4	64QAM	1747.5	20325	15	75	0	Fig.68
4	64QAM	1720	20050	20	1	0	Fig.69
4	64QAM	1720	20050	20	100	0	Fig.70
4	64QAM	1745	20300	20	1	99	Fig.71
4	64QAM	1745	20300	20	100	0	Fig.72

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

Test Mode: 16QAM




Fig.25



Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31



Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48

Test Mode: 64QAM




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 4 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	-0.003	0.002	0.000	-0.001	-0.002	-0.001
-20	NV	-0.010	-0.001	-0.001	-0.001	-0.002	-0.001
-10	NV	-0.009	0.002	-0.002	0.001	-0.002	-0.001
0	NV	0.006	0.000	-0.001	-0.001	-0.002	-0.002
+10	NV	-0.004	-0.002	0.002	0.000	-0.001	0.000
+20	NV	-0.010	-0.003	0.001	0.002	-0.001	-0.001
+30	NV	-0.005	-0.002	-0.002	0.001	0.000	0.000
+40	NV	-0.006	0.002	0.002	0.000	-0.002	-0.001
+50	NV	-0.002	-0.002	0.000	-0.001	-0.002	-0.001
+20	LV	0.006	0.004	-0.001	0.001	-0.002	-0.001
+20	HV	0.008	0.002	0.001	0.000	-0.001	-0.001

Temperature(°C)	Voltage	Test Result (ppm) Band 4 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	-0.009	0.002	0.001	-0.001	0.001	0.000
-20	NV	-0.009	0.002	-0.002	-0.002	-0.004	0.001
-10	NV	-0.006	0.000	-0.002	-0.002	-0.002	0.000
0	NV	-0.009	-0.002	0.001	-0.001	-0.001	-0.001
+10	NV	0.006	-0.003	0.000	-0.004	-0.002	-0.001
+20	NV	0.008	-0.003	0.001	-0.001	-0.002	0.000
+30	NV	-0.008	0.001	0.001	-0.001	-0.002	0.001
+40	NV	0.008	-0.002	0.001	-0.002	0.001	0.000
+50	NV	-0.008	-0.002	-0.001	-0.001	0.000	-0.001
+20	LV	0.005	-0.002	0.002	0.001	-0.001	-0.001
+20	HV	-0.009	0.002	0.001	-0.001	-0.001	-0.001

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1710.7	19957	1.4	1	0	22.37	26.87	0.486
QPSK	1710.7	19957	1.4	1	3	22.03	26.53	0.450
QPSK	1710.7	19957	1.4	1	5	22.03	26.53	0.450
QPSK	1710.7	19957	1.4	3	0	22.08	26.58	0.455
QPSK	1710.7	19957	1.4	3	1	22.10	26.60	0.457
QPSK	1710.7	19957	1.4	3	3	22.10	26.60	0.457
QPSK	1710.7	19957	1.4	6	0	21.04	25.54	0.358
QPSK	1732.5	20175	1.4	1	0	22.35	26.85	0.484
QPSK	1732.5	20175	1.4	1	3	22.36	26.86	0.485
QPSK	1732.5	20175	1.4	1	5	22.29	26.79	0.478
QPSK	1732.5	20175	1.4	3	0	22.43	26.93	0.493
QPSK	1732.5	20175	1.4	3	1	22.31	26.81	0.480
QPSK	1732.5	20175	1.4	3	3	22.38	26.88	0.488
QPSK	1732.5	20175	1.4	6	0	21.41	25.91	0.390
QPSK	1754.3	20393	1.4	1	0	22.48	26.98	0.499
QPSK	1754.3	20393	1.4	1	3	22.30	26.80	0.479
QPSK	1754.3	20393	1.4	1	5	22.29	26.79	0.478
QPSK	1754.3	20393	1.4	3	0	22.43	26.93	0.493
QPSK	1754.3	20393	1.4	3	1	22.42	26.92	0.492
QPSK	1754.3	20393	1.4	3	3	22.42	26.92	0.492
QPSK	1754.3	20393	1.4	6	0	21.41	25.91	0.390

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1710.7	19957	1.4	1	0	21.23	25.73	0.374
16QAM	1710.7	19957	1.4	1	3	21.60	26.10	0.407
16QAM	1710.7	19957	1.4	1	5	20.99	25.49	0.354
16QAM	1710.7	19957	1.4	3	0	21.30	25.80	0.380
16QAM	1710.7	19957	1.4	3	1	21.37	25.87	0.386
16QAM	1710.7	19957	1.4	3	3	21.27	25.77	0.378
16QAM	1710.7	19957	1.4	6	0	20.32	24.82	0.303
16QAM	1732.5	20175	1.4	1	0	21.84	26.34	0.431
16QAM	1732.5	20175	1.4	1	3	21.53	26.03	0.401
16QAM	1732.5	20175	1.4	1	5	22.00	26.50	0.447
16QAM	1732.5	20175	1.4	3	0	21.18	25.68	0.370
16QAM	1732.5	20175	1.4	3	1	21.41	25.91	0.390
16QAM	1732.5	20175	1.4	3	3	21.48	25.98	0.396
16QAM	1732.5	20175	1.4	6	0	20.46	24.96	0.313
16QAM	1754.3	20393	1.4	1	0	21.75	26.25	0.422
16QAM	1754.3	20393	1.4	1	3	21.85	26.35	0.432
16QAM	1754.3	20393	1.4	1	5	21.73	26.23	0.420
16QAM	1754.3	20393	1.4	3	0	21.59	26.09	0.406
16QAM	1754.3	20393	1.4	3	1	21.41	25.91	0.390
16QAM	1754.3	20393	1.4	3	3	21.41	25.91	0.390
16QAM	1754.3	20393	1.4	6	0	20.67	25.17	0.329
64QAM	1710.7	19957	1.4	1	0	21.13	25.63	0.366
64QAM	1710.7	19957	1.4	1	3	21.15	25.65	0.367
64QAM	1710.7	19957	1.4	1	5	20.94	25.44	0.350
64QAM	1710.7	19957	1.4	3	0	21.32	25.82	0.382
64QAM	1710.7	19957	1.4	3	1	21.15	25.65	0.367
64QAM	1710.7	19957	1.4	3	3	21.17	25.67	0.369
64QAM	1710.7	19957	1.4	6	0	20.04	24.54	0.284
64QAM	1732.5	20175	1.4	1	0	21.54	26.04	0.402
64QAM	1732.5	20175	1.4	1	3	21.36	25.86	0.385
64QAM	1732.5	20175	1.4	1	5	21.54	26.04	0.402
64QAM	1732.5	20175	1.4	3	0	21.61	26.11	0.408
64QAM	1732.5	20175	1.4	3	1	21.43	25.93	0.392
64QAM	1732.5	20175	1.4	3	3	21.31	25.81	0.381
64QAM	1732.5	20175	1.4	6	0	20.46	24.96	0.313
64QAM	1754.3	20393	1.4	1	0	21.20	25.70	0.372
64QAM	1754.3	20393	1.4	1	3	21.64	26.14	0.411
64QAM	1754.3	20393	1.4	1	5	21.53	26.03	0.401
64QAM	1754.3	20393	1.4	3	0	21.48	25.98	0.396
64QAM	1754.3	20393	1.4	3	1	21.39	25.89	0.388
64QAM	1754.3	20393	1.4	3	3	21.66	26.16	0.413
64QAM	1754.3	20393	1.4	6	0	20.56	25.06	0.321

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1711.5	19965	3	1	0	22.03	26.53	0.450
QPSK	1711.5	19965	3	1	8	22.09	26.59	0.456
QPSK	1711.5	19965	3	1	14	22.13	26.63	0.460
QPSK	1711.5	19965	3	8	0	21.10	25.60	0.363
QPSK	1711.5	19965	3	8	4	21.21	25.71	0.372
QPSK	1711.5	19965	3	8	7	21.14	25.64	0.366
QPSK	1711.5	19965	3	15	0	21.08	25.58	0.361
QPSK	1732.5	20175	3	1	0	22.33	26.83	0.482
QPSK	1732.5	20175	3	1	8	22.44	26.94	0.494
QPSK	1732.5	20175	3	1	14	22.34	26.84	0.483
QPSK	1732.5	20175	3	8	0	21.34	25.84	0.384
QPSK	1732.5	20175	3	8	4	21.42	25.92	0.391
QPSK	1732.5	20175	3	8	7	21.33	25.83	0.383
QPSK	1732.5	20175	3	15	0	21.27	25.77	0.378
QPSK	1753.5	20385	3	1	0	22.40	26.90	0.490
QPSK	1753.5	20385	3	1	8	22.39	26.89	0.489
QPSK	1753.5	20385	3	1	14	22.43	26.93	0.493
QPSK	1753.5	20385	3	8	0	21.51	26.01	0.399
QPSK	1753.5	20385	3	8	4	21.47	25.97	0.395
QPSK	1753.5	20385	3	8	7	21.48	25.98	0.396
QPSK	1753.5	20385	3	15	0	21.48	25.98	0.396

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1711.5	19965	3	1	0	21.42	25.92	0.391
16QAM	1711.5	19965	3	1	8	21.58	26.08	0.406
16QAM	1711.5	19965	3	1	14	21.03	25.53	0.357
16QAM	1711.5	19965	3	8	0	20.13	24.63	0.290
16QAM	1711.5	19965	3	8	4	20.22	24.72	0.296
16QAM	1711.5	19965	3	8	7	20.17	24.67	0.293
16QAM	1711.5	19965	3	15	0	20.09	24.59	0.288
16QAM	1732.5	20175	3	1	0	21.50	26.00	0.398
16QAM	1732.5	20175	3	1	8	21.40	25.90	0.389
16QAM	1732.5	20175	3	1	14	21.76	26.26	0.423
16QAM	1732.5	20175	3	8	0	20.20	24.70	0.295
16QAM	1732.5	20175	3	8	4	20.66	25.16	0.328
16QAM	1732.5	20175	3	8	7	20.49	24.99	0.316
16QAM	1732.5	20175	3	15	0	20.35	24.85	0.305
16QAM	1753.5	20385	3	1	0	21.81	26.31	0.428
16QAM	1753.5	20385	3	1	8	21.75	26.25	0.422
16QAM	1753.5	20385	3	1	14	21.53	26.03	0.401
16QAM	1753.5	20385	3	8	0	20.34	24.84	0.305
16QAM	1753.5	20385	3	8	4	20.65	25.15	0.327
16QAM	1753.5	20385	3	8	7	20.71	25.21	0.332
16QAM	1753.5	20385	3	15	0	20.47	24.97	0.314
64QAM	1711.5	19965	3	1	0	21.10	25.60	0.363
64QAM	1711.5	19965	3	1	8	21.42	25.92	0.391
64QAM	1711.5	19965	3	1	14	21.38	25.88	0.387
64QAM	1711.5	19965	3	8	0	20.30	24.80	0.302
64QAM	1711.5	19965	3	8	4	20.22	24.72	0.296
64QAM	1711.5	19965	3	8	7	20.19	24.69	0.294
64QAM	1711.5	19965	3	15	0	20.06	24.56	0.286
64QAM	1732.5	20175	3	1	0	21.27	25.77	0.378
64QAM	1732.5	20175	3	1	8	21.13	25.63	0.366
64QAM	1732.5	20175	3	1	14	21.43	25.93	0.392
64QAM	1732.5	20175	3	8	0	20.41	24.91	0.310
64QAM	1732.5	20175	3	8	4	20.62	25.12	0.325
64QAM	1732.5	20175	3	8	7	20.33	24.83	0.304
64QAM	1732.5	20175	3	15	0	20.29	24.79	0.301
64QAM	1753.5	20385	3	1	0	21.81	26.31	0.428
64QAM	1753.5	20385	3	1	8	21.34	25.84	0.384
64QAM	1753.5	20385	3	1	14	21.64	26.14	0.411
64QAM	1753.5	20385	3	8	0	20.55	25.05	0.320
64QAM	1753.5	20385	3	8	4	20.57	25.07	0.321
64QAM	1753.5	20385	3	8	7	20.40	24.90	0.309
64QAM	1753.5	20385	3	15	0	20.47	24.97	0.314

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1712.5	19975	5	1	0	21.95	26.45	0.442
QPSK	1712.5	19975	5	1	12	22.17	26.67	0.465
QPSK	1712.5	19975	5	1	24	22.11	26.61	0.458
QPSK	1712.5	19975	5	12	0	21.12	25.62	0.365
QPSK	1712.5	19975	5	12	7	21.17	25.67	0.369
QPSK	1712.5	19975	5	12	13	21.12	25.62	0.365
QPSK	1712.5	19975	5	25	0	21.12	25.62	0.365
QPSK	1732.5	20175	5	1	0	22.29	26.79	0.478
QPSK	1732.5	20175	5	1	12	22.26	26.76	0.474
QPSK	1732.5	20175	5	1	24	22.31	26.81	0.480
QPSK	1732.5	20175	5	12	0	21.39	25.89	0.388
QPSK	1732.5	20175	5	12	7	21.33	25.83	0.383
QPSK	1732.5	20175	5	12	13	21.42	25.92	0.391
QPSK	1732.5	20175	5	25	0	21.27	25.77	0.378
QPSK	1752.5	20375	5	1	0	22.34	26.84	0.483
QPSK	1752.5	20375	5	1	12	22.40	26.90	0.490
QPSK	1752.5	20375	5	1	24	22.44	26.94	0.494
QPSK	1752.5	20375	5	12	0	21.39	25.89	0.388
QPSK	1752.5	20375	5	12	7	21.53	26.03	0.401
QPSK	1752.5	20375	5	12	13	21.45	25.95	0.394
QPSK	1752.5	20375	5	25	0	21.49	25.99	0.397

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1712.5	19975	5	1	0	21.66	26.16	0.413
16QAM	1712.5	19975	5	1	12	21.56	26.06	0.404
16QAM	1712.5	19975	5	1	24	21.34	25.84	0.384
16QAM	1712.5	19975	5	12	0	20.17	24.67	0.293
16QAM	1712.5	19975	5	12	7	20.14	24.64	0.291
16QAM	1712.5	19975	5	12	13	20.22	24.72	0.296
16QAM	1712.5	19975	5	25	0	20.15	24.65	0.292
16QAM	1732.5	20175	5	1	0	21.27	25.77	0.378
16QAM	1732.5	20175	5	1	12	21.74	26.24	0.421
16QAM	1732.5	20175	5	1	24	21.68	26.18	0.415
16QAM	1732.5	20175	5	12	0	20.20	24.70	0.295
16QAM	1732.5	20175	5	12	7	20.41	24.91	0.310
16QAM	1732.5	20175	5	12	13	20.40	24.90	0.309
16QAM	1732.5	20175	5	25	0	20.27	24.77	0.300
16QAM	1752.5	20375	5	1	0	21.81	26.31	0.428
16QAM	1752.5	20375	5	1	12	22.07	26.57	0.454
16QAM	1752.5	20375	5	1	24	22.02	26.52	0.449
16QAM	1752.5	20375	5	12	0	20.44	24.94	0.312
16QAM	1752.5	20375	5	12	7	20.50	25.00	0.316
16QAM	1752.5	20375	5	12	13	20.47	24.97	0.314
16QAM	1752.5	20375	5	25	0	20.46	24.96	0.313
64QAM	1712.5	19975	5	1	0	21.20	25.70	0.372
64QAM	1712.5	19975	5	1	12	21.39	25.89	0.388
64QAM	1712.5	19975	5	1	24	21.40	25.90	0.389
64QAM	1712.5	19975	5	12	0	20.20	24.70	0.295
64QAM	1712.5	19975	5	12	7	20.21	24.71	0.296
64QAM	1712.5	19975	5	12	13	20.12	24.62	0.290
64QAM	1712.5	19975	5	25	0	20.14	24.64	0.291
64QAM	1732.5	20175	5	1	0	21.64	26.14	0.411
64QAM	1732.5	20175	5	1	12	21.23	25.73	0.374
64QAM	1732.5	20175	5	1	24	21.66	26.16	0.413
64QAM	1732.5	20175	5	12	0	20.36	24.86	0.306
64QAM	1732.5	20175	5	12	7	20.42	24.92	0.310
64QAM	1732.5	20175	5	12	13	20.48	24.98	0.315
64QAM	1732.5	20175	5	25	0	20.29	24.79	0.301
64QAM	1752.5	20375	5	1	0	21.72	26.22	0.419
64QAM	1752.5	20375	5	1	12	21.57	26.07	0.405
64QAM	1752.5	20375	5	1	24	21.70	26.20	0.417
64QAM	1752.5	20375	5	12	0	20.42	24.92	0.310
64QAM	1752.5	20375	5	12	7	20.40	24.90	0.309
64QAM	1752.5	20375	5	12	13	20.50	25.00	0.316
64QAM	1752.5	20375	5	25	0	20.45	24.95	0.313

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1715	20000	10	1	0	22.00	26.50	0.447
QPSK	1715	20000	10	1	25	22.22	26.72	0.470
QPSK	1715	20000	10	1	49	22.23	26.73	0.471
QPSK	1715	20000	10	25	0	21.12	25.62	0.365
QPSK	1715	20000	10	25	12	21.21	25.71	0.372
QPSK	1715	20000	10	25	25	21.29	25.79	0.379
QPSK	1715	20000	10	50	0	21.15	25.65	0.367
QPSK	1732.5	20175	10	1	0	22.42	26.92	0.492
QPSK	1732.5	20175	10	1	25	22.33	26.83	0.482
QPSK	1732.5	20175	10	1	49	22.37	26.87	0.486
QPSK	1732.5	20175	10	25	0	21.30	25.80	0.380
QPSK	1732.5	20175	10	25	12	21.39	25.89	0.388
QPSK	1732.5	20175	10	25	25	21.47	25.97	0.395
QPSK	1732.5	20175	10	50	0	21.38	25.88	0.387
QPSK	1750	20350	10	1	0	22.32	26.82	0.481
QPSK	1750	20350	10	1	25	22.42	26.92	0.492
QPSK	1750	20350	10	1	49	22.47	26.97	0.498
QPSK	1750	20350	10	25	0	21.38	25.88	0.387
QPSK	1750	20350	10	25	12	21.34	25.84	0.384
QPSK	1750	20350	10	25	25	21.46	25.96	0.394
QPSK	1750	20350	10	50	0	21.39	25.89	0.388

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1715	20000	10	1	0	21.28	25.78	0.378
16QAM	1715	20000	10	1	25	20.94	25.44	0.350
16QAM	1715	20000	10	1	49	21.59	26.09	0.406
16QAM	1715	20000	10	25	0	20.12	24.62	0.290
16QAM	1715	20000	10	25	12	20.23	24.73	0.297
16QAM	1715	20000	10	25	25	20.30	24.80	0.302
16QAM	1715	20000	10	50	0	20.29	24.79	0.301
16QAM	1732.5	20175	10	1	0	21.55	26.05	0.403
16QAM	1732.5	20175	10	1	25	21.72	26.22	0.419
16QAM	1732.5	20175	10	1	49	22.01	26.51	0.448
16QAM	1732.5	20175	10	25	0	20.39	24.89	0.308
16QAM	1732.5	20175	10	25	12	20.46	24.96	0.313
16QAM	1732.5	20175	10	25	25	20.53	25.03	0.318
16QAM	1732.5	20175	10	50	0	20.33	24.83	0.304
16QAM	1750	20350	10	1	0	21.67	26.17	0.414
16QAM	1750	20350	10	1	25	21.26	25.76	0.377
16QAM	1750	20350	10	1	49	21.56	26.06	0.404
16QAM	1750	20350	10	25	0	20.40	24.90	0.309
16QAM	1750	20350	10	25	12	20.37	24.87	0.307
16QAM	1750	20350	10	25	25	20.41	24.91	0.310
16QAM	1750	20350	10	50	0	20.44	24.94	0.312
64QAM	1715	20000	10	1	0	21.12	25.62	0.365
64QAM	1715	20000	10	1	25	21.52	26.02	0.400
64QAM	1715	20000	10	1	49	21.49	25.99	0.397
64QAM	1715	20000	10	25	0	20.12	24.62	0.290
64QAM	1715	20000	10	25	12	20.21	24.71	0.296
64QAM	1715	20000	10	25	25	20.24	24.74	0.298
64QAM	1715	20000	10	50	0	20.27	24.77	0.300
64QAM	1732.5	20175	10	1	0	20.98	25.48	0.353
64QAM	1732.5	20175	10	1	25	21.85	26.35	0.432
64QAM	1732.5	20175	10	1	49	21.46	25.96	0.394
64QAM	1732.5	20175	10	25	0	20.41	24.91	0.310
64QAM	1732.5	20175	10	25	12	20.49	24.99	0.316
64QAM	1732.5	20175	10	25	25	20.28	24.78	0.301
64QAM	1732.5	20175	10	50	0	20.43	24.93	0.311
64QAM	1750	20350	10	1	0	21.26	25.76	0.377
64QAM	1750	20350	10	1	25	21.24	25.74	0.375
64QAM	1750	20350	10	1	49	21.66	26.16	0.413
64QAM	1750	20350	10	25	0	20.47	24.97	0.314
64QAM	1750	20350	10	25	12	20.41	24.91	0.310
64QAM	1750	20350	10	25	25	20.53	25.03	0.318
64QAM	1750	20350	10	50	0	20.51	25.01	0.317

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1717.5	20025	15	1	0	21.91	26.41	0.438
QPSK	1717.5	20025	15	1	37	22.22	26.72	0.470
QPSK	1717.5	20025	15	1	74	22.23	26.73	0.471
QPSK	1717.5	20025	15	36	0	20.98	25.48	0.353
QPSK	1717.5	20025	15	36	29	21.18	25.68	0.370
QPSK	1717.5	20025	15	36	30	21.22	25.72	0.373
QPSK	1717.5	20025	15	75	0	21.14	25.64	0.366
QPSK	1732.5	20175	15	1	0	22.13	26.63	0.460
QPSK	1732.5	20175	15	1	37	22.20	26.70	0.468
QPSK	1732.5	20175	15	1	74	22.21	26.71	0.469
QPSK	1732.5	20175	15	36	0	21.23	25.73	0.374
QPSK	1732.5	20175	15	36	29	21.29	25.79	0.379
QPSK	1732.5	20175	15	36	30	21.27	25.77	0.378
QPSK	1732.5	20175	15	75	0	21.23	25.73	0.374
QPSK	1747.5	20325	15	1	0	22.15	26.65	0.462
QPSK	1747.5	20325	15	1	37	22.21	26.71	0.469
QPSK	1747.5	20325	15	1	74	22.23	26.73	0.471
QPSK	1747.5	20325	15	36	0	21.32	25.82	0.382
QPSK	1747.5	20325	15	36	29	21.33	25.83	0.383
QPSK	1747.5	20325	15	36	30	21.36	25.86	0.385
QPSK	1747.5	20325	15	75	0	21.38	25.88	0.387

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1717.5	20025	15	1	0	21.09	25.59	0.362
16QAM	1717.5	20025	15	1	37	21.50	26.00	0.398
16QAM	1717.5	20025	15	1	74	21.39	25.89	0.388
16QAM	1717.5	20025	15	36	0	20.14	24.64	0.291
16QAM	1717.5	20025	15	36	29	20.17	24.67	0.293
16QAM	1717.5	20025	15	36	30	20.10	24.60	0.288
16QAM	1717.5	20025	15	75	0	20.21	24.71	0.296
16QAM	1732.5	20175	15	1	0	21.39	25.89	0.388
16QAM	1732.5	20175	15	1	37	21.55	26.05	0.403
16QAM	1732.5	20175	15	1	74	21.55	26.05	0.403
16QAM	1732.5	20175	15	36	0	20.26	24.76	0.299
16QAM	1732.5	20175	15	36	29	20.16	24.66	0.292
16QAM	1732.5	20175	15	36	30	20.27	24.77	0.300
16QAM	1732.5	20175	15	75	0	20.28	24.78	0.301
16QAM	1747.5	20325	15	1	0	21.59	26.09	0.406
16QAM	1747.5	20325	15	1	37	21.47	25.97	0.395
16QAM	1747.5	20325	15	1	74	21.47	25.97	0.395
16QAM	1747.5	20325	15	36	0	20.33	24.83	0.304
16QAM	1747.5	20325	15	36	29	20.31	24.81	0.303
16QAM	1747.5	20325	15	36	30	20.23	24.73	0.297
16QAM	1747.5	20325	15	75	0	20.38	24.88	0.308
64QAM	1717.5	20025	15	1	0	20.88	25.38	0.345
64QAM	1717.5	20025	15	1	37	21.31	25.81	0.381
64QAM	1717.5	20025	15	1	74	21.31	25.81	0.381
64QAM	1717.5	20025	15	36	0	19.96	24.46	0.279
64QAM	1717.5	20025	15	36	29	20.05	24.55	0.285
64QAM	1717.5	20025	15	36	30	20.21	24.71	0.296
64QAM	1717.5	20025	15	75	0	20.15	24.65	0.292
64QAM	1732.5	20175	15	1	0	21.50	26.00	0.398
64QAM	1732.5	20175	15	1	37	21.21	25.71	0.372
64QAM	1732.5	20175	15	1	74	21.11	25.61	0.364
64QAM	1732.5	20175	15	36	0	20.17	24.67	0.293
64QAM	1732.5	20175	15	36	29	20.27	24.77	0.300
64QAM	1732.5	20175	15	36	30	20.29	24.79	0.301
64QAM	1732.5	20175	15	75	0	20.26	24.76	0.299
64QAM	1747.5	20325	15	1	0	21.16	25.66	0.368
64QAM	1747.5	20325	15	1	37	21.26	25.76	0.377
64QAM	1747.5	20325	15	1	74	21.35	25.85	0.385
64QAM	1747.5	20325	15	36	0	20.22	24.72	0.296
64QAM	1747.5	20325	15	36	29	20.38	24.88	0.308
64QAM	1747.5	20325	15	36	30	20.39	24.89	0.308
64QAM	1747.5	20325	15	75	0	20.37	24.87	0.307

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1720	20050	20	1	0	22.03	26.53	0.450
QPSK	1720	20050	20	1	49	22.06	26.56	0.453
QPSK	1720	20050	20	1	99	22.17	26.67	0.465
QPSK	1720	20050	20	50	0	21.01	25.51	0.356
QPSK	1720	20050	20	50	24	21.26	25.76	0.377
QPSK	1720	20050	20	50	50	21.30	25.80	0.380
QPSK	1720	20050	20	100	0	21.11	25.61	0.364
QPSK	1732.5	20175	20	1	0	22.24	26.74	0.472
QPSK	1732.5	20175	20	1	49	22.18	26.68	0.466
QPSK	1732.5	20175	20	1	99	22.41	26.91	0.491
QPSK	1732.5	20175	20	50	0	21.28	25.78	0.378
QPSK	1732.5	20175	20	50	24	21.25	25.75	0.376
QPSK	1732.5	20175	20	50	50	21.32	25.82	0.382
QPSK	1732.5	20175	20	100	0	21.25	25.75	0.376
QPSK	1745	20300	20	1	0	22.22	26.72	0.470
QPSK	1745	20300	20	1	49	22.14	26.64	0.461
QPSK	1745	20300	20	1	99	22.35	26.85	0.484
QPSK	1745	20300	20	50	0	21.18	25.68	0.370
QPSK	1745	20300	20	50	24	21.37	25.87	0.386
QPSK	1745	20300	20	50	50	21.36	25.86	0.385
QPSK	1745	20300	20	100	0	21.33	25.83	0.383

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1720	20050	20	1	0	21.22	25.72	0.373
16QAM	1720	20050	20	1	49	21.50	26.00	0.398
16QAM	1720	20050	20	1	99	21.41	25.91	0.390
16QAM	1720	20050	20	50	0	20.07	24.57	0.286
16QAM	1720	20050	20	50	24	20.24	24.74	0.298
16QAM	1720	20050	20	50	50	20.29	24.79	0.301
16QAM	1720	20050	20	100	0	20.12	24.62	0.290
16QAM	1732.5	20175	20	1	0	21.73	26.23	0.420
16QAM	1732.5	20175	20	1	49	21.44	25.94	0.393
16QAM	1732.5	20175	20	1	99	21.54	26.04	0.402
16QAM	1732.5	20175	20	50	0	20.34	24.84	0.305
16QAM	1732.5	20175	20	50	24	20.24	24.74	0.298
16QAM	1732.5	20175	20	50	50	20.34	24.84	0.305
16QAM	1732.5	20175	20	100	0	20.17	24.67	0.293
16QAM	1745	20300	20	1	0	21.78	26.28	0.425
16QAM	1745	20300	20	1	49	21.54	26.04	0.402
16QAM	1745	20300	20	1	99	21.62	26.12	0.409
16QAM	1745	20300	20	50	0	20.18	24.68	0.294
16QAM	1745	20300	20	50	24	20.40	24.90	0.309
16QAM	1745	20300	20	50	50	20.35	24.85	0.305
16QAM	1745	20300	20	100	0	20.34	24.84	0.305
64QAM	1720	20050	20	1	0	21.31	25.81	0.381
64QAM	1720	20050	20	1	49	21.20	25.70	0.372
64QAM	1720	20050	20	1	99	21.31	25.81	0.381
64QAM	1720	20050	20	50	0	20.00	24.50	0.282
64QAM	1720	20050	20	50	24	20.29	24.79	0.301
64QAM	1720	20050	20	50	50	20.33	24.83	0.304
64QAM	1720	20050	20	100	0	20.22	24.72	0.296
64QAM	1732.5	20175	20	1	0	21.41	25.91	0.390
64QAM	1732.5	20175	20	1	49	21.30	25.80	0.380
64QAM	1732.5	20175	20	1	99	21.46	25.96	0.394
64QAM	1732.5	20175	20	50	0	20.24	24.74	0.298
64QAM	1732.5	20175	20	50	24	20.27	24.77	0.300
64QAM	1732.5	20175	20	50	50	20.38	24.88	0.308
64QAM	1732.5	20175	20	100	0	20.28	24.78	0.301
64QAM	1745	20300	20	1	0	21.35	25.85	0.385
64QAM	1745	20300	20	1	49	21.60	26.10	0.407
64QAM	1745	20300	20	1	99	21.50	26.00	0.398
64QAM	1745	20300	20	50	0	20.21	24.71	0.296
64QAM	1745	20300	20	50	24	20.31	24.81	0.303
64QAM	1745	20300	20	50	50	20.40	24.90	0.309
64QAM	1745	20300	20	100	0	20.34	24.84	0.305