




Test Mode: 802.11a




Test Mode: 802.11n HT20




Test Mode: 802.11ac VHT20




Test Mode: 802.11ax HE20




Test Mode: 802.11n HT40




Test Mode: 802.11ac VHT40




Test Mode: 802.11ax HE40



Test Mode: 802.11ac VHT80



Test Mode: 802.11ax HE80



NII3

Offset 11dB = Attenuator + Temporary antenna connector loss + Cable loss

Title	Test Mode	Antenna	5720MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11a	Chain0	0	-0.619
NII3	802.11a	Chain1	0	-0.725
NII3	802.11n HT20	Chain0	0	-1.044
NII3	802.11n HT20	Chain1	0	-1.023
NII3	802.11n HT20	MIMO	0.000	1.977
NII3	802.11ac VHT20	Chain0	0	0.551
NII3	802.11ac VHT20	Chain1	0	0.603
NII3	802.11ac VHT20	MIMO	0.000	3.587
NII3	802.11ax HE20	Chain0	0	-19.419
NII3	802.11ax HE20	Chain1	0	-16.248
NII3	802.11ax HE20	MIMO	0.000	-14.540

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.


Title	Test Mode	Antenna	5710MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11n HT40	Chain0	0	-2.946
NII3	802.11n HT40	Chain1	0	-3.298
NII3	802.11n HT40	MIMO	0.000	-0.108
NII3	802.11ac VHT40	Chain0	0	-2.059
NII3	802.11ac VHT40	Chain1	0	-2.908
NII3	802.11ac VHT40	MIMO	0.000	0.548
NII3	802.11ax HE40	Chain0	0	-19.219
NII3	802.11ax HE40	Chain1	0	-23.432
NII3	802.11ax HE40	MIMO	0.000	-17.823

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.


Title	Test Mode	Antenna	5690MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11ac VHT80	Chain0	0	-7.921
NII3	802.11ac VHT80	Chain1	0	-8.086
NII3	802.11ac VHT80	MIMO	0.000	-4.992
NII3	802.11ax HE80	Chain0	0	-29.022
NII3	802.11ax HE80	Chain1	0	-27.310
NII3	802.11ax HE80	MIMO	0.000	-25.072

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.


Test Mode: 802.11a




Test Mode: 802.11n HT20




Test Mode: 802.11ac VHT20




Test Mode: 802.11ax HE20




Test Mode: 802.11n HT40




Test Mode: 802.11ac VHT40



Test Mode: 802.11ax HE40



Test Mode: 802.11ac VHT80



Test Mode: 802.11ax HE80

