

Test Mode: 802.11ac VHT160

Agilent Spectrum Analyzer - Occupied BW Center Freq 5.815000000 GHz Ref Offset 21 dB Ref 20.00 dBm Center 5.815 GHz #Res BW 1.6 MHz #VBW 5 MHz Span 320 MHz Sweep 1 ms Occupied Bandwidth 156.70 MHz Total Power 19.2 dBm Transmit Freq Error 31.114 kHz OBW Power 99.00 % x dB Bandwidth 286.1 MHz x dB -26.00 dB CF Step 32.000000 MHz Freq Offset 0 Hz Points changed; all traces cleared	Agilent Spectrum Analyzer - Occupied BW Center Freq 5.815000000 GHz Ref Offset 21 dB Ref 20.00 dBm Center 5.815 GHz #Res BW 1.6 MHz #VBW 5 MHz Span 320 MHz Sweep 1 ms Occupied Bandwidth 156.38 MHz Total Power 19.2 dBm Transmit Freq Error 157.99 kHz OBW Power 99.00 % x dB Bandwidth 307.0 MHz x dB -26.00 dB CF Step 32.000000 MHz Freq Offset 0 Hz Points changed; all traces cleared
Mode:802.11ac VHT160 Frequency:5815MHz Ant:Chain0 scope:NII3	Mode:802.11ac VHT160 Frequency:5815MHz Ant:Chain1 scope:NII3

Test Mode: 802.11ax HE160

Agilent Spectrum Analyzer - Occupied BW Center Freq 5.815000000 GHz Ref Offset 21 dB Ref 20.00 dBm Center 5.815 GHz #Res BW 1.6 MHz #VBW 5 MHz Span 320 MHz Sweep 1 ms Occupied Bandwidth 157.58 MHz Total Power 19.8 dBm Transmit Freq Error 65.888 kHz OBW Power 99.00 % x dB Bandwidth 308.6 MHz x dB -26.00 dB CF Step 32.000000 MHz Freq Offset 0 Hz Points changed; all traces cleared	Agilent Spectrum Analyzer - Occupied BW Center Freq 5.815000000 GHz Ref Offset 21 dB Ref 20.00 dBm Center 5.815 GHz #Res BW 1.6 MHz #VBW 5 MHz Span 320 MHz Sweep 1 ms Occupied Bandwidth 157.59 MHz Total Power 19.6 dBm Transmit Freq Error 248.67 kHz OBW Power 99.00 % x dB Bandwidth 317.4 MHz x dB -26.00 dB CF Step 32.000000 MHz Freq Offset 0 Hz Points changed; all traces cleared
Mode:802.11ax HE160 Frequency:5815MHz Ant:Chain0 scope:NII3	Mode:802.11ax HE160 Frequency:5815MHz Ant:Chain1 scope:NII3

6dB Bandwidth

NII3

Offset 21dB = Attenuator + Temporary antenna connector loss + Cable loss


6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5845MHz
NII3	802.11a	Chain0	12.91
NII3	802.11a	Chain1	12.92
NII3	802.11n HT20	Chain0	13.54
NII3	802.11n HT20	Chain1	13.54
NII3	802.11ac VHT20	Chain0	13.52
NII3	802.11ac VHT20	Chain1	13.54
NII3	802.11ax HE20	Chain0	14.16
NII3	802.11ax HE20	Chain1	14.20

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5835MHz
NII3	802.11n HT40	Chain0	32.90
NII3	802.11n HT40	Chain1	32.90
NII3	802.11ac VHT40	Chain0	32.90
NII3	802.11ac VHT40	Chain1	32.92
NII3	802.11ax HE40	Chain0	33.60
NII3	802.11ax HE40	Chain1	33.66


6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5855MHz
NII3	802.11ac VHT80	Chain0	32.57
NII3	802.11ac VHT80	Chain1	32.66
NII3	802.11ax HE80	Chain0	33.56
NII3	802.11ax HE80	Chain1	33.75

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5815MHz
NII3	802.11ac VHT160	Chain0	111.38
NII3	802.11ac VHT160	Chain1	112.54
NII3	802.11ax HE160	Chain0	113.53
NII3	802.11ax HE160	Chain1	113.72


Test Mode: 802.11a



Test Mode: 802.11n HT20



Test Mode: 802.11ac VHT20



Test Mode: 802.11ax HE20

Agilent Spectrum Analyzer - Screenshot 54 RL RF 120 dB 50 SENSE:INT1 ALPHA:0.5 04:19:09 PM Jun 14, 2024 Center Freq 5.845000000 GHz PRO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg/Hold: 100/100 TRACE 3 3 4 0 TYPE: CHANNEL DEF: P1,N1,N1,N1 Frequency Auto Tune Center Freq 5.845000000 GHz Start Freq 5.825000000 GHz Stop Freq 5.865000000 GHz CF Step 4.000000 MHz Auto Freq Offset 0 Hz 10 dB/div Log Ref Offset 21 dB Ref 21.00 dBm Mkr3 5.850 000 GHz -0.621 dBm Center 5.84500 GHz #Res BW 100 kHz #VBW 300 kHz Span 40.00 MHz Sweep 4.00 ms (10001 pts) <table><tr><th>Mkr</th><th>Mode</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>5.835 844 GHz</td><td>-3.263 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>5.854 712 GHz</td><td>-2.850 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>5.850 000 GHz</td><td>-0.621 dBm</td><td></td><td></td><td></td></tr></table> 4 5 6 7 8 9 10 11 12 MISC Points changed; all traces cleared STATUS Mode:802.11ax HE20 Frequency:5845MHz Ant:Chain0 scope:NII3	Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	5.835 844 GHz	-3.263 dBm				2	N	1	f	5.854 712 GHz	-2.850 dBm				3	N	1	f	5.850 000 GHz	-0.621 dBm				Agilent Spectrum Analyzer - Screenshot 54 RL RF 120 dB 50 SENSE:INT1 ALPHA:0.5 04:19:09 PM Jun 14, 2024 Center Freq 5.845000000 GHz PRO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg/Hold: 100/100 TRACE 3 3 4 0 TYPE: CHANNEL DEF: P1,N1,N1,N1 Frequency Auto Tune Center Freq 5.845000000 GHz Start Freq 5.825000000 GHz Stop Freq 5.865000000 GHz CF Step 4.000000 MHz Auto Freq Offset 0 Hz 10 dB/div Log Ref Offset 21 dB Ref 21.00 dBm Mkr3 5.850 000 GHz -3.006 dBm Center 5.84500 GHz #Res BW 100 kHz #VBW 300 kHz Span 40.00 MHz Sweep 4.00 ms (10001 pts) <table><tr><th>Mkr</th><th>Mode</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>5.835 796 GHz</td><td>-3.308 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>5.854 616 GHz</td><td>-3.313 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>5.850 000 GHz</td><td>-3.006 dBm</td><td></td><td></td><td></td></tr></table> 4 5 6 7 8 9 10 11 12 MISC Points changed; all traces cleared STATUS Mode:802.11ax HE20 Frequency:5845MHz Ant:Chain1 scope:NII3	Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	5.835 796 GHz	-3.308 dBm				2	N	1	f	5.854 616 GHz	-3.313 dBm				3	N	1	f	5.850 000 GHz	-3.006 dBm			
Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																	
1	N	1	f	5.835 844 GHz	-3.263 dBm																																																																				
2	N	1	f	5.854 712 GHz	-2.850 dBm																																																																				
3	N	1	f	5.850 000 GHz	-0.621 dBm																																																																				
Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																	
1	N	1	f	5.835 796 GHz	-3.308 dBm																																																																				
2	N	1	f	5.854 616 GHz	-3.313 dBm																																																																				
3	N	1	f	5.850 000 GHz	-3.006 dBm																																																																				


Test Mode: 802.11n HT40

Agilent Spectrum Analyzer - Sweep 5A 1 2 3 4 5 03-39-02:194 Jun 14, 2024 SEIZE:INT1 ALIVE:ALTO 03-39-02:194 Jun 14, 2024 Center Freq 5.835000000 GHz PRO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg/Hold: 100/100 TRACE 1 2 3 4 5 TYPE: Power REF: P N N N N N Frequency Auto Tune Center Freq 5.835000000 GHz Start Freq 5.795000000 GHz Stop Freq 5.875000000 GHz CF Step 8.0000000 MHz Freq Offset 0 Hz 10 dB/div Ref Offset 21 dB Ref 21.00 dBm Mkr3 5.850 000 GHz -3.535 dBm Center 5.83500 GHz #Res BW 100 kHz #VBW 300 kHz Span 80.00 MHz Sweep 8.00 ms (10001 pts) <table><tr><th>Mkr</th><th>Mode</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>5.817 096 GHz</td><td>-6.224 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>5.853 416 GHz</td><td>-6.197 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>5.850 000 GHz</td><td>-3.535 dBm</td><td></td><td></td><td></td></tr></table> Auto Man Points changed, all traces cleared STATUS	Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	5.817 096 GHz	-6.224 dBm				2	N	1	f	5.853 416 GHz	-6.197 dBm				3	N	1	f	5.850 000 GHz	-3.535 dBm				Agilent Spectrum Analyzer - Sweep 5A 1 2 3 4 5 03-39-02:194 Jun 14, 2024 SEIZE:INT1 ALIVE:ALTO 03-39-02:194 Jun 14, 2024 Center Freq 5.835000000 GHz PRO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg/Hold: 100/100 TRACE 1 2 3 4 5 TYPE: Power REF: P N N N N N Frequency Auto Tune Center Freq 5.835000000 GHz Start Freq 5.795000000 GHz Stop Freq 5.875000000 GHz CF Step 8.0000000 MHz Freq Offset 0 Hz 10 dB/div Ref Offset 21 dB Ref 21.00 dBm Mkr3 5.850 000 GHz -4.466 dBm Center 5.83500 GHz #Res BW 100 kHz #VBW 300 kHz Span 80.00 MHz Sweep 8.00 ms (10001 pts) <table><tr><th>Mkr</th><th>Mode</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>5.817 096 GHz</td><td>-6.078 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>5.853 400 GHz</td><td>-5.948 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>5.850 000 GHz</td><td>-4.466 dBm</td><td></td><td></td><td></td></tr></table> Auto Man Points changed, all traces cleared STATUS	Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	5.817 096 GHz	-6.078 dBm				2	N	1	f	5.853 400 GHz	-5.948 dBm				3	N	1	f	5.850 000 GHz	-4.466 dBm			
Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																	
1	N	1	f	5.817 096 GHz	-6.224 dBm																																																																				
2	N	1	f	5.853 416 GHz	-6.197 dBm																																																																				
3	N	1	f	5.850 000 GHz	-3.535 dBm																																																																				
Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																	
1	N	1	f	5.817 096 GHz	-6.078 dBm																																																																				
2	N	1	f	5.853 400 GHz	-5.948 dBm																																																																				
3	N	1	f	5.850 000 GHz	-4.466 dBm																																																																				
Mode:802.11n HT40 Frequency:5835MHz Ant:Chain0 scope:NII3	Mode:802.11n HT40 Frequency:5835MHz Ant:Chain1 scope:NII3																																																																								


Test Mode: 802.11ac VHT40

Agilent Spectrum Analyzer - Sweep SA ALPHA-AUTO 04:00:33 PM Jun 14, 2024 Center Freq 5.835000000 GHz PHO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Per Avg/Hold: 100/100 TRACE 3: 3.4.1 TYPE: Measurement DEF: 100.000000 Frequency Auto Tune Center Freq 5.835000000 GHz Start Freq 5.795000000 GHz Stop Freq 5.875000000 GHz CF Step 8.000000 MHz Auto Freq Offset 0 Hz 10 dB/div Ref Offset 21 dB Ref 21.00 dBm Mkr3 5.850 000 GHz -3.762 dBm Center 5.83500 GHz #Res BW 100 kHz #VBW 300 kHz Span 80.00 MHz Sweep 8.00 ms (10001 pts) CF Step 8.000000 MHz Auto Man Freq Offset 0 Hz <table><thead><tr><th>Mkr</th><th>Mode</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>5.817 096 GHz</td><td>-6.366 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>5.853 416 GHz</td><td>-6.350 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>5.850 000 GHz</td><td>-3.762 dBm</td><td></td><td></td><td></td></tr></tbody></table> MSO Points changed; all traces cleared STATUS	Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	5.817 096 GHz	-6.366 dBm				2	N	1	f	5.853 416 GHz	-6.350 dBm				3	N	1	f	5.850 000 GHz	-3.762 dBm				Agilent Spectrum Analyzer - Sweep SA ALPHA-AUTO 04:00:34 PM Jun 14, 2024 Center Freq 5.835000000 GHz PHO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Per Avg/Hold: 100/100 TRACE 3: 3.4.1 TYPE: Measurement DEF: 100.000000 Frequency Auto Tune Center Freq 5.835000000 GHz Start Freq 5.795000000 GHz Stop Freq 5.875000000 GHz CF Step 8.000000 MHz Auto Man Freq Offset 0 Hz 10 dB/div Ref Offset 21 dB Ref 21.00 dBm Mkr3 5.850 000 GHz -4.647 dBm Center 5.83500 GHz #Res BW 100 kHz #VBW 300 kHz Span 80.00 MHz Sweep 8.00 ms (10001 pts) CF Step 8.000000 MHz Auto Man Freq Offset 0 Hz <table><thead><tr><th>Mkr</th><th>Mode</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>5.817 080 GHz</td><td>-6.551 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>5.853 416 GHz</td><td>-6.283 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>5.850 000 GHz</td><td>-4.647 dBm</td><td></td><td></td><td></td></tr></tbody></table> MSO Points changed; all traces cleared STATUS	Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	5.817 080 GHz	-6.551 dBm				2	N	1	f	5.853 416 GHz	-6.283 dBm				3	N	1	f	5.850 000 GHz	-4.647 dBm			
Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																	
1	N	1	f	5.817 096 GHz	-6.366 dBm																																																																				
2	N	1	f	5.853 416 GHz	-6.350 dBm																																																																				
3	N	1	f	5.850 000 GHz	-3.762 dBm																																																																				
Mkr	Mode	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																	
1	N	1	f	5.817 080 GHz	-6.551 dBm																																																																				
2	N	1	f	5.853 416 GHz	-6.283 dBm																																																																				
3	N	1	f	5.850 000 GHz	-4.647 dBm																																																																				
Mode:802.11ac VHT40 Frequency:5835MHz Ant:Chain0 scope:NII3	Mode:802.11ac VHT40 Frequency:5835MHz Ant:Chain1 scope:NII3																																																																								


Test Mode: 802.11ax HE40




Test Mode: 802.11ac VHT80




Test Mode: 802.11ax HE80



Test Mode: 802.11ac VHT160




Mode:802.11ac VHT160 Frequency:5815MHz Ant:Chain0
scope:NII3




Mode:802.11ac VHT160 Frequency:5815MHz Ant:Chain1
scope:NII3

Test Mode: 802.11ax HE160



Mode:802.11ax HE160 Frequency:5815MHz Ant:Chain0
scope:NII3



Mode:802.11ax HE160 Frequency:5815MHz Ant:Chain1
scope:NII3

NII4

Offset 21dB = Attenuator + Temporary antenna connector loss + Cable loss

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5845MHz
NII4	802.11a	Chain0	3.44
NII4	802.11a	Chain1	3.45
NII4	802.11n HT20	Chain0	4.06
NII4	802.11n HT20	Chain1	4.06
NII4	802.11ac VHT20	Chain0	4.04
NII4	802.11ac VHT20	Chain1	4.04
NII4	802.11ax HE20	Chain0	4.71
NII4	802.11ax HE20	Chain1	4.62

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5835MHz
NII4	802.11n HT40	Chain0	3.42
NII4	802.11n HT40	Chain1	3.40
NII4	802.11ac VHT40	Chain0	3.42
NII4	802.11ac VHT40	Chain1	3.42
NII4	802.11ax HE40	Chain0	4.06
NII4	802.11ax HE40	Chain1	4.22

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5855MHz
NII4	802.11ac VHT80	Chain0	42.78
NII4	802.11ac VHT80	Chain1	42.55
NII4	802.11ax HE80	Chain0	44.09
NII4	802.11ax HE80	Chain1	44.01

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	5815MHz
NII4	802.11ac VHT160	Chain0	42.76
NII4	802.11ac VHT160	Chain1	43.37
NII4	802.11ax HE160	Chain0	43.30
NII4	802.11ax HE160	Chain1	44.17

Transmitter Power Spectral Density

NII3

Offset 21dB = Attenuator + Temporary antenna connector loss + Cable loss


Title	Test Mode	Antenna	5845MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11a	Chain0	0	1.197
NII3	802.11a	Chain1	0	1.407
NII3	802.11n HT20	Chain0	0	0.967
NII3	802.11n HT20	Chain1	0	0.735
NII3	802.11n HT20	MIMO	0.000	3.863
NII3	802.11ac VHT20	Chain0	0	0.707
NII3	802.11ac VHT20	Chain1	0	0.896
NII3	802.11ac VHT20	MIMO	0.000	3.813
NII3	802.11ax HE20	Chain0	0	1.048
NII3	802.11ax HE20	Chain1	0	0.610
NII3	802.11ax HE20	MIMO	0.000	3.845

Title	Test Mode	Antenna	5835MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11n HT40	Chain0	0	-2.174
NII3	802.11n HT40	Chain1	0	-2.254
NII3	802.11n HT40	MIMO	0.000	0.796
NII3	802.11ac VHT40	Chain0	0	-2.330
NII3	802.11ac VHT40	Chain1	0	-2.244
NII3	802.11ac VHT40	MIMO	0.000	0.724
NII3	802.11ax HE40	Chain0	0	0.603
NII3	802.11ax HE40	Chain1	0	0.736
NII3	802.11ax HE40	MIMO	0.000	3.680


Title	Test Mode	Antenna	5855MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11ac VHT80	Chain0	0	-5.423
NII3	802.11ac VHT80	Chain1	0	-5.686
NII3	802.11ac VHT80	MIMO	0.000	-2.542
NII3	802.11ax HE80	Chain0	0	6.569
NII3	802.11ax HE80	Chain1	0	6.486
NII3	802.11ax HE80	MIMO	0.000	9.538

Title	Test Mode	Antenna	5815MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11ac VHT160	Chain0	0	-8.704
NII3	802.11ac VHT160	Chain1	0	-8.676
NII3	802.11ac VHT160	MIMO	0.000	-5.680
NII3	802.11ax HE160	Chain0	0	5.691
NII3	802.11ax HE160	Chain1	0	5.691
NII3	802.11ax HE160	MIMO	0.000	8.701


Test Mode: 802.11a




Test Mode: 802.11n HT20



Test Mode: 802.11ac VHT20



Test Mode: 802.11ax HE20



Test Mode: 802.11n HT40

