

APPENDIX B – TEST DATA OF RADIATED EMISSION


Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan

For 802.11a is ANT4 For 802.11n(HT20/HT40) 、802.11ac (VHT20/VHT40/VHT80/VHT160)、802.11ax (HE20/HE40/HE80/HE160) is ANT MIMO

Radiated Emission Band Edge

20M




Radiated Emission Band Edge


Channel No.:36

Test Mode: 802.11a


Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: H


20M




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ax
Polarization: H


40M




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: H


40M




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: H


80M




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H


160M




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: H


Partial RU
20M
Partial RU (Tone26)




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: H

40M




Partial RU (Tone26)


Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: H


80M
Partial RU (Tone26)




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H


160M
Partial RU (Tone26)




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: H



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: H

Radiated Emission

Sample Calculations

After comparison, the worst case attitude is EUT lay down

Determining Spurious Emissions Levels

For 802.11a 、802.11n(HT20/HT40) Test mode is ANT 1

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(19.87\text{dB}\mu\text{V/m}) = (39.07\text{dB}\mu\text{V}) + (-19.2\text{dB/m})$, the corresponding frequency is 53.037500MHz.

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.0375	19.87	-19.2	39.07	Vertical	40	20.13
84.126	23.8	-21.2	45	Vertical	40	16.2
143.587	27.01	-22.5	49.51	Vertical	43.5	16.49
180.35	28.02	-21.4	49.42	Vertical	43.5	15.48
392.4405	21.78	-14.5	36.28	Vertical	46	24.22
953.9735	18.47	-5	23.47	Vertical	46	27.53

For 802.11n(HT20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.534	14.38	-19	33.38	Vertical	40	25.62
84.126	23.48	-21.2	44.68	Vertical	40	16.52
150.28	27.13	-22.7	49.83	Vertical	43.5	16.37
180.35	25.34	-21.4	46.74	Vertical	43.5	18.16
497.831	21.07	-12.3	33.37	Vertical	46	24.93
997.1385	25.59	-4.7	30.29	Vertical	54	28.41

For 802.11ac(VHT20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.989	16.33	-19.2	35.53	Vertical	40	23.67
84.126	23.49	-21.2	44.69	Vertical	40	16.51
150.28	27.14	-22.7	49.84	Vertical	43.5	16.36
180.35	25.17	-21.4	46.57	Vertical	43.5	18.33
393.8955	21.55	-14.4	35.95	Vertical	46	24.45
995.441	26.49	-4.7	31.19	Vertical	54	27.51

For 802.11ax(HE20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.3585	16.93	-19.1	36.03	Vertical	40	23.07
84.126	28.76	-21.2	49.96	Vertical	40	11.24
138.252	23.45	-22.4	45.85	Vertical	43.5	20.05
180.35	23.3	-21.4	44.7	Vertical	43.5	20.2
498.898	18.21	-12.3	30.51	Vertical	46	27.79
957.3685	16.61	-5	21.61	Vertical	46	29.39

For 802.11aChannel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.183	14.3	-19.2	33.5	Vertical	40	25.7
84.126	28.76	-21.2	49.96	Vertical	40	11.24
138.252	23.7	-22.4	46.1	Vertical	43.5	19.8
180.35	23.28	-21.4	44.68	Vertical	43.5	20.22
499.8195	19.56	-12.3	31.86	Vertical	46	26.44
937.7745	16.24	-5.1	21.34	Vertical	46	29.76

For 802.11n(HT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.571	12.73	-19.3	32.03	Vertical	40	27.27
84.126	28.77	-21.2	49.97	Vertical	40	11.23
108.182	23.55	-19.7	43.25	Vertical	43.5	19.95
180.35	23.32	-21.4	44.72	Vertical	43.5	20.18
455.9755	19.57	-13.2	32.77	Vertical	46	26.43
955.574	16.56	-5	21.56	Vertical	46	29.44

For 802.11ac(VHT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.3285	11.9	-19.2	31.1	Vertical	40	28.1
84.126	28.78	-21.2	49.98	Vertical	40	11.22
138.252	23.46	-22.4	45.86	Vertical	43.5	20.04
180.35	23.52	-21.4	44.92	Vertical	43.5	19.98
455.9755	19.63	-13.2	32.83	Vertical	46	26.37
925.9405	16.46	-5.2	21.66	Vertical	46	29.54

For 802.11ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.9035	11.85	-19	30.85	Vertical	40	28.15
84.126	28.79	-21.2	49.99	Vertical	40	11.21

138.252	23.45	-22.4	45.85	Vertical	43.5	20.05
180.35	23.34	-21.4	44.74	Vertical	43.5	20.16
390.7915	18.71	-14.5	33.21	Vertical	46	27.29
918.9565	16	-5.3	21.3	Vertical	46	30

For 802.11aChannel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.83	-19.8	30.63	Vertical	40	29.17
84.126	28.8	-21.2	50	Vertical	40	11.2
108.182	23.59	-19.7	43.29	Vertical	43.5	19.91
180.35	23.27	-21.4	44.67	Vertical	43.5	20.23
499.771	18.95	-12.3	31.25	Vertical	46	27.05
914.3975	16.03	-5.3	21.33	Vertical	46	29.97

For 802.11n(HT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.5825	14.65	-19.1	33.75	Vertical	40	25.35
84.126	28.79	-21.2	49.99	Vertical	40	11.21
108.182	23.61	-19.7	43.31	Vertical	43.5	19.89
180.35	23.35	-21.4	44.75	Vertical	43.5	20.15
498.7525	17.83	-12.3	30.13	Vertical	46	28.17
927.4925	16.2	-5.2	21.4	Vertical	46	29.8

For 802.11ac(VHT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.8435	14.58	-19.2	33.78	Vertical	40	25.42
84.126	28.77	-21.2	49.97	Vertical	40	11.23
138.252	23.44	-22.4	45.84	Vertical	43.5	20.06
180.35	23.3	-21.4	44.7	Vertical	43.5	20.2
498.2675	18.24	-12.3	30.54	Vertical	46	27.76
905.8615	15.77	-5.4	21.17	Vertical	46	30.23

For 802.11ax(HE20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.3885	11.76	-19	30.76	Vertical	40	28.24
84.126	28.77	-21.2	49.97	Vertical	40	11.23
138.252	24.07	-22.4	46.47	Vertical	43.5	19.43
180.35	23.06	-21.4	44.46	Vertical	43.5	20.44
492.981	19.36	-12.4	31.76	Vertical	46	26.64
922.1575	15.97	-5.3	21.27	Vertical	46	30.03

For 802.11n(HT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.4555	15.41	-19.1	34.51	Vertical	40	24.59
84.126	28.79	-21.2	49.99	Vertical	40	11.21
138.252	23.45	-22.4	45.85	Vertical	43.5	20.05
180.35	23.06	-21.4	44.46	Vertical	43.5	20.44
455.9755	19.07	-13.2	32.27	Vertical	46	26.93
850.135	14.84	-6.3	21.14	Vertical	46	31.16

For 802.11ac(VHT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.6195	13.29	-19.3	32.59	Vertical	40	26.71
84.126	28.78	-21.2	49.98	Vertical	40	11.22
138.252	23.44	-22.4	45.84	Vertical	43.5	20.06
180.35	23.05	-21.4	44.45	Vertical	43.5	20.45
480.953	18.3	-12.6	30.9	Vertical	46	27.7
949.269	16.25	-5.1	21.35	Vertical	46	29.75

For 802.11ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.795	13.13	-19.2	32.33	Vertical	40	26.87
84.126	28.77	-21.2	49.97	Vertical	40	11.23
138.252	23.95	-22.4	46.35	Vertical	43.5	19.55
180.35	23.08	-21.4	44.48	Vertical	43.5	20.42
492.981	19.4	-12.4	31.8	Vertical	46	26.6
930.3055	16.22	-5.2	21.42	Vertical	46	29.78

For 802.11n(HT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.1345	15.37	-19.2	34.57	Vertical	40	24.63
84.126	28.77	-21.2	49.97	Vertical	40	11.23
138.252	23.46	-22.4	45.86	Vertical	43.5	20.04
180.35	23.11	-21.4	44.51	Vertical	43.5	20.39
455.9755	19.14	-13.2	32.34	Vertical	46	26.86
959.26	16.74	-5	21.74	Vertical	46	29.26

For 802.11ac(VHT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.728	14.59	-19.1	33.69	Vertical	40	25.41
84.126	28.78	-21.2	49.98	Vertical	40	11.22
138.252	23.46	-22.4	45.86	Vertical	43.5	20.04
180.35	23.09	-21.4	44.49	Vertical	43.5	20.41
492.981	19.38	-12.4	31.78	Vertical	46	26.62
952.567	16.31	-5	21.31	Vertical	46	29.69

For 802.11ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.522	9.33	-20.4	29.73	Vertical	40	30.67
84.126	28.78	-21.2	49.98	Vertical	40	11.22
138.252	24.11	-22.4	46.51	Vertical	43.5	19.39
180.35	23.09	-21.4	44.49	Vertical	43.5	20.41
492.981	19.42	-12.4	31.82	Vertical	46	26.58
916.9195	15.92	-5.3	21.22	Vertical	46	30.08

For 802.11ac(VHT80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.213	16.46	-19.1	35.56	Vertical	40	23.54
84.126	28.77	-21.2	49.97	Vertical	40	11.23
99.161	21.18	-19.5	40.68	Vertical	43.5	22.32
180.35	23.21	-21.4	44.61	Vertical	43.5	20.29
492.981	19.42	-12.4	31.82	Vertical	46	26.58
957.126	16.69	-5	21.69	Vertical	46	29.31

For 802.11ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.4255	11.46	-19.2	30.66	Vertical	40	28.54
84.126	28.79	-21.2	49.99	Vertical	40	11.21
138.252	23.46	-22.4	45.86	Vertical	43.5	20.04
180.35	23.18	-21.4	44.58	Vertical	43.5	20.32
492.981	19.42	-12.4	31.82	Vertical	46	26.58
934.234	16.29	-5.2	21.49	Vertical	46	29.71

For 802.11aChannel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.4555	15.48	-19.1	34.58	Vertical	40	24.52
84.126	28.76	-21.2	49.96	Vertical	40	11.24
138.252	23.47	-22.4	45.87	Vertical	43.5	20.03

180.35	23.19	-21.4	44.59	Vertical	43.5	20.31
455.9755	19.07	-13.2	32.27	Vertical	46	26.93
874.6275	15.4	-5.9	21.3	Vertical	46	30.6

For 802.11n(HT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.2865	14.07	-20	34.07	Vertical	40	25.93
84.1745	31.03	-21.2	52.23	Vertical	40	8.97
150.28	26.21	-22.7	48.91	Vertical	43.5	17.29
180.35	23.17	-21.4	44.57	Vertical	43.5	20.33
498.1705	17.15	-12.3	29.45	Vertical	46	28.85
997.478	25.61	-4.7	30.31	Vertical	54	28.39

For 802.11ac(VHT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.668	14.36	-19.3	33.66	Vertical	40	25.64
84.126	29.1	-21.2	50.3	Vertical	40	10.9
150.28	25.88	-22.7	48.58	Vertical	43.5	17.62
180.35	23.18	-21.4	44.58	Vertical	43.5	20.32
492.981	20.25	-12.4	32.65	Vertical	46	25.75
996.5565	25.91	-4.7	30.61	Vertical	54	28.09

For 802.11ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.88	14.76	-20.2	34.96	Vertical	40	25.24
84.126	29.12	-21.2	50.32	Vertical	40	10.88
150.28	25.85	-22.7	48.55	Vertical	43.5	17.65
180.35	23.1	-21.4	44.5	Vertical	43.5	20.4
348.6935	17.6	-15.7	33.3	Vertical	46	28.4
998.8845	26.36	-4.7	31.06	Vertical	54	27.64

For 802.11aChannel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.8135	15.53	-19.3	34.83	Vertical	40	24.47
84.126	29.12	-21.2	50.32	Vertical	40	10.88
150.28	25.84	-22.7	48.54	Vertical	43.5	17.66
180.35	23.21	-21.4	44.61	Vertical	43.5	20.29
331.9125	18.46	-16.2	34.66	Vertical	46	27.54
996.1685	26.02	-4.7	30.72	Vertical	54	27.98

For 802.11n(HT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.365	13.9	-20.1	34	Vertical	40	26.1
84.126	29.11	-21.2	50.31	Vertical	40	10.89
150.28	25.84	-22.7	48.54	Vertical	43.5	17.66
180.35	23.12	-21.4	44.52	Vertical	43.5	20.38
492.981	20.23	-12.4	32.63	Vertical	46	25.77
996.3625	25.26	-4.7	29.96	Vertical	54	28.74

For 802.11ac(VHT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.8315	14.76	-20.2	34.96	Vertical	40	25.24
84.126	29.12	-21.2	50.32	Vertical	40	10.88
150.28	25.82	-22.7	48.52	Vertical	43.5	17.68
180.35	23.14	-21.4	44.54	Vertical	43.5	20.36
343.8435	19.39	-15.9	35.29	Vertical	46	26.61
995.9745	25.96	-4.7	30.66	Vertical	54	28.04

For 802.11ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.2615	16.27	-19.1	35.37	Vertical	40	23.73
84.126	29.13	-21.2	50.33	Vertical	40	10.87
138.252	23.88	-22.4	46.28	Vertical	43.5	19.62
214.1545	13.64	-19.5	33.14	Vertical	43.5	29.86
342.6795	20.65	-15.9	36.55	Vertical	46	25.35
998.933	25.77	-4.7	30.47	Vertical	54	28.23

For 802.11aChannel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.3885	11.28	-19	30.28	Vertical	40	28.72
84.126	29.12	-21.2	50.32	Vertical	40	10.88
150.28	25.84	-22.7	48.54	Vertical	43.5	17.66
180.35	23.13	-21.4	44.53	Vertical	43.5	20.37
332.6885	18.42	-16.2	34.62	Vertical	46	27.58
998.351	25.72	-4.7	30.42	Vertical	54	28.28

For 802.11n(HT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

52.213	15.71	-19.1	34.81	Vertical	40	24.29
84.126	29.14	-21.2	50.34	Vertical	40	10.86
150.28	26.01	-22.7	48.71	Vertical	43.5	17.49
180.35	23.18	-21.4	44.58	Vertical	43.5	20.32
492.981	20.25	-12.4	32.65	Vertical	46	25.76
932.682	16.28	-5.2	21.48	Vertical	46	29.72

For 802.11ac(VHT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.28	11.9	-19.2	31.1	Vertical	40	28.1
84.126	29.11	-21.2	50.31	Vertical	40	10.89
144.6055	24.07	-22.5	46.57	Vertical	43.5	19.43
180.35	23.21	-21.4	44.61	Vertical	43.5	20.29
493.0295	19.7	-12.4	32.1	Vertical	46	26.3
954.507	16.47	-5	21.47	Vertical	46	29.53

For 802.11ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.8065	10.91	-19	29.91	Vertical	40	29.09
84.126	29.12	-21.2	50.32	Vertical	40	10.88
138.252	23.17	-22.4	45.57	Vertical	43.5	20.33
180.35	23.04	-21.4	44.44	Vertical	43.5	20.46
492.981	20.17	-12.4	32.57	Vertical	46	25.83
917.9865	16.01	-5.3	21.31	Vertical	46	29.99

For 802.11n(HT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.086	15.66	-19.2	34.86	Vertical	40	24.34
84.126	29.09	-21.2	50.29	Vertical	40	10.91
150.28	25.25	-22.7	47.95	Vertical	43.5	18.25
180.35	22.93	-21.4	44.33	Vertical	43.5	20.57
312.6095	19.93	-16.8	36.73	Vertical	46	26.07
910.081	15.92	-5.4	21.32	Vertical	46	30.08

For 802.11ac(VHT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.534	13.72	-19	32.72	Vertical	40	26.28
84.126	29.09	-21.2	50.29	Vertical	40	10.91
152.1715	22.82	-22.6	45.42	Vertical	43.5	20.68
180.35	22.93	-21.4	44.33	Vertical	43.5	20.57

492.981	20.46	-12.4	32.86	Vertical	46	25.54
924.2915	16.08	-5.3	21.38	Vertical	46	29.92

For 802.11ax(HE40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.686	13.31	-20.2	33.51	Vertical	40	26.69
84.126	29.1	-21.2	50.3	Vertical	40	10.9
144.169	24.46	-22.5	46.96	Vertical	43.5	19.04
237.677	20.27	-18.9	39.17	Vertical	46	25.73
312.6095	19.92	-16.8	36.72	Vertical	46	26.08
936.1255	16.34	-5.2	21.54	Vertical	46	29.66

For 802.11n(HT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.3585	16.23	-19.1	35.33	Vertical	40	23.77
84.126	29.09	-21.2	50.29	Vertical	40	10.91
150.28	25.14	-22.7	47.84	Vertical	43.5	18.36
180.35	22.97	-21.4	44.37	Vertical	43.5	20.53
492.981	20.54	-12.4	32.94	Vertical	46	25.46
936.7075	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ac(VHT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.8135	15.67	-19.3	34.97	Vertical	40	24.33
84.126	29.07	-21.2	50.27	Vertical	40	10.93
151.7835	21.75	-22.6	44.35	Vertical	43.5	21.75
180.35	23.01	-21.4	44.41	Vertical	43.5	20.49
492.981	20.5	-12.4	32.9	Vertical	46	25.5
891.8935	15.62	-5.7	21.32	Vertical	46	30.38

For 802.11ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.3165	14.27	-20.1	34.37	Vertical	40	25.73
84.1745	30.95	-21.2	52.15	Vertical	40	9.05
150.28	25.17	-22.7	47.87	Vertical	43.5	18.33
180.35	22.98	-21.4	44.38	Vertical	43.5	20.52
492.981	20.48	-12.4	32.88	Vertical	46	25.52
901.0115	15.89	-5.5	21.39	Vertical	46	30.11

For 802.11ac(VHT80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.31	16.35	-19.1	35.45	Vertical	40	23.65
84.126	29.05	-21.2	50.25	Vertical	40	10.95
145.6725	24.12	-22.5	46.62	Vertical	43.5	19.38
180.35	23.13	-21.4	44.53	Vertical	43.5	20.37
333.6585	19.36	-16.2	35.56	Vertical	46	26.64
937.8715	16.57	-5.1	21.67	Vertical	46	29.43

For 802.11ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.407	-2.75	-19.1	16.35	Vertical	40	42.75
84.126	12.04	-21.2	33.24	Vertical	40	27.96
150.28	12.04	-22.7	34.74	Vertical	43.5	31.46
180.35	12.21	-21.4	33.61	Vertical	43.5	31.29
333.513	12.22	-16.2	28.42	Vertical	46	33.78
909.2565	14.09	-5.4	19.49	Vertical	46	31.91

For 802.11aChannel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.7165	14.71	-19.3	34.01	Vertical	40	25.29
84.126	29.08	-21.2	50.28	Vertical	40	10.92
150.28	25.14	-22.7	47.84	Vertical	43.5	18.36
180.35	23.05	-21.4	44.45	Vertical	43.5	20.45
492.981	20.51	-12.4	32.91	Vertical	46	25.49
955.4285	16.64	-5	21.64	Vertical	46	29.36

For 802.11n(HT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.559	13.67	-20.1	33.77	Vertical	40	26.33
84.126	29.08	-21.2	50.28	Vertical	40	10.92
145.624	23.96	-22.5	46.46	Vertical	43.5	19.54
180.35	23.06	-21.4	44.46	Vertical	43.5	20.44
492.981	20.55	-12.4	32.95	Vertical	46	25.45
745.5205	18.29	-8	26.29	Vertical	46	27.71

For 802.11ac(VHT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.0375	15.97	-19.2	35.17	Vertical	40	24.03

84.126	29.08	-21.2	50.28	Vertical	40	10.92
146.109	23.13	-22.5	45.63	Vertical	43.5	20.37
180.35	23.07	-21.4	44.47	Vertical	43.5	20.43
492.981	20.55	-12.4	32.95	Vertical	46	25.45
997.963	21.42	-4.7	26.12	Vertical	54	32.58

For 802.11ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.3835	14.44	-19.9	34.34	Vertical	40	25.56
84.126	29.07	-21.2	50.27	Vertical	40	10.93
138.252	22.97	-22.4	45.37	Vertical	43.5	20.53
180.35	23.02	-21.4	44.42	Vertical	43.5	20.48
333.8525	19.97	-16.2	36.17	Vertical	46	26.03
959.9875	16.97	-5	21.97	Vertical	46	29.03

For 802.11aChannel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.589	13.49	-20.3	33.79	Vertical	40	26.51
84.126	29.08	-21.2	50.28	Vertical	40	10.92
138.252	22.97	-22.4	45.37	Vertical	43.5	20.53
180.35	23.21	-21.4	44.61	Vertical	43.5	20.29
492.981	20.51	-12.4	32.91	Vertical	46	25.49
997.8175	21.89	-4.7	26.59	Vertical	54	32.11

For 802.11n(HT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.31	16.37	-19.1	35.47	Vertical	40	23.63
84.126	29.08	-21.2	50.28	Vertical	40	10.92
145.5755	23.73	-22.5	46.23	Vertical	43.5	19.77
180.35	23.06	-21.4	44.46	Vertical	43.5	20.44
492.981	20.52	-12.4	32.92	Vertical	46	25.48
958.3385	16.75	-5	21.75	Vertical	46	29.25

For 802.11ac(VHT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.571	12.52	-19.3	31.82	Vertical	40	27.48
84.126	29.07	-21.2	50.27	Vertical	40	10.93
145.624	24.14	-22.5	46.64	Vertical	43.5	19.36
180.35	23.13	-21.4	44.53	Vertical	43.5	20.37
492.981	20.53	-12.4	32.93	Vertical	46	25.47

927.9775	16.24	-5.2	21.44	Vertical	46	29.76
----------	-------	------	-------	----------	----	-------

For 802.11ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.571	12.41	-19.3	31.71	Vertical	40	27.59
84.126	29.09	-21.2	50.29	Vertical	40	10.91
150.28	24.97	-22.7	47.67	Vertical	43.5	18.53
180.35	23.05	-21.4	44.45	Vertical	43.5	20.45
333.4645	19.55	-16.2	35.75	Vertical	46	26.45
795.6695	14.23	-7.2	21.43	Vertical	46	31.77

For 802.11aChannel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.2195	14.15	-20.1	34.25	Vertical	40	25.85
84.126	29.07	-21.2	50.27	Vertical	40	10.93
138.252	22.97	-22.4	45.37	Vertical	43.5	20.53
180.35	23.05	-21.4	44.45	Vertical	43.5	20.45
343.407	15.78	-15.9	31.68	Vertical	46	30.22
913.767	16.16	-5.3	21.46	Vertical	46	29.84

For 802.11n(HT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.1225	13.73	-20.2	33.93	Vertical	40	26.27
84.126	29.1	-21.2	50.3	Vertical	40	10.9
144.848	23.92	-22.5	46.42	Vertical	43.5	19.58
180.35	23.07	-21.4	44.47	Vertical	43.5	20.43
333.513	20.32	-16.2	36.52	Vertical	46	25.68
901.448	15.89	-5.5	21.39	Vertical	46	30.11

For 802.11ac(VHT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.5825	13.71	-19.1	32.81	Vertical	40	26.29
84.126	29.08	-21.2	50.28	Vertical	40	10.92
144.8965	24.4	-22.5	46.9	Vertical	43.5	19.1
180.35	23.12	-21.4	44.52	Vertical	43.5	20.38
492.981	20.57	-12.4	32.97	Vertical	46	25.43
941.509	16.36	-5.1	21.46	Vertical	46	29.64

For 802.11ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
34.2195	6.64	-20.1	26.74	Vertical	40	33.36
84.126	29.19	-21.2	50.39	Vertical	40	10.81
150.28	22.86	-22.7	45.56	Vertical	43.5	20.64
180.35	22.37	-21.4	43.77	Vertical	43.5	21.13
492.981	20.26	-12.4	32.66	Vertical	46	25.74
893.106	15.66	-5.7	21.36	Vertical	46	30.34

For 802.11n(HT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.6375	6.27	-20.2	26.47	Vertical	40	33.73
84.126	29.19	-21.2	50.39	Vertical	40	10.81
138.252	22.69	-22.4	45.09	Vertical	43.5	20.81
180.35	22.37	-21.4	43.77	Vertical	43.5	21.13
492.981	20.25	-12.4	32.65	Vertical	46	25.75
922.206	16.07	-5.3	21.37	Vertical	46	29.93

For 802.11ac(VHT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.5	-19.8	30.3	Vertical	40	29.5
84.126	29.14	-21.2	50.34	Vertical	40	10.86
138.252	22.66	-22.4	45.06	Vertical	43.5	20.84
180.35	22.32	-21.4	43.72	Vertical	43.5	21.18
493.0295	19.84	-12.4	32.24	Vertical	46	26.16
912.991	16.01	-5.3	21.31	Vertical	46	29.99

For 802.11ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.42	-19.8	30.22	Vertical	40	29.58
84.126	29.11	-21.2	50.31	Vertical	40	10.89
138.252	22.63	-22.4	45.03	Vertical	43.5	20.87
180.35	22.33	-21.4	43.73	Vertical	43.5	21.17
492.981	19.99	-12.4	32.39	Vertical	46	26.01
884.376	15.36	-5.8	21.16	Vertical	46	30.64

For 802.11n(HT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.042	8.25	-18.9	27.15	Vertical	40	31.75
84.126	29.12	-21.2	50.32	Vertical	40	10.88
108.182	23.18	-19.7	42.88	Vertical	43.5	20.32

180.35	22.31	-21.4	43.71	Vertical	43.5	21.19
312.6095	19.47	-16.8	36.27	Vertical	46	26.53
877.683	15.35	-5.9	21.25	Vertical	46	30.65

For 802.11ac(VHT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.51	-19.8	30.31	Vertical	40	29.49
84.126	29.07	-21.2	50.27	Vertical	40	10.93
138.252	22.66	-22.4	45.06	Vertical	43.5	20.84
180.35	22.29	-21.4	43.69	Vertical	43.5	21.21
492.981	19.9	-12.4	32.3	Vertical	46	26.1
957.3685	16.12	-5	21.12	Vertical	46	29.88

For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.0905	10.29	-18.9	29.19	Vertical	40	29.71
84.126	29.1	-21.2	50.3	Vertical	40	10.9
99.161	21.48	-19.5	40.98	Vertical	43.5	22.02
180.35	22.3	-21.4	43.7	Vertical	43.5	21.2
492.981	19.9	-12.4	32.3	Vertical	46	26.1
896.1615	15.74	-5.6	21.34	Vertical	46	30.26

For 802.11n(HT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.25	-19.8	30.05	Vertical	40	29.75
84.126	29.1	-21.2	50.3	Vertical	40	10.9
150.28	22.67	-22.7	45.37	Vertical	43.5	20.83
180.35	22.32	-21.4	43.72	Vertical	43.5	21.18
492.981	19.87	-12.4	32.27	Vertical	46	26.13
920.9935	16.17	-5.3	21.47	Vertical	46	29.83

For 802.11ac(VHT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.24	-19.8	30.04	Vertical	40	29.76
84.126	29.09	-21.2	50.29	Vertical	40	10.91
138.252	22.64	-22.4	45.04	Vertical	43.5	20.86
180.35	22.38	-21.4	43.78	Vertical	43.5	21.12
492.981	20.05	-12.4	32.45	Vertical	46	25.95
913.961	16.03	-5.3	21.33	Vertical	46	29.97

For 802.11ax(HE40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.23	-19.8	30.03	Vertical	40	29.77
84.126	29.06	-21.2	50.26	Vertical	40	10.94
150.28	22.6	-22.7	45.3	Vertical	43.5	20.9
180.35	22.31	-21.4	43.71	Vertical	43.5	21.19
492.981	19.77	-12.4	32.17	Vertical	46	26.23
952.179	16.18	-5	21.18	Vertical	46	29.82

For 802.11ac(VHT80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.23	-19.8	30.03	Vertical	40	29.77
84.126	29.08	-21.2	50.28	Vertical	40	10.92
138.252	22.69	-22.4	45.09	Vertical	43.5	20.81
180.35	22.33	-21.4	43.73	Vertical	43.5	21.17
492.981	19.83	-12.4	32.23	Vertical	46	26.17
937.532	16.25	-5.1	21.35	Vertical	46	29.75

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.26	-19.8	30.06	Vertical	40	29.74
84.126	29.09	-21.2	50.29	Vertical	40	10.91
138.252	22.68	-22.4	45.08	Vertical	43.5	20.82
180.35	22.37	-21.4	43.77	Vertical	43.5	21.13
492.981	19.88	-12.4	32.28	Vertical	46	26.12
936.368	16.2	-5.1	21.3	Vertical	46	29.8

For 802.11ac(VHT80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.462	6.82	-20.1	26.92	Vertical	40	33.18
84.126	29.09	-21.2	50.29	Vertical	40	10.91
99.161	21.53	-19.5	41.03	Vertical	43.5	21.97
180.35	22.39	-21.4	43.79	Vertical	43.5	21.11
492.981	19.96	-12.4	32.36	Vertical	46	26.04
928.22	16.26	-5.2	21.46	Vertical	46	29.74

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

52.31	6.25	-19.1	25.35	Vertical	40	33.75
84.126	29.1	-21.2	50.3	Vertical	40	10.9
150.28	22.69	-22.7	45.39	Vertical	43.5	20.81
180.35	22.54	-21.4	43.94	Vertical	43.5	20.96
492.981	19.97	-12.4	32.37	Vertical	46	26.03
939.5205	16.34	-5.1	21.44	Vertical	46	29.66

For 802.11ac(VHT80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.19	-19.8	29.99	Vertical	40	29.81
84.126	29.06	-21.2	50.26	Vertical	40	10.94
138.252	23.37	-22.4	45.77	Vertical	43.5	20.13
180.35	22.42	-21.4	43.82	Vertical	43.5	21.08
493.0295	19.81	-12.4	32.21	Vertical	46	26.19
891.651	15.61	-5.7	21.31	Vertical	46	30.39

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.21	-19.8	30.01	Vertical	40	29.79
84.126	29.09	-21.2	50.29	Vertical	40	10.91
138.252	22.68	-22.4	45.08	Vertical	43.5	20.82
180.35	22.46	-21.4	43.86	Vertical	43.5	21.04
492.981	19.99	-12.4	32.39	Vertical	46	26.01
943.2065	16.28	-5.1	21.38	Vertical	46	29.72

For 802.11aChannel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.25	-19.8	30.05	Vertical	40	29.75
84.126	29.1	-21.2	50.3	Vertical	40	10.9
99.161	21.55	-19.5	41.05	Vertical	43.5	21.95
180.35	22.44	-21.4	43.84	Vertical	43.5	21.06
492.981	20.03	-12.4	32.43	Vertical	46	25.97
943.7885	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11n(HT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.042	8.14	-18.9	27.04	Vertical	40	31.86
84.126	29.12	-21.2	50.32	Vertical	40	10.88
99.161	21.54	-19.5	41.04	Vertical	43.5	21.96
180.35	22.59	-21.4	43.99	Vertical	43.5	20.91

492.981	20.03	-12.4	32.43	Vertical	46	25.97
925.9405	16.56	-5.2	21.76	Vertical	46	29.44

For 802.11ac(VHT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.23	-19.8	30.03	Vertical	40	29.77
84.126	29.11	-21.2	50.31	Vertical	40	10.89
138.252	22.67	-22.4	45.07	Vertical	43.5	20.83
180.35	22.43	-21.4	43.83	Vertical	43.5	21.07
492.981	20.06	-12.4	32.46	Vertical	46	25.94
936.271	16.27	-5.1	21.37	Vertical	46	29.73

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.28	-19.8	30.08	Vertical	40	29.72
84.126	29.12	-21.2	50.32	Vertical	40	10.88
150.28	22.67	-22.7	45.37	Vertical	43.5	20.83
180.35	22.42	-21.4	43.82	Vertical	43.5	21.08
492.981	20.07	-12.4	32.47	Vertical	46	25.93
854.403	14.96	-6.2	21.16	Vertical	46	31.04

For 802.11aChannel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.25	-19.8	30.05	Vertical	40	29.75
84.126	29.1	-21.2	50.3	Vertical	40	10.9
150.28	22.66	-22.7	45.36	Vertical	43.5	20.84
180.35	22.43	-21.4	43.83	Vertical	43.5	21.07
492.981	20.05	-12.4	32.45	Vertical	46	25.95
929.7235	16.08	-5.2	21.28	Vertical	46	29.92

For 802.11n(HT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.042	8.09	-18.9	26.99	Vertical	40	31.91
84.1745	30.97	-21.2	52.17	Vertical	40	9.03
108.182	23.17	-19.7	42.87	Vertical	43.5	20.33
180.35	22.44	-21.4	43.84	Vertical	43.5	21.06
492.981	20.1	-12.4	32.5	Vertical	46	25.91
920.46	16.18	-5.3	21.48	Vertical	46	29.82

For 802.11ac(VHT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.042	8.13	-18.9	27.03	Vertical	40	31.87
84.126	29.11	-21.2	50.31	Vertical	40	10.89
99.161	21.53	-19.5	41.03	Vertical	43.5	21.97
180.35	22.44	-21.4	43.84	Vertical	43.5	21.06
492.981	20.09	-12.4	32.49	Vertical	46	25.91
920.46	16.19	-5.3	21.49	Vertical	46	29.81

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.141	5.98	-20	25.98	Vertical	40	34.02
84.126	29.09	-21.2	50.29	Vertical	40	10.91
150.28	22.64	-22.7	45.34	Vertical	43.5	20.86
180.35	22.47	-21.4	43.87	Vertical	43.5	21.03
492.981	20.12	-12.4	32.52	Vertical	46	25.88
901.836	16.08	-5.5	21.58	Vertical	46	29.92

For 802.11aChannel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.24	-19.8	30.04	Vertical	40	29.76
84.126	29.1	-21.2	50.3	Vertical	40	10.9
138.252	22.63	-22.4	45.03	Vertical	43.5	20.87
180.35	22.46	-21.4	43.86	Vertical	43.5	21.04
492.981	20.09	-12.4	32.49	Vertical	46	25.91
931.518	16.26	-5.2	21.46	Vertical	46	29.74

For 802.11n(HT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.23	-19.8	30.03	Vertical	40	29.77
84.126	29.09	-21.2	50.29	Vertical	40	10.91
138.252	23.45	-22.4	45.85	Vertical	43.5	20.05
180.35	22.48	-21.4	43.88	Vertical	43.5	21.02
492.981	20.1	-12.4	32.5	Vertical	46	25.9
956.156	16.21	-5	21.21	Vertical	46	29.79

For 802.11ac(VHT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.25	-19.8	30.05	Vertical	40	29.75

84.126	29.12	-21.2	50.32	Vertical	40	10.88
138.252	22.64	-22.4	45.04	Vertical	43.5	20.86
180.35	22.5	-21.4	43.9	Vertical	43.5	21
492.981	20.11	-12.4	32.51	Vertical	46	25.89
904.649	15.82	-5.5	21.32	Vertical	46	30.18

For 802.11ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.27	-19.8	30.07	Vertical	40	29.73
84.126	29.11	-21.2	50.31	Vertical	40	10.89
150.28	22.69	-22.7	45.39	Vertical	43.5	20.81
180.35	22.51	-21.4	43.91	Vertical	43.5	20.99
492.981	20.12	-12.4	32.52	Vertical	46	25.88
908.5775	16.05	-5.4	21.45	Vertical	46	29.95

For 802.11n(HT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.22	-19.8	30.02	Vertical	40	29.78
84.126	29.11	-21.2	50.31	Vertical	40	10.89
111.189	21.19	-19.8	40.99	Vertical	43.5	22.31
180.35	22.49	-21.4	43.89	Vertical	43.5	21.01
492.981	20.13	-12.4	32.53	Vertical	46	25.87
910.9055	15.9	-5.4	21.3	Vertical	46	30.1

For 802.11ac(VHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.26	-19.8	30.06	Vertical	40	29.74
84.126	29.09	-21.2	50.29	Vertical	40	10.91
138.252	22.69	-22.4	45.09	Vertical	43.5	20.81
180.35	22.52	-21.4	43.92	Vertical	43.5	20.98
492.981	20.12	-12.4	32.52	Vertical	46	25.88
745.5205	18.33	-8	26.33	Vertical	46	27.67

For 802.11ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.042	8.07	-18.9	26.97	Vertical	40	31.93
84.126	29.11	-21.2	50.31	Vertical	40	10.89
150.28	22.59	-22.7	45.29	Vertical	43.5	20.91
180.35	22.53	-21.4	43.93	Vertical	43.5	20.97
492.981	20.12	-12.4	32.52	Vertical	46	25.88

929.772	16.22	-5.2	21.42	Vertical	46	29.78
---------	-------	------	-------	----------	----	-------

For 802.11n(HT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	19.33	-18.9	38.23	Vertical	40	20.67
71.9525	9.26	-22.2	31.46	Vertical	40	30.74
148.0005	10.91	-22.6	33.51	Vertical	43.5	32.59
199.9925	17.58	-19.9	37.48	Vertical	43.5	25.92
436.333	23.68	-13.5	37.18	Vertical	46	22.32
744.017	19.03	-8.1	27.13	Vertical	46	26.97

For 802.11ac(VHT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.27	-19.8	30.07	Vertical	40	29.73
84.126	29.1	-21.2	50.3	Vertical	40	10.9
99.161	21.52	-19.5	41.02	Vertical	43.5	21.98
180.35	22.53	-21.4	43.93	Vertical	43.5	20.97
480.953	17.99	-12.6	30.59	Vertical	46	28.01
951.306	16.24	-5.1	21.34	Vertical	46	29.76

For 802.11ax(HE40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	10.25	-19.8	30.05	Vertical	40	29.75
84.126	29.11	-21.2	50.31	Vertical	40	10.89
111.189	21.2	-19.8	41	Vertical	43.5	22.3
180.35	22.54	-21.4	43.94	Vertical	43.5	20.96
492.981	20.14	-12.4	32.54	Vertical	46	25.86
935.3495	16.35	-5.2	21.55	Vertical	46	29.65

For 802.11ac(VHT80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
40.282	5.34	-19.1	24.44	Vertical	40	34.66
59.2455	4.82	-19.8	24.62	Vertical	40	35.18
117.5425	4.53	-20.3	24.83	Vertical	43.5	38.97
214.009	4.09	-19.5	23.59	Vertical	43.5	39.41
497.4915	10.09	-12.3	22.39	Vertical	46	35.91
947.62	16.14	-5.1	21.24	Vertical	46	29.86

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.6655	6.11	-18.9	25.01	Vertical	40	33.89
62.786	3.4	-20.6	24	Vertical	40	36.6
110.316	4.87	-19.7	24.57	Vertical	43.5	38.63
212.1175	3.97	-19.5	23.47	Vertical	43.5	39.53
496.2305	10.02	-12.3	22.32	Vertical	46	35.98
928.802	16.08	-5.2	21.28	Vertical	46	29.92

For 802.11ac(VHT160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.5545	5.82	-19.2	25.02	Vertical	40	34.18
57.3055	5.21	-19.6	24.81	Vertical	40	34.79
133.984	2.25	-22.1	24.35	Vertical	43.5	41.25
269.6385	5.42	-17.9	23.32	Vertical	46	40.58
550.114	11.13	-11.1	22.23	Vertical	46	34.87
956.8835	16.12	-5	21.12	Vertical	46	29.88

For 802.11ax(HE160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.0975	5.93	-19	24.93	Vertical	40	34.07
87.0845	3.46	-20.6	24.06	Vertical	40	36.54
98.191	5.21	-19.5	24.71	Vertical	43.5	38.29
212.651	4.03	-19.5	23.53	Vertical	43.5	39.47
530.035	11	-11.6	22.6	Vertical	46	35
933.458	16.16	-5.2	21.36	Vertical	46	29.84

For 802.11ac(VHT160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.9705	5.96	-19.1	25.06	Vertical	40	34.04
56.966	4.95	-19.6	24.55	Vertical	40	35.05
112.6925	4	-19.9	23.9	Vertical	43.5	39.5
300.2905	6.08	-17.1	23.18	Vertical	46	39.92
523.342	10.83	-11.8	22.63	Vertical	46	35.17
947.5715	16.17	-5.1	21.27	Vertical	46	29.83

For 802.11ax(HE160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.684	5.43	-18.9	24.33	Vertical	40	34.57
57.16	5.17	-19.6	24.77	Vertical	40	34.83
97.5605	5.16	-19.6	24.76	Vertical	43.5	38.34
192.863	3.31	-20.3	23.61	Vertical	43.5	40.19
552.248	11.13	-11.1	22.23	Vertical	46	34.87

957.611	16.11	-5	21.11	Vertical	46	29.89
---------	-------	----	-------	----------	----	-------

Sample calculation: $(30.52\text{dB}\mu\text{V/m}) = (50.92\text{dB}\mu\text{V}) + (-20.4\text{dB/m})$, the corresponding frequency is 31.7945MHz.

For 802.11aChannel No.:173

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	30.52	-20.40	50.92	Vertical	40	9.48
84.126	32.14	-20.90	53.04	Vertical	40	7.86
138.252	27.15	-21.80	48.95	Vertical	43.5	16.35
199.9925	21.37	-19.30	40.67	Vertical	43.5	22.13
503.9905	19.54	-10.90	30.44	Vertical	46	26.46
721.4645	20.01	-6.90	26.91	Vertical	46	25.99

For 802.11n(HT20)Channel No.:173

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.358	30.16	-20.40	50.56	Vertical	40	9.84
84.126	32.08	-20.90	52.98	Vertical	40	7.92
138.252	27.15	-21.80	48.95	Vertical	43.5	16.35
263.964	22.44	-17.30	39.74	Vertical	46	23.56
541.093	19.17	-10.00	29.17	Vertical	46	26.83
831.608	16.51	-4.90	21.41	Vertical	46	29.49

For 802.11ac(VHT20)Channel No.:173

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.8915	30.37	-20.40	50.77	Vertical	40	9.63
84.126	32.14	-20.90	53.04	Vertical	40	7.86
138.252	27.14	-21.80	48.94	Vertical	43.5	16.36
199.9925	21.31	-19.30	40.61	Vertical	43.5	22.19
503.9905	19.49	-10.90	30.39	Vertical	46	26.51
932.585	17.97	-3.30	21.27	Vertical	46	28.03

For 802.11ax(HE20)Channel No.:173

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6975	30.54	-20.40	50.94	Vertical	40	9.46
84.126	32.13	-20.90	53.03	Vertical	40	7.87
138.252	27.13	-21.80	48.93	Vertical	43.5	16.37
199.9925	21.31	-19.30	40.61	Vertical	43.5	22.19
503.9905	19.52	-10.90	30.42	Vertical	46	26.48
750.031	15.16	-6.30	21.46	Vertical	46	30.84

For 802.11aChannel No.:177

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.5035	30.35	-20.40	50.75	Vertical	40	9.65
84.126	32.14	-20.90	53.04	Vertical	40	7.86

138.252	27.19	-21.80	48.99	Vertical	43.5	16.31
263.964	22.8	-17.30	40.1	Vertical	46	23.2
312.6095	18.54	-15.80	34.34	Vertical	46	27.46
926.571	17.93	-3.40	21.33	Vertical	46	28.07

For 802.11n(HT20)Channel No.:177

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6005	30.36	-20.40	50.76	Vertical	40	9.64
84.126	32.13	-20.90	53.03	Vertical	40	7.87
138.252	28.15	-21.80	49.95	Vertical	43.5	15.35
263.964	22.4	-17.30	39.7	Vertical	46	23.6
503.9905	19.52	-10.90	30.42	Vertical	46	26.48
932.1485	17.92	-3.30	21.22	Vertical	46	28.08

For 802.11ac(VHT20)Channel No.:177

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.1155	30.21	-20.50	50.71	Vertical	40	9.79
84.126	32.15	-20.90	53.05	Vertical	40	7.85
138.252	27.14	-21.80	48.94	Vertical	43.5	16.36
199.9925	21.28	-19.30	40.58	Vertical	43.5	22.22
503.9905	19.5	-10.90	30.4	Vertical	46	26.5
791.9835	20.55	-5.70	26.25	Vertical	46	25.45

For 802.11ax(HE20)Channel No.:177

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.261	30.33	-20.40	50.73	Vertical	40	9.67
84.126	32.15	-20.90	53.05	Vertical	40	7.85
138.252	27.13	-21.80	48.93	Vertical	43.5	16.37
199.9925	21.29	-19.30	40.59	Vertical	43.5	22.21
436.333	18.58	-12.40	30.98	Vertical	46	27.42
917.259	17.66	-3.40	21.06	Vertical	46	28.34

For 802.11n(HT40)Channel No.:175

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	30.49	-20.40	50.89	Vertical	40	9.51
84.126	32.17	-20.90	53.07	Vertical	40	7.83
138.252	27.13	-21.80	48.93	Vertical	43.5	16.37
199.9925	21.24	-19.30	40.54	Vertical	43.5	22.26
503.9905	19.5	-10.90	30.4	Vertical	46	26.5

948.3475	17.87	-3.20	21.07	Vertical	46	28.13
----------	-------	-------	-------	----------	----	-------


For 802.11ac(VHT40)Channel No.:175

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.843	30.53	-20.40	50.93	Vertical	40	9.47
84.126	32.14	-20.90	53.04	Vertical	40	7.86
138.252	27.15	-21.80	48.95	Vertical	43.5	16.35
199.9925	21.87	-19.30	41.17	Vertical	43.5	21.63
503.9905	19.69	-10.90	30.59	Vertical	46	26.31
952.955	17.86	-3.20	21.06	Vertical	46	28.14

For 802.11ax(HE40)Channel No.:175

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6005	30.36	-20.40	50.76	Vertical	40	9.64
84.126	32.12	-20.90	53.02	Vertical	40	7.88
138.252	27.1	-21.80	48.9	Vertical	43.5	16.4
199.9925	21.31	-19.30	40.61	Vertical	43.5	22.19
503.9905	19.44	-10.90	30.34	Vertical	46	26.56
933.749	17.91	-3.30	21.21	Vertical	46	28.09

Full Spectrum




Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.


Carrier frequency (MHz): 5180
Channel No.:36




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11a



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11n(HT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54


Comment

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5200
Channel No.44




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11a



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11n(HT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5240


Channel No.:48




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11a



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11n(HT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5190


Channel No.:38




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11n(HT40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)