

Report Number: F690501/RF-RTL007647-2 Page: 61 of 155

5. Peak-Average Ratio


5.1. Limit

§24.232(d) Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

§27.50(d)(5), Equipment employed must be authorized in accordance with the provisions of §24.51. Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (d)(6) of this section. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

5.2. Test Procedure

- 1. The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.
- 2. The CCDF function of the spectrum analyzer was set.
- 3. PAR was measured with spectrum analyzer for each channel.



5.2.1 Actual equipment used for Peak-Average Ratio

5.2.1 Actual equipment used for 1 can-Average Natio								
Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Interval	Cal. Due.		
Spectrum Analyzer	Agilent	N9030A	US51350132	Oct. 08, 2013	Annual	Oct. 08, 2014		
Spectrum Analyzer	R&S	FSV30	100768	Mar. 27, 2014	Annual	Mar. 27, 2015		
Mobile Test Unit	Agilent	E5515C	GB43345198	Mar. 28, 2014	Annual	Mar. 28, 2015		
Mobile Test Unit	R&S	CMW500	144035	Mar. 03, 2014	Annual	Mar. 03, 2015		
Directional Coupler	KRYTAR	152613	140972	Jun. 07, 2013	Annual	Jun. 07, 2014		
Attenuator	MCLI	FAS-12-10	1	Jun. 19, 2013	Annual	Jun. 19, 2014		
DC Power Supply	Agilent	U8002A	MY50060028	Mar. 27, 2014	Annual	Mar. 27, 2015		

Note:

- Mobile test unit(E5515C) is used to test for GSM 850 & 1900
- Mobile test unit(CMW500) is used to test for WCDMA 850 & 1900 and LTE band 7



Report Number: F690501/RF-RTL007647-2 Page: 62 of 155

5.3 Test Results

Ambient temperature : (24 ± 2) °C Relative humidity : 47 % R.H.

Please refer to the following plots.

Band	Mode	Frequency (MHz)	PAR (dB)
GSM1900	GSM Voice	1 850.2	0.55
		1 880.0	0.56
	VOICE	1 909.8	0.57
	EDGE	1 850.2	0.64
WCDMA1900	12.2 kbps (RMC)	1 852.4	3.62
		1 880.0	3.54
		1 907.6	3.55
	QPSK	2 502.5	5.72
LTE 7 (5 MHz)		2 535.0	5.90
		2 567.5	6.13
	QPSK	2 505.0	5.87
LTE 7 (10 MHz)		2 535.0	6.06
		2 565.0	5.98
	QPSK	2 507.5	6.14
LTE 7 (15 MHz)		2 535.0	6.36
		2 562.5	6.21
	QPSK	2 510.0	6.03
LTE 7 (20 MHz)		2 535.0	6.10
		2 560.0	5.84
LTE 7 (5 MHz)	16QAM	2 502.5	6.75
		2 535.0	7.03
		2 567.5	7.45
	16QAM	2 505.0	6.95
LTE 7 (10 MHz)		2 535.0	7.08
		2 565.0	7.06
	16QAM	2 507.5	7.02
LTE 7 (15 MHz)		2 535.0	7.32
		2 562.5	7.37
	16QAM	2 510.0	7.46
LTE 7 (20 MHz)		2 535.0	7.01
		2 560.0	7.08



Report Number: F690501/RF-RTL007647-2 Page: 63 of 155

Peak-Average Ratio

GSM1900 Low Channel



Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 64 of 155

High Channel



GSM1900 EDGE Low Channel





Report Number: F690501/RF-RTL007647-2 Page: 65 of 155

WCDMA1900

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 66 of 155







Report Number: F690501/RF-RTL007647-2 Page: 67 of 155

LTE band 7 (5 MHz - QPSK_RB 25)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 68 of 155







Report Number: F690501/RF-RTL007647-2 Page: 69 of 155

LTE band 7 (10 MHz - QPSK_RB 50)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 70 of 155







Report Number: F690501/RF-RTL007647-2 Page: 71 of 155

LTE band 7 (15 MHz - QPSK_RB 75)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 72 of 155







Report Number: F690501/RF-RTL007647-2 Page: 73 of 155

LTE band 7 (20 MHz - QPSK_RB 100)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 74 of 155







Report Number: F690501/RF-RTL007647-2 Page: 75 of 155

LTE band 7 (5 MHz - 16QAM_RB 25)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 76 of 155







Report Number: F690501/RF-RTL007647-2 Page: 77 of 155

LTE band 7 (10 MHz - 16QAM_RB 50)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 78 of 155







Report Number: F690501/RF-RTL007647-2 Page: 79 of 155

LTE band 7 (15 MHz - 16QAM_RB 75)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 80 of 155







Report Number: F690501/RF-RTL007647-2 Page: 81 of 155

LTE band 7 (20 MHz - 16QAM_RB 100)

Low Channel



Middle Channel





Report Number: F690501/RF-RTL007647-2 Page: 82 of 155

