

Plot 7-109. Occupied Bandwidth Plot (NR Band n2 - 5.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-110. Occupied Bandwidth Plot (NR Band n2 - 5.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-111. Occupied Bandwidth Plot (NR Band n2 - 5.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-112. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-113. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz CP-OFDM QPSK - Full RB)

Plot 7-114. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-115. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-116. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-117. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-118. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz CP-OFDM QPSK - Full RB)



Plot 7-119. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz CP-OFDM 16QAM - Full RB)

Plot 7-120. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-121. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-122. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-123. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz CP-OFDM QPSK - Full RB)



Plot 7-124. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-125. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz CP-OFDM 64QAM - Full RB)

Plot 7-126. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz CP-OFDM 256QAM - Full RB)

Band 30



Plot 7-127. Occupied Bandwidth Plot (Band 30 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-128. Occupied Bandwidth Plot (Band 30 - 5.0MHz 16-QAM - Full RB Configuration)



Plot 7-129. Occupied Bandwidth Plot (Band 30 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-130. Occupied Bandwidth Plot (Band 30 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-131. Occupied Bandwidth Plot (Band 30 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-132. Occupied Bandwidth Plot (Band 30 - 10.0MHz 64-QAM - Full RB Configuration)

Band 41

Plot 7-133. Occupied Bandwidth Plot (Band 41 – 5.0MHz QPSK - Full RB Configuration)

Plot 7-134. Occupied Bandwidth Plot (Band 41 – 5.0MHz 16-QAM - Full RB Configuration)



Plot 7-135. Occupied Bandwidth Plot (Band 41 – 5.0MHz 64-QAM - Full RB Configuration)

Plot 7-136. Occupied Bandwidth Plot (Band 41 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-137. Occupied Bandwidth Plot (Band 41 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-138. Occupied Bandwidth Plot (Band 41 - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-139. Occupied Bandwidth Plot (Band 41 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-140. Occupied Bandwidth Plot (Band 41 - 15.0MHz 16-QAM - Full RB Configuration)



Plot 7-141. Occupied Bandwidth Plot (Band 41 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-142. Occupied Bandwidth Plot (Band 41 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-143. Occupied Bandwidth Plot (Band 41 - 20.0MHz 16-QAM - Full RB Configuration)



Plot 7-144. Occupied Bandwidth Plot (Band 41 - 20.0MHz 64-QAM - Full RB Configuration)

7.3 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + 10 $log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Band 12



Plot 7-145. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-146. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

Plot 7-147. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-148. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-149. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-150. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-151. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-152. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-153. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

Band 13



Plot 7-154. Conducted Spurious Plot (Band 13 - 10.0MHz QPSK - RB Size 1, RB Offset 0)



Plot 7-155. Conducted Spurious Plot (Band 13 - 10.0MHz QPSK - RB Size 1, RB Offset 0)

Plot 7-156. Conducted Spurious Plot (Band 13 - 10.0MHz QPSK - RB Size 1, RB Offset 0)

Band 5



Plot 7-157. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-158. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-159. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-160. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-161. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

Plot 7-162. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-163. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-164. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-165. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

NR Band n5



Plot 7-166. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-167. Conducted Spurious Plot (NR Band n5 - 20.0MHz DFT-s-OFDM BPSK - RB Size 1, RB Offset 0 - Low Channel)

Plot 7-168. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-169. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-170. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)

Plot 7-171. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-172. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)



Plot 7-173. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)

Plot 7-174. Conducted Spurious Plot (NR Band n5 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)

Band 66/4



Plot 7-175. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-176. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-177. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-178. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-179. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-180. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-181. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-182. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-183. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

NR Band n66



Plot 7-184. Conducted Spurious Plot (NR Band n66 -20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-185. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-186. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-187. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-188. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-189. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-190. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)



Plot 7-191. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)



Plot 7-192. Conducted Spurious Plot (NR Band n66 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)

Band 2



Plot 7-193. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-194. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-195. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-196. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-197. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-198. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-199. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-200. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-201. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

NR Band n2



Plot 7-202. Conducted Spurious Plot (NR Band n2 -20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-203. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-204. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-205. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-206. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-207. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-208. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)



Plot 7-209. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)



Plot 7-210. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)

Band 41



Plot 7-211. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-212. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-213. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-214. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-215. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-216. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-217. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-218. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-219. Conducted Spurious Plot (Band 41 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

7.4 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + 10 $log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW ≥ 1% of the emission bandwidth
4. VBW ≥ 3 x RBW
5. Detector = RMS
6. Number of sweep points ≥ 2 x Span/RBW
7. Trace mode = trace average
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

Test Notes

Per 22.917(b) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.