

AC Line Conducted Emissions (Graph)

Test Mode: U-NII 2A & TM 1 & MIMO(CDD) & 5320 MHz

Results of Conducted Emission

DTNC



Date 2020-04-10

Order No.
Model No. LM-G900EM
Serial No.
Test Condition 5.3G WLAN

Reference No.
Power Supply 120 V, 60 Hz
Temp/Humi. 23 °C / 35 %
Operator J.H.Bang

Memo

LIMIT : FCC P15.207 QP
FCC P15.207 AV



AC Line Conducted Emissions (Data List)

Test Mode: U-NII 2A & TM 1 & MIMO(CDD) & 5320 MHz

Results of Conducted Emission

DTNC

Date 2020-04-10

Order No.
Model No. LM-G900EM
Serial No.
Test Condition 5.3G WLAN

Reference No.
Power Supply 120 V, 60 Hz
Temp/Humi. 23 °C / 35 %
Operator J.H.Bang

Memo

LIMIT : FCC P15.207 QP
FCC P15.207 AV

NO	FREQ [MHz]	READING		C.FACTOR [dB]	RESULT		LIMIT		MARGIN		PHASE
		QP [dBuV]	CAV [dBuV]		QP [dBuV]	CAV [dBuV]	QP [dBuV]	CAV [dBuV]	QP [dBuV]	CAV [dBuV]	
1	0.15762	30.57	17.08	10.00	40.57	27.08	65.59	55.59	25.02	28.51	N
2	0.19201	28.97	13.93	10.02	38.99	23.95	63.95	53.95	24.96	30.00	N
3	0.55031	12.82	3.03	10.06	22.88	13.09	56.00	46.00	33.12	32.91	N
4	1.40867	4.65	-1.47	10.07	14.72	8.60	56.00	46.00	41.28	37.40	N
5	8.40700	9.53	5.24	10.31	19.84	15.55	60.00	50.00	40.16	34.45	N
6	11.80028	13.80	8.05	10.39	24.19	18.44	60.00	50.00	35.81	31.56	N
7	25.51035	14.72	7.87	10.59	25.31	18.46	60.00	50.00	34.69	31.54	N
8	0.15850	31.23	18.67	10.01	41.24	28.68	65.54	55.54	24.30	26.86	L
9	0.29289	22.46	6.55	10.03	32.49	16.58	60.44	50.44	27.95	33.86	L
10	1.16680	4.65	-0.66	10.07	14.72	9.41	56.00	46.00	41.28	36.59	L
11	3.47854	6.39	1.85	10.16	16.55	12.01	56.00	46.00	39.45	33.99	L
12	9.38140	7.06	1.68	10.32	17.38	12.00	60.00	50.00	42.62	38.00	L
13	11.65439	17.78	9.88	10.37	28.15	20.25	60.00	50.00	31.85	29.75	L
14	26.34057	13.77	8.35	10.56	24.33	18.91	60.00	50.00	35.67	31.09	L

AC Line Conducted Emissions (Graph)

Test Mode: U-NII 2C & TM 1 & MIMO(CDD) & 5500 MHz

Results of Conducted Emission

DTNC

Date 2020-04-10

Order No.
Model No.
Serial No.
Test Condition



LM-G900EM
5.5G WLAN

Reference No.
Power Supply
Temp/Humi.
Operator

120 V, 60 Hz
23 °C / 35 %
J.H.Bang

Memo

LIMIT : FCC P15.207 QP
FCC P15.207 AV



AC Line Conducted Emissions (Data List)

Test Mode: U-NII 2C & TM 1 & MIMO(CDD) & 5500 MHz

Results of Conducted Emission

DTNC

Date 2020-04-10

Order No.		Reference No.	
Model No.	LM-G900EM	Power Supply	120 V, 60 Hz
Serial No.		Temp/Humi.	23 °C / 35 %
Test Condition	5.5G WLAN	Operator	J.H.Bang

Memo

LIMIT : FCC P15.207 QP
FCC P15.207 AV

NO	FREQ [MHz]	READING		C.FACTOR [dB]	RESULT		LIMIT		MARGIN		PHASE
		QP [dBuV]	CAV [dBuV]		QP [dBuV]	CAV [dBuV]	QP [dBuV]	CAV [dBuV]	QP [dBuV]	CAV [dBuV]	
1	0.16450	30.17	14.36	10.02	40.19	24.38	65.23	55.23	25.04	30.85	N
2	0.28514	23.45	6.29	10.03	33.48	16.32	60.66	50.66	27.18	34.34	N
3	2.16714	4.46	-0.99	10.11	14.57	9.12	56.00	46.00	41.43	36.88	N
4	3.68676	0.33	-3.48	10.17	10.50	6.69	56.00	46.00	45.50	39.31	N
5	8.86123	7.80	3.02	10.31	18.11	13.33	60.00	50.00	41.89	36.67	N
6	11.63070	13.65	8.07	10.38	24.03	18.45	60.00	50.00	35.97	31.55	N
7	25.51661	14.81	7.41	10.59	25.40	18.00	60.00	50.00	34.60	32.00	N
8	0.16331	30.71	16.09	10.01	40.72	26.10	65.29	55.29	24.57	29.19	L
9	0.18052	27.91	16.18	10.01	37.92	26.19	64.46	54.46	26.54	28.27	L
10	0.78884	7.40	2.23	10.06	17.46	12.29	56.00	46.00	38.54	33.71	L
11	2.26755	5.43	1.53	10.13	15.56	11.66	56.00	46.00	40.44	34.34	L
12	5.46087	4.07	0.88	10.22	14.29	11.10	60.00	50.00	45.71	38.90	L
13	8.56076	12.94	7.02	10.30	23.24	17.32	60.00	50.00	36.76	32.68	L
14	11.62555	17.97	10.17	10.37	28.34	20.54	60.00	50.00	31.66	29.46	L
15	13.18135	14.28	4.47	10.39	24.67	14.86	60.00	50.00	35.33	35.14	L

AC Line Conducted Emissions (Graph)

Test Mode: U-NII 2C & TM 1 & MIMO(CDD) & 5785 MHz

Results of Conducted Emission



DTNC

Date 2020-04-10

Order No.
Model No.
Serial No.
Test ConditionLM-G900EM

5.7G WLANReference No.
Power Supply
Temp/Humi.
Operator120 V, 60 Hz
23 °C / 35 %
J.H.Bang

Memo

LIMIT : FCC P15.207 QP
FCC P15.207 AV

AC Line Conducted Emissions (Data List)

Test Mode: U-NII 2C & TM 1 & MIMO(CDD) & 5785 MHz

Results of Conducted Emission

DTNC

Date 2020-04-10

Order No.		Reference No.	
Model No.	LM-G900EM	Power Supply	120 V, 60 Hz
Serial No.		Temp/Humi.	23 °C / 35 %
Test Condition	5.7G WLAN	Operator	J.H.Bang

Memo

LIMIT : FCC P15.207 QP
FCC P15.207 AV

NO	FREQ [MHz]	READING		C.FACTOR [dB]	RESULT		LIMIT		MARGIN		PHASE
		QP [dBuV]	CAV [dBuV]		QP [dBuV]	CAV [dBuV]	QP [dBuV]	CAV [dBuV]	QP [dBuV]	CAV [dBuV]	
1	0.16828	30.11	16.30	10.02	40.13	26.32	65.04	55.04	24.91	28.72	N
2	0.21474	27.24	10.40	10.02	37.26	20.42	63.02	53.02	25.76	32.60	N
3	0.52352	13.05	2.54	10.06	23.11	12.60	56.00	46.00	32.89	33.40	N
4	1.96901	4.62	-0.84	10.10	14.72	9.26	56.00	46.00	41.28	36.74	N
5	3.17451	1.28	-3.10	10.15	11.43	7.05	56.00	46.00	44.57	38.95	N
6	5.22510	2.26	-1.15	10.22	12.48	9.07	60.00	50.00	47.52	40.93	N
7	11.98273	13.32	7.51	10.39	23.71	17.90	60.00	50.00	36.29	32.10	N
8	25.37926	14.79	7.06	10.58	25.37	17.64	60.00	50.00	34.63	32.36	N
9	0.16542	32.60	18.02	10.01	42.61	28.03	65.19	55.19	22.58	27.16	L
10	0.20590	27.63	13.36	10.02	37.65	23.38	63.37	53.37	25.72	29.99	L
11	0.53203	14.58	6.84	10.06	24.64	16.90	56.00	46.00	31.36	29.10	L
12	1.46372	6.04	2.32	10.08	16.12	12.40	56.00	46.00	39.88	33.60	L
13	3.24180	3.01	-0.44	10.15	13.16	9.71	56.00	46.00	42.84	36.29	L
14	8.36826	13.22	7.57	10.30	23.52	17.87	60.00	50.00	36.48	32.13	L
15	11.83235	17.80	9.67	10.38	28.18	20.05	60.00	50.00	31.82	29.95	L
16	25.08246	10.53	4.11	10.54	21.07	14.65	60.00	50.00	38.93	35.35	L

9. LIST OF TEST EQUIPMENT

Type	Manufacturer	Model	Cal.Date (yy/mm/dd)	Next.Cal.Date (yy/mm/dd)	S/N
Spectrum Analyzer	Agilent Technologies	N9020A	19/12/16	20/12/16	MY50410357
Spectrum Analyzer	Agilent Technologies	N9020A	19/12/16	20/12/16	MY48011700
Spectrum Analyzer	Agilent Technologies	N9020A	19/12/16	20/12/16	MY48010133
Spectrum Analyzer	Agilent Technologies	N9030A	19/12/16	20/12/16	MY53310140
DC Power Supply	Agilent Technologies	66332A	19/06/25	20/06/25	MY43000211
Multimeter	FLUKE	17B	19/12/16	20/12/16	26030065WS
Signal Generator	Rohde Schwarz	SMBV100A	19/12/16	20/12/16	255571
Signal Generator	ANRITSU	MG3695C	19/12/16	20/12/16	173501
Thermohygrometer	BODYCOM	BJ5478	19/12/18	20/12/18	120612-1
Thermohygrometer	BODYCOM	BJ5478	19/12/18	20/12/18	120612-2
Thermohygrometer	BODYCOM	BJ5478	19/09/18	20/09/18	N/A
HYGROMETER	TESTO	608-H1	20/01/21	21/01/21	34862883
Loop Antenna	Schwarzbeck	FMZB1513	20/02/19	22/02/19	1513-128
BILOG ANTENNA	Schwarzbeck	VULB 9160	19/04/23	21/04/23	9160-3362
Horn Antenna	ETS-Lindgren	3115	20/01/30	22/01/30	6419
Horn Antenna	A.H.Systems Inc.	SAS-574	19/07/03	21/07/03	155
PreAmplifier	tsj	MLA-0118-B01-40	19/12/16	20/12/16	1852267
PreAmplifier	tsj	MLA-1840-J02-45	19/06/27	20/06/27	16966-10728
PreAmplifier	H.P	8447D	19/12/16	20/12/16	2944A07774
High Pass Filter	Wainwright Instruments	WHKX12-935-1000-15000-40SS	19/06/26	20/06/26	8
High Pass Filter	Wainwright Instruments	WHKX10-2838-3300-18000-60SS	19/06/26	20/06/26	1
High Pass Filter	Wainwright Instruments	WHNX8.0/26.5-6SS	19/06/27	20/06/27	3
Attenuator	Hefei Shunze	SS5T2.92-10-40	19/06/27	20/06/27	16012202
Attenuator	SRTechnology	F01-B0606-01	19/06/27	20/06/27	13092403
Attenuator	Aeroflex/Weinschel	20515	19/06/27	20/06/27	Y2370
Attenuator	SMAJK	SMAJK-2-3	19/06/27	20/06/27	2
Attenuator	SMAJK	SMAJK-50-10	19/06/25	20/06/25	15081903
Power Meter & Wide Bandwidth Sensor	Anritsu	ML2488B MA2491A	20/01/02	21/01/21	0846002
			20/01/20	21/01/21	0845205
			20/01/20	21/01/21	0845295
EMI Receiver	ROHDE&SCHWARZ	ESW44	19/07/30	20/07/30	101645
HYGROMETER	TESTO	608-H1	20/01/21	21/01/21	34862883
EMI Test Receiver	Rohde Schwarz	ESCI7	20/01/20	21/01/20	100910
PULSE LIMITER	Rohde Schwarz	ESH3-Z2	19/09/17	20/09/17	101333
LISN	SCHWARZBECK	NNLK 8121	19/05/23	20/05/23	6183
Cable	Junkosha	MWX241	20/01/13	21/01/13	G-04
Cable	Junkosha	MWX241	20/01/13	21/01/13	G-07
Cable	DT&C	Cable	20/01/13	21/01/13	G-13
Cable	DT&C	Cable	20/01/13	21/01/13	G-14
Cable	HUBER+SUHNER	SUCOFLEX 104	20/01/13	21/01/13	G-15
Cable	Radiall	TESTPRO3	20/01/16	21/01/16	M-01
Cable	Junkosha	MWX315	20/01/16	21/01/16	M-05
Cable	Junkosha	MWX221	20/01/16	21/01/16	M-06
Cable	DT&C	Cable	20/01/16	21/01/16	RF-82


Note 1: The measurement antennas were calibrated in accordance to the requirements of ANSI C63.5-2017

Note 2: The cable is not a regular calibration item, so it has been calibrated by DT & C itself

APPENDIX I

Conducted Test set up Diagram

- Conducted Measurement



APPENDIX II

Duty Cycle Information

■ Test Procedure

Duty Cycle [X = On Time / (On + Off time)] is measured using Measurement Procedure of **KDB789033 D02v02r01**

1. Set the center frequency of the spectrum analyzer to the center frequency of the transmission.
2. Set RBW $\geq$ EBW if possible; otherwise, set RBW to the largest available value.
3. Set VBW $\geq$ RBW. Set detector = peak.
4. Note : The zero-span measurement method shall not be used unless both **RBW and VBW are $> 50/T$** , where T is defined in section II.B.1.a), and **the number of sweep points across duration T exceeds 100**. (For example, if VBW and/or RBW are limited to 3 MHz, then the zero-span method of measuring duty cycle shall not be used if $T \leq 16.7$ microseconds.)

T : The minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

(T = On time of the above table since the EUT operates with above fixed Duty Cycle and it is the minimum On time)

■ Test Results:

Duty cycle: CDD


Mode	Data Rate	Tested Frequency [MHz]	Maximum Achievable Duty Cycle (x) = On / (On+Off)			Duty Cycle Correction Factor [dB]	50/T [kHz]
			On Time [ms]	(On+Off) Time [ms]	x		
TM 1	6Mbps	5180	2.030	2.065	0.9831	0.07	24.63
TM 2	MCS0	5180	1.900	1.937	0.9809	0.08	26.32
TM 3	MCS8	5190	0.661	0.696	0.9500	0.22	75.67
TM 4	MCS0	5210	0.612	0.648	0.9451	0.25	81.65

Test Plot:

Multiple Transmit


Duty Cycle

Test Mode: TM 1 & Ch.36



Duty Cycle


Test Mode: TM 2 & Ch.36



9


Duty Cycle

Test Mode: TM 3 & Ch.38



Duty Cycle

Test Mode: TM 4 & Ch.42




APPENDIX III

Unwanted Emissions (Radiated) Test Plot: MIMO(CDD)


TM 1 & U-NII 1 & Ch.36 & Z axis & Ver

Detector Mode : PK




TM 1 & U-NII 1 & Ch.36 & Z axis & Ver

Detector Mode : AV




Detector Mode : PK




TM 1 & U-NII 2A & Ch.64 & Z axis & Ver

Detector Mode : PK




TM 1 & U-NII 2A & Ch.64 & Z axis & Ver

Detector Mode : AV




TM 1 & U-NII 2A & Ch.60 & Y axis & Hor

Detector Mode : AV




TM 1 & U-NII 2C & Ch.100 & Z axis & Ver

Detector Mode : PK




TM 1 & U-NII 2C & Ch.100 & Z axis & Ver

Detector Mode : AV




TM 1 & U-NII 2C & Ch.144 & Y axis & Hor

Detector Mode : AV




TM 1 & U-NII 3 & Ch.149 & Z axis & Ver

Detector Mode : PK




TM 1 & U-NII 3 & Ch.165 & Z axis & Ver

Detector Mode : PK




TM 1 & U-NII 3 & Ch.165 & Y axis & Hor


Detector Mode : AV




Detector Mode : PK



Detector Mode : AV




Detector Mode : PK




TM 2 & U-NII 2A & Ch.64 & Z axis & Ver

Detector Mode : PK




TM 2 & U-NII 2A & Ch.64 & Z axis & Ver

Detector Mode : AV




TM 2 & U-NII 2A & Ch.60 & Y axis & Hor

Detector Mode : AV




TM 2 & U-NII 2C & Ch.100 & Z axis & Ver

Detector Mode : PK




TM 2 & U-NII 2C & Ch.100 & Z axis & Ver

Detector Mode : AV




TM 2 & U-NII 2C & Ch.120 & Y axis & Hor

Detector Mode : AV




TM 2 & U-NII 3 & Ch.149 & Z axis & Ver

Detector Mode : PK




TM 2 & U-NII 3 & Ch.165 & Z axis & Ver

Detector Mode : PK




TM 2 & U-NII 3 & Ch.165 & Y axis & Hor

Detector Mode : AV




TM 3 & U-NII 1 & Ch.38 & Z axis & Ver

Detector Mode : PK




TM 3 & U-NII 1 & Ch.38 & Z axis & Ver

Detector Mode : AV




TM 3 & U-NII 1 & Ch.38 & Y axis & Hor

Detector Mode : PK




TM 3 & U-NII 2A & Ch.62 & Z axis & Ver

Detector Mode : PK




TM 3 & U-NII 2A & Ch.62 & Z axis & Ver

Detector Mode : AV




TM 3 & U-NII 2A & Ch.62 & Y axis & Hor

Detector Mode : AV




TM 3 & U-NII 2C & Ch.102 & Z axis & Ver

Detector Mode : PK




TM 3 & U-NII 2C & Ch.102 & Z axis & Ver

Detector Mode : AV




TM 3 & U-NII 2C & Ch.102 & Y axis & Hor

Detector Mode : AV




TM 3 & U-NII 3 & Ch.151 & Z axis & Ver

Detector Mode : PK




TM 3 & U-NII 3 & Ch.159 & Z axis & Ver

Detector Mode : PK




TM 3 & U-NII 3 & Ch.159 & Y axis & Hor

Detector Mode : AV




TM 4 & U-NII 1 & Ch.42 & Z axis & Hor

Detector Mode : PK




TM 4 & U-NII 1 & Ch.42 & Z axis & Hor

Detector Mode : AV




TM 4 & U-NII 1 & Ch.42 & Y axis & Hor

Detector Mode : PK




TM 4 & U-NII 2A & Ch.58 & Z axis & Hor

Detector Mode : PK




TM 4 & U-NII 2A & Ch.58 & Z axis & Hor

Detector Mode : AV




TM 4 & U-NII 2A & Ch.58 & Y axis & Hor

Detector Mode : PK




TM 4 & U-NII 2C & Ch.106 & Z axis & Hor

Detector Mode : PK




TM 4 & U-NII 2C & Ch.106 & Z axis & Hor

Detector Mode : AV




TM 4 & U-NII 2C & Ch.106 & Y axis & Hor

Detector Mode : AV




TM 4 & U-NII 3 & Ch.155 & Z axis & Hor

Detector Mode : PK




TM 4 & U-NII 3 & Ch.155 & Z axis & Hor

Detector Mode : PK



TM 4 & U-NII 3 & Ch.155 & Y axis & Hor


Detector Mode : AV



Unwanted Emissions (Radiated) Test Plot: Wireless Charging


802.11ac(VHT80) & U-NII 1 & Ch.42 & X axis & Ver

Detector Mode : PK




802.11ac(VHT80) & U-NII 1 & Ch.42 & X axis & Ver

Detector Mode : AV




802.11ac(VHT80) & U-NII 1 & Ch.42 & X axis & Hor

Detector Mode : PK




802.11n(HT40) & U-NII 2A & Ch.62 & X axis & Ver

Detector Mode : PK




802.11n(HT40) & U-NII 2A & Ch.62 & X axis & Ver

Detector Mode : AV




802.11n(HT40) & U-NII 2A & Ch.62 & X axis & Hor

Detector Mode : AV




802.11ac(VHT80) & U-NII 2C & Ch.106 & X axis & Ver

Detector Mode : PK




802.11ac(VHT80) & U-NII 2C & Ch.106 & X axis & Ver

Detector Mode : AV




802.11ac(VHT80) & U-NII 2C & Ch.106 & X axis & Hor

Detector Mode : AV




802.11n(HT40) & U-NII 3 & Ch.159 & X axis & Ver

Detector Mode : PK



802.11n(HT40) & U-NII 3 & Ch.159 & X axis & Hor

Detector Mode : AV



Unwanted Emissions (Radiated) Test Plot : Dual Display


802.11ac(VHT80) & U-NII 1 & Ch.42 & Z axis & Hor

Detector Mode : PK




802.11ac(VHT80) & U-NII 1 & Ch.42 & Z axis & Hor

Detector Mode : AV




802.11ac(VHT80) & U-NII 1 & Ch.42 & Z axis & Hor

Detector Mode : AV




802.11n(HT40) & U-NII 2A & Ch.62 & Z axis & Ver

Detector Mode : PK




802.11n(HT40) & U-NII 2A & Ch.62 & Z axis & Ver

Detector Mode : AV




802.11n(HT40) & U-NII 2A & Ch.62 & Z axis & Ver


Detector Mode : AV




Detector Mode : PK



Detector Mode : AV




Detector Mode : PK




802.11n(HT40) & U-NII 3 & Ch.159 & Y axis & Hor

Detector Mode : PK



802.11n(HT40) & U-NII 3 & Ch.159 & Y axis & Hor


Detector Mode : PK



Unwanted Emissions (Radiated) Test Plot : Dual Display + WPC


802.11ac(VHT80) & U-NII 1 & Ch.42 & X axis & Ver

Detector Mode : PK




802.11ac(VHT80) & U-NII 1 & Ch.42 & X axis & Ver

Detector Mode : AV




802.11ac(VHT80) & U-NII 1 & Ch.42 & X axis & Ver

Detector Mode : AV




Detector Mode : PK




802.11n(HT40) & U-NII 2A & Ch.62 & X axis & Ver

Detector Mode : AV




802.11ac(VHT80) & U-NII 2C & Ch.106 & X axis & Ver

Detector Mode : PK




802.11ac(VHT80) & U-NII 2C & Ch.106 & X axis & Ver

Detector Mode : AV




802.11ac(VHT80) & U-NII 2C & Ch.106 & X axis & Ver

Detector Mode : AV



802.11n(HT40) & U-NII 3 & Ch.159 & X axis & Ver

Detector Mode : PK



802.11n(HT40) & U-NII 3 & Ch.159 & X axis & Ver

Detector Mode : PK

